Yahoo Group Archive: TrunkPCR

These Yahoo Groups messages were archived in WARC format by ArchiveTeam in 2017. This PDF was generated by Digital Library of Amateur Radio & Communications from the WARC files in 2026.

Date span: 2005-05-29 through 2017-08-31

Source WARC: trunkpcr.LXdjXxW.warc.gz

Source item: https://archive.org/details/yahoo-groups-2017-10-18T04-10-29Z-121354

Messages included in this PDF: 2109

Message records with no body available in the source archive: 1

Yahoo replaced the domain portions of email addresses with @... in the archived messages. Characters lost in Yahoo's archived text appear as ?.

Messages are presented in ascending Yahoo message-ID order. Gaps indicate records absent from the source WARC or messages omitted from this PDF as spam.

1. Pleased with TrunkPCR

Yahoo group: TrunkPCR
Date: 2005-05-29 00:20:34 UTC
From: Andy Brinkley
Topic: 1 Message: 1

Jay -

Thanks for setting the group up. I have been "playing" with TrunkPCR for about 6 months and have been more than pleased with its capabilities. Keep up the good work.
Andy

NC Certified Firefighter III / Instructor II / EMT-A
FCC Licensed Technician / Amateur Call NC4AB / Echolink Node 5761
http://www.brinkleyelectronics.com

2. TrunkPCR makes the PCR rock...

Yahoo group: TrunkPCR
Date: 2005-05-29 14:50:34 UTC
From: Stuart Gittens
Topic: 2 Message: 2

Thanks for all your efforts Jay. Setting up the Group will allow for ideas to flow.... lets hope members stay active!

3. good Idea

Yahoo group: TrunkPCR
Date: 2005-05-29 16:09:51 UTC
From: Glenn Blum
Topic: 3 Message: 3

This is a great Idea to have the TRUNKPCR Yahoo Group. Now we can sit back and discuss Ideas and things without dealing with the other groups. I love a closed group.

Glenn Blum
kd5dga

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.322 / Virus Database: 266.11.16 - Release Date: 5/24/2005

4. Error Message

Yahoo group: TrunkPCR
Date: 2005-05-29 16:17:51 UTC
From: txrrcop
Topic: 4 Message: 4

```
When I go to the Trunk mode I receive the following error message.
Any help will appreciated.

MMresult: waveInOpen returns A device ID that has been used that is
out of range for your system.

Thanks
```

5. Motorola vrs. EDACS

Yahoo group: TrunkPCR
Date: 2005-05-29 16:21:51 UTC
From: Glenn Blum
Topic: 5 Message: 5

I started off with TRUNKPCR for the sole purpose of EDACS locally. I have been trunking 15 different trunked systems locally which are divided up between narrow band EDACS and Motorola Type II. I noticed that TRUNKPCR runs better with Motorola systems.
Now I am not the greatest when it comes to knowledge of trunked radio. But I am trunking Motorola Systems that are 50 miles out. The signal levels are extremely low with no indication on the s-meter, but I get 100 percent on the recovery rate. Some local EDACS are much harder to get a good recovery rate, especially Narrow Band EDACS. All the Frequencies are mainly between 850 MHz and 930 MHz.
This is not a complaint.....I just wished that the County Officials would have chosen Motorola. Some local folks have told me that Motorola is easier to trunk.

Glenn Blum
kd5dga

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.322 / Virus Database: 266.11.16 - Release Date: 5/24/2005

6. Suggested upgrades

Yahoo group: TrunkPCR
Date: 2005-05-29 18:05:49 UTC
From: wa7pka
Topic: 6 Message: 6

1. Add priority trunking for the a-z group while monitor some of this group
2. repair the problem when locked onto a signal and during the call the system drops and goes back to scanning.
3. fix the IF Shift so it will function.
4. It would be nice to be able to print-out all stats and other screens.
5. I use this system to listen to my work in the mass transportation business and found it very helpful in knowing the work load certain dispatchers and rail controllers have.

Thanks again Jay for all of your help and your continued interest in keeping this program going.

7. Auto Shutdown with this verison 0.7.716

Yahoo group: TrunkPCR
Date: 2005-05-29 18:45:37 UTC
From: wa7pka
Topic: 7 Message: 7

```
After about an hour of monitoring time the monitor will shut down
(turn itself off)not sure why. Tried to let run overnight only to
check on it and find it off.
This has not happened in the past only with the newest upgrade.
```

8. RE: [TrunkPCR] Suggested upgrades

Yahoo group: TrunkPCR
Date: 2005-05-29 20:35:29 UTC
From: Glenn Blum
Topic: 6 Message: 8
Attachments: 1 described; binary payloads are missing from this source WARC

Not to be picky but I don't understand why you would need IF shift during scanning?
The number 4 suggested upgrade would be nicer if you can export them to something like a .text file or excel then be able to print.

Glenn Blum
kd5dga

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of wa7pka
Sent: Sunday, May 29, 2005 1:06 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Suggested upgrades

1. Add priority trunking for the a-z group while monitor some of this group
2. repair the problem when locked onto a signal and during the call the system drops and goes back to scanning.
3. fix the IF Shift so it will function.
4. It would be nice to be able to print-out all stats and other screens.
5. I use this system to listen to my work in the mass transportation business and found it very helpful in knowing the work load certain dispatchers and rail controllers have.
Thanks again Jay for all of your help and your continued interest in keeping this program going.

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/TrunkPCR/

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
<http://docs.yahoo.com/info/terms/> Service.

9. Re: Suggested upgrades

Yahoo group: TrunkPCR
Date: 2005-05-30 01:46:06 UTC
From: Jay
Topic: 6 Message: 9

1. Priority Trunking will be available when I finish the "2nd Receiver Option"... Using just "One Audio Decoding Source", Priority is not an option...
2. When the Squelch Closes after a conversation ends or loss of signal, then searching/scaning will resume nomally as it should do. You can select the "Listen to Continuation Calls" in the Trunk Settings to follow dropped signals...
3. IF Shift will "Only Work when in LSB,USB or CW Modes"...
4. Printing Info about the Stats and other screens will be added in future upgrades...

Thanks,
Jay

--- In TrunkPCR@yahoogroups.com, "wa7pka" <wa7pka@y...> wrote:
> 1. Add priority trunking for the a-z group while monitor some of this
> group
> 2. repair the problem when locked onto a signal and during the call
> the system drops and goes back to scanning.
> 3. fix the IF Shift so it will function.
> 4. It would be nice to be able to print-out all stats and other
> screens.
> 5. I use this system to listen to my work in the mass transportation
> business and found it very helpful in knowing the work load certain
> dispatchers and rail controllers have.
> Thanks again Jay for all of your help and your continued interest
> in keeping this program going.

10. Re: Auto Shutdown with this verison 0.7.716

Yahoo group: TrunkPCR
Date: 2005-05-30 01:59:12 UTC
From: Jay
Topic: 7 Message: 10

Does the Trunk Button "Turn Off" showing the Red Indicator next to it?
or does the Power Button turn off too?
Is your PC going into "StandBy" Mode after a certain ammount of time?

Thanks,
Jay

--- In TrunkPCR@yahoogroups.com, "wa7pka" <wa7pka@y...> wrote:
> After about an hour of monitoring time the monitor will shut down
> (turn itself off)not sure why. Tried to let run overnight only to
> check on it and find it off.
> This has not happened in the past only with the newest upgrade.

11. Re: [TrunkPCR] Motorola vrs. EDACS

Yahoo group: TrunkPCR
Date: 2005-05-30 04:04:29 UTC
From: Steve Smith
Topic: 5 Message: 11

I've found the same thing with an EDACS user here (BART). Although the signal level is low, a Motorola system with a similar signal strength has 50 - 90% recovery rate, while the EDACS never gets any higher than 10%.

--- Glenn Blum <kd5dga@...> wrote:
> I started off with TRUNKPCR for the sole purpose of
> EDACS locally. I
> have been trunking 15 different trunked systems
> locally which are
> divided up between narrow band EDACS and Motorola
> Type II. I noticed
> that TRUNKPCR runs better with Motorola systems.
> Now I am not the greatest when it comes to knowledge
> of trunked radio.
> But I am trunking Motorola Systems that are 50 miles
> out. The signal
> levels are extremely low with no indication on the
> s-meter, but I get
> 100 percent on the recovery rate. Some local EDACS
> are much harder to
> get a good recovery rate, especially Narrow Band
> EDACS. All the
> Frequencies are mainly between 850 MHz and 930 MHz.
> This is not a complaint.....I just wished that the
> County Officials
> would have chosen Motorola. Some local folks have
> told me that Motorola
> is easier to trunk.
>
>
> Glenn Blum
> kd5dga
>
>
>
>
>
> --
> No virus found in this outgoing message.
> Checked by AVG Anti-Virus.
> Version: 7.0.322 / Virus Database: 266.11.16 -
> Release Date: 5/24/2005
>

>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

12. grasias

Yahoo group: TrunkPCR
Date: 2005-05-30 13:47:26 UTC
From: jose rivas
Topic: 12 Message: 12

muchas grasias

_____
Correo Yahoo!
Espacio para todos tus mensajes, antivirus y antispam ?gratis!
Reg?strate ya - http://correo.espanol.yahoo.com/

13. Trunking in the UK

Yahoo group: TrunkPCR
Date: 2005-05-30 17:27:13 UTC
From: Bill Smith
Topic: 13 Message: 13

Well done to Jay for setting up the group - have you recovered from the accident!

I live in the UK, and am wondering if there is anyone out there who knows of any frequencis for UK trunk networks

Many thanks

Bill

How much free photo storage do you get? Store your holiday snaps for FREE with Yahoo! Photos http://uk.photos.yahoo.com

14. Re: [TrunkPCR] Re: Suggested upgrades

Yahoo group: TrunkPCR
Date: 2005-05-30 20:59:43 UTC
From: vince48
Topic: 6 Message: 14

Jay wrote:

> 1. Priority Trunking will be available when I finish the "2nd Receiver
> Option"... Using just "One Audio Decoding Source", Priority is not an
> option...
> 2. When the Squelch Closes after a conversation ends or loss of signal,
> then searching/scaning will resume nomally as it should do. You can
> select the "Listen to Continuation Calls" in the Trunk Settings to
> follow dropped signals...
> 3. IF Shift will "Only Work when in LSB,USB or CW Modes"...
> 4. Printing Info about the Stats and other screens will be added in
> future upgrades...
>
> Thanks,
> Jay
>
> --- In TrunkPCR@yahoogroups.com, "wa7pka" <wa7pka@y...> wrote:
> > 1. Add priority trunking for the a-z group while monitor some of this
> > group
> > 2. repair the problem when locked onto a signal and during the call
> > the system drops and goes back to scanning.
> > 3. fix the IF Shift so it will function.
> > 4. It would be nice to be able to print-out all stats and other
> > screens.
> > 5. I use this system to listen to my work in the mass transportation
> > business and found it very helpful in knowing the work load certain
> > dispatchers and rail controllers have.
> > Thanks again Jay for all of your help and your continued interest
> > in keeping this program going.
>
>
>
> ---
> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/TrunkPCR/
>
> * To unsubscribe from this group, send an email to:
> TrunkPCR-unsubscribe@yahoogroups.com
> <mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>

>
>
>
> ----------
>
> avast! Antivirus <http://www.avast.com>: Inbound message clean.
>
> Virus Database (VPS): 0521-5, 05/29/2005
> Tested on: 5/29/2005 6:46:43 PM
> avast! - copyright (c) 1988-2004 ALWIL Software.
>
>
Jay
What is "2nd Receiver Option"? What will it do?

Vincent

---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0522-0, 05/30/2005
Tested on: 5/30/2005 1:59:44 PM
avast! - copyright (c) 1988-2004 ALWIL Software.
http://www.avast.com

15. Scanning Frequencies

Yahoo group: TrunkPCR
Date: 2005-05-30 22:55:39 UTC
From: Willy
Topic: 15 Message: 15

does anyone have a place on the internet where i can get scanner frequencies for Lemon Grove/San Diego, ca?

willy.

16. RE: [TrunkPCR] Scanning Frequencies

Yahoo group: TrunkPCR
Date: 2005-05-30 23:49:11 UTC
From: Glenn Blum
Topic: 15 Message: 16
Attachments: 1 described; binary payloads are missing from this source WARC

Try this;
http://www.radioreference.com/modules.php?name=RR&ctid=219

Glenn Blum
kd5dga

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Willy
Sent: Monday, May 30, 2005 5:56 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Scanning Frequencies

does anyone have a place on the internet where i can get scanner frequencies for Lemon Grove/San Diego, ca?

willy.

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/TrunkPCR/

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
<http://docs.yahoo.com/info/terms/> Service.

17. updates

Yahoo group: TrunkPCR
Date: 2005-05-31 01:57:34 UTC
From: Glenn Blum
Topic: 17 Message: 17

Jay,
If this isn't already thought of, you can use the files section of this group for updates.
Now for a stupid question when it comes to Motorola. I would guess that all Astro radios are using digital so that is why there is a setting under trunk settings to block this?

Thanks,

Glenn Blum
kd5dga

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.322 / Virus Database: 267.3.0 - Release Date: 5/30/2005

18. Re: [TrunkPCR] Re: Suggested upgrades

Yahoo group: TrunkPCR
Date: 2005-05-31 04:32:03 UTC
From: Crazy Californian
Topic: 6 Message: 18

The 2nd Receiver Option or 2nd Audio Source will allow you to use another scanner that will be only be used to decode the Control Channel Data Stream. This way the program will have a constant data input allowing you to prioritize the Trunk Group ID's or "Trunk Banks". The 2nd Scanner, such as a Pro 2004 or Pro 2006 with a Discriminator Tap can be used...
----- Original Message -----

Jay
What is "2nd Receiver Option"? What will it do?

Vincent

19. Re: [TrunkPCR] updates

Yahoo group: TrunkPCR
Date: 2005-05-31 05:27:04 UTC
From: Crazy Californian
Topic: 17 Message: 19

Hi Glenn,

Yep, the files section will have the updates with bug fixes for all users...
Updates with major enhancements will go through the website and follow the
rules by donation ammount...

True, all Astro Calls are digital... This option allows me to
store/identify new Group or Radio ID's that use Astro.
If you Block Astro Calls, then new Astro ID's will not be stored for later
identification.
You'll notice that the only ID's that you listen to will be automatically
stored/saved. When you click on the "Control" Button while trunking, you
will see in the Stats Frame the number of Trunk & Radio ID's that the
program has "Seen",
while the number of ID's in the Main Display may show a smaller ammount
which reflect the number of ID's that you have "Heard"...

For my settings, I use Trunk Bank "G" for New Groups and Trunk Bank "D" for
Astro Digital Groups and I don't Block Astro Calls...
I have Trunk Bank "D" Disabled, so that when new Astro Groups are "Heard",
they are stored in Trunk Bank "G".
I then Right Click on Bank "D" which moves this new ID to Bank "D" and since
it is Disabled, I won't hear it again...

I follow the digital calls on my Pro-96 now which allows me to identify the
Astro Groups & Radios/Users...
And editing the Tags of the Astro ID's allows me to watch the Control
Channel Screen to see who's talking to who...

Regards,
Jay

----- Original Message -----
> Jay,
> If this isn't already thought of, you can use the files section of this
> group for updates.
> Now for a stupid question when it comes to Motorola. I would guess that
> all Astro radios are using digital so that is why there is a setting
> under trunk settings to block this?
>
> Thanks,
>
> Glenn Blum
> kd5dga

20. RE: [TrunkPCR] updates

Yahoo group: TrunkPCR
Date: 2005-06-01 03:25:50 UTC
From: Glenn Blum
Topic: 17 Message: 20
Attachments: 1 described; binary payloads are missing from this source WARC

One more Idea..How about a folder where members can keep their EEPROM back-ups.

Glenn Blum
kd5dga

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Crazy Californian
Sent: Tuesday, May 31, 2005 12:27 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] updates

Hi Glenn,

Yep, the files section will have the updates with bug fixes for all users...
Updates with major enhancements will go through the website and follow the
rules by donation ammount...

True, all Astro Calls are digital... This option allows me to store/identify new Group or Radio ID's that use Astro.
If you Block Astro Calls, then new Astro ID's will not be stored for later
identification.
You'll notice that the only ID's that you listen to will be automatically
stored/saved. When you click on the "Control" Button while trunking, you
will see in the Stats Frame the number of Trunk & Radio ID's that the program has "Seen",
while the number of ID's in the Main Display may show a smaller ammount which reflect the number of ID's that you have "Heard"...

For my settings, I use Trunk Bank "G" for New Groups and Trunk Bank "D" for
Astro Digital Groups and I don't Block Astro Calls...
I have Trunk Bank "D" Disabled, so that when new Astro Groups are "Heard",
they are stored in Trunk Bank "G".
I then Right Click on Bank "D" which moves this new ID to Bank "D" and since
it is Disabled, I won't hear it again...

I follow the digital calls on my Pro-96 now which allows me to identify the
Astro Groups & Radios/Users...
And editing the Tags of the Astro ID's allows me to watch the Control Channel Screen to see who's talking to who...

Regards,
Jay

----- Original Message -----
> Jay,
> If this isn't already thought of, you can use the files section of this
> group for updates.
> Now for a stupid question when it comes to Motorola. I would guess that
> all Astro radios are using digital so that is why there is a setting
> under trunk settings to block this?
>
> Thanks,
>
> Glenn Blum
> kd5dga

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/TrunkPCR/

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
<http://docs.yahoo.com/info/terms/> Service.

21. Re: updates

Yahoo group: TrunkPCR
Date: 2005-06-02 00:34:44 UTC
From: Jay
Topic: 17 Message: 21

Good Idea! Done...
Folder is created and I even put mine in...
I also created another folder where users can upload their Bank ".Bnk""
files in. I placed a few in there too...

Jay

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@i...> wrote:
> One more Idea..How about a folder where members can keep their EEPROM
> back-ups.
>
> Glenn Blum
> kd5dga

22. RE: [TrunkPCR] Re: updates

Yahoo group: TrunkPCR
Date: 2005-06-02 02:22:47 UTC
From: Glenn Blum
Topic: 17 Message: 22

Ok I added mine as a folder. I may have screwed up by doing this but I felt that it would keep it intact. I added a few local trunk banks but if I get back into HF I'll upload a few.

Glenn Blum
kd5dga

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Wednesday, June 01, 2005 7:35 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: updates

Good Idea! Done...
Folder is created and I even put mine in...
I also created another folder where users can upload their Bank ".Bnk"" files in. I placed a few in there too...

Jay

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@i...> wrote:
> One more Idea..How about a folder where members can keep their EEPROM
> back-ups.
>
> Glenn Blum
> kd5dga

Yahoo! Groups Links
☐ To visit your group on the web, go to:
http://groups.yahoo.com/group/TrunkPCR/

☐ To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

☐ Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.322 / Virus Database: 267.3.0 - Release Date: 5/30/2005

23. Program error

Yahoo group: TrunkPCR
Date: 2005-06-02 18:47:22 UTC
From: txrrcop
Topic: 23 Message: 23

```
When I go to the Trunk mode I receive the following error message.
Any help will appreciated.

MMresult: waveInOpen returns A device ID that has been used that is
out of range for your system.

Thanks
```

24. RE: [TrunkPCR] Program error

Yahoo group: TrunkPCR
Date: 2005-06-03 02:14:39 UTC
From: Glenn Blum
Topic: 23 Message: 24
Attachments: 1 described; binary payloads are missing from this source WARC

I wonder if the soundcard cant support a high sample rate?

Glenn Blum
kd5dga

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of txrrcop
Sent: Thursday, June 02, 2005 1:47 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Program error

When I go to the Trunk mode I receive the following error message. Any help will appreciated.

MMresult: waveInOpen returns A device ID that has been used that is out of range for your system.

Thanks

Yahoo! Groups Links
* To visit your group on the web, go to:
http://groups.yahoo.com/group/TrunkPCR/

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
<http://docs.yahoo.com/info/terms/> Service.

25. RE: [TrunkPCR] Program error

Yahoo group: TrunkPCR
Date: 2005-06-03 02:40:27 UTC
From: DD LEWIS
Topic: 23 Message: 25

I'm running a high-end Dell. The problem is recent.
It was working, then quit about a month ago.

DDL

--- Glenn Blum <kd5dga@...> wrote:

> I wonder if the soundcard cant support a high sample
> rate?
>
> Glenn Blum
> kd5dga
>
> -----Original Message-----
> From: TrunkPCR@yahoogroups.com
> [mailto:TrunkPCR@yahoogroups.com] On
> Behalf Of txrrcop
> Sent: Thursday, June 02, 2005 1:47 PM
> To: TrunkPCR@yahoogroups.com
> Subject: [TrunkPCR] Program error
>
> When I go to the Trunk mode I receive the following
> error message.
> Any help will appreciated.
>
> MMresult: waveInOpen returns A device ID that has
> been used that is
> out of range for your system.
>
> Thanks
>
>
>
>
>
> _____
>
> Yahoo! Groups Links
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/TrunkPCR/
>
> * To unsubscribe from this group, send an
> email to:
> TrunkPCR-unsubscribe@yahoogroups.com
>
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

>
>
> * Your use of Yahoo! Groups is subject to
> the Yahoo! Terms of
> <http://docs.yahoo.com/info/terms/> Service.
> > No virus found in this outgoing message.
> Checked by AVG Anti-Virus.
> Version: 7.0.322 / Virus Database: 267.3.0 - Release
> Date: 5/30/2005
>

26. Re: [TrunkPCR] Program error

Yahoo group: TrunkPCR
Date: 2005-06-03 03:22:04 UTC
From: Jay
Topic: 23 Message: 26

Do your Windows System Sounds work ok?
Can you record any sound using the window's recorder at different sample rates?
Have you upgraded your souind card drivers?

Thanks,
Jay

----- Original Message -----
> When I go to the Trunk mode I receive the following error message.
> Any help will appreciated.
>
> MMresult: waveInOpen returns A device ID that has been used that is
> out of range for your system.
>
> Thanks

27. Re: [TrunkPCR] Program error

Yahoo group: TrunkPCR
Date: 2005-06-03 12:37:37 UTC
From: DD LEWIS
Topic: 23 Message: 27

Good Morning Jay:

Everything seems to work OK. It's when I switch to the TRUNK mode that the problem pops up. The sound card records and operates at various sample rates. The drivers are current. I've removed the program and done a clean install. Still no help.

Thanks
--- Jay <crazycalifornian@...> wrote:

Do your Windows System Sounds work ok?
Can you record any sound using the window's recorder at different sample
rates?
Have you upgraded your souind card drivers?

Thanks,
Jay

----- Original Message -----
> When I go to the Trunk mode I receive the following error message.
> Any help will appreciated.
>
> MMresult: waveInOpen returns A device ID that has been used that is
> out of range for your system.
>
> Thanks

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/TrunkPCR/

To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

28. Re: [TrunkPCR] Program error

Yahoo group: TrunkPCR
Date: 2005-06-03 12:56:14 UTC
From: Jerry Sharp
Topic: 23 Message: 28

Hi, I've seen this or a similar error message when my soundcard is already in use by another program. The windows drivers will allow only one program at a time to use the soundcard.

Jerry Sharp, KD0GS

DD LEWIS wrote:
> Good Morning Jay:
>
> Everything seems to work OK. It's when I switch to
> the TRUNK mode that the problem pops up. The sound
> card records and operates at various sample rates.
> The drivers are current. I've removed the program and
> done a clean install. Still no help.
>
> Thanks
> --- Jay <crazycalifornian@...> wrote:
> ----------
> Do your Windows System Sounds work ok?
> Can you record any sound using the window's recorder
> at different sample
> rates?
> Have you upgraded your souind card drivers?
>
> Thanks,
> Jay
>
> ----- Original Message -----
> > When I go to the Trunk mode I receive the following
> error message.
> > Any help will appreciated.
> >
> > MMresult: waveInOpen returns A device ID that has
> been used that is
> > out of range for your system.
> >
> > Thanks
>
>
>
> ----------
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/TrunkPCR/

>
> To unsubscribe from this group, send an email to:
> TrunkPCR-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to the Yahoo!
> Terms of Service.
>
> ---
> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/TrunkPCR/
>
> * To unsubscribe from this group, send an email to:
> TrunkPCR-unsubscribe@yahoogroups.com
> <mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>
>
> ---
>
> No virus found in this incoming message.
> Checked by AVG Anti-Virus.
> Version: 7.0.322 / Virus Database: 267.4.1 - Release Date: 6/2/2005

29. Re: [TrunkPCR] Program error

Yahoo group: TrunkPCR
Date: 2005-06-03 14:34:39 UTC
From: DD LEWIS
Topic: 23 Message: 29

Hi:

Never thought about it being in use elswhere. i'll
look into that.

Thanks
--- Jerry Sharp <gerfmon@...> wrote:

Hi, I've seen this or a similar error message when my
soundcard is
already in use by another program. The windows drivers
will allow only
one program at a time to use the soundcard.

Jerry Sharp, KD0GS

DD LEWIS wrote:
> Good Morning Jay:
>
> Everything seems to work OK. It's when I switch to
> the TRUNK mode that the problem pops up. The sound
> card records and operates at various sample rates.
> The drivers are current. I've removed the program
and
> done a clean install. Still no help.
>
> Thanks
> --- Jay <crazycalifornian@...> wrote:
> ---
> Do your Windows System Sounds work ok?
> Can you record any sound using the window's recorder
> at different sample
> rates?
> Have you upgraded your souind card drivers?
>
> Thanks,
> Jay
>
> ----- Original Message -----
> > When I go to the Trunk mode I receive the
following
> error message.
> > Any help will appreciated.
> >
> > MMresult: waveInOpen returns A device ID that has
> been used that is

> > out of range for your system.
> >
> > Thanks
>
>
>
> ---
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/TrunkPCR/
>
> To unsubscribe from this group, send an email to:
> TrunkPCR-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to the
Yahoo!
> Terms of Service.
>
>

> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/TrunkPCR/
>
> * To unsubscribe from this group, send an email
to:
> TrunkPCR-unsubscribe@yahoogroups.com
>
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the
Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>
>
>

>
> No virus found in this incoming message.
> Checked by AVG Anti-Virus.
> Version: 7.0.322 / Virus Database: 267.4.1 - Release
Date: 6/2/2005

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/TrunkPCR/

To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo!
Terms of Service.

30. PCR shutdown after an hour

Yahoo group: TrunkPCR
Date: 2005-06-06 22:14:41 UTC
From: wa7pka
Topic: 30 Message: 30

Hi Jay, In reply to your question about my unit shutting down:
A. Yes, the "Trunk" is in red
B. Yes, the "On/Off" is also red

Have a grey set of bars in the display field when off.

I thought it turned itself off just when I would turn off the monitor, but that is not the case. System on my Dell computer is still active just the program shuts down. My standby mode is off.

It's weird.

Jack

31. Re: [TrunkPCR] PCR shutdown after an hour

Yahoo group: TrunkPCR
Date: 2005-06-07 00:34:59 UTC
From: Jay
Topic: 30 Message: 31

Hi Jack,

TrunkPCR has an Auto-OFF Feature where it will turn off the Trunk and Power Buttons when it senses
the Power on the PCR has been turned off, or a change in the CTS Line occurs in the COM Port.
This helps protect the PCR a bit when you have power bumps...

It could be that you might have a bad RS-232 Cable.
If not then some other program might be interferring with the IRQ used for the COM Port..

Jay

----- Original Message -----
> Hi Jay, In reply to your question about my unit shutting down:
> A. Yes, the "Trunk" is in red
> B. Yes, the "On/Off" is also red
>
> Have a grey set of bars in the display field when off.
>
> I thought it turned itself off just when I would turn off the monitor,
> but that is not the case. System on my Dell computer is still active
> just the program shuts down. My standby mode is off.
>
> It's weird.
>
>
> Jack

32. Extra Talk Groups ??

Yahoo group: TrunkPCR
Date: 2005-07-05 13:11:02 UTC
From: Jim Murray KC5QWG
Topic: 32 Message: 32

Hi Jay

Is there any chance that TrunkPCR is getting false talk Group hits while scanning? Seems like every day the program has found 15 or 20 talk groups which I know do not exist.

Jim

33. Re: [TrunkPCR] Extra Talk Groups ??

Yahoo group: TrunkPCR
Date: 2005-07-05 20:32:33 UTC
From: Jay
Topic: 32 Message: 33

Hi Jim,

If it's a Motorola System and you have the "Associate Group ID's" Un-Checked in the Trunk Settings,
then the Group ID Number that is saved contains the Status Bit info of the call as well...
If you show/view the Group ID's in HEX Mode and the 4th digit isn't zero ("0"), then that would be why...
The Status Bit corresponds to calls such as "Multi-Select", "Group Patch", "Emergency", etc...

If it's an Edacs System, then I'm not sure why it would...

Regards,
Jay

----- Original Message -----
> Hi Jay
>
> Is there any chance that TrunkPCR is getting false talk Group hits
> while scanning? Seems like every day the program has found 15 or 20
> talk groups which I know do not exist.
>
>
> Jim

34. Question - two radio feed question

Yahoo group: TrunkPCR
Date: 2005-08-09 17:56:06 UTC
From: exvaxman
Topic: 34 Message: 34

I saw a reference to using a pro-2004/2006 as well as the pcr1000. The pro-2004 as a reference channel and the 1K for listening?

How would I set this up? Sort of getting away from my goal of traveling with only one radio, but....

35. Re: [TrunkPCR] Question - two radio feed question

Yahoo group: TrunkPCR
Date: 2005-08-09 20:07:13 UTC
From: Jay
Topic: 34 Message: 35

In Trunk PCR, I think your are refering to the "Dual Receiver" Option which
it isn't implemented yet!
It will be in the future and maybe in the next update...

Jay

----- Original Message -----
> I saw a reference to using a pro-2004/2006 as well as the pcr1000. The
> pro-2004 as a reference channel and the 1K for listening?
>
> How would I set this up? Sort of getting away from my goal of traveling
> with only one radio, but....

36. Re: Question - two radio feed question

Yahoo group: TrunkPCR
Date: 2005-08-12 02:04:04 UTC
From: exvaxman
Topic: 34 Message: 36

Thanks!

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@h...> wrote:
> In Trunk PCR, I think your are refering to the "Dual Receiver" Option
which
> it isn't implemented yet!
> It will be in the future and maybe in the next update...
>
> Jay
>
> ----- Original Message -----
> > I saw a reference to using a pro-2004/2006 as well as the pcr1000.
The
> > pro-2004 as a reference channel and the 1K for listening?
> >
> > How would I set this up? Sort of getting away from my goal of
traveling
> > with only one radio, but....

37. Distortion ?

Yahoo group: TrunkPCR
Date: 2005-08-13 18:56:39 UTC
From: fremont48
Topic: 37 Message: 37

Greetings to all
Has anyone run into this problem... when I scanning a system that has 8xx.xx75 as one of its system frequencies, the PCR-1000 distorts or appears to desense? Only frequencies ending in "75" are affected.

TIA

38. Re: [TrunkPCR] Distortion ?

Yahoo group: TrunkPCR
Date: 2005-08-14 06:22:38 UTC
From: Steve Smith
Topic: 37 Message: 38

Hello,

Sorry, but I can't duplicate the problem you're reporting. I'm listening to a large Motorola type II system - are you monitoring an EDACS system?

I have noticed the bug where the executable crashes after an hour or so of operation.

>Greetings to all
>Has anyone run into this problem... when I scanning a system that has
>8xx.xx75 as one of its system frequencies, the PCR-1000 distorts or
>appears to desense? Only frequencies ending in "75" are affected.
>
>TIA
>
>
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

39. Re: [TrunkPCR] Distortion ?

Yahoo group: TrunkPCR
Date: 2005-08-14 17:18:36 UTC
From: vince48
Topic: 37 Message: 39

Steve Smith wrote:

> Hello,
>
> Sorry, but I can't duplicate the problem you're reporting. I'm listening
> to a large Motorola type II system - are you monitoring an EDACS system?
>
> I have noticed the bug where the executable crashes after an hour or so
> of operation.
>
> >Greetings to all
> >Has anyone run into this problem... when I scanning a system that has
> >8xx.xx75 as one of its system frequencies, the PCR-1000 distorts or
> >appears to desense? Only frequencies ending in "75" are affected.
> >
> >TIA
> >
> >
> >
> >
> >
> >
> >
> >Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >
> >
>
>
>
> SPONSORED LINKS
> Craft hobby
> <http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Craft+hobby&w2=Hobby+and+craft+suppl
y&w3=Ham+radio&c=3&s=60&.sig=YqiuyVwjnQFdynnsmMwVWg>
> Hobby and craft supply
> <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Craft+hobby&w2=Hobby+and+
craft+supply&w3=Ham+radio&c=3&s=60&.sig=VduRJqNqUo9QkUiTI-knAA>
> Ham radio
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Craft+hobby&w2=Hobby+and+craft+supply&

w3=Ham+radio&c=3&s=60&.sig=sl_TRqZTiP_WHSLe6P3ybA>
>
>
>
> ---
> YAHOO! GROUPS LINKS
>
> * Visit your group "TrunkPCR
> <http://groups.yahoo.com/group/TrunkPCR>" on the web.
>
> * To unsubscribe from this group, send an email to:
> TrunkPCR-unsubscribe@yahoogroups.com
> <mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>
> ---
>
>
>
> ---
>
> avast! Antivirus <http://www.avast.com>: Inbound message clean.
>
> Virus Database (VPS): 0532-6, 08/13/2005
> Tested on: 8/14/2005 8:53:41 AM
> avast! - copyright (c) 1988-2004 ALWIL Software.
>
>
Steve
thanks for you reply. No, I'm monitoring a Motorola II system (San
Francisco PD). I'm not sure if it is my PCR-1000 or something going on
in my area or a software problem. This just started about 4 months ago.

---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0532-6, 08/13/2005
Tested on: 8/14/2005 10:18:37 AM
avast! - copyright (c) 1988-2004 ALWIL Software.
http://www.avast.com

40. Re: [TrunkPCR] Distortion ?

Yahoo group: TrunkPCR
Date: 2005-08-15 19:52:41 UTC
From: Jay
Topic: 37 Message: 40

Hi Vince,

I have been experimenting with this and think I may have a solution.
If you are getting interference from a nearby frequency and your Filter is
set to 15khz, you can
change it to 6 khz and you shouldn't get any more cross interference...

Regards,
Jay

----- Original Message -----
> Greetings to all
> Has anyone run into this problem... when I scanning a system that has
> 8xx.xx75 as one of its system frequencies, the PCR-1000 distorts or
> appears to desense? Only frequencies ending in "75" are affected.
>
> TIA

41. Crash after 1 Hour BUG

Yahoo group: TrunkPCR
Date: 2005-08-16 04:40:20 UTC
From: Jay
Topic: 41 Message: 41

Steve,
I think I may have found the problem you are experiencing.
It deals with saving settings to the System Registry without having the right permission...
I am changing the code now and will let ya know when I have an update ready for you to test...

Jay

----- Original Message -----
From: "Steve Smith"
> Hello,
>
> I have noticed the bug where the executable crashes after an hour or so of operation.

42. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2005-08-16 22:32:44 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 42

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /TrunkPCR 0.7.177 Update.zip
Uploaded by : craazyc <crazycalifornian@...>
Description : TrunkPCR Ver 0.7.177 Update

You can access this file at the URL:
http://groups.yahoo.com/group/TrunkPCR/files/TrunkPCR%200.7.177%20Update.zip

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/help/us/groups/files

Regards,

craazyc <crazycalifornian@...>
```

43. TrunkPCR Version 0.7.177 Update

Yahoo group: TrunkPCR
Date: 2005-08-16 22:37:35 UTC
From: Jay
Topic: 43 Message: 43

I have uploaded an interim update to the files section of the group.

This version has the following changes/fixes:
Aug 05,2005 - Fixed: Listening to Continuation Calls (Same ID).
Aug 08,2005 - -----: "Save Bank" now saves Group/Radio ID's if changed.
Aug 10,2005 - -----: Combined Trunk ID Edit and Group/Radio Stats.
Aug 10,2005 - -----: Changed Trunk Menu to reflect above change.
Aug 15,2005 - Fixed: Saving Settings in Registry with Permissions..
Aug 16,2005 - Fixed: Saving Last Used Channel if VFO turned CCW.
Aug 16,2005 - Fixed: Scanning During Trunking. Previous change in decoder...

Jay

44. RE: [TrunkPCR] TrunkPCR Version 0.7.177 Update

Yahoo group: TrunkPCR
Date: 2005-08-17 00:42:42 UTC
From: vince48
Topic: 43 Message: 44

Thanks Jay. How you healing? Hope all is good!

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, August 16, 2005 3:38 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR Version 0.7.177 Update

I have uploaded an interim update to the files section of the group.

This version has the following changes/fixes:
Aug 05,2005 - Fixed: Listening to Continuation Calls (Same ID).
Aug 08,2005 - -----: "Save Bank" now saves Group/Radio ID's if changed.
Aug 10,2005 - -----: Combined Trunk ID Edit and Group/Radio Stats.
Aug 10,2005 - -----: Changed Trunk Menu to reflect above change.
Aug 15,2005 - Fixed: Saving Settings in Registry with Permissions..
Aug 16,2005 - Fixed: Saving Last Used Channel if VFO turned CCW.
Aug 16,2005 - Fixed: Scanning During Trunking. Previous change in decoder...

Jay

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.

Virus Database (VPS): 0533-1, 08/16/2005
Tested on: 8/16/2005 3:38:03 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

---

avast! Antivirus <http://www.avast.com> : Outbound message clean.

Virus Database (VPS): 0533-1, 08/16/2005
Tested on: 8/16/2005 5:42:42 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

45. Re: [TrunkPCR] TrunkPCR Version 0.7.177 Update

Yahoo group: TrunkPCR
Date: 2005-08-17 20:33:48 UTC
From: Jay
Topic: 43 Message: 45

Doing just great Vincent, Thanks...
Wrists and arms have pretty much all healed now.
I'm all done with therapy and have been riding the bike now for about 6 weeks now :)
I have most of the use and strength back in both wrists/arms also so that's a big plus.

Jay
----- Original Message -----

Thanks Jay. How you healing? Hope all is good!

Vincent

46. Re: [TrunkPCR] TrunkPCR Version 0.7.177 Update

Yahoo group: TrunkPCR
Date: 2005-08-18 03:13:19 UTC
From: Glenn Blum
Topic: 43 Message: 46

Thats cool. Glad to hear that.
WHAT KIND OF BIKE ARE YOU RIDING?
Glenn Blum
----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Wednesday, August 17, 2005 3:33 PM
Subject: Re: [TrunkPCR] TrunkPCR Version 0.7.177 Update

Doing just great Vincent, Thanks...
Wrists and arms have pretty much all healed now.
I'm all done with therapy and have been riding the bike now for about 6
weeks now :)
I have most of the use and strength back in both wrists/arms also so that's
a big plus.

Jay
----- Original Message -----

Thanks Jay. How you healing? Hope all is good!

Vincent

47. Re: [TrunkPCR] TrunkPCR Version 0.7.177 Update

Yahoo group: TrunkPCR
Date: 2005-08-18 03:37:42 UTC
From: Jay
Topic: 43 Message: 47

The same bike I crashed on :)
It's a 2004 Honda Shadow 600VLX CD... It only had less than $300 damage on it from the accident.
For me, it's a great bike around town or on the highway. It's what I rode cross country on last October.
And with the gas prices going up, I'm glad it's getting 50 to 55mpg. Only costs me $6.00 to fill up :)

Jay's

----- Original Message -----
From: "Glenn Blum"
> Thats cool. Glad to hear that.
> WHAT KIND OF BIKE ARE YOU RIDING?
> Glenn Blum

48. RE: [TrunkPCR] Distortion ?

Yahoo group: TrunkPCR
Date: 2005-08-21 23:11:24 UTC
From: vince48
Topic: 37 Message: 48

Jay

How do I change the "step frequency"? Mine is set at 100 kHz. Could this be my problem? BTW, changing to 6kz filter is too narrow, I lose the control channel.

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, August 15, 2005 12:53 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Distortion ?

Hi Vince,

I have been experimenting with this and think I may have a solution.
If you are getting interference from a nearby frequency and your Filter is set to 15khz, you can
change it to 6 khz and you shouldn't get any more cross interference...

Regards,
Jay

----- Original Message -----
> Greetings to all
> Has anyone run into this problem... when I scanning a system that has
> 8xx.xx75 as one of its system frequencies, the PCR-1000 distorts or
> appears to desense? Only frequencies ending in "75" are affected.
>
> TIA

SPONSORED LINKS

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&c=3&s=60&.sig=YqiuyVwjnQFdynnsmMwVWg> hobby

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&c=3&s=60&.sig=VduRJqNqUo9QkUiTI-knAA>
and craft supply

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&c=3&s=60&.sig=sl_TRqZTiP_WHSLe6P3ybA> radio

---

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.

Virus Database (VPS): 0533-0, 08/15/2005
Tested on: 8/15/2005 4:27:14 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

---

avast! Antivirus <http://www.avast.com> : Outbound message clean.

Virus Database (VPS): 0533-5, 08/20/2005
Tested on: 8/21/2005 4:11:24 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

49. Re: [TrunkPCR] Distortion ?

Yahoo group: TrunkPCR
Date: 2005-08-22 00:28:45 UTC
From: Jay
Topic: 37 Message: 49

Hi Vincent,

The Step Frequency is changed by clicking on either the <| or |> Buttons.
It shows "Step" below these 2 buttons (Left of the MANual Button)...
To Store the changes for that channel, press the "Store" Button...

Changing the Step Freq doesn't alter the reception of the PCR, it's only used when manually changing frequency such as using the VFO Tuning Knob (In Freq Mode) or when Searching in the Conventional way. It also changes the Band Scope.

Wasn't sure if the 6khz Filter would work in your case or not. A Moto 3600 station I receive at 0 (Zero) S-Units comes in better when I use the 6khz Filter instead of the 15khz Filter...

Jay

----- Original Message -----
From: vince48
Jay
How do I change the "step frequency"? Mine is set at 100 kHz. Could this be my problem?
BTW, changing to 6kz filter is too narrow, I lose the control channel.

Vincent

50. RE: [TrunkPCR] Distortion ?

Yahoo group: TrunkPCR
Date: 2005-08-22 00:33:54 UTC
From: vince48
Topic: 37 Message: 50

Thank you Jay and no it didn't make a difference. Just stretching here. Have a good week!

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Sunday, August 21, 2005 5:29 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Distortion ?

Hi Vincent,

The Step Frequency is changed by clicking on either the <| or |> Buttons.

It shows "Step" below these 2 buttons (Left of the MANual Button)...

To Store the changes for that channel, press the "Store" Button...

Changing the Step Freq doesn't alter the reception of the PCR, it's only used when manually changing frequency such as using the VFO Tuning Knob (In Freq Mode) or when Searching in the Conventional way. It also changes the Band Scope.

Wasn't sure if the 6khz Filter would work in your case or not. A Moto 3600 station I receive at 0 (Zero) S-Units comes in better when I use the 6khz Filter instead of the 15khz Filter...

Jay

----- Original Message -----

From: vince48 <mailto:vince48@...>

Jay

How do I change the "step frequency"? Mine is set at 100 kHz. Could this be my problem? BTW, changing to 6kz filter is too narrow, I lose the control channel.

Vincent

SPONSORED LINKS

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&c=3&s=60&.sig=YqiuyVwjnQFdynnsmMwVWg> hobby

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&c=3&s=60&.sig=VduRJqNqUo9QkUiTI-knAA>
and craft supply

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&c=3&s=60&.sig=sl_TRqZTiP_WHSLe6P3ybA> radio

---

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.

Virus Database (VPS): 0533-5, 08/20/2005
Tested on: 8/21/2005 5:29:05 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

---

avast! Antivirus <http://www.avast.com> : Outbound message clean.

Virus Database (VPS): 0533-5, 08/20/2005
Tested on: 8/21/2005 5:33:54 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

51. Banks scan bank box is greyed out??

Yahoo group: TrunkPCR
Date: 2005-08-29 20:13:08 UTC
From: Mike
Topic: 51 Message: 51

Hi
I am new here as of today. I just downloaded TrunkPCR. It seems to be picking up stuff. my #1's is around 50 and my recovery is around 60. but i dont hear anything. when i put it on "trunk" i dont hear anything, could this be because the box is greyed out in my banks list?

any help would be great.

Thanks
Mike

52. Re: Banks scan bank box is greyed out??

Yahoo group: TrunkPCR
Date: 2005-08-30 17:35:01 UTC
From: Mike
Topic: 51 Message: 52

I am tracking now. I did not enter the LCN info....

I still have problems doing just a scan though(not trunking). Then
area to click for s"scan" in the banks tab is greyed out all the time.

Mike

--- In TrunkPCR@yahoogroups.com, "Mike" <mike_rhein@h...> wrote:
> Hi
> I am new here as of today. I just downloaded TrunkPCR. It seems to
be
> picking up stuff. my #1's is around 50 and my recovery is around 60.
> but i dont hear anything. when i put it on "trunk" i dont hear
> anything, could this be because the box is greyed out in my banks
list?
>
>
> any help would be great.
>
> Thanks
> Mike

53. Re: [TrunkPCR] Re: Banks scan bank box is greyed out??

Yahoo group: TrunkPCR
Date: 2005-08-30 20:16:27 UTC
From: Jay
Topic: 51 Message: 53

Hi Mike,

The "Scan Bank" CheckBox will only be of use in conventional mode (Not Trunking).
If the Bank is set for Trunking in the "Trunk Settings", then you won't be able to scan the bank
in conventional mode.
If the Bank is only going to be used to scan normal frequencies, make sure the Trunk Settings is set to
Conventional mode first.
Also, you can only scan one bank at a time if the bank is set for Trunking, due to memory limitations in the decoder at present. On my system, I have 3 Banks that have between 300 and 700 Group ID's and those Banks have between 1200 to 5500 Radio ID's...
In the present memory management layout, it takes up to 6 seconds to switch between those banks. And trying to switch from one Bank to another while scanning/searching Trunk Banks just isn't usable fore me at the moment.
It is on the list of improvements to be made...

Jay

----- Original Message -----
> I am tracking now. I did not enter the LCN info....
>
> I still have problems doing just a scan though(not trunking). Then
> area to click for s"scan" in the banks tab is greyed out all the time.
>
> Mike

54. thanks

Yahoo group: TrunkPCR
Date: 2005-08-30 21:10:20 UTC
From: mike r
Topic: 51 Message: 54

Jay

Thanks for the help. It seems to be running now.. I ended up doing a system restore to a few days ago...and than reloaded program. it works now.

I have a PCR1000. Do you know it there is anyway of picking up digital stuff with it, like policd on digital or even cell phones? The Canadain version of the PCR1000 has no gaps...

Mike

Hi Mike,

The "Scan Bank" CheckBox will only be of use in conventional mode (Not Trunking).
If the Bank is set for Trunking in the "Trunk Settings", then you won't be able to scan the bank
in conventional mode.
If the Bank is only going to be used to scan normal frequencies, make sure the Trunk Settings is set to
Conventional mode first.
Also, you can only scan one bank at a time if the bank is set for Trunking, due to memory limitations in the decoder at present. On my system, I have 3 Banks that have between 300 and 700 Group ID's and those Banks have between 1200 to 5500 Radio ID's...
In the present memory management layout, it takes up to 6 seconds to switch between those banks. And trying to switch from one Bank to another while scanning/searching Trunk Banks just isn't usable fore me at the moment.
It is on the list of improvements to be made...

Jay

----- Original Message -----
> I am tracking now. I did not enter the LCN info....
>
> I still have problems doing just a scan though(not trunking). Then
> area to click for s"scan" in the banks tab is greyed out all the time.
>
> Mike

YAHOO! GROUPS LINKS

- Visit your group "TrunkPCR (http://groups.yahoo.com/group/TrunkPCR)" on the web.

- To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

- Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service (http://docs.yahoo.com/info/terms/).

55. hot pcr

Yahoo group: TrunkPCR
Date: 2005-08-31 01:33:42 UTC
From: Glenn Blum
Topic: 55 Message: 55

Good evening,
I just noticed this a few hours ago, that my pcr was pretty hot after trunking for a whole day.
Normally my pcr rests directly on the top of my wooden desk. I thought that the wood would act as a good insulator so I cut two 1x1 inch blocks and rested the pcr onto those blocks. Now the pcr has some air gap on the bottom and seams like it isnt becomming as hot as it did before.
just a thought.

Glenn Blum
kd5dga
Nolanville,Texas. USA

56. any help to program the trunk system??

Yahoo group: TrunkPCR
Date: 2005-08-31 19:38:39 UTC
From: syl_dussureault
Topic: 56 Message: 56

Hi I need help to program the software, I have my frequencies but I need help the store the group id. My frequencies are;

851.1125
851.3625
851.6125
851.8625
852.1875
852.4375
852.7375
852.9875
853.2375

I know I have to enter the frequencies in order with LCN 1 to 9 for this example and what is the next??? I tried to trunk them to find control channel but it scan in other frequency that was enter before.

Thanks

57. Re: [TrunkPCR] any help to program the trunk system??

Yahoo group: TrunkPCR
Date: 2005-09-01 04:51:16 UTC
From: Jay
Topic: 56 Message: 57

Your frequencies need to be entered in the Freq Plan Editor (Under the Trunk Menu) so the decoder knows what frequency to use when a Group ID becomes active.
Enter the LCN and frequency there...

Since your not sure of the control channel(s), enter all of these in your channels as well...
To Add Channels, click on the Edit Menu, Then Channels, then click Add Channel.
In the Main Display, where it shows the frequency, click right on the Frequency, you can change it there..
Make sure you change the Mode to FSK and the Filter to 15khz on these channels.
To save these new settings, click the Store Button for each channel...

Regards,
Jay

----- Original Message -----
>
> 851.1125
> 851.3625
> 851.6125
> 851.8625
> 852.1875
> 852.4375
> 852.7375
> 852.9875
> 853.2375
>
>
> I know I have to enter the frequencies in order with LCN 1 to 9 for
> this example and what is the next??? I tried to trunk them to find
> control channel but it scan in other frequency that was enter before.
>
>
> Thanks

58. Re: any help to program the trunk system??

Yahoo group: TrunkPCR
Date: 2005-09-01 17:47:28 UTC
From: syl_dussureault
Topic: 56 Message: 58

ok Thanks but I still mix up the command. And I can only enter 11
groups in the setting, I guess it's because it's a demo.

thanks again

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@h...> wrote:
> Your frequencies need to be entered in the Freq Plan Editor (Under
the Trunk
> Menu) so the decoder knows what frequency to use when a Group ID
becomes
> active.
> Enter the LCN and frequency there...
>
> Since your not sure of the control channel(s), enter all of these
in your
> channels as well...
> To Add Channels, click on the Edit Menu, Then Channels, then click
Add
> Channel.
> In the Main Display, where it shows the frequency, click right on
the
> Frequency, you can change it there..
> Make sure you change the Mode to FSK and the Filter to 15khz on
these
> channels.
> To save these new settings, click the Store Button for each
channel...
>
> Regards,
> Jay
>
> ----- Original Message -----
> >
> > 851.1125
> > 851.3625
> > 851.6125
> > 851.8625
> > 852.1875
> > 852.4375
> > 852.7375
> > 852.9875
> > 853.2375
> >
> >
> > I know I have to enter the frequencies in order with LCN 1 to 9

for
> > this example and what is the next??? I tried to trunk them to
find
> > control channel but it scan in other frequency that was enter
before.
> >
> >
> > Thanks

59. Re: [TrunkPCR] Re: any help to program the trunk system??

Yahoo group: TrunkPCR
Date: 2005-09-01 19:54:31 UTC
From: Jay
Topic: 56 Message: 59

Actually the demo defaults are a Maximum of 50 Group ID's and 400 Radio ID's...
After you click the Trunk Button and it is decoding at 100%, then if your scanning, click the Search Button.
Then when you hear a Group ID you want to save, click the MEMory Button.
After you have a few Group ID's Saved, then scanning will work...
The Group/Radio ID Editor allows you to enter the maximum number of ID's allowed...

Jay

----- Original Message -----
> ok Thanks but I still mix up the command. And I can only enter 11
> groups in the setting, I guess it's because it's a demo.
>
>
> thanks again

60. RE: [TrunkPCR] Re: any help to program the trunk system??

Yahoo group: TrunkPCR
Date: 2005-09-02 09:10:56 UTC
From: Sylvain (yahoo)
Topic: 56 Message: 60

When I'm searching groups, I have to put the setting Display's ID on DEC (not AFS or HEX) in Trucking setting to be able to search, otherwise I can't do it. Is it normal???

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, September 01, 2005 3:55 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: any help to program the trunk system??

Actually the demo defaults are a Maximum of 50 Group ID's and 400 Radio ID's...
After you click the Trunk Button and it is decoding at 100%, then if your
scanning, click the Search Button.
Then when you hear a Group ID you want to save, click the MEMory Button.
After you have a few Group ID's Saved, then scanning will work...
The Group/Radio ID Editor allows you to enter the maximum number of ID's allowed...

Jay

----- Original Message -----
> ok Thanks but I still mix up the command. And I can only enter 11
> groups in the setting, I guess it's because it's a demo.
>
>
> thanks again

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=FlmzOxqXh8nvVRU1Xcjmgw> and craft supply
Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=5Atch1nPQKZTFVMEz9MG3A> hobby
Hobbies
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=ijWkGDesAlMI4n5UtSKh9A> and crafts

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply

&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=IyTkODlwBlvkhyxBJUuulA> radio
Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=Xc5hiMpw2OGijBnTzQ8ciQ> radio sales

---

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR
<http://groups.yahoo.com/group/TrunkPCR> " on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

61. Re: [TrunkPCR] Re: any help to program the trunk system??

Yahoo group: TrunkPCR
Date: 2005-09-02 12:36:37 UTC
From: Jay
Topic: 56 Message: 61

Edacs is the ONLY System that will display the Group ID's in AFS.
Otherwise DECimal and HEX is available in all...
Check your "BankName".Bnk file for the System in question and look under the Entry named "[BankInfo]".
Look at the "BandPlan=x" Setting. "x" should be "E" for Edacs, "V" for VHF Moto, "4" for Moto 400 Mhz, "9" for 900 Mhz, "8" or "S" for 800 Mhz Moto. If it says "N" and the Bank is set for Edacs or Moto, then something messed up somehow.
If it's not the right setting, then change it to the System you are listing to... (You can edit this in NotePad)...

There is nothing in the code to limit "Decimal Display ONLY" in trunking otherwise.
Nothing limits "Searching Only" in trunking if it is set to DECimal...
Searching or Scanning will allow you to show the display as DECimal, HEX or AFS (Edacs Only)...

Regards,
Jay
----- Original Message -----
From: Sylvain (yahoo)
To: TrunkPCR@yahoogroups.com
Sent: Friday, September 02, 2005 2:10 AM
Subject: RE: [TrunkPCR] Re: any help to program the trunk system??

When I'm searching groups, I have to put the setting Display's ID on DEC (not AFS or HEX) in Trucking setting to be able to search, otherwise I can't do it. Is it normal???

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, September 01, 2005 3:55 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: any help to program the trunk system??

Actually the demo defaults are a Maximum of 50 Group ID's and 400 Radio ID's...
After you click the Trunk Button and it is decoding at 100%, then if your scanning, click the Search Button.
Then when you hear a Group ID you want to save, click the MEMory Button.
After you have a few Group ID's Saved, then scanning will work...
The Group/Radio ID Editor allows you to enter the maximum number of ID's allowed...

Jay

----- Original Message -----
> ok Thanks but I still mix up the command. And I can only enter 11
> groups in the setting, I guess it's because it's a demo.
>

>
> thanks again

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

62. RE: [TrunkPCR] Re: any help to program the trunk system??

Yahoo group: TrunkPCR
Date: 2005-09-02 13:52:10 UTC
From: Sylvain (yahoo)
Topic: 56 Message: 62

Yes but I should able to search in AFS when I'm in edacs system???

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, September 02, 2005 8:37 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: any help to program the trunk system??

Edacs is the ONLY System that will display the Group ID's in AFS.
Otherwise DECimal and HEX is available in all...
Check your "BankName".Bnk file for the System in question and look under the Entry named "[BankInfo]".
Look at the "BandPlan=x" Setting. "x" should be "E" for Edacs, "V" for VHF Moto, "4" for Moto 400 Mhz, "9" for 900 Mhz, "8" or "S" for 800 Mhz Moto. If it says "N" and the Bank is set for Edacs or Moto, then something messed up somehow.
If it's not the right setting, then change it to the System you are listing to... (You can edit this in NotePad)...

There is nothing in the code to limit "Decimal Display ONLY" in trunking otherwise.
Nothing limits "Searching Only" in trunking if it is set to DECimal...
Searching or Scanning will allow you to show the display as DECimal, HEX or AFS (Edacs Only)...

Regards,
Jay
----- Original Message -----
From: Sylvain <mailto:syl_dussureault@...> (yahoo)
To: TrunkPCR@yahoogroups.com
Sent: Friday, September 02, 2005 2:10 AM
Subject: RE: [TrunkPCR] Re: any help to program the trunk system??

When I'm searching groups, I have to put the setting Display's ID on DEC (not AFS or HEX) in Trucking setting to be able to search, otherwise I can't do it. Is it normal???

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, September 01, 2005 3:55 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: any help to program the trunk system??

Actually the demo defaults are a Maximum of 50 Group ID's and 400 Radio ID's...

After you click the Trunk Button and it is decoding at 100%, then if your
scanning, click the Search Button.
Then when you hear a Group ID you want to save, click the MEMory Button.
After you have a few Group ID's Saved, then scanning will work...
The Group/Radio ID Editor allows you to enter the maximum number of ID's allowed...

Jay

----- Original Message -----
> ok Thanks but I still mix up the command. And I can only enter 11
> groups in the setting, I guess it's because it's a demo.
>
>
> thanks again

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR
<http://groups.yahoo.com/group/TrunkPCR> " on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

63. Re: [TrunkPCR] Re: any help to program the trunk system??

Yahoo group: TrunkPCR
Date: 2005-09-02 19:15:02 UTC
From: Jay
Topic: 56 Message: 63

Yes, I'm Searching in AFS right now in Edacs.. No Problems....
There is nothing in the program to limit the display to Decimal Only...

Just click the Trunk Menu, then click Settings...
From there you can select DECimal, HEX or AFS...

Jay

----- Original Message -----

Yes but I should able to search in AFS when I'm in edacs system???

64. new E address

Yahoo group: TrunkPCR
Date: 2005-09-05 06:53:33 UTC
From: wa7pka
Topic: 64 Message: 64

Jay, sorry to hear you been in an accident, hope it was not to
serious. Just to let you know my new e-mail address is as follows:
jackgoetz@... for future upgrade's. Do I need to send more
money for other upgrades? Is the one hour time-out bug related to the
problem I had earlier?
Well, get well soon and again thanks for the great program and all
your help.
73's jack

65. Re: [TrunkPCR] new E address

Yahoo group: TrunkPCR
Date: 2005-09-05 08:58:22 UTC
From: Jay
Topic: 64 Message: 65

Hi Jack,

Nah, was't too serious. not as bad as Evel Knievel... Only ended up with both arms and wrists broken :)
Have the new e-mail addy saved... Thanks...
Nope, you don't need to send any more money for any new updates. You have sent the "Maximum" so far... Thanks..
Any new additions to the program that might have a limit set on it will be set accordingly...
The one hour bug should be fixed now, if it still bombs on your pc let me know...

Thanks,
Jay

----- Original Message -----
> Jay, sorry to hear you been in an accident, hope it was not to
> serious. Just to let you know my new e-mail address is as follows:
> jackgoetz@... for future upgrade's. Do I need to send more
> money for other upgrades? Is the one hour time-out bug related to the
> problem I had earlier?
> Well, get well soon and again thanks for the great program and all
> your help.
> 73's jack

66. Re: new E address

Yahoo group: TrunkPCR
Date: 2005-09-06 23:38:51 UTC
From: wa7pka
Topic: 64 Message: 66

Jay,
Thanks for the feedback. Hope you have some help at home, it will
be tuff as you know to do alot of things and not just the basics.
I will keep you advised on the time-out problem as soon as I get my
antenna up and running again. Been 24 yrs. without maintenance
thought it was about time to get to it before I get to old to climb
towers.
Get well and a speedy recovery.
jack

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@h...> wrote:
> Hi Jack,
>
> Nah, was't too serious. not as bad as Evel Knievel... Only ended
up with
> both arms and wrists broken :)
> Have the new e-mail addy saved... Thanks...
> Nope, you don't need to send any more money for any new updates.
You have
> sent the "Maximum" so far... Thanks..
> Any new additions to the program that might have a limit set on it
will be
> set accordingly...
> The one hour bug should be fixed now, if it still bombs on your pc
let me
> know...
>
> Thanks,
> Jay
>
> ----- Original Message -----
> > Jay, sorry to hear you been in an accident, hope it was not to
> > serious. Just to let you know my new e-mail address is as
follows:
> > jackgoetz@h... for future upgrade's. Do I need to send more
> > money for other upgrades? Is the one hour time-out bug related
to the
> > problem I had earlier?
> > Well, get well soon and again thanks for the great program and
all
> > your help.
> > 73's jack

67. question

Yahoo group: TrunkPCR
Date: 2005-09-10 21:58:06 UTC
From: Glenn Blum
Topic: 67 Message: 67

Jay,
I was listening into a call and I want to follow it instead of allowing to resume the scanning.Since this si central texas and it is pretty dry out there is alot of grass fires popping up.I wanted to pay attention to our local fire department.
My trunk group for all the county fire departments are in the same group.
How can I continue to follow the call I want to listen to?

Thanks,
Glenn Blum
kd5dga
Nolanville,Texas. USA

68. Re: [TrunkPCR] question

Yahoo group: TrunkPCR
Date: 2005-09-10 23:14:26 UTC
From: Jay
Topic: 67 Message: 68

Hi Glenn,

When scanning or searching and you want to follow one Group ID, you have two ways to do this:
1. Click the Hold Button while listening to a Group ID...
2. To enter a Group ID manually, click the Manual Button once, then enter the Group ID directly by:
a. Using the KeyPad on the KeyBoard while in Manual Mode.
b. Using the KeyPad in the Program while in Manual Mode (And the Mouse is "Over" the keypad..).

Regards,
Jay

----- Original Message -----
> Jay,
> I was listening into a call and I want to follow it instead of allowing to
> resume the scanning.Since this si central texas and it is pretty dry out
> there is alot of grass fires popping up.I wanted to pay attention to our
> local fire department.
> My trunk group for all the county fire departments are in the same group.
> How can I continue to follow the call I want to listen to?
>
> Thanks,
> Glenn Blum
> kd5dga
> Nolanville,Texas. USA

69. Re: [TrunkPCR] question

Yahoo group: TrunkPCR
Date: 2005-09-11 01:09:30 UTC
From: Glenn Blum
Topic: 67 Message: 69

works good.
Glenn Blum
kd5dga
Nolanville,Texas. USA
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, September 10, 2005 6:14 PM
Subject: Re: [TrunkPCR] question

Hi Glenn,

When scanning or searching and you want to follow one Group ID, you have two ways to do this:
1. Click the Hold Button while listening to a Group ID...
2. To enter a Group ID manually, click the Manual Button once, then enter the Group ID directly by:
a. Using the KeyPad on the KeyBoard while in Manual Mode.
b. Using the KeyPad in the Program while in Manual Mode (And the Mouse is "Over" the keypad..).

Regards,
Jay

----- Original Message -----
> Jay,
> I was listening into a call and I want to follow it instead of allowing to
> resume the scanning.Since this si central texas and it is pretty dry out
> there is alot of grass fires popping up.I wanted to pay attention to our
> local fire department.
> My trunk group for all the county fire departments are in the same group.
> How can I continue to follow the call I want to listen to?
>
> Thanks,
> Glenn Blum
> kd5dga
> Nolanville,Texas. USA

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

70. control channel display

Yahoo group: TrunkPCR
Date: 2005-09-16 02:19:29 UTC
From: Glenn Blum
Topic: 70 Message: 70

Jay,
When you have the control channel activity window up and over to the right colomb there is a * and under the lcn's there show a / spinning around what does this mean?

Thanks,
Glenn Blum
kd5dga
Nolanville,Texas. USA

71. Re: [TrunkPCR] control channel display

Yahoo group: TrunkPCR
Date: 2005-09-16 08:09:45 UTC
From: Jay
Topic: 70 Message: 71

Hi Glenn,

Under the "*" Column, those characters represent activity on that Group.
Both Motorola and Edacs systems include "Continuation Messages" in the data
stream while a Group is active.
So each time one of these messages appear for a Group, the character is
updated to the next one, ie. / - \ or | ...

PS. Like your antenna array.. Nice and neat and not cluttered :)

Jay

----- Original Message -----
> Jay,
> When you have the control channel activity window up and over to the right
> colomb there is a * and under the lcn's there show a / spinning around
what
> does this mean?
>
> Thanks,
> Glenn Blum
> kd5dga
> Nolanville,Texas. USA

72. Re: [TrunkPCR] control channel display

Yahoo group: TrunkPCR
Date: 2005-09-16 11:10:37 UTC
From: Glenn Blum
Topic: 70 Message: 72

Thanks,
I wished I had a camera a few months ago to show you all what I had up on my tower. I had shortened by ten feet and pretty much took off 75 percent of what I used to have. My satellite beams are laying on top of my shed's roof.
The tower is now only 20 feet tall. When I had it up at 50 feet I got struck by lightening twice.I was lucky not to have any serious damage.

Glenn Blum
kd5dga
Nolanville,Texas. USA
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, September 16, 2005 3:09 AM
Subject: Re: [TrunkPCR] control channel display

Hi Glenn,

Under the "*" Column, those characters represent activity on that Group.
Both Motorola and Edacs systems include "Continuation Messages" in the data stream while a Group is active.
So each time one of these messages appear for a Group, the character is updated to the next one, ie. / - \ or | ...

PS. Like your antenna array.. Nice and neat and not cluttered :)

Jay

----- Original Message -----
> Jay,
> When you have the control channel activity window up and over to the right
> colomb there is a * and under the lcn's there show a / spinning around
what
> does this mean?
>
> Thanks,
> Glenn Blum
> kd5dga
> Nolanville,Texas. USA

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

73. Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-09-30 20:55:43 UTC
From: Jay
Topic: 73 Message: 73

Hey All,

Just to let ya know what's going on with the program...
I have included support for the 800mhz rebanding by adding
an "Extended" Frequency Map that you can edit for Moto systems
that require it.

Fixed what I broke in 177 for the MANual Stepping. If you stepped
through the ID list, it would act as normal searchng...
Surprised no one noticed it...

I am also chainging the Group/Radio ID memory manager to allow for
scanning of multiple banks including Trunking and Conventional...
It now loads a local system that has 740 Group ID's and 5600 Radio
ID's under 1 second, where it used to take up to 6 seconds before.

If anyone has any other ideas to add, let me knmow...

Jay

74. Re: [TrunkPCR] Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-10-01 04:09:58 UTC
From: Steve Smith
Topic: 73 Message: 74

Hi Jay,

Would it be possible to include some type of priority scheme? I don't know if you're familiar with Unitrunker, but it uses priority as a user defined value (0 to 100). Of course, Unitruker doesn't provide audio.

Just thought I'd ask.

>Hey All,
>
>Just to let ya know what's going on with the program...
>I have included support for the 800mhz rebanding by adding
>an "Extended" Frequency Map that you can edit for Moto systems
>that require it.
>
>Fixed what I broke in 177 for the MANual Stepping. If you stepped
>through the ID list, it would act as normal searchng...
>Surprised no one noticed it...
>
>I am also chainging the Group/Radio ID memory manager to allow for
>scanning of multiple banks including Trunking and Conventional...
>It now loads a local system that has 740 Group ID's and 5600 Radio
>ID's under 1 second, where it used to take up to 6 seconds before.
>
>If anyone has any other ideas to add, let me knmow...
>
>Jay
>
>
>
>
>
>
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

--
WA6SOC
Steve Smith
Redwood City, California

75. Re: [TrunkPCR] Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-10-01 09:55:19 UTC
From: Jay
Topic: 73 Message: 75

That is already planned in a future version..
It will require a 2nd audio source, such as a Pro-2004/6 or another scanner
that has a discriminator tap...
The "Rcvr Type" Button will be usable when I have it finished...

Jay

----- Original Message -----
From: "Steve Smith"
> Hi Jay,
>
> Would it be possible to include some type of priority scheme? I don't
> know if you're familiar with Unitrunker, but it uses priority as a user
> defined value (0 to 100). Of course, Unitruker doesn't provide audio.
>
> Just thought I'd ask.

76. Re: [TrunkPCR] Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-10-01 19:28:31 UTC
From: Glenn Blum
Topic: 73 Message: 76

You were asking? How about the abilities to copy and paiste from trunk/radio ID's?
Glenn Blum
kd5dga
Nolanville,Texas. USA
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, October 01, 2005 4:55 AM
Subject: Re: [TrunkPCR] Trunk PCR News

That is already planned in a future version..
It will require a 2nd audio source, such as a Pro-2004/6 or another scanner
that has a discriminator tap...
The "Rcvr Type" Button will be usable when I have it finished...

Jay

----- Original Message -----
From: "Steve Smith"
> Hi Jay,
>
> Would it be possible to include some type of priority scheme? I don't
> know if you're familiar with Unitrunker, but it uses priority as a user
> defined value (0 to 100). Of course, Unitruker doesn't provide audio.
>
> Just thought I'd ask.

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

77. Re: [TrunkPCR] Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-10-01 19:55:57 UTC
From: Glenn Blum
Topic: 73 Message: 77

Ok maybe I need to explain a bit more. I would like the abilities to export the information that is displayed in the trunk/radio ID's to a excell or text file. This allows the ability to log what you find but have the abilities to modify the document and print.
Glenn Blum
kd5dga
Nolanville,Texas. USA
----- Original Message -----
From: "Glenn Blum" <kd5dga@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Saturday, October 01, 2005 2:28 PM
Subject: Re: [TrunkPCR] Trunk PCR News

You were asking? How about the abilities to copy and paiste from trunk/radio ID's?
Glenn Blum
kd5dga
Nolanville,Texas. USA
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, October 01, 2005 4:55 AM
Subject: Re: [TrunkPCR] Trunk PCR News

That is already planned in a future version..
It will require a 2nd audio source, such as a Pro-2004/6 or another scanner
that has a discriminator tap...
The "Rcvr Type" Button will be usable when I have it finished...

Jay

----- Original Message -----
From: "Steve Smith"
> Hi Jay,
>
> Would it be possible to include some type of priority scheme? I don't
> know if you're familiar with Unitrunker, but it uses priority as a user
> defined value (0 to 100). Of course, Unitruker doesn't provide audio.
>
> Just thought I'd ask.

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.

---

78. RE: [TrunkPCR] Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-10-01 22:31:51 UTC
From: vince48
Topic: 73 Message: 78

Jay

What about a variable attenuator? Sometimes 20db is too much. I'm thinking I can cure my overloading problem I have with a variable attenuator. Let's say 0-20 db in 2 db steps? Just a wish. Other than that, how are you doing buddy? All healed now?

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, September 30, 2005 1:56 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Trunk PCR News

Hey All,

Just to let ya know what's going on with the program...
I have included support for the 800mhz rebanding by adding an "Extended" Frequency Map that you can edit for Moto systems that require it.

Fixed what I broke in 177 for the MANual Stepping. If you stepped through the ID list, it would act as normal searchng...
Surprised no one noticed it...

I am also chainging the Group/Radio ID memory manager to allow for scanning of multiple banks including Trunking and Conventional...
It now loads a local system that has 740 Group ID's and 5600 Radio ID's under 1 second, where it used to take up to 6 seconds before.

If anyone has any other ideas to add, let me knmow...

Jay

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.

Virus Database (VPS): 0539-3, 09/30/2005
Tested on: 9/30/2005 4:34:33 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

---

avast! Antivirus <http://www.avast.com> : Outbound message clean.

Virus Database (VPS): 0539-3, 09/30/2005
Tested on: 10/1/2005 3:31:50 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

79. Re: [TrunkPCR] Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-10-02 00:13:51 UTC
From: Steve Smith
Topic: 73 Message: 79

Jay,

When viewing the control channel, it's not unusual to see several talkgroups displayed as active simultaneously. How does the current version determine which talkgroup we will hear? If it's first come, first served, would it be possible to check for activity on a priority talkgroup before opening the audio on the regular talkgroup, using single-radio mode?

>That is already planned in a future version..
>It will require a 2nd audio source, such as a Pro-2004/6 or another scanner
>that has a discriminator tap...
>The "Rcvr Type" Button will be usable when I have it finished...
>
>Jay
>
>----- Original Message -----
>From: "Steve Smith"
>
>
>>Hi Jay,
>>
>>Would it be possible to include some type of priority scheme? I don't
>>know if you're familiar with Unitrunker, but it uses priority as a user
>>defined value (0 to 100). Of course, Unitruker doesn't provide audio.
>>
>>Just thought I'd ask.
>>
>>

80. Re: [TrunkPCR] Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-10-03 21:26:15 UTC
From: Jay
Topic: 73 Message: 80

A variable anntenuator would something you would need to buy to attach to your antenna connector.
The PCR ONLY has a fixed 20dB attenuator.. It's either On or Off, there is no way of varying it...

Thanks
----- Original Message -----

Jay

What about a variable attenuator? Sometimes 20db is too much. I'm thinking I can cure my overloading problem I have with a variable attenuator. Let's say 0-20 db in 2 db steps? Just a wish. Other than that, how are you doing buddy? All healed now?

Vincent

81. Re: [TrunkPCR] Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-10-03 21:31:24 UTC
From: Jay
Topic: 73 Message: 81

Hi Steve,

It is possible to do what you ask... I would have to sample the data stream for 1 to 2 seconds after returning to the control channel before deciding which group to listen to. In that time, you may miss part of a conversation though...
I'll have to play with it to see...

Thanks,
Jay

----- Original Message -----
> Jay,
>
> When viewing the control channel, it's not unusual to see several
> talkgroups displayed as active simultaneously. How does the current
> version determine which talkgroup we will hear? If it's first come,
> first served, would it be possible to check for activity on a priority
> talkgroup before opening the audio on the regular talkgroup, using
> single-radio mode?
>

82. Re: [TrunkPCR] Trunk PCR News

Yahoo group: TrunkPCR
Date: 2005-10-03 21:20:57 UTC
From: Jay
Topic: 73 Message: 82

Yep, that sounds very feasable :)
I'll add it to the ToDo List...

Thanks,
Jay

----- Original Message -----
> Ok maybe I need to explain a bit more. I would like the abilities to
export
> the information that is displayed in the trunk/radio ID's to a excell or
> text file. This allows the ability to log what you find but have the
> abilities to modify the document and print.
>
> You were asking? How about the abilities to copy and paiste from
trunk/radio
> ID's?
> Glenn Blum
> kd5dga
> Nolanville,Texas. USA

83. Re: Lost Data Channel

Yahoo group: TrunkPCR
Date: 2005-10-03 21:44:20 UTC
From: Jay
Topic: 83 Message: 83

Hi Vincent,

It may take a few seconds for it to start hunting. Depending on the traffic of the frequency it's sampling...
I'll be improving that part of the program soon as I am adapting it for multi bank scanning including Trunking and Conventional Banks...

Regards,
Jay

----- Original Message -----
Hi Jay
Question. Whenever the control channel changes, my TrunkPCR does not pickup the new control channel. I have it programmed in, but my PCR1000 just sit and I get the message, "lost data channel". Anyway to have the FSK and 15kHz be defaulted to all the channels programmed? And I do have the "hunt on data loss" box checked.

Regards,

Vincent

84. RE: [TrunkPCR] Re: Lost Data Channel

Yahoo group: TrunkPCR
Date: 2005-10-03 23:40:51 UTC
From: vince48
Topic: 83 Message: 84

Thanks Jay

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, October 03, 2005 2:44 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Lost Data Channel

Hi Vincent,

It may take a few seconds for it to start hunting. Depending on the traffic of the frequency it's sampling...

I'll be improving that part of the program soon as I am adapting it for multi bank scanning including Trunking and Conventional Banks...

Regards,

Jay

----- Original Message -----

Hi Jay

Question. Whenever the control channel changes, my TrunkPCR does not pickup the new control channel. I have it programmed in, but my PCR1000 just sit and I get the message, "lost data channel". Anyway to have the FSK and 15kHz be defaulted to all the channels programmed? And I do have the "hunt on data loss" box checked.

Regards,

Vincent

SPONSORED LINKS

Hobby <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=JIl7iEyuhXhftfp3Gmsi6w> and craft supply

Craft <http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=q72wWL7EbNscN4LmgdyjvA> hobby

Hobbies
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+s
upply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w
6=Ham+radio+outlet&c=6&s=127&.sig=j6vEhGi2K6BIsOI0PuNPAg> and crafts

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+rad
io+outlet&c=6&s=127&.sig=nw5WftEAqYq0CH0m5iZKNg> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supp
ly&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=H
am+radio+outlet&c=6&s=127&.sig=plZf1qDMp4iqg3qHqf9oiw> radio sales

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+sup
ply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=
Ham+radio+outlet&c=6&s=127&.sig=jcxp5PifzEM3XLQ6l-npGg> radio outlet

---

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.

Virus Database (VPS): 0539-6, 10/02/2005
Tested on: 10/3/2005 4:33:16 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

---

avast! Antivirus <http://www.avast.com> : Outbound message clean.

Virus Database (VPS): 0539-6, 10/02/2005
Tested on: 10/3/2005 4:40:51 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

85. Listening to Trunkpcr

Yahoo group: TrunkPCR
Date: 2005-10-07 21:25:40 UTC
From: mrbooch0
Topic: 85 Message: 85

```
If your sound cards muted must I use an external amp listen to
trunks ?
```

86. Re: [TrunkPCR] Listening to Trunkpcr

Yahoo group: TrunkPCR
Date: 2005-10-08 09:09:46 UTC
From: Jay
Topic: 85 Message: 86

You should have the "Packet" connector on the PCR connected to your sound card's Line-In or Mic Input.

Your "Ext-Speaker" jack should either be disconnected to listen to the trunks using the internal speaker or connect an external amp to the "Ext-Speaker" of the PCR...
I had a external speaker connected to my PCR, but it was causing the PCR to get quite warm...

If you only have the "Ext-Speaker" connected to your sound card, then it won't work...
Check out the help page for further info:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrHelp.html

If you need further assistance, let us know....

Jay

----- Original Message -----
> If your sound cards muted must I use an external amp listen to trunks ?

87. Download BNK files

Yahoo group: TrunkPCR
Date: 2005-10-09 03:01:28 UTC
From: mrbooch0
Topic: 87 Message: 87

Can you tell me how to download bnk files. I seem to be having problems.
Also, Is there any way for me to get BNK files for the Palm Springs Area?

88. Re: [TrunkPCR] Download BNK files

Yahoo group: TrunkPCR
Date: 2005-10-10 08:21:26 UTC
From: Jay
Topic: 87 Message: 88

There are some .Bnk files in the files section, but none for Palm Springs yet...
A search at radioreference.com finds this page:
http://www.radioreference.com/modules.php?name=TRSDB&sid=1796

Enter these frequencies in a New Bank.
857.48750, 858.48750, 858.96250, 859.48750 and 860.71250

You can create a new Bank under the "Edit Menu" -> Banks, then "Add Bank" or (F2).
Make sure you have (5) Channels to enter these frequencies in...
You can Add New Channels under the "Edit Menu" -> Channels, then "Add Channel" or (F5).
Make sure each channel is set for Mode is FSK, I.F. Filter to 15kHz...
Click Store to Save...

Regards,
Jay

----- Original Message -----
> Can you tell me how to download bnk files. I seem to be having
> problems.
> Also, Is there any way for me to get BNK files for the Palm Springs
> Area?

89. Getting the PCR1000 to work Trunking

Yahoo group: TrunkPCR
Date: 2005-10-13 03:31:49 UTC
From: Marco N
Topic: 89 Message: 89

Hello everyone! I would like some information on getting my PCR1000 connected to work trunked systems. It's vague to me how to actually hook up the PCR1000 to work with TrunkPCR. I have it installed and the
TrunkPCR is working with conventional frequencies. But I'm not sure what other connections I will need to connect the PCR1000 to the computer aside from the RS-232 connection. Will I need a cable to connect the PCR1000 to the computer soundboard? And if so, what type of cable or connection will I need?

Once this is connected, I wish to monitor the only Trunked system we have that is AEP/CPL in Del Rio, TX and there might not be much traffic
anyway. Unfortunately I'm located in a small town (Del Rio, TX Val Verde County) and there is very little activity for trunked systems in
this area. I would also like to program the Corpus Christi and San Antonio, TX trunked system so that I can use them when I visit these places.

Could someone help with getting these frequencies with a *.bnk file for
these two areas? I'm not really sure how to program the frequencies but hopefully I'll learn.

Thanks,

Marco
KD5HQL

90. Type of Cable to use

Yahoo group: TrunkPCR
Date: 2005-10-15 18:40:47 UTC
From: Marco N
Topic: 90 Message: 90

What type of cable is needed to connect the PCR1000 from the Packet output to the computer sound cards Line-IN or MIC input. Can a mini 3.5mm stereo plug be used for this application?

Jay, you mentioned in the instructions to use a "GOOD" cable. What type of cable do I need?

Marco
KD5HQL

91. Re: [TrunkPCR] Type of Cable to use

Yahoo group: TrunkPCR
Date: 2005-10-15 22:56:40 UTC
From: Jay
Topic: 90 Message: 91

Hi Marco,

What I meant by a "Good" Cable is one that is known to be in good condition...
There was a user awhile ago that couldn't get the program to work due to his cable having a broken connection in the wire...
Yes, you can use a mini 3.5mm stereo plug from the PCR to your sound card's Line-In connector.

Jay

----- Original Message -----
> What type of cable is needed to connect the PCR1000 from the Packet
> output to the computer sound cards Line-IN or MIC input. Can a mini
> 3.5mm stereo plug be used for this application?
>
> Jay, you mentioned in the instructions to use a "GOOD" cable. What
> type of cable do I need?
>
> Marco
> KD5HQL

92. Re: [TrunkPCR] Getting the PCR1000 to work Trunking

Yahoo group: TrunkPCR
Date: 2005-10-15 23:08:20 UTC
From: Jay
Topic: 89 Message: 92

Hi Marco,

Under the Help Menu, click on the "Trunking Information"... This will take you to radioreference.com. On the left side of the page click the link for the RR Database.
From there you can find frequencies in your area...
I didn't see any Trunking Systems listed for Del Rio, but there was some info for Val Verde...

To enter frequencies, click Edit -> Channels-> Add Channel and enter the frequency. Repeat for each frequency you need to add... Press "Store" to Save...

For Edacs systems, you only need to enter the known control channel frequencies in the channels.
And edit the Freq Plan with it's associated LCN - Frequency in the propper order...

If you need further assistance, please let us know...
Jay

----- Original Message -----
> Once this is connected, I wish to monitor the only Trunked system we
> have that is AEP/CPL in Del Rio, TX and there might not be much
> traffic
> anyway. Unfortunately I'm located in a small town (Del Rio, TX Val
> Verde County) and there is very little activity for trunked systems
> in
> this area. I would also like to program the Corpus Christi and San
> Antonio, TX trunked system so that I can use them when I visit these
> places.
>
> Could someone help with getting these frequencies with a *.bnk file
> for
> these two areas? I'm not really sure how to program the frequencies
> but hopefully I'll learn.
>
>
> Thanks,
>
> Marco
> KD5HQL

93. Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-01 00:10:58 UTC
From: Jay
Topic: 93 Message: 93

Hey All,

TrunkPCR v0.7.180 is now being sent out to users who have donated.
It will be available for downloading here in 30 days...
According to what amount users have donated will determine when the
get it... Look at the donation screen for info on this...

I'll post some pictures of the new look and features soon...

This update fixes a couple bugs:

Sep 18,2005 - Fixed: Manual Stepping Now Tracks an Individual ID.
(Broke it in 177)
Sep 19,2005 - Added: Motorola 800Mhz ReBanding Support
NEW 800MHZ Band Plan: (Could Change!)
Base Freq Step Offset Low High
851.03750 12.50 2 2 39
851.53750 12.50 40 40 77
852.03750 12.50 78 78 115
852.53750 12.50 116 116 153
853.03750 12.50 154 154 230
854.01250 25.00 231 231 260
Sep 19,2005 - -----: Changed Trunk Settings MOTO 400/VHF to
Custom/Extended...
400 and VHF use the Custom Map. 800
Rebanding uses Extended...
Sep 19,2005 - Fixed: Switching Between Moto Systems doesn't Reset
Settings..
Oct 09,2005 - Added: Selection of when New ID's are Saved
Oct 09,2005 - Added: Selection of how Hits are Counted
Oct 10,2005 - -----: Trunk Menu Edit Options - Always Enabled for
Trunk Banks.
Oct 17,2005 - Added: Viewing of Group Patches in CC Activity Window
Oct 17,2005 - Added: Viewing of Affiliations in CC Activity Window
Oct 21,2005 - Fixed: Saving Display Mode...
Oct 21,2005 - -----: Changed Color and Fonts in CC Activity Windows
Oct 22,2005 - Added: Display of MOTO Group Types in CC Activity
Window...
Oct 23,2005 - Fixed: Improved Hunting of CC on Data Loss...
Oct 23,2005 - -----: Increased Radio ID Limits...
Oct 24,2005 - -----: Mode & IF Options Now set to Defaults when
Changing from Conv to Trunk.
Oct 24,2005 - -----: Increased TrunkBanks to 27 from 23...
Oct 24,2005 - -----: Default TrunkBank Now set to 27 (?)...
Oct 24,2005 - -----: Increased ID Descriptions to 40 Characters...
Oct 25,2005 - Added: Display of Edacs AFS format in CC Activity

Windows.
Oct 27,2005 - Added: Show Search Results from Search Limit Banks.
Oct 27,2005 - Added: Printing of Above Search Results.
Oct 30,2005 - Added: Printing Group/Radio ID's.
Oct 30,2005 - Added: Print Preview for Above.
Oct 30,2005 - Added: Export Group/Radio ID's to Excel CSV File.
Oct 30,2005 - Added: Export Search Results to Excel CSV File.
Oct 30,2005 - -----: Display Mode of ID's in CC Activity Windows
Immediately updated...
Oct 30,2005 - -----: Search Results Limit Set to Donation Amount.
Version 0.7.180 Released 10/31/2005

Regards,
Jay

94. Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-01 03:07:32 UTC
From: Glenn Blum
Topic: 93 Message: 94

ok cool.
Just let me know. the new options look great
Thanks again,
Glenn Blum
kd5dga
Nolanville,Texas. USA
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, October 31, 2005 6:10 PM
Subject: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Hey All,

TrunkPCR v0.7.180 is now being sent out to users who have donated.
It will be available for downloading here in 30 days...
According to what amount users have donated will determine when the
get it... Look at the donation screen for info on this...

I'll post some pictures of the new look and features soon...

This update fixes a couple bugs:

Sep 18,2005 - Fixed: Manual Stepping Now Tracks an Individual ID.
(Broke it in 177)
Sep 19,2005 - Added: Motorola 800Mhz ReBanding Support
NEW 800MHZ Band Plan: (Could Change!)
Base Freq Step Offset Low High
851.03750 12.50 2 2 39
851.53750 12.50 40 40 77
852.03750 12.50 78 78 115
852.53750 12.50 116 116 153
853.03750 12.50 154 154 230
854.01250 25.00 231 231 260
Sep 19,2005 - -----: Changed Trunk Settings MOTO 400/VHF to
Custom/Extended...
400 and VHF use the Custom Map. 800
Rebanding uses Extended...
Sep 19,2005 - Fixed: Switching Between Moto Systems doesn't Reset
Settings..
Oct 09,2005 - Added: Selection of when New ID's are Saved
Oct 09,2005 - Added: Selection of how Hits are Counted
Oct 10,2005 - -----: Trunk Menu Edit Options - Always Enabled for
Trunk Banks.
Oct 17,2005 - Added: Viewing of Group Patches in CC Activity Window
Oct 17,2005 - Added: Viewing of Affiliations in CC Activity Window

Oct 21,2005 - Fixed: Saving Display Mode...
Oct 21,2005 - -----: Changed Color and Fonts in CC Activity Windows
Oct 22,2005 - Added: Display of MOTO Group Types in CC Activity Window...
Oct 23,2005 - Fixed: Improved Hunting of CC on Data Loss...
Oct 23,2005 - -----: Increased Radio ID Limits...
Oct 24,2005 - -----: Mode & IF Options Now set to Defaults when Changing from Conv to Trunk.
Oct 24,2005 - -----: Increased TrunkBanks to 27 from 23...
Oct 24,2005 - -----: Default TrunkBank Now set to 27 (?)...
Oct 24,2005 - -----: Increased ID Descriptions to 40 Characters...
Oct 25,2005 - Added: Display of Edacs AFS format in CC Activity Windows.
Oct 27,2005 - Added: Show Search Results from Search Limit Banks.
Oct 27,2005 - Added: Printing of Above Search Results.
Oct 30,2005 - Added: Printing Group/Radio ID's.
Oct 30,2005 - Added: Print Preview for Above.
Oct 30,2005 - Added: Export Group/Radio ID's to Excel CSV File.
Oct 30,2005 - Added: Export Search Results to Excel CSV File.
Oct 30,2005 - -----: Display Mode of ID's in CC Activity Windows Immediately updated...
Oct 30,2005 - -----: Search Results Limit Set to Donation Amount.
Version 0.7.180 Released 10/31/2005

Regards,
Jay

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales

---

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to: TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

95. Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-01 06:59:52 UTC
From: Jay
Topic: 93 Message: 95

```
If you want to take a peek how Trunk PCR looks now,
click here: http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPCR 0-7-180.htm
or: http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPCR%200-7-180.htm

Regards,
Jay
```

96. RE: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-01 11:35:01 UTC
From: Robbins, Matty
Topic: 93 Message: 96

Hi Jay
I did not get a new version or notice in 1/2 a year
Is there anything new?
Matty

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Jay
Sent: Tuesday, November 01, 2005 9:00 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

If you want to take a peek how Trunk PCR looks now,
click here: http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPCR
0-7-180.htm
or: http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPCR%200-7-180.htm

Regards,
Jay

Yahoo! Groups Links

97. Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-01 12:46:49 UTC
From: Jay
Topic: 93 Message: 97

Yep, there is a new version... You will get it in 7 days...
I'm sure I sent out a notice for when 0.7.176 and 0.7.177 came out...
Unless my mailer missed you, you should have received them...

Jay

----- Original Message -----
> Hi Jay
> I did not get a new version or notice in 1/2 a year
> Is there anything new?
> Matty

98. RE: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-02 02:29:58 UTC
From: vince48
Topic: 93 Message: 98

Jay

After updating to the new version, I'm getting an orange color on my groups
for an EDACS system. The number of groups is 750 which doesn't sound right.
I'm only showing only 335 radios. Some sort of bug?

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Monday, October 31, 2005 11:00 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

If you want to take a peek how Trunk PCR looks now,
click here: http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPCR 0-7-180.htm
or: http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPCR%200-7-180.htm

Regards,
Jay

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.

Virus Database (VPS): 0544-0, 10/31/2005
Tested on: 11/1/2005 4:27:51 AM
avast! - copyright (c) 1988-2004 ALWIL Software.

---

avast! Antivirus <http://www.avast.com> : Outbound message clean.

Virus Database (VPS): 0544-1, 11/01/2005
Tested on: 11/1/2005 6:29:58 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

99. Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-02 04:06:08 UTC
From: Jay
Topic: 93 Message: 99

Check out your Trunk ID's and see how many are actually there...
Did you change the Trunk Settiings to "Save ID's" when SEEN? or is it set at HEARD?

Jay
----- Original Message -----

Jay

After updating to the new version, I'm getting an orange color on my groups for an EDACS system. The number of groups is 750 which doesn't sound right. I'm only showing only 335 radios. Some sort of bug?

Vincent

100. RE: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-03 01:14:23 UTC
From: vince48
Topic: 93 Message: 100

Jay

Thanks for the come back. I have the id's set to Seen. They were at Heard. Everything seems to be normal now. Group total now is 47 with 355 radios. What is the difference in Seen and Heard? or is it obvious?

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, November 01, 2005 8:06 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Check out your Trunk ID's and see how many are actually there...

Did you change the Trunk Settiings to "Save ID's" when SEEN? or is it set at HEARD?

Jay

----- Original Message -----

Jay

After updating to the new version, I'm getting an orange color on my groups for an EDACS system. The number of groups is 750 which doesn't sound right. I'm only showing only 335 radios. Some sort of bug?

Vincent

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR> " on the web.

* To unsubscribe from this group, send an email to: TrunkPCR-unsubscribe@yahoogroups.com <mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! <http://docs.yahoo.com/info/terms/> Terms of Service.

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.

Virus Database (VPS): 0544-2, 11/02/2005
Tested on: 11/2/2005 4:27:15 AM
avast! - copyright (c) 1988-2004 ALWIL Software.

---

avast! Antivirus <http://www.avast.com> : Outbound message clean.

Virus Database (VPS): 0544-4, 11/02/2005
Tested on: 11/2/2005 5:14:23 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

101. new version

Yahoo group: TrunkPCR
Date: 2005-11-03 01:16:20 UTC
From: kd5dga@isot.com
Topic: 101 Message: 101

Jay,
I love it especially the ability to use a excell export is fantastic.This will allow me to keep logs for comparison.I have had the new version up running for the last two days with no problems. I have not tried any of the other options yet.

Thanks,
Glenn Blum

****
Computer problems? .....
.....http://www.multibyte.net

102. Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-03 01:30:35 UTC
From: Gerry Bucci
Topic: 93 Message: 102

Still waiting !!! for my update,

103. Re: [TrunkPCR] new version

Yahoo group: TrunkPCR
Date: 2005-11-03 02:20:42 UTC
From: Jay
Topic: 101 Message: 103

Cool, glad to hear it...

Have you experienced the same problem as Vince using Edacs,
with the Group Count increasing to maximum?

Thanks,
Jay

----- Original Message -----
> Jay,
> I love it especially the ability to use a excell export is fantastic.This
> will allow me to keep logs for comparison.I have had the new version up
> running for the last two days with no problems. I have not tried any of
> the other options yet.
>
> Thanks,
> Glenn Blum

104. Forgot to mention...

Yahoo group: TrunkPCR
Date: 2005-11-03 02:37:28 UTC
From: Jay
Topic: 104 Message: 104

In the Control Channel activity Control & Affiliation windows,
you can Click Once on either of the Group/Radio ID or description to
Edit the Description of the associated ID...

In the Search Results List, you can Click Once to Tune to that Frequency
to hear what the search found...

If any of your old Radio ID Descriptions start out as "Radio#xxxx"
or "Astro#xxxx", then their description will be automaticaly changed to
reflect the First Group they Affiliate with or talk on...

Regards,
Jay

105. Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-03 02:55:39 UTC
From: Jay
Topic: 93 Message: 105

Hi Jerry,

With the donation amount you sent, you will receive the update on the 7th...
(1 Week after initial release)... As shown in the donation window...
People who Donate $40+ get it when it's released...

The ony updates that are sent to everyone or placed for download here
upon release, are bug fixes... 0.7.180 has a couple major changes over
0.7.177 that are enough to reflect a version update over a bug update...

Regards,
Jay

----- Original Message -----
From: Gerry Bucci

Still waiting !!! for my update,

106. Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-03 03:13:25 UTC
From: Jay
Topic: 93 Message: 106

Well, it's obvious to me, I think :)
Seen - means when the program sees it...
Heard - means when you actually hear the conversation...

On a local Moto system, my groups increased by 100 and the radios increased by 350+ when I set my Trunk Settings to Seen...

A bunch of the extra groups were only seen when a user affiliated with an Unidentifed Group.

Regards,
Jay

----- Original Message -----
From: vince48

Jay

Thanks for the come back. I have the id's set to Seen. They were at Heard. Everything seems to be normal now. Group total now is 47 with 355 radios. What is the difference in Seen and Heard? or is it obvious?

107. RE: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-03 04:04:06 UTC
From: vince48
Topic: 93 Message: 107

Jay

Thanks. I thought it was that obvious, just need you to confirm. I will try Seen and see what I get. So far the new versions work great.

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Wednesday, November 02, 2005 7:13 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Trunk PCR Version 0.7.180 Being sent out Now...

Well, it's obvious to me, I think :)

Seen - means when the program sees it...

Heard - means when you actually hear the conversation...

On a local Moto system, my groups increased by 100 and the radios increased by 350+

when I set my Trunk Settings to Seen...

A bunch of the extra groups were only seen when a user affiliated with an Unidentifed Group.

Regards,

Jay

----- Original Message -----

From: vince48 <mailto:vince48@...>

Jay

Thanks for the come back. I have the id's set to Seen. They were at Heard. Everything seems to be normal now. Group total now is 47 with 355 radios. What is the difference in Seen and Heard? or is it obvious?

SPONSORED LINKS

Hobby <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=FlmzOxqXh8nvVRU1Xcjmgw> and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=5Atch1nPQKZTFVMEz9MG3A> hobby

Hobbies
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=ijWkGDesAlMI4n5UtSKh9A> and crafts

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=IyTkODlwBlvkhyxBJUuulA> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&c=5&s=105&.sig=Xc5hiMpw2OGijBnTzQ8ciQ> radio sales

---

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.

Virus Database (VPS): 0544-4, 11/02/2005
Tested on: 11/2/2005 7:14:42 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

---

avast! Antivirus <http://www.avast.com> : Outbound message clean.

Virus Database (VPS): 0544-4, 11/02/2005
Tested on: 11/2/2005 8:04:06 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

108. Re: [TrunkPCR] Forgot to mention...

Yahoo group: TrunkPCR
Date: 2005-11-03 12:06:20 UTC
From: Glenn Blum
Topic: 104 Message: 108

Thats cool. just tried it.
Glenn Blum
kd5dga
Nolanville,Texas. USA
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, November 02, 2005 8:37 PM
Subject: [TrunkPCR] Forgot to mention...

In the Control Channel activity Control & Affiliation windows,
you can Click Once on either of the Group/Radio ID or description to
Edit the Description of the associated ID...

In the Search Results List, you can Click Once to Tune to that Frequency
to hear what the search found...

If any of your old Radio ID Descriptions start out as "Radio#xxxx"
or "Astro#xxxx", then their description will be automaticaly changed to
reflect the First Group they Affiliate with or talk on...

Regards,
Jay

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

109. Re: [TrunkPCR] new version

Yahoo group: TrunkPCR
Date: 2005-11-03 12:00:20 UTC
From: Glenn Blum
Topic: 101 Message: 109

I havent looked at it yey.
I am still showing 156 groups 1419 radios. This is on a EDACS standard system. (9600 baud)
Glenn Blum
kd5dga
Nolanville,Texas. USA
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, November 02, 2005 8:20 PM
Subject: Re: [TrunkPCR] new version

Cool, glad to hear it...

Have you experienced the same problem as Vince using Edacs,
with the Group Count increasing to maximum?

Thanks,
Jay

----- Original Message -----
> Jay,
> I love it especially the ability to use a excell export is fantastic.This
> will allow me to keep logs for comparison.I have had the new version up
> running for the last two days with no problems. I have not tried any of
> the other options yet.
>
> Thanks,
> Glenn Blum

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

110. requirements

Yahoo group: TrunkPCR
Date: 2005-11-04 23:40:03 UTC
From: Glenn Blum
Topic: 110 Message: 110

Jay,
What is the minimal computer requirements for trunkpcr to run?
I am planing to use my older AMD K-6 400 mhz system for my PCR1000.
I want to use my 2.7 gig system for my ham radio use.

Thanks,
Glenn Blum
kd5dga
Nolanville,Texas. USA

111. patch

Yahoo group: TrunkPCR
Date: 2005-11-04 23:42:08 UTC
From: Glenn Blum
Topic: 111 Message: 111

Jay,
I would guess that the patch screen is to show when a car to car call is made?
Thanks,
Glenn Blum
kd5dga
Nolanville,Texas. USA

112. Re: [TrunkPCR] patch

Yahoo group: TrunkPCR
Date: 2005-11-05 07:14:45 UTC
From: Jay
Topic: 111 Message: 112

Hi Glenn,

The Patch Screen shows the Group Patches, where one group is patched to another.
On a local Moto system, I'll hear a sheriff dispatch operator from one city taking over
another city's calls... I suppose a patch from Car 12 on Group A could talk to Car 54
on Group F... On the Riverside Edacs system they have groups ID'd as Car to Car...
But, in your area, it could be different...

Jay

----- Original Message -----
> Jay,
> I would guess that the patch screen is to show when a car to car call is
> made?
> Thanks,
> Glenn Blum
> kd5dga
> Nolanville,Texas. USA

113. Re: [TrunkPCR] patch

Yahoo group: TrunkPCR
Date: 2005-11-05 13:40:15 UTC
From: Glenn Blum
Topic: 111 Message: 113

OK COOL.
THANKS,
Glenn Blum
kd5dga
Nolanville,Texas. USA
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, November 05, 2005 1:14 AM
Subject: Re: [TrunkPCR] patch

Hi Glenn,

The Patch Screen shows the Group Patches, where one group is patched to another.
On a local Moto system, I'll hear a sheriff dispatch operator from one city taking over
another city's calls... I suppose a patch from Car 12 on Group A could talk to Car 54
on Group F... On the Riverside Edacs system they have groups ID'd as Car to Car...
But, in your area, it could be different...

Jay

----- Original Message -----
> Jay,
> I would guess that the patch screen is to show when a car to car call is
> made?
> Thanks,
> Glenn Blum
> kd5dga
> Nolanville,Texas. USA

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

114. Re: Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-07 19:01:39 UTC
From: Jim Murray KC5QWG
Topic: 93 Message: 114

```
--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@h...> wrote:
>
> Hey All,
>
> TrunkPCR v0.7.180 is now being sent out to users who have donated.
> It will be available for downloading here in 30 days...
> According to what amount users have donated will determine when the
> get it... Look at the donation screen for info on this...
>
Still waiting, whats the latest?

Jim Murray KC5QWG
```

115. Re: [TrunkPCR] Re: Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-07 22:25:27 UTC
From: Jay
Topic: 93 Message: 115

Like a kid before christmas huh? LOL
It was sent out to the $30 donators allittle bit ago...
The $20 group will get it on the 14th, the $10 on the 21st and the rest on the 28th ...

Regards,
Jay

----- Original Message -----
From: "Jim Murray KC5QWG"
> > Hey All,
> >
> > TrunkPCR v0.7.180 is now being sent out to users who have donated.
> > It will be available for downloading here in 30 days...
> > According to what amount users have donated will determine when the
> > get it... Look at the donation screen for info on this...
> >
> Still waiting, whats the latest?
>
> Jim Murray KC5QWG

116. RE: [TrunkPCR] Re: Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-08 09:32:44 UTC
From: Robbins, Matty
Topic: 93 Message: 116

Hi Jay
I am in the 30$ group did not get it yet
Matty

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Jay
Sent: Tuesday, November 08, 2005 12:25 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: Trunk PCR Version 0.7.180 Being sent out
Now...

Like a kid before christmas huh? LOL
It was sent out to the $30 donators allittle bit ago...
The $20 group will get it on the 14th, the $10 on the 21st and the rest
on
the 28th ...

Regards,
Jay

----- Original Message -----
From: "Jim Murray KC5QWG"
> > Hey All,
> >
> > TrunkPCR v0.7.180 is now being sent out to users who have donated.
> > It will be available for downloading here in 30 days...
> > According to what amount users have donated will determine when the
> > get it... Look at the donation screen for info on this...
> >
> Still waiting, whats the latest?
>
> Jim Murray KC5QWG

Yahoo! Groups Links

117. Re: [TrunkPCR] Re: Trunk PCR Version 0.7.180 Being sent out Now...

Yahoo group: TrunkPCR
Date: 2005-11-09 09:15:42 UTC
From: Jay
Topic: 93 Message: 117

Oops, sorry about that..
It was sent on the 7th, but came back as "Undelivereable" for some reason.
I deleted it before checking who rejected it...

It's on it's way...
Jay

----- Original Message -----
From: "Robbins, Matty"

> Hi Jay
> I am in the 30$ group did not get it yet
> Matty

118. APCO 25

Yahoo group: TrunkPCR
Date: 2005-11-10 20:14:46 UTC
From: louisvanlandingham
Topic: 118 Message: 118

Is it possible to receive APCO 25 digital transmissions with a PCR 1000
and a software prograM/

119. need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-07 03:46:46 UTC
From: syl_dussureault
Topic: 119 Message: 119

Hi, I tried to program Motorola II in the new version of your software (0.7.182) and the scanner received nothing. The Cie is "Accès Communications" and their frequencies are;

460.2500 MHz
460.9000 MHz
462.1750 MHz
462.2250 MHz
462.4500 MHz

How should I set the software???

I have anothing thing to mention, I don't know if it's a bug but when I set the FSK key with 15Khz filter then push TRUNK button it always come back to the WFM mode. Then I tried to set the mode when trunking (TRUNK pushed) but always come back to initial. WHY???

thanks

120. Re: [TrunkPCR] need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-07 05:14:18 UTC
From: Jay
Topic: 119 Message: 120

In the Trunk->Settings, make sure you have the Motorola "Custom" selected. Also, the Baud Rate would be 3600, Reverse Polarity as needed. You'll have to determine this for yourself... (You'll know when it's right when you see a Recovery Rate near or at 100.0)...

Click the Trunk->Edit Freq Plan and edit the Base Frequency, Step and Offset as needed.
The Default Settings of Base: 406.0000 Step:25.0khz and Offset:380 may work ok...

You should also make sure the "Allow Continuation Calls" is checked...

The other thing you describe is NOT a bug. It works as it should.
What you need to do is press the "Store" Button after you change the Mode or I.F Filter.
If you don't save the new settings by pressing "Store" first, then it will do as you mentioned (change the Mode and Filter to their previous changed state)...

Jay

----- Original Message -----
Hi, I tried to program Motorola II in the new version of your software (0.7.182) and the scanner received nothing. The Cie is "Acc?s Communications" and their frequencies are;

460.2500 MHz
460.9000 MHz
462.1750 MHz
462.2250 MHz
462.4500 MHz

How should I set the software???

I have anothing thing to mention, I don't know if it's a bug but when I set the FSK key with 15Khz filter then push TRUNK button it always come back to the WFM mode. Then I tried to set the mode when trunking (TRUNK pushed) but always come back to initial. WHY???

thanks

Yahoo! Groups Links

121. Re: [TrunkPCR] need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-07 15:37:46 UTC
From: Sylvain Dussureault
Topic: 119 Message: 121

ok I got the Recovery Rate near at 100.0 and got something in logging but it won't stop on any group like the edacs system does. So can't hear any conversation.

How can you program the motorola I with your program intead of II???

thanks

Jay <crazycalifornian@...> wrote:
In the Trunk->Settings, make sure you have the Motorola "Custom" selected.
Also, the Baud Rate would be 3600, Reverse Polarity as needed. You'll have
to determine this for yourself... (You'll know when it's right when you see
a Recovery Rate near or at 100.0)...

Click the Trunk->Edit Freq Plan and edit the Base Frequency, Step and Offset
as needed.
The Default Settings of Base: 406.0000 Step:25.0khz and Offset:380 may work
ok...

You should also make sure the "Allow Continuation Calls" is checked...

The other thing you describe is NOT a bug. It works as it should.
What you need to do is press the "Store" Button after you change the Mode or
I.F Filter.
If you don't save the new settings by pressing "Store" first, then it will
do as you mentioned (change the Mode and Filter to their previous changed
state)...

Jay

----- Original Message -----
Hi, I tried to program Motorola II in the new version of your
software (0.7.182) and the scanner received nothing. The Cie
is "Acc?s Communications" and their frequencies are;

460.2500 MHz
460.9000 MHz
462.1750 MHz
462.2250 MHz
462.4500 MHz

How should I set the software???

I have anothing thing to mention, I don't know if it's a bug but when
I set the FSK key with 15Khz filter then push TRUNK button it always
come back to the WFM mode. Then I tried to set the mode when
trunking (TRUNK pushed) but always come back to initial. WHY???

thanks

Yahoo! Groups Links

SPONSORED LINKS
Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
YAHOO! GROUPS LINKS

Visit your group "TrunkPCR" on the web.

To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Find your next car at Yahoo! Canada Autos

122. Re: [TrunkPCR] need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-08 04:43:54 UTC
From: Jay
Topic: 119 Message: 122

Ok, while trunking, click the "Control" Button to see the activity of the control channel. In the Frequency Column, it should show the associated frequency to the LCN.
If the frequency shows 0xNN, where NN represents a number and the LCN is below 380 (The Offset), then that's ok. Otherwise, LCN's 380 or above should show the correct frequency if the Freq Plan is correct.

As stated before, In the Trunk->Settings, you will have to Check the "Allow Listening to Continuation Calls" in order to listen to the conversations for VHF/UHF Syetms...

If the freq Plan is wrong, TrunkPCR will tune to the frequency that it thinks is correct, if there isn't any activity on that frequency, then it will go back to the Contol Channel waiting for the next call...

Do the frequencies: 460.2500, 460.9000, 462.1750, 462.2250 or 462.4500
appear under the Frequency Column? If not, then the Freq PLan is wrong, and you will have to correct it...

TrunkPCR treats Type 1 systems as Type 2 for now, You'll have to convert the Group ID's manually...

Jay

----- Original Message -----

ok I got the Recovery Rate near at 100.0 and got something in logging but it won't stop on any group like the edacs system does. So can't hear any conversation.

How can you program the motorola I with your program intead of II???

thanks

123. Re: [TrunkPCR] need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-08 19:48:20 UTC
From: Sylvain Dussureault
Topic: 119 Message: 123

Hi,

I talked to someone around here who listen and the setting for this trunking system are;

Set 1 Base = 455.0000
Set 1 Spacing/Offset = 25-KHz
Set 1 Offset channel = 380

by like I said I can't set up the frequency base and I did couple way to do it.

bye

Jay <crazycalifornian@...> wrote:
Ok, while trunking, click the "Control" Button to see the activity of the control channel. In the Frequency Column, it should show the associated frequency to the LCN.
If the frequency shows 0xNN, where NN represents a number and the LCN is below 380 (The Offset), then that's ok. Otherwise, LCN's 380 or above should show the correct frequency if the Freq Plan is correct.

As stated before, In the Trunk->Settings, you will have to Check the "Allow Listening to Continuation Calls" in order to listen to the conversations for VHF/UHF Syetms...

If the freq Plan is wrong, TrunkPCR will tune to the frequency that it thinks is correct, if there isn't any activity on that frequency, then it will go back to the Contol Channel waiting for the next call...

Do the frequencies: 460.2500, 460.9000, 462.1750, 462.2250 or 462.4500
appear under the Frequency Column? If not, then the Freq PLan is wrong, and you will have to correct it...

TrunkPCR treats Type 1 systems as Type 2 for now, You'll have to convert the Group ID's manually...

Jay

----- Original Message -----

ok I got the Recovery Rate near at 100.0 and got something in logging but it won't stop on any group like the edacs system does. So can't hear any conversation.

How can you program the motorola I with your program intead of II???

thanks

SPONSORED LINKS
Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
YAHOO! GROUPS LINKS

Visit your group "TrunkPCR" on the web.

To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Find your next car at Yahoo! Canada Autos

124. Re: [TrunkPCR] need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-08 20:05:54 UTC
From: Sylvain Dussureault
Topic: 119 Message: 124
Attachments: 1 described; binary payloads are missing from this source WARC

Hi, sorry to bother you again but here I made a file to see what I Got as setting and control channel.

It still not works but I think I no what it is wrong, like you said my freq Plan is wrong but When I tried to change the frequency, nothing could be enter in the freq. box.

What the freq plan means, frequency, LCN offset and step in Motorola

trunking??

thanks again

Jay <crazycalifornian@...> wrote:
Ok, while trunking, click the "Control" Button to see the activity of the control channel.
In the Frequency Column, it should show the associated frequency to the LCN.
If the frequency shows 0xNN, where NN represents a number and the LCN is below 380 (The Offset), then that's ok. Otherwise, LCN's 380 or above should show the correct frequency if the Freq Plan is correct.

As stated before, In the Trunk->Settings, you will have to Check the "Allow Listening to Continuation Calls" in order to listen to the conversations for VHF/UHF Syetms...

If the freq Plan is wrong, TrunkPCR will tune to the frequency that it thinks is correct, if there isn't any activity on that frequency, then it will go back to the Contol Channel waiting for the next call...

Do the frequencies: 460.2500, 460.9000, 462.1750, 462.2250 or 462.4500
appear under the Frequency Column? If not, then the Freq PLan is wrong, and you will have to correct it...

TrunkPCR treats Type 1 systems as Type 2 for now, You'll have to convert the Group ID's manually...

Jay

----- Original Message -----

ok I got the Recovery Rate near at 100.0 and got something in logging but it won't stop on any group like the edacs system does. So can't hear any conversation.

How can you program the motorola I with your program intead of II???

thanks

SPONSORED LINKS
Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
YAHOO! GROUPS LINKS

Visit your group "TrunkPCR" on the web.

To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Find your next car at Yahoo! Canada Autos

125. Re: [TrunkPCR] need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-08 23:04:17 UTC
From: Sylvain Dussureault
Topic: 119 Message: 125

ok it,s working now cool.....

but I always have this sound like open squelch when I got a conversation, I have to press the SCAN or SEARCH button to skip the sound to get another conversation or group. I tried to adjust the squelch up like one o'clock but it's like to high or to low. It was the samething with edacs system but I did't mention.

Any suggest!!!!!

thanks again

Jay <crazycalifornian@...> wrote:
Ok, while trunking, click the "Control" Button to see the activity of the control channel. In the Frequency Column, it should show the associated frequency to the LCN.
If the frequency shows 0xNN, where NN represents a number and the LCN is below 380 (The Offset), then that's ok. Otherwise, LCN's 380 or above should show the correct frequency if the Freq Plan is correct.

As stated before, In the Trunk->Settings, you will have to Check the "Allow Listening to Continuation Calls" in order to listen to the conversations for VHF/UHF Syetms...

If the freq Plan is wrong, TrunkPCR will tune to the frequency that it thinks is correct, if there isn't any activity on that frequency, then it will go back to the Contol Channel waiting for the next call...

Do the frequencies: 460.2500, 460.9000, 462.1750, 462.2250 or 462.4500
appear under the Frequency Column? If not, then the Freq PLan is wrong, and you will have to correct it...

TrunkPCR treats Type 1 systems as Type 2 for now, You'll have to convert the Group ID's manually...

Jay

----- Original Message -----

ok I got the Recovery Rate near at 100.0 and got something in logging but it won't stop on any group like the edacs system does. So can't hear any conversation.

How can you program the motorola I with your program intead of II???

thanks

SPONSORED LINKS
Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio outlet

---
YAHOO! GROUPS LINKS

Visit your group "TrunkPCR" on the web.

To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Find your next car at Yahoo! Canada Autos

126. Re: [TrunkPCR] need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-09 09:40:53 UTC
From: Jay
Topic: 119 Message: 126

Ok, easy enough...
In the Custom Freq Plan Editor, double-click the Frequency Text to highlight it.
Press the Delete Key on your keyboard to clear the text. Type in 455.000 and all is good...

Jay
----- Original Message -----

Hi,

I talked to someone around here who listen and the setting for this trunking system are;

Set 1 Base = 455.0000
Set 1 Spacing/Offset = 25-KHz
Set 1 Offset channel = 380

by like I said I can't set up the frequency base and I did couple way to do it.

bye

127. Re: need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-10 11:20:14 UTC
From: Jay
Topic: 119 Message: 127

Hmmm, do you have the Mode set to FSK and the Filter set to 6kHz or 15 kHz (whatever gives the best recovery rate)???

Otherwise, maybe cross interference from a neighboring frequency?

The Squelch would normally close when set to about the 9:30 position using the above Mode/Filter settings when on a quiet frequency...

Jay

--- In TrunkPCR@yahoogroups.com, Sylvain Dussureault <syl_dussureault@y...> wrote:
>
> ok it,s working now cool.....
>
> but I always have this sound like open squelch when I got a conversation, I have to press the SCAN or SEARCH button to skip the sound to get another conversation or group. I tried to adjust the squelch up like one o'clock but it's like to high or to low. It was the samething with edacs system but I did't mention.
>
>
> Any suggest!!!!!
>
>
> thanks again

128. Re: [TrunkPCR] Re: need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-11 14:37:19 UTC
From: Sylvain Dussureault
Topic: 119 Message: 128

I use filter 15Khz, do you thing that could be bad signal reception???

Jay <crazycalifornian@...> wrote:
Hmmm, do you have the Mode set to FSK and the Filter set to 6kHz or
15 kHz (whatever gives the best recovery rate)???

Otherwise, maybe cross interference from a neighboring frequency?

The Squelch would normally close when set to about the 9:30 position
using the above Mode/Filter settings when on a quiet frequency...

Jay

--- In TrunkPCR@yahoogroups.com, Sylvain Dussureault
<syl_dussureault@y...> wrote:
>
> ok it,s working now cool.....
>
> but I always have this sound like open squelch when I got a
conversation, I have to press the SCAN or SEARCH button to skip the
sound to get another conversation or group. I tried to adjust the
squelch up like one o'clock but it's like to high or to low. It was
the samething with edacs system but I did't mention.
>
>
> Any suggest!!!!!
>
>
> thanks again

SPONSORED LINKS
Hobby and craft supply Craft hobby Hobbies and crafts Ham radio Ham radio sales Ham radio
outlet

YAHOO! GROUPS LINKS

Visit your group "TrunkPCR" on the web.

To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Find your next car at Yahoo! Canada Autos

129. Re: need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-15 10:03:33 UTC
From: Jay
Topic: 119 Message: 129

If the Signal Level is too low, that could be a problem.
If a signal is stronger 12.5khz above or below the frequency you are
listen to, then that could ba a problem as well...

Is the "Open Squelch" Sound comming from the PCR or from your
computer? If it's from your PC, the you need to "Mute" the Sound
Card's Volume Control Mixer. (Double-Click the speaker icon in the
system tray)

Jay

--- In TrunkPCR@yahoogroups.com, Sylvain Dussureault
<syl_dussureault@y...> wrote:
>
> I use filter 15Khz, do you thing that could be bad signal
reception???
>
>
>
>
> Jay <crazycalifornian@h...> wrote:
> Hmmm, do you have the Mode set to FSK and the Filter set to 6kHz
or
> 15 kHz (whatever gives the best recovery rate)???
>
> Otherwise, maybe cross interference from a neighboring frequency?
>
> The Squelch would normally close when set to about the 9:30
position
> using the above Mode/Filter settings when on a quiet frequency...
>
> Jay
>
> --- In TrunkPCR@yahoogroups.com, Sylvain Dussureault
> <syl_dussureault@y...> wrote:
> >
> > ok it,s working now cool.....
> >
> > but I always have this sound like open squelch when I got a
> conversation, I have to press the SCAN or SEARCH button to skip the
> sound to get another conversation or group. I tried to adjust the
> squelch up like one o'clock but it's like to high or to low. It
was
> the samething with edacs system but I did't mention.
> >
> >

> > Any suggest!!!!!
> >
> >
> > thanks again

130. Re: [TrunkPCR] Re: need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-15 22:00:15 UTC
From: kd5dga@isot.com
Topic: 119 Message: 130

Jay,
on the sound card mixer, is the line in for the playback supposed to be
muted?
I never thought of it but could there be a possible problem with looping?

Glenn
kd5dga

> If the Signal Level is too low, that could be a problem.
> If a signal is stronger 12.5khz above or below the frequency you are
> listen to, then that could ba a problem as well...
>
> Is the "Open Squelch" Sound comming from the PCR or from your
> computer? If it's from your PC, the you need to "Mute" the
> Sound
> Card's Volume Control Mixer. (Double-Click the speaker icon in the
> system tray)
>
> Jay
>
> --- In TrunkPCR@yahoogroups.com, Sylvain Dussureault
> wrote:
> >
> > I use filter 15Khz, do you thing that could be bad signal
> reception???
> >
> >
> >
> >
> > Jay wrote:
> > Hmmm, do you have the Mode set to FSK and the Filter set to 6kHz
> or
> > 15 kHz (whatever gives the best recovery rate)???
> >
> > Otherwise, maybe cross interference from a neighboring frequency?
> >
> > The Squelch would normally close when set to about the 9:30
> position
> > using the above Mode/Filter settings when on a quiet frequency...
> >
> > Jay
> >
> > --- In TrunkPCR@yahoogroups.com, Sylvain Dussureault
> > wrote:
> > >

> > > ok it,s working now cool.....
> > >
> > > but I always have this sound like open squelch when I got a
> > conversation, I have to press the SCAN or SEARCH button to skip the
> > sound to get another conversation or group. I tried to adjust the
> > squelch up like one o'clock but it's like to high or to low. It
> was
> > the samething with edacs system but I did't mention.
> > >
> > >
> > > Any suggest!!!!!
> > >
> > >
> > > thanks again
>
>
>
>
>
>
> YAHOO! GROUPS LINKS
> Visit your group "TrunkPCR" on the web.
> To unsubscribe from this group, send an email to:
> TrunkPCR-unsubscribe@yahoogroups.com
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.
>

****
Computer problems? .....
.....http://www.multibyte.net

131. Re: [TrunkPCR] Re: need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-16 01:03:03 UTC
From: Jay
Topic: 119 Message: 131

If the cable from the Packet Out of the PCR is connected to the Line-In on
the
sound card, then YES, the Line-In Playback needs to be muted. Otherwise,
if the Mic-In is used instead, then it would need to be muted...
There isn't any reason to listen to the Packet Out of the PCR while
trunking...

Looping??? what do you mean? I missed someting...

Jay

----- Original Message -----
> Jay,
> on the sound card mixer, is the line in for the playback supposed to be
> muted?
> I never thought of it but could there be a possible problem with looping?
>
> Glenn
> kd5dga
>
> > If the Signal Level is too low, that could be a problem.
> > If a signal is stronger 12.5khz above or below the frequency you are
> > listen to, then that could ba a problem as well...
> >
> > Is the "Open Squelch" Sound comming from the PCR or from your
> > computer? If it's from your PC, the you need to "Mute" the
> > Sound
> > Card's Volume Control Mixer. (Double-Click the speaker icon in the
> > system tray)
> >
> > Jay
> >
> > --- In TrunkPCR@yahoogroups.com, Sylvain Dussureault
> > wrote:
> > >
> > > I use filter 15Khz, do you thing that could be bad signal
> > reception???

132. Re: [TrunkPCR] Re: need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-21 23:49:02 UTC
From: Sylvain Dussureault
Topic: 119 Message: 132

ok thanks again

I'm going to ask again, do you think you'll put LTR trunking system in your software??

Jay <crazycalifornian@...> wrote:
If the Signal Level is too low, that could be a problem.
If a signal is stronger 12.5khz above or below the frequency you are
listen to, then that could ba a problem as well...

Is the "Open Squelch" Sound comming from the PCR or from your
computer? If it's from your PC, the you need to "Mute" the Sound
Card's Volume Control Mixer. (Double-Click the speaker icon in the
system tray)

Jay

--- In TrunkPCR@yahoogroups.com, Sylvain Dussureault
<syl_dussureault@y...> wrote:
>
> I use filter 15Khz, do you thing that could be bad signal
reception???
>
>
>
>
> Jay <crazycalifornian@h...> wrote:
> Hmmm, do you have the Mode set to FSK and the Filter set to 6kHz
or
> 15 kHz (whatever gives the best recovery rate)???
>
> Otherwise, maybe cross interference from a neighboring frequency?
>
> The Squelch would normally close when set to about the 9:30
position
> using the above Mode/Filter settings when on a quiet frequency...
>
> Jay
>
> --- In TrunkPCR@yahoogroups.com, Sylvain Dussureault
> <syl_dussureault@y...> wrote:
> >
> > ok it,s working now cool.....
> >
> > but I always have this sound like open squelch when I got a
> conversation, I have to press the SCAN or SEARCH button to skip the
> sound to get another conversation or group. I tried to adjust the

> squelch up like one o'clock but it's like to high or to low. It
was
> the samething with edacs system but I did't mention.
> >
> >
> > Any suggest!!!!!
> >
> >
> > thanks again

YAHOO! GROUPS LINKS

Visit your group "TrunkPCR" on the web.

To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Find your next car at Yahoo! Canada Autos

133. Re: [TrunkPCR] Re: need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-23 00:39:26 UTC
From: Jay
Topic: 119 Message: 133

Yep...
As soon as I learn abit more about DSP (Digital Signal Processing) and can extract the right information from the signal.
LTR sends out the data in the lower 300hz of the audio spectrum, so I need to filter that part out from the other noise/voice frequencies.

There are a couple of LTR systems locally, but not very active. So, it may be awhile before I can get something going...

I know that LTR Trunk uses a data slicer to decode it, but I am going to try to do it using the soundcard...

Regards,
Jay

----- Original Message -----

ok thanks again

I'm going to ask again, do you think you'll put LTR trunking system in your software??

134. RE: [TrunkPCR] Re: need info for programming motorola II

Yahoo group: TrunkPCR
Date: 2005-12-23 00:47:28 UTC
From: vince48
Topic: 119 Message: 134

Jay

LTR, that sounds real promising. I hope you take a serious look at adding this. Merry Christmas to all!

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, December 22, 2005 4:39 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: need info for programming motorola II

Yep...

As soon as I learn abit more about DSP (Digital Signal Processing) and can extract the right information from the signal.

LTR sends out the data in the lower 300hz of the audio spectrum, so I need to filter that part out from the other noise/voice frequencies.

There are a couple of LTR systems locally, but not very active. So, it may be awhile before I can get something going...

I know that LTR Trunk uses a data slicer to decode it, but I am going to try to do it using the soundcard...

Regards,

Jay

----- Original Message -----

ok thanks again

I'm going to ask again, do you think you'll put LTR trunking system in your software??

SPONSORED LINKS

Hobby <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=JIl7iEyuhXhftfp3Gmsi6w> and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=q72wWL7EbNscN4LmgdyjvA> hobby

Hobbies
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=j6vEhGi2K6BIsOI0PuNPAg> and crafts

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=nw5WftEAqYq0CH0m5iZKNg> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=plZf1qDMp4iqg3qHqf9oiw> radio sales

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=jcxp5PifzEM3XLQ6l-npGg> radio outlet

---

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.

Virus Database (VPS): 0551-4, 12/22/2005
Tested on: 12/22/2005 4:41:05 PM
avast! - copyright (c) 1988-2004 ALWIL Software.

---

avast! Antivirus <http://www.avast.com> : Outbound message clean.

Virus Database (VPS): 0551-4, 12/22/2005
Tested on: 12/22/2005 4:47:28 PM

avast! - copyright (c) 1988-2004 ALWIL Software.

135. TrunkPCR Update 0.7.183 Available

Yahoo group: TrunkPCR
Date: 2006-01-05 03:42:36 UTC
From: Jay
Topic: 135 Message: 135

Hi all,

You can now download TrunkPCR Version 0.7.183 from the website:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes a couple bugs:

Dec 09,2005 - -----: Changed Text Editing in MOTO Custom FreqPlan.
Dec 09,2005 - Added: Preliminary Settings for the PCR-1500.
Dec 09,2005 - Added: Show Known Freqs in Display Panel when in Freq mode.
Dec 12,2005 - Added: Frequency Error reporting from PCR.
Dec 13,2005 - -----: Refresh CC Activity when updating Custom/Extended Freqplan.
Dec 13,2005 - -----: Text Validation in Custom/Extended Freqplans.
Dec 16,2005 - Fixed: Show Freq Centering with propper Mode/Filters.
Dec 23,2005 - Fixed: Reloading stored info when New Bank Inserted.
Dec 23,2005 - Fixed: Reloading stored info when New Channel Inserted.
Dec 23,2005 - Fixed: Adjusting stored info when Bank Deleted.
Dec 23,2005 - Fixed: Adjusting stored info when Channel Deleted.
Dec 23,2005 - Fixed: Setting Volume on StartUp.
Dec 23,2005 - Added: AutoSet Frequency Ranges.
Dec 23,2005 - -----: Editing of Duplex Frequency.
Dec 26,2005 - -----: BandScope Adjustments.
Dec 26,2005 - Fixed: Adjusting stored info when Freq Text Changed.
Dec 28,2005 - Fixed: BandScope Limit Pic Display.
Dec 29,2005 - Added: Export Found Freqs in Spectrum Sweep.
Dec 29,2005 - Fixed: Sweep Freq Knob Disabled when Sweeping.
Dec 30,2005 - Fixed: Sweep Freq Low/High Text Disabled when Sweeping.
Jan 02,2006 - Fixed: BandScope Disabled when Sweeping.
Version 0.7.183 Released 01/04/2006

Regards,
Jay

136. Updates

Yahoo group: TrunkPCR
Date: 2006-01-08 00:02:39 UTC
From: wa7pka
Topic: 136 Message: 136

Jay, good to see your back to your old self now. My question is that ICom has not come out with a PCR 1500 yest at least it is not shown on their web site. Also how do I get the new display screen shown on your web page? I am still suffering from the auto-shutdown now it is in the minutes rather hours. I have even tried to not monitor as many channels/frequencies but it makes no difference, with this in mind I find it hard to use now. So I jump to Bonita software to monitor WEFAX data and teletype stuff. Have a happy new year and a prosperous one. Jack

137. Re: [TrunkPCR] Updates

Yahoo group: TrunkPCR
Date: 2006-01-08 01:07:35 UTC
From: Jay
Topic: 136 Message: 137

Hi Jack,

Nope, Icom America hasn't released the PCR-1500 yet, just Icom Japan...
I don't have one yet, but if the protocol is the same for the 1500 as the
100/1000, then it should work...

The new display is shown when you click the Dump or Control Buttons...

The "auto-shutdown" problem is somewhere on your end, with your setup...
Maybe a bad RS-232 cable?
The only reason for the program to shutdown (When the Trunk LED and Power
LED turns RED),
would happen if the power to the PCR is interrupted or the CTS Line goes
low...
If your RS-232 Cable is bad, this would account for the problem you are
having...

No one else has reported this problem which leads me to believe that it's
something with your particular setup.

Bonito may not check to see if the CTS Line changes state, like I do...

P.S. Your ISP is Bouncing a lot of emails. Tried sending you an email last
night and got this:
>This is an automatically generated Delivery Status Notification.
>
>Delivery to the following recipients failed.
>
> wa7pka@(Domain).com

Jay

----- Original Message -----
> Jay, good to see your back to your old self now. My question is that
> ICom has not come out with a PCR 1500 yest at least it is not shown on
> their web site. Also how do I get the new display screen shown on
> your web page? I am still suffering from the auto-shutdown now it is
> in the minutes rather hours. I have even tried to not monitor as
> many channels/frequencies but it makes no difference, with this in
> mind I find it hard to use now. So I jump to Bonita software to
> monitor WEFAX data and teletype stuff. Have a happy new year and a
> prosperous one. Jack

138. Re: [TrunkPCR] Updates

Yahoo group: TrunkPCR
Date: 2006-01-08 03:09:01 UTC
From: jack goetz
Topic: 136 Message: 138

Jay,
Thanks for the information, I will check my set up again. It very well could be the 232 cable. What purpose does checking to see if CTS Line goes low perform? Take care and thanks.
73's jack
----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Saturday, January 07, 2006 5:07 PM
Subject: Re: [TrunkPCR] Updates

> Hi Jack,
>
> Nope, Icom America hasn't released the PCR-1500 yet, just Icom Japan...
> I don't have one yet, but if the protocol is the same for the 1500 as the
> 100/1000, then it should work...
>
> The new display is shown when you click the Dump or Control Buttons...
>
> The "auto-shutdown" problem is somewhere on your end, with your setup...
> Maybe a bad RS-232 cable?
> The only reason for the program to shutdown (When the Trunk LED and Power
> LED turns RED),
> would happen if the power to the PCR is interrupted or the CTS Line goes
> low...
> If your RS-232 Cable is bad, this would account for the problem you are
> having...
>
> No one else has reported this problem which leads me to believe that it's
> something with your particular setup.
>
> Bonito may not check to see if the CTS Line changes state, like I do...
>
> P.S. Your ISP is Bouncing a lot of emails. Tried sending you an email
> last
> night and got this:
>>This is an automatically generated Delivery Status Notification.
>>
>>Delivery to the following recipients failed.
>>
>> wa7pka@(Domain).com
>
> Jay
>
> ----- Original Message -----

>> Jay, good to see your back to your old self now. My question is that
>> ICom has not come out with a PCR 1500 yest at least it is not shown on
>> their web site. Also how do I get the new display screen shown on
>> your web page? I am still suffering from the auto-shutdown now it is
>> in the minutes rather hours. I have even tried to not monitor as
>> many channels/frequencies but it makes no difference, with this in
>> mind I find it hard to use now. So I jump to Bonita software to
>> monitor WEFAX data and teletype stuff. Have a happy new year and a
>> prosperous one. Jack
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

139. Re: [TrunkPCR] Updates

Yahoo group: TrunkPCR
Date: 2006-01-08 03:53:18 UTC
From: Jay
Topic: 136 Message: 139

Oops, should have added...

When the PCR is ON the CTS line is raised, when it's turned off, the CTS line goes low...
TrunkPCR monitors the CTS Line, if it goes low (Thinking that a user Turned the Power Switch OFF on the PCR or there was a power failure), then the program will "Turn itself Off"...
And that's the ONLY reason why it would turn itself off...
So good chances are that if you replace your RS-232 cable with a good one, your problem should go away and we'd both be happy campers :)

Regards,
Jay

----- Original Message -----
> Jay,
> Thanks for the information, I will check my set up again. It very well
> could be the 232 cable. What purpose does checking to see if CTS Line goes
> low perform? Take care and thanks.
> 73's jack
>
> ----- Original Message -----
> > Hi Jack,
> >
> > Nope, Icom America hasn't released the PCR-1500 yet, just Icom Japan...
> > I don't have one yet, but if the protocol is the same for the 1500 as the
> > 100/1000, then it should work...
> >
> > The new display is shown when you click the Dump or Control Buttons...
> >
> > The "auto-shutdown" problem is somewhere on your end, with your setup...
> > Maybe a bad RS-232 cable?
> > The only reason for the program to shutdown (When the Trunk LED and Power
> > LED turns RED),
> > would happen if the power to the PCR is interrupted or the CTS Line goes
> > low...
> > If your RS-232 Cable is bad, this would account for the problem you are
> > having...
> >
> > No one else has reported this problem which leads me to believe that it's
> > something with your particular setup.
> >

> > Bonito may not check to see if the CTS Line changes state, like I do...
> >
> > Jay

140. Re: requirements

Yahoo group: TrunkPCR
Date: 2006-01-21 01:44:36 UTC
From: Jay
Topic: 110 Message: 140

Hey Glenn,
Sorry for the late response, missed this mesg in e-mail..

Anywho, the minimum requirements for TrunkPCR to run is:
Pentium 133 mhz
Sound Card with Line-In/Mic Inputs
1 free Serial Port/USB Port
Windows 95
32 Megs Ram
8 Megs HardDrive Space
(This is what I have installed on my laptop, with Win98)
(I use Win95 on the Developement PC using a Pent 233Mhz)

Regards,
Jay

> Jay,
> What is the minimal computer requirements for trunkpcr to run?
> I am planing to use my older AMD K-6 400 mhz system for my PCR1000.
> I want to use my 2.7 gig system for my ham radio use.
>
> Thanks,
> Glenn Blum
> kd5dga
> Nolanville,Texas. USA

141. TrunkPCR version 0.7.184 Update Available for downloading

Yahoo group: TrunkPCR
Date: 2006-01-23 12:01:03 UTC
From: Jay
Topic: 141 Message: 141

Hey All,

TrunkPCR Version 0.7.184 is now available at the homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes 2 problems...
Jan 08,2006 - -----: Protection from Editing .Bnk file Frequencies.
Jan 23,2006 - Fixed: Repeat Scanning of more than 1 Bank in
Conventional Mode. Don't know when this happened...
Version 0.7.184 Released 01/23/2006

Regards,
Jay

142. Problem resolved

Yahoo group: TrunkPCR
Date: 2006-01-25 00:03:12 UTC
From: wa7pka
Topic: 142 Message: 142

HI Jay, I finally figured out my problem with the time out problem I was having. Rather than purchase a new serial cable, I made sure the cable is SCREWED down and tight and that is all it took. The unit been working great ever since.
I now have under trunk info. a RED group box showing 750 groups, I guess I have reached the limit on this one?
Thanks again for all your help and patience.

143. Re: [TrunkPCR] Problem resolved

Yahoo group: TrunkPCR
Date: 2006-01-26 02:08:56 UTC
From: Jay
Topic: 142 Message: 143

Hi Jack,

Glad to hear we have that animal put to rest :)

I've sent another email regarding the 750 groups.
You shouldn't be getting that with your donation amount..
You should be good to 1000 groups...

Regards,
Jay

----- Original Message -----
> HI Jay, I finally figured out my problem with the time out problem I
> was having. Rather than purchase a new serial cable, I made sure the
> cable is SCREWED down and tight and that is all it took. The unit
> been working great ever since.
> I now have under trunk info. a RED group box showing 750 groups, I
> guess I have reached the limit on this one?
> Thanks again for all your help and patience.

144. Gremlins eating Group/Radio ID's

Yahoo group: TrunkPCR
Date: 2006-01-26 23:49:09 UTC
From: Jay
Topic: 144 Message: 144

Hey All,

One of the users reported that his Group/Radio ID's have been eaten by the "Gremlins",
So I suggest backing up your Bank Folder now and then in case this happens to you...

I haven't been able to confirm this myself since 0.7.174...

Regards,
Jay

145. Setting up EDACS

Yahoo group: TrunkPCR
Date: 2006-02-10 04:49:23 UTC
From: call me what you will
Topic: 145 Message: 145

Perhaps I am overcomplicating setting this up but I am completely lost on programming to receive EDACS. Motorola, no problem. But with the EDACS I get nothing. Thru process of elimination I think the issue lies with programming the LCN-frequencies which leads to my question.

how do I know the order in which to program them etc...? example I can give is the London, Ontario Public Safety Network. Police are digital and encrypted which, as I know I will not be able to receive but some parts of the system are analog. I simply cannot for the life of me figure out how I am supposed to enter the LCN and determind what order the frequencies are supposed to fall?

HELP!!!

146. TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-02-27 07:25:54 UTC
From: Jay
Topic: 146 Message: 146

Hi all,
You can now download TrunkPCR Version 0.7.185 from the website:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes a couple bugs:

Jan 26,2006 - Fixed: Edacs Hunt CC On Data Loss.
Jan 27,2006 - -----: Limit Pic Off Now when Trunking.
Jan 29,2006 - Fixed: Current Bank updated if changed in Channel Organizing.
Jan 29,2006 - Added: COM Port Status Indicators (Ctrl-Q).
Feb 03,2006 - Added: Trunk Settings Window Position Now Saved.
Feb 03,2006 - Fixed: Group/Radio Counts Updated in CC Activity when Deleted.
Feb 04,2006 - Added: More Short-Cut keys to Menus.
Feb 08,2006 - Fixed: Adding New Group ID as HEX in Trunk ID Editor.
Feb 08,2006 - Fixed: Adding New Radio ID as HEX in Trunk ID Editor.
Feb 08,2006 - -----: Increased Width of Trunk ID Editor.
Feb 11,2006 - Added: Display Misc Messages in CC Activity - taken from Dump.
Feb 12,2006 - Fixed: Private Calls in MOTO doesn't save Radio ID as a Group
ID.
Feb 12,2006 - Fixed: One Moto SysID Message was being treated as a Call
Message.
Feb 13,2006 - Added: Moto CW Id Freq/Chan Now Noted in CC Ativity.
Feb 13,2006 - Fixed: "Delete Off Air" in CC Activity - 1 Entry now Removed.
Feb 17,2006 - Added: Group Desc now Editable from Patch List in CC Activity.
Feb 17,2006 - Added: More Descriptions to ***Unknown Radio Messages***.
Feb 20,2006 - Added: Moto Diagnostic Messages in CC Activity.
Feb 26,2006 - -----: Changed I.F Filter to 15khz when 3600 Baud Selected in
Trunk Settings.
Feb 26,2006 - -----: Group/Radio ID's Erased in Trunk Settings when
confirmed.
Feb 26,2006 - Fixed: Editing ID's greater than 32767 from CC Affil or
Control List.
Version 0.7.185 Released 02/26/2006

Regards,
Jay

147. RE: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-02-28 01:18:03 UTC
From: vince48
Topic: 146 Message: 147

Hi jay

When I install the update, my version still says 1.84? Is this correct?

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Sunday, February 26, 2006 11:26 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Hi all,
You can now download TrunkPCR Version 0.7.185 from the website:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes a couple bugs:

Jan 26,2006 - Fixed: Edacs Hunt CC On Data Loss.
Jan 27,2006 - -----: Limit Pic Off Now when Trunking.
Jan 29,2006 - Fixed: Current Bank updated if changed in Channel Organizing.
Jan 29,2006 - Added: COM Port Status Indicators (Ctrl-Q).
Feb 03,2006 - Added: Trunk Settings Window Position Now Saved.
Feb 03,2006 - Fixed: Group/Radio Counts Updated in CC Activity when Deleted.
Feb 04,2006 - Added: More Short-Cut keys to Menus.
Feb 08,2006 - Fixed: Adding New Group ID as HEX in Trunk ID Editor.
Feb 08,2006 - Fixed: Adding New Radio ID as HEX in Trunk ID Editor.
Feb 08,2006 - -----: Increased Width of Trunk ID Editor.
Feb 11,2006 - Added: Display Misc Messages in CC Activity - taken from Dump.
Feb 12,2006 - Fixed: Private Calls in MOTO doesn't save Radio ID as a Group ID.
Feb 12,2006 - Fixed: One Moto SysID Message was being treated as a Call Message.
Feb 13,2006 - Added: Moto CW Id Freq/Chan Now Noted in CC Ativity.
Feb 13,2006 - Fixed: "Delete Off Air" in CC Activity - 1 Entry now Removed.
Feb 17,2006 - Added: Group Desc now Editable from Patch List in CC Activity.
Feb 17,2006 - Added: More Descriptions to ***Unknown Radio Messages***.
Feb 20,2006 - Added: Moto Diagnostic Messages in CC Activity.
Feb 26,2006 - -----: Changed I.F Filter to 15khz when 3600 Baud Selected in Trunk Settings.
Feb 26,2006 - -----: Group/Radio ID's Erased in Trunk Settings when confirmed.
Feb 26,2006 - Fixed: Editing ID's greater than 32767 from CC Affil or Control List.
Version 0.7.185 Released 02/26/2006

Regards,
Jay

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g> radio

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

---

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

148. Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-02-28 02:04:49 UTC
From: jack goetz
Topic: 146 Message: 148

Yes, mine did also Jay and it went to the payment screen. I do not believe it loaded properly when I extracted it.
Jack Goetz
----- Original Message -----
From: vince48
To: TrunkPCR@yahoogroups.com
Sent: Monday, February 27, 2006 5:18 PM
Subject: RE: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Hi jay

When I install the update, my version still says 1.84? Is this correct?

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Sunday, February 26, 2006 11:26 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Hi all,
You can now download TrunkPCR Version 0.7.185 from the website:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes a couple bugs:

Jan 26,2006 - Fixed: Edacs Hunt CC On Data Loss.
Jan 27,2006 - -----: Limit Pic Off Now when Trunking.
Jan 29,2006 - Fixed: Current Bank updated if changed in Channel Organizing.
Jan 29,2006 - Added: COM Port Status Indicators (Ctrl-Q).
Feb 03,2006 - Added: Trunk Settings Window Position Now Saved.
Feb 03,2006 - Fixed: Group/Radio Counts Updated in CC Activity when Deleted.
Feb 04,2006 - Added: More Short-Cut keys to Menus.
Feb 08,2006 - Fixed: Adding New Group ID as HEX in Trunk ID Editor.
Feb 08,2006 - Fixed: Adding New Radio ID as HEX in Trunk ID Editor.
Feb 08,2006 - -----: Increased Width of Trunk ID Editor.
Feb 11,2006 - Added: Display Misc Messages in CC Activity - taken from Dump.
Feb 12,2006 - Fixed: Private Calls in MOTO doesn't save Radio ID as a Group ID.
Feb 12,2006 - Fixed: One Moto SysID Message was being treated as a Call Message.
Feb 13,2006 - Added: Moto CW Id Freq/Chan Now Noted in CC Ativity.
Feb 13,2006 - Fixed: "Delete Off Air" in CC Activity - 1 Entry now Removed.
Feb 17,2006 - Added: Group Desc now Editable from Patch List in CC Activity.
Feb 17,2006 - Added: More Descriptions to ***Unknown Radio Messages***.

Feb 20,2006 - Added: Moto Diagnostic Messages in CC Activity.
Feb 26,2006 - -----: Changed I.F Filter to 15khz when 3600 Baud Selected in Trunk Settings.
Feb 26,2006 - -----: Group/Radio ID's Erased in Trunk Settings when confirmed.
Feb 26,2006 - Fixed: Editing ID's greater than 32767 from CC Affil or Control List.
Version 0.7.185 Released 02/26/2006

Regards,
Jay

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

149. EDACS standard:

Yahoo group: TrunkPCR
Date: 2006-02-28 05:17:48 UTC
From: Roger D Hamilton
Topic: 149 Message: 149
Attachments: 1 described; binary payloads are missing from this source WARC

Is there any software that will let you listen to Provoice on EDACS or APCO-25 on the pcr1000?

150. Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-02-28 05:18:06 UTC
From: Jay
Topic: 146 Message: 150

Actually if you click About, under the Help Menu, it should say 0.7.186, Not 0.7.185...
I did a fresh install myself and I confirmed it showed this.
One thing odd was that the file date/time of creation showed 10/30/05 instead of 02/26/06...

Download Download v0.7.185 Update from the webpage.
Unzip and extract the files to where TrunkPCR was first installed.
Verify the Time/Date of creating is 02/26/06...

Jack, make sure the file "TrunkPCR.key" is located in the folder where it installed.

In the future, if you are downloading the install packge when you already have it installed, just download the Update file instead and extract the zip file to where TrunkPCR is installed...

If a future release requires a new install, I'll let ya know...

Regards,
Jay

----- Original Message -----
Yes, mine did also Jay and it went to the payment screen. I do not believe it loaded properly when I extracted it.
Jack Goetz
----- Original Message -----
Hi jay
When I install the update, my version still says 1.84? Is this correct?

Vincent

151. Re: EDACS standard:

Yahoo group: TrunkPCR
Date: 2006-02-28 05:22:28 UTC
From: Jay
Topic: 149 Message: 151

--- In TrunkPCR@yahoogroups.com, "Roger D Hamilton" wrote:
>
> Is there any software that will let you listen to Provoice on EDACS or
> APCO-25 on the pcr1000?

Nothing that will decode digital...

152. Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-02-28 23:57:20 UTC
From: jack goetz
Topic: 146 Message: 152

Say Jay,
Thanks for the information, but after I made the e-mail I realized my mistake and it shows properly now. Yes, I extracted it to the wrong folder.
Jack
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, February 27, 2006 9:18 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Actually if you click About, under the Help Menu, it should say 0.7.186, Not 0.7.185...
I did a fresh install myself and I confirmed it showed this.
One thing odd was that the file date/time of creation showed 10/30/05 instead of 02/26/06...

Download Download v0.7.185 Update from the webpage.
Unzip and extract the files to where TrunkPCR was first installed.
Verify the Time/Date of creating is 02/26/06...

Jack, make sure the file "TrunkPCR.key" is located in the folder where it installed.

In the future, if you are downloading the install packge when you already have it installed, just download the Update file instead and extract the zip file to where TrunkPCR is installed...

If a future release requires a new install, I'll let ya know...

Regards,
Jay

----- Original Message -----
Yes, mine did also Jay and it went to the payment screen. I do not believe it loaded properly when I extracted it.
Jack Goetz
----- Original Message -----
Hi jay
When I install the update, my version still says 1.84? Is this correct?

Vincent

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

153. RE: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-03-01 01:12:14 UTC
From: vince48
Topic: 146 Message: 153

Jay, sorry to be a pain, but I downloaded the 1.85 again extracted to the correct folder, but now when I try to open TrunkPCR, I get a error,

Run time error '9':

Object variable or With block variable not set.

What does that all mean?

PITB Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, February 27, 2006 9:18 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Actually if you click About, under the Help Menu, it should say 0.7.186, Not 0.7.185...

I did a fresh install myself and I confirmed it showed this.

One thing odd was that the file date/time of creation showed 10/30/05 instead of 02/26/06...

Download
<http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPCR_v0_7_185_Update.zip>
Download v0.7.185 Update from the webpage.

Unzip and extract the files to where TrunkPCR was first installed.

Verify the Time/Date of creating is 02/26/06...

Jack, make sure the file "TrunkPCR.key" is located in the folder where it installed.

In the future, if you are downloading the install packge when you already have it installed, just download the Update file instead and extract the zip file to where TrunkPCR is installed...

If a future release requires a new install, I'll let ya know...

Regards,

Jay

----- Original Message -----

Yes, mine did also Jay and it went to the payment screen. I do not believe it loaded properly when I extracted it.

Jack Goetz

----- Original Message -----

Hi jay

When I install the update, my version still says 1.84? Is this correct?

Vincent

SPONSORED LINKS

Hobby <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply

Craft <http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby

Ham <http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=BrARW-2dmkfc_y42ghOp0g> radio

Ham <http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales

Ham <http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet

---

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR> " on the web.

* To unsubscribe from this group, send an email to: TrunkPCR-unsubscribe@yahoogroups.com <mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! <http://docs.yahoo.com/info/terms/> Terms of Service.

---

154. Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-03-01 01:49:36 UTC
From: Jay
Topic: 146 Message: 154

Yep, we all make mistakes. Myself included...
I just found out last night, that I commented out a line a code that enabled toggling of the Reverse Polarity while trunking.
I've started on Implementing the 2nd Receiver Option with Group Priority and found that error.

Regards,
Jay
----- Original Message -----
Say Jay,
Thanks for the information, but after I made the e-mail I realized my mistake and it shows properly now. Yes, I extracted it to the wrong folder.
Jack

155. Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-03-01 01:59:17 UTC
From: Jay
Topic: 146 Message: 155

Hey VInce,

That is an error that the visual basic interpreter is giving...

Is that all the time? or intermittent?
Copy TrunkPCR.exe and TrunkPcr.dll to a "New Folder" and run TrunkPCR from that folder.
(Don't copy the TrunkPcr.ini & .key file, let the program make a new ini file if it can, just to test)
Let me know the results..

Thanks,
Jay
----- Original Message -----
Jay, sorry to be a pain, but I downloaded the 1.85 again extracted to the correct folder, but now when I try to open TrunkPCR, I get a error,

Run time error '9':

Object variable or With block variable not set.

What does that all mean?

PITB Vincent

156. RE: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-03-01 03:05:05 UTC
From: vince48
Topic: 146 Message: 156

Jay

Thanks for your reply. Yes this happens all the time. I did copy the two files to a new folder and opened the TrunkPCR.exe file. It booted ok, but I got the donations screen and no banks.

It's late for you my friend, answer ths tommorw and after I get off work, I will try what you recommend. Thanks in advance for your help.

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, February 28, 2006 5:59 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Hey VInce,

That is an error that the visual basic interpreter is giving...

Is that all the time? or intermittent?

Copy TrunkPCR.exe and TrunkPcr.dll to a "New Folder" and run TrunkPCR from that folder.

(Don't copy the TrunkPcr.ini & .key file, let the program make a new ini file if it can, just to test)

Let me know the results..

Thanks,

Jay

----- Original Message -----

Jay, sorry to be a pain, but I downloaded the 1.85 again extracted to the correct folder, but now when I try to open TrunkPCR, I get a error,

Run time error '9':

Object variable or With block variable not set.

What does that all mean?

PITB Vincent

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

157. Re: [TrunkPCR] TrunkPCR 0.7.185 Not Loading

Yahoo group: TrunkPCR
Date: 2006-03-01 03:46:53 UTC
From: Jay
Topic: 157 Message: 157

Late for me? naw... I'm up til 6:00 A.M.

Donation screen and no banks was expected.
But now we have a starting point since it does load.

Try these steps, one-at-a-time...
1. Copy TrunkPcr.key to the new folder, run the program.
If it doesn't give an error, exit the program & goto the next step.
2. Copy & Overwrite TrunkPcr.ini from your orignial folder to the new folder, run the program.
If it doesn't give an error, exit the program & goto the next step.
3. If no errors yet, then the error is in your Bank Files..
4. Copy (& Overwrite) one of the _____.Bnk files from your original \Banks Folder to the new \Banks folder, run the program.
If it doesn't give an error, exit the program & goto the next step.
5. Repeat step #4 until All your .Bnk files have been tested.
6. Once you find the offending file, send it to me and I will repair it & send it back...

Thanks,
Jay

----- Original Message -----
Jay
Thanks for your reply. Yes this happens all the time. I did copy the two files to a new folder and opened the TrunkPCR.exe file. It booted ok, but I got the donations screen and no banks.

It's late for you my friend, answer ths tommorw and after I get off work, I will try what you recommend. Thanks in advance for your help.

Vincent

Hey VInce,

That is an error that the visual basic interpreter is giving...

Is that all the time? or intermittent?

Copy TrunkPCR.exe and TrunkPcr.dll to a "New Folder" and run TrunkPCR from that folder.

(Don't copy the TrunkPcr.ini & .key file, let the program make a new ini file if it can, just to test)

Let me know the results..

Thanks,

Jay

158. Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-03-01 14:04:43 UTC
From: Glenn Blum
Topic: 146 Message: 158

Not to be a pain but make sure that all the files get extracted into the TRUNKPCR folder. One thing I did notice once I installed the update My program shows the Version at 7.186 Like mentioned below.

Glenn

----- Original Message -----
From: "vince48" <vince48@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Tuesday, February 28, 2006 7:12 PM
Subject: RE: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

> Jay, sorry to be a pain, but I downloaded the 1.85 again extracted to the
> correct folder, but now when I try to open TrunkPCR, I get a error,
>
>
>
> Run time error '9':
>
> Object variable or With block variable not set.
>
>
>
> What does that all mean?
>
>
>
> PITB Vincent
>
>
>
> _____
>
> From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
> Of Jay
> Sent: Monday, February 27, 2006 9:18 PM
> To: TrunkPCR@yahoogroups.com
> Subject: Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available
>
>
>
> Actually if you click About, under the Help Menu, it should say 0.7.186,
> Not
> 0.7.185...
>
> I did a fresh install myself and I confirmed it showed this.

>
> One thing odd was that the file date/time of creation showed 10/30/05
> instead of 02/26/06...
>
>
>
> Download
> <http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPCR_v0_7_185_Update.zip>
> Download v0.7.185 Update from the webpage.
>
> Unzip and extract the files to where TrunkPCR was first installed.
>
> Verify the Time/Date of creating is 02/26/06...
>
>
>
> Jack, make sure the file "TrunkPCR.key" is located in the folder where it
> installed.
>
>
>
> In the future, if you are downloading the install packge when you already
> have it installed, just download the Update file instead and extract the
> zip
> file to where TrunkPCR is installed...
>
>
>
> If a future release requires a new install, I'll let ya know...
>
>
>
> Regards,
>
> Jay
>
>
>
> ----- Original Message -----
>
> Yes, mine did also Jay and it went to the payment screen. I do not
> believe it loaded properly when I extracted it.
>
> Jack Goetz
>
> ----- Original Message -----
>
> Hi jay
>
> When I install the update, my version still says 1.84? Is this correct?

>
>
>
> Vincent
>
>
>
>
>
> SPONSORED LINKS
>
>
> Hobby
> <http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
> ft+supply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet
> &c=5&s=103&.sig=ZweihurHXRhznpwpjtEQ_g> and craft supply
>
> Craft
> <http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
> 2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&
> .sig=8ckmp-pJ_Z5eXeJlf-86iQ> hobby
>
> Ham
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
> Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=103&.s
> ig=BrARW-2dmkfc_y42ghOp0g> radio
>
>
> Ham
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supp
> ly&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s=
> 103&.sig=2Y1QsZWBYyjVxWPCenme0Q> radio sales
>
> Ham
> <http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+sup
> ply&w2=Craft+hobby&w3=Ham+radio&w4=Ham+radio+sales&w5=Ham+radio+outlet&c=5&s
> =103&.sig=k8RG8XD5SbYLHd2e8UTc7g> radio outlet
>
>
>
>
>
> -----
>
> YAHOO! GROUPS LINKS
>
>
>
> * Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
> " on the web.

>
> * To unsubscribe from this group, send an email to:
> TrunkPCR-unsubscribe@yahoogroups.com
> <mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo!
> <http://docs.yahoo.com/info/terms/> Terms of Service.
>
>
>
> _____
>
>

159. Re: [TrunkPCR] EDACS standard:

Yahoo group: TrunkPCR
Date: 2006-03-01 22:02:06 UTC
From: Glenn Blum
Topic: 149 Message: 159

Nope.
Sorry I couldnt help out. I dont think that there is any scanner out there
that can decode the control channel data.

Glenn
----- Original Message -----
From: "Roger D Hamilton" <rdhamil@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Monday, February 27, 2006 11:17 PM
Subject: [TrunkPCR] EDACS standard:

>
>
> Is there any software that will let you listen to Provoice on EDACS or
> APCO-25 on the pcr1000?
>
>
>
>
>
>
>
>

---

160. Program exit by itself

Yahoo group: TrunkPCR
Date: 2006-03-02 00:49:39 UTC
From: ve2syq
Topic: 160 Message: 160

When I tried to edit trunk ID's as soon as I entered an ID the program the edit window disapear and the program stop. I have the same problem with an old version of the program also. I can't find the reason. Doesn someone else have the same problem? One of my friend as the same proble as me an we can't fix it. We ned help.

Thanks.

73! from Sylvain VE2SYQ

161. RE: [TrunkPCR] TrunkPCR 0.7.185 Not Loading

Yahoo group: TrunkPCR
Date: 2006-03-02 00:58:54 UTC
From: vince48
Topic: 157 Message: 161

Jay

I got through steps 1 & 2, the donation screen still pops up. I loaded on bank, (bnk, rec, tnk) the program would run but no groups can be heard until I check the "allow listening of continuation calls, but now I lose the control channel after about 30 seconds?

I shouldn't have updated. Everytime I do I run into problems. How do I get rid of the donation screen?

PITB Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, February 28, 2006 7:47 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR 0.7.185 Not Loading

Late for me? naw... I'm up til 6:00 A.M.

Donation screen and no banks was expected.

But now we have a starting point since it does load.

Try these steps, one-at-a-time...

1. Copy TrunkPcr.key to the new folder, run the program.

If it doesn't give an error, exit the program & goto the next step.

2. Copy & Overwrite TrunkPcr.ini from your orignial folder to the new folder, run the program.

If it doesn't give an error, exit the program & goto the next step.

3. If no errors yet, then the error is in your Bank Files..

4. Copy (& Overwrite) one of the _____.Bnk files from your original \Banks Folder to the new \Banks folder, run the program.

If it doesn't give an error, exit the program & goto the next step.

5. Repeat step #4 until All your .Bnk files have been tested.

6. Once you find the offending file, send it to me and I will repair it & send it back...

Thanks,

Jay

----- Original Message -----

Jay

Thanks for your reply. Yes this happens all the time. I did copy the two files to a new folder and opened the TrunkPCR.exe file. It booted ok, but I got the donations screen and no banks.

It's late for you my friend, answer ths tommorw and after I get off work, I will try what you recommend. Thanks in advance for your help.

Vincent

Hey VInce,

That is an error that the visual basic interpreter is giving...

Is that all the time? or intermittent?

Copy TrunkPCR.exe and TrunkPcr.dll to a "New Folder" and run TrunkPCR from that folder.

(Don't copy the TrunkPcr.ini & .key file, let the program make a new ini file if it can, just to test)

Let me know the results..

Thanks,

Jay

YAHOO! GROUPS LINKS

* Visit your group "TrunkPCR <http://groups.yahoo.com/group/TrunkPCR>
" on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

---

162. Re: [TrunkPCR] TrunkPCR version 0.7.185 Update Available

Yahoo group: TrunkPCR
Date: 2006-03-02 02:41:09 UTC
From: Steve Smith
Topic: 146 Message: 162

Jay,

Thanks for the "misc" tab. Quite interesting
diagnostic messages ("malfunctioning receiver").

--- Jay <crazycalifornian@...> wrote:

> Hi all,
> You can now download TrunkPCR Version 0.7.185 from
> the website:
>
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html
>
> This update fixes a couple bugs:
>
> Jan 26,2006 - Fixed: Edacs Hunt CC On Data Loss.
> Jan 27,2006 - -----: Limit Pic Off Now when
> Trunking.
> Jan 29,2006 - Fixed: Current Bank updated if changed
> in Channel Organizing.
> Jan 29,2006 - Added: COM Port Status Indicators
> (Ctrl-Q).
> Feb 03,2006 - Added: Trunk Settings Window Position
> Now Saved.
> Feb 03,2006 - Fixed: Group/Radio Counts Updated in
> CC Activity when Deleted.
> Feb 04,2006 - Added: More Short-Cut keys to Menus.
> Feb 08,2006 - Fixed: Adding New Group ID as HEX in
> Trunk ID Editor.
> Feb 08,2006 - Fixed: Adding New Radio ID as HEX in
> Trunk ID Editor.
> Feb 08,2006 - -----: Increased Width of Trunk ID
> Editor.
> Feb 11,2006 - Added: Display Misc Messages in CC
> Activity - taken from Dump.
> Feb 12,2006 - Fixed: Private Calls in MOTO doesn't
> save Radio ID as a Group
> ID.
> Feb 12,2006 - Fixed: One Moto SysID Message was
> being treated as a Call
> Message.
> Feb 13,2006 - Added: Moto CW Id Freq/Chan Now Noted
> in CC Ativity.
> Feb 13,2006 - Fixed: "Delete Off Air" in CC Activity
> - 1 Entry now Removed.
> Feb 17,2006 - Added: Group Desc now Editable from

> Patch List in CC Activity.
> Feb 17,2006 - Added: More Descriptions to ***Unknown
> Radio Messages***.
> Feb 20,2006 - Added: Moto Diagnostic Messages in CC
> Activity.
> Feb 26,2006 - -----: Changed I.F Filter to 15khz
> when 3600 Baud Selected in
> Trunk Settings.
> Feb 26,2006 - -----: Group/Radio ID's Erased in
> Trunk Settings when
> confirmed.
> Feb 26,2006 - Fixed: Editing ID's greater than 32767
> from CC Affil or
> Control List.
> Version 0.7.185 Released 02/26/2006
>
> Regards,
> Jay
>
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

163. Re: [TrunkPCR] TrunkPCR 0.7.185 Not Loading

Yahoo group: TrunkPCR
Date: 2006-03-02 05:35:13 UTC
From: Jay
Topic: 157 Message: 163

Hi Vince,

If you copied TrunkPCR.key to the temp new folder, it shouldn't let the donation screen pop-up, as long as the file is ok... If you still have the email that contains the key file, copy and rename that attachment to the New Folder... And Check again...

I guess you are talking about Edacs? Uncheck the "Hunt on Data Loss" for now.
Even with the Riverside Edacs system at S-0 Units, mine is able stay on the control channel as long as there isn't alot of noise on the channel.. If there is, I loose it too...
After the Control Channel is re-aqiured, do you get a Low Recovery Rate? If it's low for a cretain amount of times and sees 10 Bad Data Blocks, it will start hunting. Maybe I need to set it higher???

To save yourself any headaches in the future, maybe just download the Update File and extract to a temp New Folder and test it first, before coping to the Install Folder...

No, not a pain! Keep them reports a cominmg :)

Thanks,
Jay
----- Original Message -----
Jay
I got through steps 1 & 2, the donation screen still pops up. I loaded on bank, (bnk, rec, tnk) the program would run but no groups can be heard until I check the "allow listening of continuation calls, but now I lose the control channel after about 30 seconds?

I shouldn't have updated. Everytime I do I run into problems. How do I get rid of the donation screen?

PITB Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, February 28, 2006 7:47 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR 0.7.185 Not Loading

Late for me? naw... I'm up til 6:00 A.M.

Donation screen and no banks was expected.

But now we have a starting point since it does load.

Try these steps, one-at-a-time...

1. Copy TrunkPcr.key to the new folder, run the program.

If it doesn't give an error, exit the program & goto the next step.

2. Copy & Overwrite TrunkPcr.ini from your orignial folder to the new folder, run the program.

If it doesn't give an error, exit the program & goto the next step.

3. If no errors yet, then the error is in your Bank Files..

4. Copy (& Overwrite) one of the _____.Bnk files from your original \Banks Folder to the new \Banks folder, run the program.

If it doesn't give an error, exit the program & goto the next step.

5. Repeat step #4 until All your .Bnk files have been tested.

6. Once you find the offending file, send it to me and I will repair it & send it back...

Thanks,

Jay

----- Original Message -----

Jay

Thanks for your reply. Yes this happens all the time. I did copy the two files to a new folder and opened the TrunkPCR.exe file. It booted ok, but I got the donations screen and no banks.

It's late for you my friend, answer ths tommorw and after I get off work, I will try what you recommend. Thanks in advance for your help.

Vincent

Hey VInce,

That is an error that the visual basic interpreter is giving...

Is that all the time? or intermittent?

Copy TrunkPCR.exe and TrunkPcr.dll to a "New Folder" and run TrunkPCR from that folder.

(Don't copy the TrunkPcr.ini & .key file, let the program make a new ini file if it can, just to test)

Let me know the results..

Thanks,

Jay

164. Re: [TrunkPCR] Program exit by itself

Yahoo group: TrunkPCR
Date: 2006-03-02 06:57:43 UTC
From: Jay
Topic: 160 Message: 164

Hi Sylvain,

When you enter the Trunk ID, are you entering it in Decimal, Hex, or AFS?
The Bottons beneath the listing show AFS, DEC and HEX. Which one is pushed in?
When the program dies, what error does it give?
Does it say it's in TrunkPcr.exe or TrunkPcr.dll?

Thanks,
Jay

----- Original Message -----
> When I tried to edit trunk ID's as soon as I entered an ID the program
> the edit window disapear and the program stop. I have the same problem
> with an old version of the program also. I can't find the reason.
> Doesn someone else have the same problem? One of my friend as the same
> proble as me an we can't fix it. We ned help.
>
> Thanks.
>
> 73! from Sylvain VE2SYQ

165. Trunk ID's

Yahoo group: TrunkPCR
Date: 2006-03-02 20:03:52 UTC
From: Glenn Blum
Topic: 165 Message: 165

Jay and the Group,
This maybe somewhat off topic but under the Trunk Group Id's you can select to print Group info. There is a way to actually save the document then to print by selecting the print option. I just can not remember how to do this. Does anyone out there know how to do this??

I have no printer installed.It died two years ago.

Glenn Blum

166. Autoset

Yahoo group: TrunkPCR
Date: 2006-03-03 13:57:24 UTC
From: Glenn Blum
Topic: 166 Message: 166

Jay,
This maybe a stupid question.
What is the Autoset function?

Glenn Blum
kd5dga

167. Re: [TrunkPCR] Autoset

Yahoo group: TrunkPCR
Date: 2006-03-04 02:14:47 UTC
From: Jay
Topic: 166 Message: 167

Hi Glenn,

The Autoset Function is similar to the Aut-M function in Icom's Software.
It sets the Mode, I.F Filter and Step Frequency for different frequency ranges.
A user can enable/disable any the default ranges and edit or add ranges as desired.
I've included most common ranges in the default settings.

There were a few users who were just starting out in scanning and using the PCR-1000 as their first "Scanner". Some didn't know what Mode or Filter to use for a given range, so this is my help for them or new users in the same situaton...

Thanks for asking, (More info to add to the Help Page)
Jay

----- Original Message -----

Jay,
This maybe a stupid question.
What is the Autoset function?

Glenn Blum
kd5dga

168. Re: [TrunkPCR] Trunk ID's

Yahoo group: TrunkPCR
Date: 2006-03-04 03:07:21 UTC
From: Jay
Topic: 165 Message: 168

Hi Glenn,

After you click the Print Button in the Print Preview window, a dialog should pop-up showing you additional print options for your specific printer. In Win95 this dialog window has "Print to File" with a checkbox next to it. I Tried it myself, but with the printer off it deleted the file...
I'll see if I can find out how to save the info to a PDF file or something...

Regards,
Jay

----- Original Message -----

Jay and the Group,
This maybe somewhat off topic but under the Trunk Group Id's you can select to print Group info. There is a way to actually save the document then to print by selecting the print option. I just can not remember how to do this. Does anyone out there know how to do this??

I have no printer installed.It died two years ago.

Glenn Blum

169. Re: Program exit by itself

Yahoo group: TrunkPCR
Date: 2006-03-04 05:28:42 UTC
From: ve2syq
Topic: 160 Message: 169

With the old version when the program crash it just the program window like when you exit a stand program. I just upgrad my version with the new one and every thing is now Ok. I can use the program without any problem.

Thank.

73! from Sylvain VE2SYQ

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Sylvain,
>
> When you enter the Trunk ID, are you entering it in Decimal, Hex, or AFS?
> The Bottons beneath the listing show AFS, DEC and HEX. Which one is pushed
> in?
> When the program dies, what error does it give?
> Does it say it's in TrunkPcr.exe or TrunkPcr.dll?
>
> Thanks,
> Jay
>
> ----- Original Message -----
> > When I tried to edit trunk ID's as soon as I entered an ID the program
> > the edit window disapear and the program stop. I have the same problem
> > with an old version of the program also. I can't find the reason.
> > Doesn someone else have the same problem? One of my friend as the same
> > proble as me an we can't fix it. We ned help.
> >
> > Thanks.
> >
> > 73! from Sylvain VE2SYQ
>

170. Re: [TrunkPCR] Autoset

Yahoo group: TrunkPCR
Date: 2006-03-04 15:12:49 UTC
From: Glenn Blum
Topic: 166 Message: 170

Ok cool. I kind of thought so.

Glenn
----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Friday, March 03, 2006 8:14 PM
Subject: Re: [TrunkPCR] Autoset

Hi Glenn,

The Autoset Function is similar to the Aut-M function in Icom's Software.
It sets the Mode, I.F Filter and Step Frequency for different frequency ranges.
A user can enable/disable any the default ranges and edit or add ranges as desired.
I've included most common ranges in the default settings.

There were a few users who were just starting out in scanning and using the PCR-1000 as their first "Scanner". Some didn't know what Mode or Filter to use for a given range, so this is my help for them or new users in the same situaton...

Thanks for asking, (More info to add to the Help Page)
Jay

----- Original Message -----

Jay,
This maybe a stupid question.
What is the Autoset function?

Glenn Blum
kd5dga

171. Edacs Bugs Found

Yahoo group: TrunkPCR
Date: 2006-03-06 04:20:43 UTC
From: Jay
Topic: 171 Message: 171

Hi all,

Found 2 Bugs relating to Edacs:
1. If you have "Allow Continuation Calls" checked in Trunk Settings,
you may see a Call Grant with a "False Id" or No Radio Id, when there
should be...
2. If the above is "UnChecked",
it is being treated as a "Private Call" (which isn't finished!)...

Sorry that those slipped in, My local Edacs signal comes & goes and wasn't
able to test the last beta before releasing it...

I'll let ya know when the update is ready..
Jay

172. Trunking motorola Type II

Yahoo group: TrunkPCR
Date: 2006-03-07 21:34:08 UTC
From: Glenn Blum
Topic: 172 Message: 172

Trying to trunk a type II Motorola system with 5 frequencies. Now for some reason I am having troubles. I have all 5 frequencies entered in order like I was told. I get good 1's and recovery rate of 100 percent (most of the time). I can hear conversations when it is not trunking but under trunking I hear nothing. The system is a Nextel buiness radio using Mororola type II or Type IIi. The rest of the system information is not clear.

Glenn

173. Re: [TrunkPCR] Trunking motorola Type II

Yahoo group: TrunkPCR
Date: 2006-03-08 01:28:56 UTC
From: Jay
Topic: 172 Message: 173

Hi Glenn,

Which BandPlan does it use? 800mhz, 900mhz?, Ect...
Does RadioReference.com show it's info?

Can you send me a few minutes of the "Dump.Log" of the control channel?

Thanks,
Jay

----- Original Message -----

Trying to trunk a type II Motorola system with 5 frequencies. Now for some reason I am having troubles. I have all 5 frequencies entered in order like I was told. I get good 1's and recovery rate of 100 percent (most of the time). I can hear conversations when it is not trunking but under trunking I hear nothing. The system is a Nextel buiness radio using Mororola type II or Type IIi. The rest of the system information is not clear.

Glenn

174. conventional scan problem

Yahoo group: TrunkPCR
Date: 2006-03-12 15:11:50 UTC
From: Glenn Blum
Topic: 174 Message: 174

Jay and the group,
I loaded up a scan bank (conventional) for my aeronautical enroute frequencies. I went to scan and Trunkpcr scans the whole bank the goes to my first bank then scans it too. Trunkpcr will then scan all my ohter banks in conventional mode also.

What do I have set wrong?
This is the first conventional bank that I had set up. The others are trunking banks and two monitoring banks.

Glenn

175. Re: [TrunkPCR] conventional scan problem

Yahoo group: TrunkPCR
Date: 2006-03-16 04:46:05 UTC
From: Jay
Topic: 174 Message: 175

Hey Glenn,

TrunkPCR should only scan conventional banks if the "Scan Bank" CheckBox is checked for each Scan Bank.
If it's scanning a bank that isn't selected for scanning, I'd like to hear more about it..

Regards & Thanks,
Jay

----- Original Message -----
Jay and the group,
I loaded up a scan bank (conventional) for my aeronautical enroute frequencies. I went to scan and Trunkpcr scans the whole bank the goes to my first bank then scans it too. Trunkpcr will then scan all my ohter banks in conventional mode also.

What do I have set wrong?
This is the first conventional bank that I had set up. The others are trunking banks and two monitoring banks.

Glenn

176. Re: [TrunkPCR] conventional scan problem

Yahoo group: TrunkPCR
Date: 2006-03-16 15:32:32 UTC
From: Glenn Blum
Topic: 174 Message: 176

Jay,
Yes all my banks are checked for scan bank but TRUNKPCR will not allow me to uncheck scan banks for all the trunk banks. Since I have redone my computer I have not reset my Aeronautical Enroute bank so does this bank nedd to be checked?

Thanks,
Glenn
----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Wednesday, March 15, 2006 10:46 PM
Subject: Re: [TrunkPCR] conventional scan problem

Hey Glenn,

TrunkPCR should only scan conventional banks if the "Scan Bank" CheckBox is checked for each Scan Bank.
If it's scanning a bank that isn't selected for scanning, I'd like to hear more about it..

Regards & Thanks,
Jay

----- Original Message -----
Jay and the group,
I loaded up a scan bank (conventional) for my aeronautical enroute frequencies. I went to scan and Trunkpcr scans the whole bank the goes to my first bank then scans it too. Trunkpcr will then scan all my ohter banks in conventional mode also.

What do I have set wrong?
This is the first conventional bank that I had set up. The others are trunking banks and two monitoring banks.

Glenn

177. Re: [TrunkPCR] conventional scan problem

Yahoo group: TrunkPCR
Date: 2006-03-16 22:23:28 UTC
From: Jay
Topic: 174 Message: 177

Hi Glenn,

In order to scan that bank, then yes... That should be checked for it to be included in the scan also...
For your trunking banks, open the associated ".Bnk" file in notepad and edit the following:
Under the "[BankInfo]" Section, change "Scan=True", to "Scan=False" and Save...
That will disable Scan for the banks that show "Scan Bank" as checked.
I'll add code that will disable conventional scanning if it's set as a trunking bank...

Thanks for the info,
Jay

----- Original Message -----
> Jay,
> Yes all my banks are checked for scan bank but TRUNKPCR will not allow me to
> uncheck scan banks for all the trunk banks. Since I have redone my computer
> I have not reset my Aeronautical Enroute bank so does this bank nedd to be
> checked?
>
> Thanks,
> Glenn
> ----- Original Message -----
>
> Hey Glenn,
>
> TrunkPCR should only scan conventional banks if the "Scan Bank" CheckBox is
> checked for each Scan Bank.
> If it's scanning a bank that isn't selected for scanning, I'd like to hear
> more about it..
>
> Regards & Thanks,
> Jay
>
> ----- Original Message -----
> Jay and the group,
> I loaded up a scan bank (conventional) for my aeronautical enroute
> frequencies. I went to scan and Trunkpcr scans the whole bank the goes to my
> first bank then scans it too. Trunkpcr will then scan all my ohter banks in

> conventional mode also.
>
> What do I have set wrong?
> This is the first conventional bank that I had set up. The others are
> trunking banks and two monitoring banks.
>
> Glenn

178. Spectrum analyzer

Yahoo group: TrunkPCR
Date: 2006-03-18 04:59:14 UTC
From: Glenn Blum
Topic: 178 Message: 178

Jay,
Is a spectrum analyzer too much to ask for on TRUNKPCR?

Glenn

179. Re: [TrunkPCR] Spectrum analyzer

Yahoo group: TrunkPCR
Date: 2006-03-18 05:12:06 UTC
From: Jay
Topic: 178 Message: 179

Hi Glenn,

Do you mean like PCR Scope???
Option Menu -> Spectrum Sweep...

Or you mean a different type???

Jay
----- Original Message -----

Jay,
Is a spectrum analyzer too much to ask for on TRUNKPCR?

Glenn

180. Re: [TrunkPCR] Spectrum analyzer

Yahoo group: TrunkPCR
Date: 2006-03-18 13:26:00 UTC
From: Glenn Blum
Topic: 178 Message: 180

Like the one on pcrpro.

Glenn
----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Friday, March 17, 2006 11:12 PM
Subject: Re: [TrunkPCR] Spectrum analyzer

Hi Glenn,

Do you mean like PCR Scope???
Option Menu -> Spectrum Sweep...

Or you mean a different type???

Jay
----- Original Message -----

Jay,
Is a spectrum analyzer too much to ask for on TRUNKPCR?

Glenn

181. Re: Spectrum analyzer

Yahoo group: TrunkPCR
Date: 2006-03-18 23:20:02 UTC
From: Jay
Topic: 178 Message: 181

Ah, ok...
I was thinking of the RF Frequency Spectrum or the Bigger BandScope
Display, not the audio spectrum...
Yep, I can add that part to TrunkPCR to further help identify unknown
signals. But it won't be usable to watch while trunking...

Thanks,
Jay

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@...> wrote:
>
> Like the one on pcrpro.
>
> Glenn
> ----- Original Message -----
>
> Hi Glenn,
>
> Do you mean like PCR Scope???
> Option Menu -> Spectrum Sweep...
>
> Or you mean a different type???
>
> Jay
> ----- Original Message -----
>
> Jay,
> Is a spectrum analyzer too much to ask for on TRUNKPCR?
>
> Glenn
>

182. Re: Spectrum analyzer

Yahoo group: TrunkPCR
Date: 2006-03-18 23:27:47 UTC
From: Jay
Topic: 178 Message: 182

Ah, ok...
I was thinking of the RF Frequency Spectrum or the Bigger BandScope
Display, not the audio spectrum...
Yep, I can add that part to TrunkPCR to further help identify unknown
signals. But it won't be usable to watch while trunking...

Thanks,
Jay

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@...> wrote:
>
> Like the one on pcrpro.
>
> Glenn
> ----- Original Message -----
>
> Hi Glenn,
>
> Do you mean like PCR Scope???
> Option Menu -> Spectrum Sweep...
>
> Or you mean a different type???
>
> Jay
> ----- Original Message -----
>
> Jay,
> Is a spectrum analyzer too much to ask for on TRUNKPCR?
>
> Glenn
>

183. Re: [TrunkPCR] Re: Spectrum analyzer

Yahoo group: TrunkPCR
Date: 2006-03-19 00:53:16 UTC
From: Glenn Blum
Topic: 178 Message: 183

True, but I dont look at trunkpcr as just a trunking program. Trunkpcr has pretty much replaced all the programs I used to use.

Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, March 18, 2006 5:20 PM
Subject: [TrunkPCR] Re: Spectrum analyzer

Ah, ok...
I was thinking of the RF Frequency Spectrum or the Bigger BandScope Display, not the audio spectrum...
Yep, I can add that part to TrunkPCR to further help identify unknown signals. But it won't be usable to watch while trunking...

Thanks,
Jay

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@...> wrote:
>
> Like the one on pcrpro.
>
> Glenn
> ----- Original Message -----
>
> Hi Glenn,
>
> Do you mean like PCR Scope???
> Option Menu -> Spectrum Sweep...
>
> Or you mean a different type???
>
> Jay
> ----- Original Message -----
>
> Jay,
> Is a spectrum analyzer too much to ask for on TRUNKPCR?
>
> Glenn
>

SPONSORED LINKS Hobby and craft supply Craft hobby Ham radio
Ham radio sales Ham radio outlet

YAHOO! GROUPS LINKS

a.. Visit your group "TrunkPCR" on the web.

b.. To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

---

184. Icom and percon

Yahoo group: TrunkPCR
Date: 2006-03-22 03:09:23 UTC
From: Glenn Blum
Topic: 184 Message: 184

I just noticed something new on Icom frequency search database with percon.Now two new options have shown up.
1. now for the pcr1500 type format
2. under options you can exclude nextel look ups.

Glenn

185. Trunk Tracking PCR

Yahoo group: TrunkPCR
Date: 2006-03-29 18:00:30 UTC
From: ve1bfx
Topic: 185 Message: 185

Hi All
Just wanted to sayb many thnaks to Jay for a very fine piece of work
It just keeps getting better and better.

Fantasitc job

All the best
Bob VE1BFX

186. Re: Icom and percon

Yahoo group: TrunkPCR
Date: 2006-03-29 17:58:27 UTC
From: ve1bfx
Topic: 184 Message: 186

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@...> wrote:
>
> I just noticed something new on Icom frequency search database with
percon.Now two new options have shown up.
> 1. now for the pcr1500 type format
> 2. under options you can exclude nextel look ups.
>
> Glenn
>
Hi Glenn
Bob VE1BFX Here, I have tried to access the " FREE" portion of these
sites and had no joy what so ever and all they ask of is money!

Are there any " FREE " sites that provide frequencies for various areas?

And by the way do you own a PCR1500 yet?

73 Bob

187. Re: Icom and percon

Yahoo group: TrunkPCR
Date: 2006-03-29 18:32:29 UTC
From: Optic Fib3r
Topic: 184 Message: 187

I've got a pcr-1500 and so far it works great with trunk pcr at least
for moto II smartnet.

As for the percon database check out:
http://www.perconcorp.com/icom/

--- In TrunkPCR@yahoogroups.com, "ve1bfx" <ve1bfx@...> wrote:
>
> --- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@> wrote:
> >
> > I just noticed something new on Icom frequency search database with
> percon.Now two new options have shown up.
> > 1. now for the pcr1500 type format
> > 2. under options you can exclude nextel look ups.
> >
> > Glenn
> >
> Hi Glenn
> Bob VE1BFX Here, I have tried to access the " FREE" portion of these
> sites and had no joy what so ever and all they ask of is money!
>
> Are there any " FREE " sites that provide frequencies for various areas?
>
> And by the way do you own a PCR1500 yet?
>
> 73 Bob
>

188. Re: [TrunkPCR] Re: Icom and percon

Yahoo group: TrunkPCR
Date: 2006-03-29 18:42:42 UTC
From: JRGraves
Topic: 184 Message: 188

Hi Bob,
Have you tried this site?? http://www.radioreference.com/
Go here and then click on Database and then your state... lots of good info and freqs here.
Hope this helps some.
73,
Jim G.
Georgia

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@...> wrote:
>
> I just noticed something new on Icom frequency search database with
percon.Now two new options have shown up.
> 1. now for the pcr1500 type format
> 2. under options you can exclude nextel look ups.
>
> Glenn
>
Hi Glenn
Bob VE1BFX Here, I have tried to access the " FREE" portion of these
sites and had no joy what so ever and all they ask of is money!

Are there any " FREE " sites that provide frequencies for various areas?

And by the way do you own a PCR1500 yet?

73 Bob

189. Re: Icom and percon

Yahoo group: TrunkPCR
Date: 2006-04-01 23:34:41 UTC
From: fremont48
Topic: 184 Message: 189

I just got my PCR-1500. I cannot get it to run on the latest version
of TrunkPCR. Can anyone who has a 1500 and TrunkPCR advise how did you
get it to trunk? TIA

vincent

--- In TrunkPCR@yahoogroups.com, "Optic Fib3r" <opticfiber@...> wrote:
>
> I've got a pcr-1500 and so far it works great with trunk pcr at least
> for moto II smartnet.
>
> As for the percon database check out:
> http://www.perconcorp.com/icom/
>
>
> --- In TrunkPCR@yahoogroups.com, "ve1bfx" <ve1bfx@> wrote:
> >
> > --- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@> wrote:
> > >
> > > I just noticed something new on Icom frequency search database with
> > percon.Now two new options have shown up.
> > > 1. now for the pcr1500 type format
> > > 2. under options you can exclude nextel look ups.
> > >
> > > Glenn
> > >
> > Hi Glenn
> > Bob VE1BFX Here, I have tried to access the " FREE" portion of these
> > sites and had no joy what so ever and all they ask of is money!
> >
> > Are there any " FREE " sites that provide frequencies for various
areas?
> >
> > And by the way do you own a PCR1500 yet?
> >
> > 73 Bob
> >
>

190. TrunkPCR Version 0.7.188 is Now Available

Yahoo group: TrunkPCR
Date: 2006-04-04 21:04:07 UTC
From: Jay
Topic: 190 Message: 190

TrunkPCR Version 0.7.188 is Now Available for downloading from the homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

Mar 22,2006 - -----: Group/Radio ID Counts in Trunk Info verified before updating.
Mar 29,2006 - -----: Loss of Data using 2nd Receiver now shows message in Status Bar.
April 04,2006 - -----: Squelch Indicator Updates when Changed.

Version 0.7.188 Released 04/04/2006

Regards,
Jay

191. decoding Astro

Yahoo group: TrunkPCR
Date: 2006-04-20 14:43:06 UTC
From: ve1bfx
Topic: 191 Message: 191

Does any one know of software that will work with the PCR1000 to listen
to Astro digital audio??
thanks in advance
Bob
VE1BFX

192. TrunkPCR 0.7.188

Yahoo group: TrunkPCR
Date: 2006-04-27 03:16:37 UTC
From: Rick Swenton
Topic: 192 Message: 192

I recently installed TrunkPCR 0.7.188 for evaluation on my ICOM PCR-1000. Mostly everything seems to be working. I put a block of freqs for a Motorola Type2 system in there and it reports groups and can search and track.

When I try to edit trunk IDs from the TRUNK => EDIT TRUNK ID'S menu, anything I put in there is not saved. When I go back everything is blank. Also, when I go to TRUNK => SETTINGS, and change the start mode from SEARCH to SCAN, it always reverts to SEARCH. Other settings on this menu retain their settings.

Am I doing something wrong or is this the way the demo version works?

Thanks.

-Rick

193. Re: [TrunkPCR] TrunkPCR 0.7.188

Yahoo group: TrunkPCR
Date: 2006-04-27 05:59:29 UTC
From: Jay
Topic: 192 Message: 193

Hi Rick,

Yep you're right! Turns out that if you don't have a key file, the max limits are not being set...
Also turns out that even if you did have one, the only way an ID was saved is if you had the "Save New ID's" set to [Heard]. If it was set to [Seen], then it wasn't being saved either...

Fixed it...

Thanks,
Jay

----- Original Message -----
> I recently installed TrunkPCR 0.7.188 for evaluation on my ICOM
> PCR-1000. Mostly everything seems to be working. I put a block of
> freqs for a Motorola Type2 system in there and it reports groups and
> can search and track.
>
> When I try to edit trunk IDs from the TRUNK => EDIT TRUNK ID'S menu,
> anything I put in there is not saved. When I go back everything is
> blank. Also, when I go to TRUNK => SETTINGS, and change the start
> mode from SEARCH to SCAN, it always reverts to SEARCH. Other settings
> on this menu retain their settings.
>
> Am I doing something wrong or is this the way the demo version works?
>
> Thanks.
>
> -Rick

194. New iCOM IC=PCR2500 / IC-R2500 Computer Controlled Dual-Receive Digital Receiver

Yahoo group: TrunkPCR
Date: 2006-05-01 01:16:50 UTC
From: Dave
Topic: 194 Message: 194

Members of TrunkPCR are invited to join the new PCR2500 Yahoo! Group.

There is a new iCOM receiver coming out, the IC-PCR2500 and IC-R2500.
Come see what this new computer controlled dual receive scanning
receiver is all about.

Check out the group here: http://groups.yahoo.com/group/PCR2500

Go here to join the new Yahoo Group:
http://groups.yahoo.com/group/PCR2500/join

195. TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-04 16:45:48 UTC
From: Jay
Topic: 195 Message: 195

TrunkPCR Version 0.7.189 is Available for downloading from the homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

April 06,2006 - -----: DTMF Now shows as Powered On when loaded.
April 06,2006 - -----: DTMF Display Background Widend.
April 18,2006 - Fixed: If a Scan Bank is Deleted, Stored Freqs now Updated properly.
April 20,2006 - -----: BandScope can now be Clicked ONCE to change Frequency.
April 20,2006 - -----: Chanegd how O'Scope Loads / Closes.
April 20,2006 - Fixed: Volume Knob now works when O'Scope Closed.
April 21,2006 - -----: Moto Decoder shows less false reports from framing errors.
April 22,2006 - -----: Pausing Dump List doesn't pause Saving to File.
April 26,2006 - Fixed: Demo now allows you to Listen to Trunk Conversations.
April 26,2006 - Fixed: Demo now allows you to Save Group/Radio ID's.
April 26,2006 - Fixed: Saving NEW ID's from Trunk ID Editor if "Save New ID's" set to [Seen].
April 26,2006 - Fixed: Changing Group Priority in Trunk ID Editor.
April 27,2006 - Fixed: ID Counts not duplicated when Saving NEW ID's when Heard.
April 28,2006 - -----: Changed how PC/R-1500 & PC/R 2500 Initializes.
Version 0.7.189 Released 04/28/2006

For the PC/R-1500 to work properly, you need to change the PCR Type under the Options Menu to PCR-1500.
Setting it to Auto Detect may not work with this radio...

Regards,
Jay

196. TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-07 03:43:12 UTC
From: fremont48
Topic: 195 Message: 196

Greetings. Just download version 7.189. My PCR1500 will not start at all since I installed the new version. I cannot open the program to change the version type. The Settings file says version 0.7.188, PCRTYPE=0.
Anyone else have problems with the new version?

vince48

197. TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-07 17:35:13 UTC
From: fremont48
Topic: 195 Message: 197

Interesting, if I remove the TrunkPCR.key file out of the TrunkPCR directory, I can get the program to lunch, however the donation screen pops up. If I put the TrunPCR.key file back into the directory, the program will not open.
Jay (this isn't my laptop, it's my desktop) and everybody, any help with this? TIA

vince48

198. Re: TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-07 17:49:37 UTC
From: saturn9547
Topic: 195 Message: 198

--- In TrunkPCR@yahoogroups.com, "fremont48" <vince48@...> wrote:
>
> Interesting, if I remove the TrunkPCR.key file out of the TrunkPCR
> directory, I can get the program to lunch, however the donation
screen
> pops up. If I put the TrunPCR.key file back into the directory, the
> program will not open.
> Jay (this isn't my laptop, it's my desktop) and everybody, any help
> with this? TIA
>
> vince48
>

I have the same problem so it is not your fault.

Jim

199. RE: [TrunkPCR] Re: TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-07 17:56:17 UTC
From: vince48
Topic: 195 Message: 199

Thanks Jim,
I worked on this all night last night trying to figure it out. Are you using a PCR1000 or PCR1500? I?m using a PCR1500. It must be something in the TrunkPCR.key file. If I rename it or delete it, TrunkPCR opens. If copy it back to the directory, as TRUNKPCR.Key, the program will not open?

Vince48

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of saturn9547
Sent: Sunday, May 07, 2006 9:50 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: TrunkPCR Version 0.7.189

--- In TrunkPCR@yahoogroups.com, "fremont48" <vince48@...> wrote:
>
> Interesting, if I remove the TrunkPCR.key file out of the TrunkPCR
> directory, I can get the program to lunch, however the donation screen
> pops up. If I put the TrunPCR.key file back into the directory, the
> program will not open.
> Jay (this isn't my laptop, it's my desktop) and everybody, any help
> with this? TIA
>
> vince48
>

I have the same problem so it is not your fault.

Jim

SPONSORED LINKS
Hobby and craft supply
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=JIl7iEyuhXhftfp3Gmsi6w>
Craft hobby
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=q72wWL7EbNscN4LmgdyjvA>
Hobbies and crafts
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=j6vEhGi2K6BIsOI0PuNPAg>
Ham radio

<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+rad
io+outlet&c=6&s=127&.sig=nw5WftEAqYq0CH0m5iZKNg>
Ham radio sales
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supp
ly&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=H
am+radio+outlet&c=6&s=127&.sig=plZf1qDMp4iqg3qHqf9oiw>
Ham radio outlet
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+sup
ply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=
Ham+radio+outlet&c=6&s=127&.sig=jcxp5PifzEM3XLQ6l-npGg>

YAHOO! GROUPS LINKS

* Visit your group " TrunkPCR
<http://groups.yahoo.com/group/TrunkPCR> " on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.
Virus Database (VPS): 0618-3, 05/05/2006
Tested on: 5/7/2006 10:51:13 AM
avast! is copyright (c) 2000-2006 ALWIL Software.

200. Re: [TrunkPCR] TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-07 18:01:49 UTC
From: Jay
Topic: 195 Message: 200

Hi Vince,

If the program isn't running at all now, that means your registration info has changed and the program thinks you have a fake key file... Check your reg info with .188 and send it again if needed...

To verify this, copy TrunkPCR.exe and TrunkPCR.dll (ONLY) to a NEW TEMPORARY Folder.
Run TrunkPCR from this NEW Folder. (Do NOT Click the Power Button yet!!!)
Change the PCR Type to PCR-1500 (NOT Auto-Detect).
Click the Power Button now if it hasn't already re-initialized. (You may have to click it again if it first doesn't start)
If the PCR-1500 hasn't started yet, close the program and re-run for these new settings to take affect.

In 0.7.188, did your PCR-1500 start up ok in "Auto Detect"?
One user stated that his would not, so I changed that part of the program...

Jay

----- Original Message -----
Greetings. Just download version 7.189. My PCR1500 will not start at all since I installed the new version. I cannot open the program to change the version type. The Settings file says version 0.7.188, PCRTYPE=0.
Anyone else have problems with the new version?

vince48

Yahoo! Groups Links

201. PCR-1500 and Auto Detect

Yahoo group: TrunkPCR
Date: 2006-05-07 18:14:58 UTC
From: Jay
Topic: 201 Message: 201

For those of you that have a PCR-1500,
I would like to know if you had the PCR-Type set to "Auto-Detect"
or PCR-1500 for it to work in version 0.7.188...

I do not have one of these yet, so I need your input...
One user stated that his PCR-1500 would not start, so I made some
changes to the program.

Thanks,
Jay

202. RE: [TrunkPCR] TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-07 18:25:39 UTC
From: vince48
Topic: 195 Message: 202

Hi jay
Ok,
Copied TrunkPCR.exe and TrunkPCR.dll to a new directory.
Started TrunkPCR
Changed PCR type to 1500
Clicked the power button
Programmed opened, entered a control (The contorl channel is for the San Francisco PD and is very busy.) channel frequency, but recovery rate is 0%, in fact nothing at all. What about the key file? The contorl channel is for the San Francisco PD and is very busy. Jay, also, in frustration early this morning, I deleted version 7.188, which my 1500 worked without any problems. Can you send me that version with the installer? I rather use that version since it worked.

Vince48

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of Jay
Sent: Sunday, May 07, 2006 10:02 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR Version 0.7.189

Hi Vince,

If the program isn't running at all now, that means your registration info has changed and the program thinks you have a fake key file... Check your reg info with .188 and send it again if needed...

To verify this, copy TrunkPCR.exe and TrunkPCR.dll (ONLY) to a NEW TEMPORARY Folder.
Run TrunkPCR from this NEW Folder. (Do NOT Click the Power Button yet!!!)
Change the PCR Type to PCR-1500 (NOT Auto-Detect).
Click the Power Button now if it hasn't already re-initialized. (You may have to click it again if it first doesn't start)
If the PCR-1500 hasn't started yet, close the program and re-run for these new settings to take affect.

In 0.7.188, did your PCR-1500 start up ok in "Auto Detect"?
One user stated that his would not, so I changed that part of the program...

Jay

----- Original Message -----
Greetings. Just download version 7.189. My PCR1500 will not start at all since I installed the new version. I cannot open the program to change the version type. The Settings file says version 0.7.188,

PCRTYPE=0.
Anyone else have problems with the new version?

vince48

Yahoo! Groups Links

SPONSORED LINKS
Hobby and craft supply
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sal
es&w6=Ham+radio+outlet&c=6&s=127&.sig=JIl7iEyuhXhftfp3Gmsi6w>
Craft hobby
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w
2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+r
adio+outlet&c=6&s=127&.sig=q72wWL7EbNscN4LmgdyjvA>
Hobbies and crafts
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+s
upply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w
6=Ham+radio+outlet&c=6&s=127&.sig=j6vEhGi2K6BIsOI0PuNPAg>
Ham radio
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=
Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+rad
io+outlet&c=6&s=127&.sig=nw5WftEAqYq0CH0m5iZKNg>
Ham radio sales
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supp
ly&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=H
am+radio+outlet&c=6&s=127&.sig=plZf1qDMp4iqg3qHqf9oiw>
Ham radio outlet
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+sup
ply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=
Ham+radio+outlet&c=6&s=127&.sig=jcxp5PifzEM3XLQ6l-npGg>

YAHOO! GROUPS LINKS

* Visit your group " TrunkPCR
<http://groups.yahoo.com/group/TrunkPCR> " on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.
Virus Database (VPS): 0618-3, 05/05/2006

```
Tested on: 5/7/2006 11:03:25 AM
avast! is copyright (c) 2000-2006 ALWIL Software.
```

203. Re: [TrunkPCR] TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-07 18:56:37 UTC
From: Jay
Topic: 195 Message: 203

Ok, well, I didn't change the decoder section, so that wouldn't be the problem...
Did you remember to set the reverse polarity?
Did you change the Sound Card Setup to use the right device?

To test .189 you can do the following also.

Open up TrunkPcr.ini (From the New Temp Folder) in NotePad.
Check the portion that has PCRTYPE=?
It should be PCRTYPE=3?...

Now, open up TrunkPcr.ini (From the Original Folder) in NotePad.
Change PCRTYPE=0 to PCRTYPE=3 and Save it...
Copy TrunkPcr.ini from the original folder to the New Temp Folder.
Copy the "San Francisco PD" Bnk file to the Banks folder in the New Temp Folder...
Run the program again... It should now decode properly...

Now that you can run version .189 in the temp folder, send me the reg info from there...
I'll need the new info if you wish to run any new updates...

Thanks,
Jay

----- Original Message -----
Hi jay
Ok,
Copied TrunkPCR.exe and TrunkPCR.dll to a new directory.
Started TrunkPCR
Changed PCR type to 1500
Clicked the power button
Programmed opened, entered a control (The contorl channel is for the San Francisco PD and is very busy.) channel frequency, but recovery rate is 0%, in fact nothing at all. What about the key file? The contorl channel is for the San Francisco PD and is very busy. Jay, also, in frustration early this morning, I deleted version 7.188, which my 1500 worked without any problems. Can you send me that version with the installer? I rather use that version since it worked.

Vince48

-----Original Message-----
Hi Vince,

If the program isn't running at all now, that means your registration info has changed and the program thinks you have a fake key file... Check your

reg info with .188 and send it again if needed...

To verify this, copy TrunkPCR.exe and TrunkPCR.dll (ONLY) to a NEW TEMPORARY Folder.
Run TrunkPCR from this NEW Folder. (Do NOT Click the Power Button yet!!!)
Change the PCR Type to PCR-1500 (NOT Auto-Detect).
Click the Power Button now if it hasn't already re-initialized. (You may have to click it again if it first doesn't start)
If the PCR-1500 hasn't started yet, close the program and re-run for these new settings to take affect.

In 0.7.188, did your PCR-1500 start up ok in "Auto Detect"?
One user stated that his would not, so I changed that part of the program...

Jay

----- Original Message -----
Greetings. Just download version 7.189. My PCR1500 will not start at all since I installed the new version. I cannot open the program to change the version type. The Settings file says version 0.7.188, PCRTYPE=0.
Anyone else have problems with the new version?

vince48

204. RE: [TrunkPCR] TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-07 19:37:56 UTC
From: vince48
Topic: 195 Message: 204

Jay
Ok got it running. What file is the reg info

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of
Jay
Sent: Sunday, May 07, 2006 10:57 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR Version 0.7.189

Ok, well, I didn't change the decoder section, so that wouldn't be the
problem...
Did you remember to set the reverse polarity?
Did you change the Sound Card Setup to use the right device?

To test .189 you can do the following also.

Open up TrunkPcr.ini (From the New Temp Folder) in NotePad.
Check the portion that has PCRTYPE=?
It should be PCRTYPE=3?...

Now, open up TrunkPcr.ini (From the Original Folder) in NotePad.
Change PCRTYPE=0 to PCRTYPE=3 and Save it...
Copy TrunkPcr.ini from the original folder to the New Temp Folder.
Copy the "San Francisco PD" Bnk file to the Banks folder in the New Temp
Folder...
Run the program again... It should now decode properly...

Now that you can run version .189 in the temp folder, send me the reg info
from there...
I'll need the new info if you wish to run any new updates...

Thanks,
Jay

----- Original Message -----
Hi jay
Ok,
Copied TrunkPCR.exe and TrunkPCR.dll to a new directory.
Started TrunkPCR
Changed PCR type to 1500
Clicked the power button
Programmed opened, entered a control (The contorl channel is for the San
Francisco PD and is very busy.) channel frequency, but recovery rate is 0%,
in fact nothing at all. What about the key file? The contorl channel is for
the San Francisco PD and is very busy. Jay, also, in frustration early this
morning, I deleted version 7.188, which my 1500 worked without any problems.

Can you send me that version with the installer? I rather use that version since it worked.

Vince48

-----Original Message-----
Hi Vince,

If the program isn't running at all now, that means your registration info has changed and the program thinks you have a fake key file... Check your reg info with .188 and send it again if needed...

To verify this, copy TrunkPCR.exe and TrunkPCR.dll (ONLY) to a NEW TEMPORARY Folder.
Run TrunkPCR from this NEW Folder. (Do NOT Click the Power Button yet!!!)
Change the PCR Type to PCR-1500 (NOT Auto-Detect).
Click the Power Button now if it hasn't already re-initialized. (You may have to click it again if it first doesn't start)
If the PCR-1500 hasn't started yet, close the program and re-run for these new settings to take affect.

In 0.7.188, did your PCR-1500 start up ok in "Auto Detect"?
One user stated that his would not, so I changed that part of the program...

Jay

----- Original Message -----
Greetings. Just download version 7.189. My PCR1500 will not start at all since I installed the new version. I cannot open the program to change the version type. The Settings file says version 0.7.188, PCRTYPE=0.
Anyone else have problems with the new version?

vince48

SPONSORED LINKS
Hobby and craft supply
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=JIl7iEyuhXhftfp3Gmsi6w>
Craft hobby
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=q72wWL7EbNscN4LmgdyjvA>
Hobbies and crafts
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=j6vEhGi2K6BIsOI0PuNPAg>
Ham radio
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=nw5WftEAqYq0CH0m5iZKNg>

Ham radio sales
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=plZf1qDMp4iqg3qHqf9oiw>
Ham radio outlet
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+outlet&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&w5=Ham+radio+sales&w6=Ham+radio+outlet&c=6&s=127&.sig=jcxp5PifzEM3XLQ6l-npGg>

YAHOO! GROUPS LINKS

* Visit your group " TrunkPCR
<http://groups.yahoo.com/group/TrunkPCR> " on the web.

* To unsubscribe from this group, send an email to:
TrunkPCR-unsubscribe@yahoogroups.com
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.
Virus Database (VPS): 0618-3, 05/05/2006
Tested on: 5/7/2006 12:05:20 PM
avast! is copyright (c) 2000-2006 ALWIL Software.

205. Re: [TrunkPCR] TrunkPCR Version 0.7.189

Yahoo group: TrunkPCR
Date: 2006-05-07 19:46:50 UTC
From: Jay
Topic: 195 Message: 205

I guess it's been awhile :)
Click the Help Menu, then Register...

Jay
----- Original Message -----
Jay

Ok got it running. What file is the reg info

206. ver 89

Yahoo group: TrunkPCR
Date: 2006-05-08 14:37:09 UTC
From: saturn9547
Topic: 206 Message: 206

All works fine but without my key. Demo mode only. When my key is put in folder program won't run. Any ideas..?

Jim

PCR-1000

207. Re: [TrunkPCR] ver 89

Yahoo group: TrunkPCR
Date: 2006-05-08 17:10:35 UTC
From: Jay
Topic: 206 Message: 207

Hi Jim,

Like I said in Vince's reply.
If the program doesn't run, that means your registration Info has changed...
Click the Help Menu, then Register to send me the update...
This can be done in version .188 also...

Regards,
Jay

----- Original Message -----
> All works fine but without my key. Demo mode only. When my key is put
> in folder program won't run. Any ideas..?
>
> Jim
>
> PCR-1000

208. TrunkPCR version 0.7.189 not loading problem

Yahoo group: TrunkPCR
Date: 2006-05-08 17:22:45 UTC
From: Jay
Topic: 208 Message: 208

If version .189 doesn't run now, you need to send me your updated Registration Info.

Run version 0.7.188 if you still have it...

Click the Help Menu, then Register and send me the updated info.

If you are running version 0.7.189 and you rename or delete the TrunkPCR.key file, you may end up loosing your Group/Radio IDs!!!

Best thing to do is create a NEW TEMPORARY FOLDER, copy TrunkPcr.exe and TrunkPcr.dll to this new folder and run it from there.
This way will prevent you from loosing any of your saved Group/Radio IDs...

Thanks,
Jay

211. Prompt Response

Yahoo group: TrunkPCR
Date: 2006-05-08 18:46:31 UTC
From: saturn9547
Topic: 211 Message: 211

Thank you very much for correcting my problem. that sure was fast service. keep up the excellent work on your fine software. I see we have new models of the PCR and looks like from the rumors the 2500 might be interesting.

Thanks again

73's Jim de KA2RJA

212. Re: [TrunkPCR] Digest Number 76

Yahoo group: TrunkPCR
Date: 2006-05-09 18:21:04 UTC
From: G. Lofstead
Topic: 212 Message: 212

RE PCR 2500...

http://www.universal-radio.com/catalog/widerxvr/2501.html

Jerry

>

> Message 6
> From: "saturn9547" jimbo_nj@...
> Date: Mon May 8, 2006 11:50am(PDT)
> Subject: Prompt Response
>
> Thank you very much for correcting my problem. that sure was fast
> service. keep up the excellent work on your fine software. I see we
> have new models of the PCR and looks like from the rumors the 2500
> might be interesting.
>
> Thanks again
>
> 73's Jim de KA2RJA

214. Re: [TrunkPCR] New Graphic Site

Yahoo group: TrunkPCR
Date: 2006-06-13 03:38:34 UTC
From: Jay
Topic: 214 Message: 214

User has ben banned from using this group!
This virus has been sent to other groups as well...
Jay

----- Original Message -----
From: Robert Davies

Note: forwarded message attached.

215. Re: [TrunkPCR] New Graphic Site

Yahoo group: TrunkPCR
Date: 2006-06-13 13:41:46 UTC
From: Doc
Topic: 214 Message: 215

WHO is banned??????

Fer Christ Sake, tell us WHO it was that had virus??????
Oh, BTW, did you know that these addresses are generally FORGED????
So that means that the guy you banned probably was not the one who sent
the virus.

I KNOW it wasn't me, as ALL of my outgoing mail is automatically
scanned for virus before sending.

I have been a member of Yahoo groups for TEN YEARS, and have NEVER got a
virus.
Although I HAVE gotten spam!

Doc
==========

Jay wrote:

> User has ben banned from using this group!
> This virus has been sent to other groups as well...
> Jay
>
>
> ----- Original Message -----
> From: Robert Davies <mailto:ki4hxt@...>
>

216. Re: New Graphic Site

Yahoo group: TrunkPCR
Date: 2006-06-18 08:08:31 UTC
From: Jay
Topic: 214 Message: 216

The sender of the yahoo worm was temporarily banned to block the
messages it was sending...
I've received this worm from a few other yahoo groups as well.
The worm only affected those who use a yahoo email account to
access their yahoo groups.

Jay

--- In TrunkPCR@yahoogroups.com, Doc <drpepper5@...> wrote:
>
> WHO is banned??????
>
> Fer Christ Sake, tell us WHO it was that had virus??????
> Oh, BTW, did you know that these addresses are generally FORGED????
> So that means that the guy you banned probably was not the one who
sent
> the virus.
>
> I KNOW it wasn't me, as ALL of my outgoing mail is automatically
> scanned for virus before sending.
>
> I have been a member of Yahoo groups for TEN YEARS, and have NEVER
got a
> virus.
> Although I HAVE gotten spam!
>
> Doc
> ==========
>
>
> Jay wrote:
>
> > User has ben banned from using this group!
> > This virus has been sent to other groups as well...
> > Jay
> >
> >
> > ----- Original Message -----
> > From: Robert Davies <mailto:ki4hxt@...>
> >
>

217. Re: [TrunkPCR] Re: New Graphic Site

Yahoo group: TrunkPCR
Date: 2006-06-18 13:17:20 UTC
From: Doc
Topic: 214 Message: 217

OK, Thanx, that clears things up a bit, , , :-D

Ron C.
==========

ay wrote:

> The sender of the yahoo worm was temporarily banned to block the
> messages it was sending...
> I've received this worm from a few other yahoo groups as well.
> The worm only affected those who use a yahoo email account to
> access their yahoo groups.
>
> Jay
>
> --- In TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>,
> Doc <drpepper5@...> wrote:
> >
> > WHO is banned??????
> >
> > Fer Christ Sake, tell us WHO it was that had virus??????
> > Oh, BTW, did you know that these addresses are generally FORGED????
> > So that means that the guy you banned probably was not the one who
> sent
> > the virus.
> >
> > I KNOW it wasn't me, as ALL of my outgoing mail is automatically
> > scanned for virus before sending.
> >
> > I have been a member of Yahoo groups for TEN YEARS, and have NEVER
> got a
> > virus.
> > Although I HAVE gotten spam!
> >
> > Doc
> > ==========
> >
> >
> > Jay wrote:
> >
> > > User has ben banned from using this group!
> > > This virus has been sent to other groups as well...
> > > Jay
> > >
> > >
> > > ----- Original Message -----

> > > From: Robert Davies <mailto:ki4hxt@...>
> > >
> >
>
>

218. NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-14 02:39:53 UTC
From: Glenn Blum
Topic: 218 Message: 218

Jay,
Any new developements in trunkpcr?
I was wondering if LTR could be in the future?

Glenn

219. Re: [TrunkPCR] NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-14 04:19:57 UTC
From: Jay
Topic: 218 Message: 219

Hi Glenn,

Yes, LTR support is planned for the future... Maybe later on this year.
When it's HOT out, I don't do too much work on the pc during the day. And we have been having a heat wave down here the past few weeks and it's expected to get hotter before the end of the summer.

I'm still digging up info on DSP processing, which will be required to decode LTR using the sound card.
I am currently working on adding MPT-1327 support. I have added an option to decode wav files which works great using motorola or edacs so far...

I have been thinking about sending out the 0.8.200 alpha update for the top donaters to test soon...

This is what I've done since that last release:

May 04,2006 - Added: Channel Selector using a List Display - 1 Click Tune.
May 07,2006 - Fixed: Group/Radio ID Descriptions now updated on main window.
May 08,2006 - -----: Group/Radio ID Descriptions can now be Clicked ONCE to edit.
May 09,2006 - Fixed: Multiple Displays of Frequency in CC Activity, if LCN=0.
May 09,2006 - Added: List of System Pages in CC Activity.
May 09,2006 - Added: List of User Status Updates in CC Activity.
May 09,2006 - Added: Audio Spectrum Display.
May 10,2006 - Fixed: Control List display in CC activity when Afiliation Reset Clicked.
May 12,2006 - Added: 6 Watch Group Lists in CC Activity, Set in Trunk Settings.
May 12,2006 - Fixed: Logging Buttons in Dump Display if 'Dump.Log' NOT Opened.
May 12,2006 - Fixed: Logging Buttons in Misc Display if 'Misc.Log' NOT Opened.
May 13,2006 - Added: Time Stamps to Dump and Misc Log Files.
May 18,2006 - Added: KeepAlive Function. Default was ON in Previous Versions.
May 18,2006 - Added: Raise DTR Function. Default was ON in Previous Versions.
May 21,2006 - Fixed: Dual Receiver mode in Edacs.
May 21,2006 - -----: Edacs LCN 26 to 31 Report Messages. No longer used as active channels.
May 21,2006 - Fixed: Updating Stored Freqs when Channel Editor Saved.
May 22,2006 - -----: Increased Max Groups and Radios Again.
May 22,2006 - -----: Increased Max Banks and Channels for $50 donations.
May 23,2006 - Added: Direct Entry of Frequency after using any knobs or menus.
May 30,2006 - Fixed: External Speaker Selection for PCR-100 when pluged-in or out.
June 04,2006 - Fixed: COM Status Display when Spectrum Sweep Enabled/Disabled.
June 08,2006 - Added: Decoding Wave Files for Moto/Edacs Trunking Systems.
June 15,2006 - Added: Block Data Calls in Edacs.
June 20,2006 - Fixed: I-Call Reporting in Edacs.
June 22,2006 - Added: ESK Selection in Edacs.
June 23,2006 - Fixed: Edacs Dotting was set to Zero when Trunk Settings loaded.
June 24,2006 - Fixed: Scanning in Conventional Mode when ScanBank Count = Zero.
June 29,2006 - Fixed: Menus Enabled/Disabled when Sweep Spectrum Selected/Deselected.

June 29,2006 - Added: 7.5 khz Step Frequency...

Thanks for asking,
Jay

----- Original Message -----

Jay,
Any new developements in trunkpcr?
I was wondering if LTR could be in the future?

Glenn

220. Re: [TrunkPCR] NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-15 01:27:28 UTC
From: Glenn Blum
Topic: 218 Message: 220

Jay,
Here is a Idea. Since you came out with pcr remote, how about the ability to use trunk pcr like a server where as someone else with trunkpcr can hook up with someone else over the internet and listen into that persons local activity???
Btw the list of updates are looking great.
Glenn

----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Thursday, July 13, 2006 11:19 PM
Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS

Hi Glenn,

Yes, LTR support is planned for the future... Maybe later on this year. When it's HOT out, I don't do too much work on the pc during the day. And we have been having a heat wave down here the past few weeks and it's expected to get hotter before the end of the summer.

I'm still digging up info on DSP processing, which will be required to decode LTR using the sound card.
I am currently working on adding MPT-1327 support. I have added an option to decode wav files which works great using motorola or edacs so far...

I have been thinking about sending out the 0.8.200 alpha update for the top donaters to test soon...

This is what I've done since that last release:

May 04,2006 - Added: Channel Selector using a List Display - 1 Click Tune.
May 07,2006 - Fixed: Group/Radio ID Descriptions now updated on main window.
May 08,2006 - -----: Group/Radio ID Descriptions can now be Clicked ONCE to edit.
May 09,2006 - Fixed: Multiple Displays of Frequency in CC Activity, if LCN=0.
May 09,2006 - Added: List of System Pages in CC Activity.
May 09,2006 - Added: List of User Status Updates in CC Activity.
May 09,2006 - Added: Audio Spectrum Display.
May 10,2006 - Fixed: Control List display in CC activity when Afiliation Reset Clicked.
May 12,2006 - Added: 6 Watch Group Lists in CC Activity, Set in Trunk Settings.
May 12,2006 - Fixed: Logging Buttons in Dump Display if 'Dump.Log' NOT Opened.

May 12,2006 - Fixed: Logging Buttons in Misc Display if 'Misc.Log' NOT Opened.
May 13,2006 - Added: Time Stamps to Dump and Misc Log Files.
May 18,2006 - Added: KeepAlive Function. Default was ON in Previous Versions.
May 18,2006 - Added: Raise DTR Function. Default was ON in Previous Versions.
May 21,2006 - Fixed: Dual Receiver mode in Edacs.
May 21,2006 - -----: Edacs LCN 26 to 31 Report Messages. No longer used as active channels.
May 21,2006 - Fixed: Updating Stored Freqs when Channel Editor Saved.
May 22,2006 - -----: Increased Max Groups and Radios Again.
May 22,2006 - -----: Increased Max Banks and Channels for $50 donations.
May 23,2006 - Added: Direct Entry of Frequency after using any knobs or menus.
May 30,2006 - Fixed: External Speaker Selection for PCR-100 when pluged-in or out.
June 04,2006 - Fixed: COM Status Display when Spectrum Sweep Enabled/Disabled.
June 08,2006 - Added: Decoding Wave Files for Moto/Edacs Trunking Systems.
June 15,2006 - Added: Block Data Calls in Edacs.
June 20,2006 - Fixed: I-Call Reporting in Edacs.
June 22,2006 - Added: ESK Selection in Edacs.
June 23,2006 - Fixed: Edacs Dotting was set to Zero when Trunk Settings loaded.
June 24,2006 - Fixed: Scanning in Conventional Mode when ScanBank Count = Zero.
June 29,2006 - Fixed: Menus Enabled/Disabled when Sweep Spectrum Selected/Deselected.
June 29,2006 - Added: 7.5 khz Step Frequency...

Thanks for asking,
Jay

----- Original Message -----

Jay,
Any new developements in trunkpcr?
I was wondering if LTR could be in the future?

Glenn

221. RE: [TrunkPCR] NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-15 01:58:32 UTC
From: vince48
Topic: 218 Message: 221

Glenn
I agree! Jay has made many improvements. Cannot wait for LTR. We have many systems in my area. Some are fun to listen too and some are plenty boring. But I like em!
Jay, I will be getting a P25 PCR2500 next week. If you need some testing, let me know. Hot here Jay, Glenn not sure where you are in the neighborhood, but 2 1/2 months to go. Everyone have a good weekend.

Peace

vince48

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of Glenn Blum
Sent: Friday, July 14, 2006 5:27 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS

Jay,
Here is a Idea. Since you came out with pcr remote, how about the ability to use trunk pcr like a server where as someone else with trunkpcr can hook up with someone else over the internet and listen into that persons local activity???
Btw the list of updates are looking great.
Glenn

----- Original Message -----
From: "Jay" < crazycalifornian@...
<mailto:crazycalifornian%40hotmail.com> >
To: < TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com> >
Sent: Thursday, July 13, 2006 11:19 PM
Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS

Hi Glenn,

Yes, LTR support is planned for the future... Maybe later on this year. When it's HOT out, I don't do too much work on the pc during the day. And we have been having a heat wave down here the past few weeks and it's expected to get hotter before the end of the summer.

I'm still digging up info on DSP processing, which will be required to decode LTR using the sound card.
I am currently working on adding MPT-1327 support. I have added an option to decode wav files which works great using motorola or edacs so far...

I have been thinking about sending out the 0.8.200 alpha update for the top donaters to test soon...

This is what I've done since that last release:

May 04,2006 - Added: Channel Selector using a List Display - 1 Click Tune.
May 07,2006 - Fixed: Group/Radio ID Descriptions now updated on main window.
May 08,2006 - -----: Group/Radio ID Descriptions can now be Clicked ONCE to edit.
May 09,2006 - Fixed: Multiple Displays of Frequency in CC Activity, if LCN=0.
May 09,2006 - Added: List of System Pages in CC Activity.
May 09,2006 - Added: List of User Status Updates in CC Activity.
May 09,2006 - Added: Audio Spectrum Display.
May 10,2006 - Fixed: Control List display in CC activity when Afiliation Reset Clicked.
May 12,2006 - Added: 6 Watch Group Lists in CC Activity, Set in Trunk Settings.
May 12,2006 - Fixed: Logging Buttons in Dump Display if 'Dump.Log' NOT Opened.
May 12,2006 - Fixed: Logging Buttons in Misc Display if 'Misc.Log' NOT Opened.
May 13,2006 - Added: Time Stamps to Dump and Misc Log Files.
May 18,2006 - Added: KeepAlive Function. Default was ON in Previous Versions.
May 18,2006 - Added: Raise DTR Function. Default was ON in Previous Versions.
May 21,2006 - Fixed: Dual Receiver mode in Edacs.
May 21,2006 - -----: Edacs LCN 26 to 31 Report Messages. No longer used as active channels.
May 21,2006 - Fixed: Updating Stored Freqs when Channel Editor Saved.
May 22,2006 - -----: Increased Max Groups and Radios Again.
May 22,2006 - -----: Increased Max Banks and Channels for $50 donations.
May 23,2006 - Added: Direct Entry of Frequency after using any knobs or menus.
May 30,2006 - Fixed: External Speaker Selection for PCR-100 when pluged-in or out.
June 04,2006 - Fixed: COM Status Display when Spectrum Sweep Enabled/Disabled.
June 08,2006 - Added: Decoding Wave Files for Moto/Edacs Trunking Systems.
June 15,2006 - Added: Block Data Calls in Edacs.
June 20,2006 - Fixed: I-Call Reporting in Edacs.
June 22,2006 - Added: ESK Selection in Edacs.
June 23,2006 - Fixed: Edacs Dotting was set to Zero when Trunk Settings loaded.
June 24,2006 - Fixed: Scanning in Conventional Mode when ScanBank Count = Zero.
June 29,2006 - Fixed: Menus Enabled/Disabled when Sweep Spectrum Selected/Deselected.
June 29,2006 - Added: 7.5 khz Step Frequency...

Thanks for asking,
Jay

----- Original Message -----

Jay,
Any new developements in trunkpcr?
I was wondering if LTR could be in the future?

Glenn

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.
Virus Database (VPS): 0628-5, 07/14/2006
Tested on: 7/14/2006 6:46:52 PM
avast! is copyright (c) 2000-2006 ALWIL Software.

222. Re: [TrunkPCR] NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-15 02:44:47 UTC
From: Glenn Blum
Topic: 218 Message: 222

Central Texas(Nolanville/Fort Hood) where its been in the upper 90's to
about 104. Heat indexes around 112. How about a 403 dollar june electric
bill! Thats with double insulated house! I just put down 900 dollars for new
sun screening for my front windows.The windows are double insulated double
pane.
The LTR story for Central Texas which is pretty much all comercial radio.I
would like to have the LTR abilities.
I am not complaining at all. Jay you have produced one heck of a program!
The MPT1327 is kinda funny because it has not catched on much in the US but
there is a Town in northern Texas (Decauter, TX)that uses a MPT1327
system.I cant wait untill the Fall season. This summmer is a killer.

Behave,

Glenn
----- Original Message -----
From: "vince48" <vince48@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Friday, July 14, 2006 8:58 PM
Subject: RE: [TrunkPCR] NEW DEVELOPEMENTS

> Glenn
> I agree! Jay has made many improvements. Cannot wait for LTR. We have many
> systems in my area. Some are fun to listen too and some are plenty boring.
> But I like em!
> Jay, I will be getting a P25 PCR2500 next week. If you need some testing,
> let me know. Hot here Jay, Glenn not sure where you are in the
> neighborhood,
> but 2 1/2 months to go. Everyone have a good weekend.
>
> Peace
>
> vince48
>
> -----Original Message-----
> From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf
> Of
> Glenn Blum
> Sent: Friday, July 14, 2006 5:27 PM
> To: TrunkPCR@yahoogroups.com
> Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS
>
> Jay,
> Here is a Idea. Since you came out with pcr remote, how about the ability
> to
> use trunk pcr like a server where as someone else with trunkpcr can hook

> up
> with someone else over the internet and listen into that persons local
> activity???
> Btw the list of updates are looking great.
> Glenn
>
> ----- Original Message -----
> From: "Jay" < crazycalifornian@...
> <mailto:crazycalifornian%40hotmail.com> >
> To: < TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com> >
> Sent: Thursday, July 13, 2006 11:19 PM
> Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS
>
> Hi Glenn,
>
> Yes, LTR support is planned for the future... Maybe later on this year.
> When it's HOT out, I don't do too much work on the pc during the day. And
> we have been having a heat wave down here the past few weeks and it's
> expected to get hotter before the end of the summer.
>
> I'm still digging up info on DSP processing, which will be required to
> decode LTR using the sound card.
> I am currently working on adding MPT-1327 support. I have added an option
> to
> decode wav files which works great using motorola or edacs so far...
>
> I have been thinking about sending out the 0.8.200 alpha update for the
> top
> donaters to test soon...
>
> This is what I've done since that last release:
>
> May 04,2006 - Added: Channel Selector using a List Display - 1 Click Tune.
> May 07,2006 - Fixed: Group/Radio ID Descriptions now updated on main
> window.
> May 08,2006 - -----: Group/Radio ID Descriptions can now be Clicked ONCE
> to edit.
> May 09,2006 - Fixed: Multiple Displays of Frequency in CC Activity, if
> LCN=0.
> May 09,2006 - Added: List of System Pages in CC Activity.
> May 09,2006 - Added: List of User Status Updates in CC Activity.
> May 09,2006 - Added: Audio Spectrum Display.
> May 10,2006 - Fixed: Control List display in CC activity when Afiliation
> Reset Clicked.
> May 12,2006 - Added: 6 Watch Group Lists in CC Activity, Set in Trunk
> Settings.
> May 12,2006 - Fixed: Logging Buttons in Dump Display if 'Dump.Log' NOT
> Opened.
> May 12,2006 - Fixed: Logging Buttons in Misc Display if 'Misc.Log' NOT
> Opened.

> May 13,2006 - Added: Time Stamps to Dump and Misc Log Files.
> May 18,2006 - Added: KeepAlive Function. Default was ON in Previous
> Versions.
> May 18,2006 - Added: Raise DTR Function. Default was ON in Previous
> Versions.
> May 21,2006 - Fixed: Dual Receiver mode in Edacs.
> May 21,2006 - -----: Edacs LCN 26 to 31 Report Messages. No longer used as
> active channels.
> May 21,2006 - Fixed: Updating Stored Freqs when Channel Editor Saved.
> May 22,2006 - -----: Increased Max Groups and Radios Again.
> May 22,2006 - -----: Increased Max Banks and Channels for $50 donations.
> May 23,2006 - Added: Direct Entry of Frequency after using any knobs or
> menus.
> May 30,2006 - Fixed: External Speaker Selection for PCR-100 when pluged-in
> or out.
> June 04,2006 - Fixed: COM Status Display when Spectrum Sweep
> Enabled/Disabled.
> June 08,2006 - Added: Decoding Wave Files for Moto/Edacs Trunking Systems.
> June 15,2006 - Added: Block Data Calls in Edacs.
> June 20,2006 - Fixed: I-Call Reporting in Edacs.
> June 22,2006 - Added: ESK Selection in Edacs.
> June 23,2006 - Fixed: Edacs Dotting was set to Zero when Trunk Settings
> loaded.
> June 24,2006 - Fixed: Scanning in Conventional Mode when ScanBank Count =
> Zero.
> June 29,2006 - Fixed: Menus Enabled/Disabled when Sweep Spectrum
> Selected/Deselected.
> June 29,2006 - Added: 7.5 khz Step Frequency...
>
> Thanks for asking,
> Jay
>
> ----- Original Message -----
>
> Jay,
> Any new developements in trunkpcr?
> I was wondering if LTR could be in the future?
>
> Glenn
>
>
>
> _____
>
> avast! Antivirus <http://www.avast.com> : Inbound message clean.
> Virus Database (VPS): 0628-5, 07/14/2006
> Tested on: 7/14/2006 6:46:52 PM
> avast! is copyright (c) 2000-2006 ALWIL Software.
>
>

223. RE: [TrunkPCR] NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-15 03:07:57 UTC
From: vince48
Topic: 218 Message: 223

Peace you all. Big fire season with us here in California. I live the valley
so we have our micro climent. +_ 15dgress in less than 5 miles. Right now
the great Pacific wind is pushing through at 25-30 knots, good cool down
until tomorrow. You have solar heating son! Helps a good bit!
No MPT137 systems in my area that I know of. Stay cool you too!

vince48
=-

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of
Glenn Blum
Sent: Friday, July 14, 2006 6:45 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS

Central Texas(Nolanville/Fort Hood) where its been in the upper 90's to
about 104. Heat indexes around 112. How about a 403 dollar june electric
bill! Thats with double insulated house! I just put down 900 dollars for new
sun screening for my front windows.The windows are double insulated double
pane.
The LTR story for Central Texas which is pretty much all comercial radio.I
would like to have the LTR abilities.
I am not complaining at all. Jay you have produced one heck of a program!
The MPT1327 is kinda funny because it has not catched on much in the US but
there is a Town in northern Texas (Decauter, TX)that uses a MPT1327
system.I cant wait untill the Fall season. This summmer is a killer.

Behave,

Glenn
----- Original Message -----
From: "vince48" < vince48@... <mailto:vince48%40sbcglobal.net> >
To: < TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com> >
Sent: Friday, July 14, 2006 8:58 PM
Subject: RE: [TrunkPCR] NEW DEVELOPEMENTS

> Glenn
> I agree! Jay has made many improvements. Cannot wait for LTR. We have many
> systems in my area. Some are fun to listen too and some are plenty boring.
> But I like em!
> Jay, I will be getting a P25 PCR2500 next week. If you need some testing,
> let me know. Hot here Jay, Glenn not sure where you are in the
> neighborhood,
> but 2 1/2 months to go. Everyone have a good weekend.
>

> Peace
>
> vince48
>
> -----Original Message-----
> From: TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>
[mailto: TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>]On
Behalf
> Of
> Glenn Blum
> Sent: Friday, July 14, 2006 5:27 PM
> To: TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>
> Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS
>
> Jay,
> Here is a Idea. Since you came out with pcr remote, how about the ability
> to
> use trunk pcr like a server where as someone else with trunkpcr can hook
> up
> with someone else over the internet and listen into that persons local
> activity???
> Btw the list of updates are looking great.
> Glenn
>
> ----- Original Message -----
> From: "Jay" < crazycalifornian@...
<mailto:crazycalifornian%40hotmail.com>
> <mailto:crazycalifornian%40hotmail.com> >
> To: < TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>
<mailto:TrunkPCR%40yahoogroups.com> >
> Sent: Thursday, July 13, 2006 11:19 PM
> Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS
>
> Hi Glenn,
>
> Yes, LTR support is planned for the future... Maybe later on this year.
> When it's HOT out, I don't do too much work on the pc during the day. And
> we have been having a heat wave down here the past few weeks and it's
> expected to get hotter before the end of the summer.
>
> I'm still digging up info on DSP processing, which will be required to
> decode LTR using the sound card.
> I am currently working on adding MPT-1327 support. I have added an option
> to
> decode wav files which works great using motorola or edacs so far...
>
> I have been thinking about sending out the 0.8.200 alpha update for the
> top
> donaters to test soon...
>

> This is what I've done since that last release:
>
> May 04,2006 - Added: Channel Selector using a List Display - 1 Click Tune.
> May 07,2006 - Fixed: Group/Radio ID Descriptions now updated on main
> window.
> May 08,2006 - -----: Group/Radio ID Descriptions can now be Clicked ONCE
> to edit.
> May 09,2006 - Fixed: Multiple Displays of Frequency in CC Activity, if
> LCN=0.
> May 09,2006 - Added: List of System Pages in CC Activity.
> May 09,2006 - Added: List of User Status Updates in CC Activity.
> May 09,2006 - Added: Audio Spectrum Display.
> May 10,2006 - Fixed: Control List display in CC activity when Afiliation
> Reset Clicked.
> May 12,2006 - Added: 6 Watch Group Lists in CC Activity, Set in Trunk
> Settings.
> May 12,2006 - Fixed: Logging Buttons in Dump Display if 'Dump.Log' NOT
> Opened.
> May 12,2006 - Fixed: Logging Buttons in Misc Display if 'Misc.Log' NOT
> Opened.
> May 13,2006 - Added: Time Stamps to Dump and Misc Log Files.
> May 18,2006 - Added: KeepAlive Function. Default was ON in Previous
> Versions.
> May 18,2006 - Added: Raise DTR Function. Default was ON in Previous
> Versions.
> May 21,2006 - Fixed: Dual Receiver mode in Edacs.
> May 21,2006 - -----: Edacs LCN 26 to 31 Report Messages. No longer used as
> active channels.
> May 21,2006 - Fixed: Updating Stored Freqs when Channel Editor Saved.
> May 22,2006 - -----: Increased Max Groups and Radios Again.
> May 22,2006 - -----: Increased Max Banks and Channels for $50 donations.
> May 23,2006 - Added: Direct Entry of Frequency after using any knobs or
> menus.
> May 30,2006 - Fixed: External Speaker Selection for PCR-100 when pluged-in
> or out.
> June 04,2006 - Fixed: COM Status Display when Spectrum Sweep
> Enabled/Disabled.
> June 08,2006 - Added: Decoding Wave Files for Moto/Edacs Trunking Systems.
> June 15,2006 - Added: Block Data Calls in Edacs.
> June 20,2006 - Fixed: I-Call Reporting in Edacs.
> June 22,2006 - Added: ESK Selection in Edacs.
> June 23,2006 - Fixed: Edacs Dotting was set to Zero when Trunk Settings
> loaded.
> June 24,2006 - Fixed: Scanning in Conventional Mode when ScanBank Count =
> Zero.
> June 29,2006 - Fixed: Menus Enabled/Disabled when Sweep Spectrum
> Selected/Deselected.
> June 29,2006 - Added: 7.5 khz Step Frequency...
>
> Thanks for asking,

> Jay
>
> ----- Original Message -----
>
> Jay,
> Any new developements in trunkpcr?
> I was wondering if LTR could be in the future?
>
> Glenn
>
>
>
> _____
>
> avast! Antivirus < http://www.avast.com <http://www.avast.com> > : Inbound
message clean.
> Virus Database (VPS): 0628-5, 07/14/2006
> Tested on: 7/14/2006 6:46:52 PM
> avast! is copyright (c) 2000-2006 ALWIL Software.
>
>

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.
Virus Database (VPS): 0628-5, 07/14/2006
Tested on: 7/14/2006 7:49:45 PM
avast! is copyright (c) 2000-2006 ALWIL Software.

224. MPT 1327

Yahoo group: TrunkPCR
Date: 2006-07-15 13:09:23 UTC
From: Tony Linton
Topic: 224 Message: 224

Hi Jay,
Here in the Republic of Ireland most of the systems are MPT
1327, so I'm really looking foreward to any future developments. Great
program. Best wishes from the Emerald Isle !!!
Tony

225. Does TrunkPCR work with the new Icom R2500 with the P25 card installed?

Yahoo group: TrunkPCR
Date: 2006-07-18 23:41:48 UTC
From: merlin_20832
Topic: 225 Message: 225

```
Hi All,
I'm new to this group.
Does TrunkPCR work with the new Icom R2500 with the P25 card installed?
Thanks.
Merlin
```

226. Re: [TrunkPCR] Does TrunkPCR work with the new Icom R2500 with the P25 card installed?

Yahoo group: TrunkPCR
Date: 2006-07-25 23:38:56 UTC
From: Jay
Topic: 225 Message: 226

Hey Merlin,

TrunkPCR should work with the 2500, but not having one to play with yet,
Support for the P25 card will be on hold...

Jay

----- Original Message -----
From: "merlin_20832"

> Hi All,
> I'm new to this group.
> Does TrunkPCR work with the new Icom R2500 with the P25 card installed?
> Thanks.
> Merlin

227. Re: [TrunkPCR] NEW DEVELOPEMENTS - MPT1327

Yahoo group: TrunkPCR
Date: 2006-07-25 23:36:36 UTC
From: Jay
Topic: 227 Message: 227

Peace you allMPT1327 suuport is for our friends in the UK and other countries that use it. I've had many requests to add it to TrunkPCR the past year, so I thought I would work on it first...

LTR support will be added in the future after I learn a bit more about DSP to use it with a sound card...

Regards,
Jay

----- Original Message -----
From: vince48
Peace you all. Big fire season with us here in California. I live the valley so we have our micro climent. +_ 15dgress in less than 5 miles. Right now the great Pacific wind is pushing through at 25-30 knots, good cool down until tomorrow. You have solar heating son! Helps a good bit!

No MPT137 systems in my area that I know of. Stay cool you too!

vince48

=-

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of Glenn Blum
Sent: Friday, July 14, 2006 6:45 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS

Central Texas(Nolanville/Fort Hood) where its been in the upper 90's to
about 104. Heat indexes around 112. How about a 403 dollar june electric
bill! Thats with double insulated house! I just put down 900 dollars for new
sun screening for my front windows.The windows are double insulated double
pane.
The LTR story for Central Texas which is pretty much all comercial radio.I
would like to have the LTR abilities.
I am not complaining at all. Jay you have produced one heck of a program!
The MPT1327 is kinda funny because it has not catched on much in the US but
there is a Town in northern Texas (Decauter, TX)that uses a MPT1327
system.I cant wait untill the Fall season. This summmer is a killer.

Behave,

Glenn

228. Re: [TrunkPCR] NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-25 23:29:58 UTC
From: Jay
Topic: 218 Message: 228

Hey Glenn,

Sorry for the late response!, I blew out my right knee a few weeks ago and have been unable to sit in front of the PC for more than a couple of minutes the past 14 days (no room to keep my leg straight). Having a high pain tolerance has it's advantages and disadvantages. This time it caused more problems by walking on it normally until it didn't want to bend anymore... I couldn't even lift my leg off the ground to ride the motorcycle. Really sux being stuck at home...

Remote use of TrunkPCR may be an option in the future. Since I have the frame work already done, it wouldn't be too difficult. If you are thinking of allowing a user to listen to the trunking systems, it would require the use of a second sound card for now. One for use in decoding the Control Channel and the second for sending out the actual voice channel. Once I have my Audio Server code finished, it would only require one sound card using the Line-In. Left side for decode and Right side for Voice since the Line-In inputs are stereo.

Jay

----- Original Message -----
From: "Glenn Blum"

> Jay,
> Here is a Idea. Since you came out with pcr remote, how about the ability
to
> use trunk pcr like a server where as someone else with trunkpcr can hook
up
> with someone else over the internet and listen into that persons local
> activity???
> Btw the list of updates are looking great.
> Glenn

229. Re: [TrunkPCR] NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-26 02:58:24 UTC
From: Glenn Blum
Topic: 218 Message: 229

Cool.
Take care of your knee!
A few months ago I had my Carpul Tunnels opened up on both of my hands. It was a painfull experience untill I had the surgery. I can spell Vicodine! I works very good for the pain, and I dont abuse drugs!

Glenn
----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Tuesday, July 25, 2006 6:29 PM
Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS

> Hey Glenn,
>
> Sorry for the late response!, I blew out my right knee a few weeks ago and
> have been unable to sit in front of the PC for more than a couple of
> minutes
> the past 14 days (no room to keep my leg straight). Having a high pain
> tolerance has it's advantages and disadvantages. This time it caused more
> problems by walking on it normally until it didn't want to bend anymore...
> I
> couldn't even lift my leg off the ground to ride the motorcycle. Really
> sux
> being stuck at home...
>
> Remote use of TrunkPCR may be an option in the future. Since I have the
> frame work already done, it wouldn't be too difficult. If you are
> thinking
> of allowing a user to listen to the trunking systems, it would require
> the
> use of a second sound card for now. One for use in decoding the Control
> Channel and the second for sending out the actual voice channel. Once I
> have my Audio Server code finished, it would only require one sound card
> using the Line-In. Left side for decode and Right side for Voice since the
> Line-In inputs are stereo.
>
> Jay
>
> ----- Original Message -----
> From: "Glenn Blum"
>
>
>> Jay,
>> Here is a Idea. Since you came out with pcr remote, how about the ability

> to
>> use trunk pcr like a server where as someone else with trunkpcr can hook
> up
>> with someone else over the internet and listen into that persons local
>> activity???
>> Btw the list of updates are looking great.
>> Glenn
>
>

230. RE: [TrunkPCR] NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-26 15:55:41 UTC
From: Carlos Tomasio
Topic: 218 Message: 230

Hello, I have ICOM pcr-1000 but I don't undertant if works only with this receiver or I need other equipment.

Sorry my English is not Good.

Regards

Carlos Tomasio

De: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] En nombre de Glenn Blum
Enviado el: Tuesday, July 25, 2006 9:58 PM
Para: TrunkPCR@yahoogroups.com
Asunto: Re: [TrunkPCR] NEW DEVELOPEMENTS

Cool.
Take care of your knee!
A few months ago I had my Carpul Tunnels opened up on both of my hands. It was a painfull experience untill I had the surgery. I can spell Vicodine! I works very good for the pain, and I dont abuse drugs!

Glenn
----- Original Message -----
From: "Jay" <crazycalifornian@ <mailto:crazycalifornian%40hotmail.com> hotmail.com>
To: <TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com>
Sent: Tuesday, July 25, 2006 6:29 PM
Subject: Re: [TrunkPCR] NEW DEVELOPEMENTS

> Hey Glenn,
>
> Sorry for the late response!, I blew out my right knee a few weeks ago and
> have been unable to sit in front of the PC for more than a couple of
> minutes
> the past 14 days (no room to keep my leg straight). Having a high pain
> tolerance has it's advantages and disadvantages. This time it caused more
> problems by walking on it normally until it didn't want to bend anymore...

> I
> couldn't even lift my leg off the ground to ride the motorcycle. Really
> sux
> being stuck at home...
>
> Remote use of TrunkPCR may be an option in the future. Since I have the
> frame work already done, it wouldn't be too difficult. If you are

> thinking
> of allowing a user to listen to the trunking systems, it would require
> the
> use of a second sound card for now. One for use in decoding the Control
> Channel and the second for sending out the actual voice channel. Once I
> have my Audio Server code finished, it would only require one sound card
> using the Line-In. Left side for decode and Right side for Voice since the
> Line-In inputs are stereo.
>
> Jay
>
> ----- Original Message -----
> From: "Glenn Blum"
>
>
>> Jay,
>> Here is a Idea. Since you came out with pcr remote, how about the ability
> to
>> use trunk pcr like a server where as someone else with trunkpcr can hook
> up
>> with someone else over the internet and listen into that persons local
>> activity???
>> Btw the list of updates are looking great.
>> Glenn
>
>

231. Re: [TrunkPCR] NEW DEVELOPEMENTS

Yahoo group: TrunkPCR
Date: 2006-07-26 23:57:49 UTC
From: Jay
Topic: 218 Message: 231

Hi Carlos,

All you need to run TrunkPCR is an Icom PCR-100, PCR-1000, PCR-1500 or PCR-2500...
No other harware is required... (except a cable from the Packet connector to your Sound Card)

Regards,
Jay

----- Original Message -----
From: Carlos Tomasio

Hello, I have ICOM pcr-1000 but I don't undertant if works only with this receiver or I need other equipment.

Sorry my English is not Good.

Regards

Carlos Tomasio

232. trunkpcr added programming

Yahoo group: TrunkPCR
Date: 2006-08-01 02:34:52 UTC
From: Glenn Blum
Topic: 232 Message: 232

For the option under trunk id edit you are allowed to print or export a .csv file of information for trunk groups or radio id's. If you go and get a free program like cutepdf (www.cutepdf.com) you can click on the print option then when the window opens up for the printer then select cutepdf and now you can import the print file as a PDF file for viewing.

Just a little suggestion to make things better.

Glenn

233. Base Offset - UHF

Yahoo group: TrunkPCR
Date: 2006-08-06 19:56:10 UTC
From: fremont48
Topic: 233 Message: 233

Greetings
I have two Motorola UHF P25 systems that have two different base and offset sets. How do I enter both? Custom....Extended?

Regards

vince48

234. Re: [TrunkPCR] Base Offset - UHF

Yahoo group: TrunkPCR
Date: 2006-08-06 22:15:47 UTC
From: Jay
Topic: 233 Message: 234

Vince,

Could you send a link to the RadioReference page describing the systems you are refering to?

Thanks,
Jay

----- Original Message -----
>From: "fremont48"
> Greetings
> I have two Motorola UHF P25 systems that have two different base and
> offset sets. How do I enter both? Custom....Extended?
>
> Regards
>
> vince48

235. RE: [TrunkPCR] Base Offset - UHF

Yahoo group: TrunkPCR
Date: 2006-08-06 22:31:06 UTC
From: vince48
Topic: 233 Message: 235

Jay
http://www.radioreference.com/modules.php?name=RR&sid=1138
<http://www.radioreference.com/modules.php?name=RR&sid=1138>

http://www.radioreference.com/modules.php?name=RR&sid=1316
<http://www.radioreference.com/modules.php?name=RR&sid=1316>

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of
Jay
Sent: Sunday, August 06, 2006 2:16 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Base Offset - UHF

Vince,

Could you send a link to the RadioReference page describing the systems you
are refering to?

Thanks,
Jay

----- Original Message -----
>From: "fremont48"
> Greetings
> I have two Motorola UHF P25 systems that have two different base and
> offset sets. How do I enter both? Custom....Extended?
>
> Regards
>
> vince48

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.
Virus Database (VPS): 0631-3, 08/04/2006
Tested on: 8/6/2006 3:19:59 PM
avast! is copyright (c) 2000-2006 ALWIL Software.

236. Re: [TrunkPCR] Base Offset - UHF

Yahoo group: TrunkPCR
Date: 2006-08-06 22:55:06 UTC
From: Jay
Topic: 233 Message: 236

Ok, In these systems you would use the Extended Option.

For the San Mateo, County of (Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 559
488.0000 560 12.5 560 759

For the Marin, County of (MERA - Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 569
488.0000 570 12.5 570 759

Regards,
Jay

----- Original Message -----
From: vince48
Jay
http://www.radioreference.com/modules.php?name=RR&sid=1138

http://www.radioreference.com/modules.php?name=RR&sid=1316

-----Original Message-----
From: TrunkPCR@yahoogroups.com
Vince,

Could you send a link to the RadioReference page describing the systems you
are refering to?

Thanks,
Jay

----- Original Message -----
>From: "fremont48"
> Greetings
> I have two Motorola UHF P25 systems that have two different base and
> offset sets. How do I enter both? Custom....Extended?
>
> Regards
>
> vince48

237. RE: [TrunkPCR] Base Offset - UHF

Yahoo group: TrunkPCR
Date: 2006-08-06 23:00:11 UTC
From: vince48
Topic: 233 Message: 237

Jay
Thanks a bunch.

Vince48

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of
Jay
Sent: Sunday, August 06, 2006 2:55 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Base Offset - UHF

Ok, In these systems you would use the Extended Option.

For the San Mateo, County of (Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 559
488.0000 560 12.5 560 759

For the Marin, County of (MERA - Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 569
488.0000 570 12.5 570 759

Regards,
Jay

----- Original Message -----
From: vince48
Jay
http://www.radioreference.com/modules.php?name=RR&sid=1138
<http://www.radioreference.com/modules.php?name=RR&sid=1138>

http://www.radioreference.com/modules.php?name=RR&sid=1316
<http://www.radioreference.com/modules.php?name=RR&sid=1316>

-----Original Message-----
From: TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>
Vince,

Could you send a link to the RadioReference page describing the systems you
are refering to?

Thanks,
Jay

----- Original Message -----
>From: "fremont48"
> Greetings
> I have two Motorola UHF P25 systems that have two different base and
> offset sets. How do I enter both? Custom....Extended?
>
> Regards
>
> vince48

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.
Virus Database (VPS): 0631-3, 08/04/2006
Tested on: 8/6/2006 3:57:33 PM
avast! is copyright (c) 2000-2006 ALWIL Software.

238. RE: [TrunkPCR] Base Offset - UHF

Yahoo group: TrunkPCR
Date: 2006-08-08 23:16:30 UTC
From: vince48
Topic: 233 Message: 238

Jay
Tried the ?extended?, but no radio traffic after monitoring for half and
hour. Recovery rate is 100%? Maybe the software isn?t reading the P25 signal
from the PCR2500?

Vince48

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of
Jay
Sent: Sunday, August 06, 2006 2:55 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Base Offset - UHF

Ok, In these systems you would use the Extended Option.

For the San Mateo, County of (Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 559
488.0000 560 12.5 560 759

For the Marin, County of (MERA - Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 569
488.0000 570 12.5 570 759

Regards,
Jay

----- Original Message -----
From: vince48
Jay
http://www.radioreference.com/modules.php?name=RR&sid=1138
<http://www.radioreference.com/modules.php?name=RR&sid=1138>

http://www.radioreference.com/modules.php?name=RR&sid=1316
<http://www.radioreference.com/modules.php?name=RR&sid=1316>

-----Original Message-----
From: TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>
Vince,

Could you send a link to the RadioReference page describing the systems you
are refering to?

Thanks,
Jay

----- Original Message -----
>From: "fremont48"
> Greetings
> I have two Motorola UHF P25 systems that have two different base and
> offset sets. How do I enter both? Custom....Extended?
>
> Regards
>
> vince48

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.
Virus Database (VPS): 0631-3, 08/04/2006
Tested on: 8/6/2006 3:57:33 PM
avast! is copyright (c) 2000-2006 ALWIL Software.

239. Re: [TrunkPCR] Base Offset - UHF

Yahoo group: TrunkPCR
Date: 2006-08-09 04:39:16 UTC
From: Jay
Topic: 233 Message: 239

Hmm, ok...

Watch the Control Channel Activity, while looking at the LCN's / Frequency, make sure the frequencies matches that of the site you are monitoring. Refer to the two links you stated in your last email...

Example for the San Mateo site:
002 North Zone 482.01250 482.06250 482.31250* 488.22500 488.25000* 488.27500*

If the site you are moniotoring is Site#2, then all of the above freqs should be shown in the CC activity.

Please let me know what LCN's and frequencies TrunkPCR displays...

Thanks,
Jay

----- Original Message -----
From: vince48

Jay

Tried the "extended", but no radio traffic after monitoring for half and hour. Recovery rate is 100%? Maybe the software isn't reading the P25 signal from the PCR2500?

Vince48

-----Original Message-----
Ok, In these systems you would use the Extended Option.

For the San Mateo, County of (Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 559
488.0000 560 12.5 560 759

For the Marin, County of (MERA - Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 569
488.0000 570 12.5 570 759

Regards,
Jay

----- Original Message -----
From: vince48
Jay
http://www.radioreference.com/modules.php?name=RR&sid=1138

http://www.radioreference.com/modules.php?name=RR&sid=1316

240. RE: [TrunkPCR] Base Offset - UHF

Yahoo group: TrunkPCR
Date: 2006-08-10 00:38:28 UTC
From: vince48
Topic: 233 Message: 240

Jay
I just entered a conventional P25 frequency and the radio will not decode. I understand why I can?t decode San Mateo system at this point.

Vincent

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of Jay
Sent: Tuesday, August 08, 2006 8:39 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Base Offset - UHF

Hmm, ok...

Watch the Control Channel Activity, while looking at the LCN's / Frequency, make sure the frequencies matches that of the site you are monitoring.
Refer to the two links you stated in your last email...

Example for the San Mateo site:
002
North Zone
482.01250
482.06250
482.31250*
488.22500
488.25000*
488.27500*

If the site you are moniotoring is Site#2, then all of the above freqs should be shown in the CC activity.

Please let me know what LCN's and frequencies TrunkPCR displays...

Thanks,
Jay

----- Original Message -----
From: vince48 <mailto:vince48@...>

Jay
Tried the ?extended?, but no radio traffic after monitoring for half and hour. Recovery rate is 100%? Maybe the software isn?t reading the P25 signal from the PCR2500?

Vince48

-----Original Message-----
Ok, In these systems you would use the Extended Option.

For the San Mateo, County of (Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 559
488.0000 560 12.5 560 759

For the Marin, County of (MERA - Public Safety) system:

Base Freq: Offset: Step: LCN Low: LCN High:
482.0000 380 12.5 380 569
488.0000 570 12.5 570 759

Regards,
Jay

----- Original Message -----
From: vince48
Jay
http://www.radioreference.com/modules.php?name=RR&sid=1138
<http://www.radioreference.com/modules.php?name=RR&sid=1138>

http://www.radioreference.com/modules.php?name=RR&sid=1316
<http://www.radioreference.com/modules.php?name=RR&sid=1316>

---

avast! Antivirus <http://www.avast.com> : Inbound message clean.
Virus Database (VPS): 0632-0, 08/08/2006
Tested on: 8/9/2006 4:34:46 AM
avast! is copyright (c) 2000-2006 ALWIL Software.

241. separate squelch

Yahoo group: TrunkPCR
Date: 2006-08-11 10:01:15 UTC
From: marcocochet
Topic: 241 Message: 241

hi,

First of all congrats with your fine software, but i got to ask;
in talkpcr you got separate squelch (one squelch per frequentie) in
the frequentiebanks.
i liked this feature alot and want to ask if it is planned in one of
your future releases?
it looks to me if you can program such a peace of software, it is a
little effort to program this also ;-)
also i like to ask if there such thing as a ctcss and dcs tone search
capability.
maybe i looked over it , but if not is it planned to be included?

thanks in advance and keep up the good work,
Marco

242. Re: [TrunkPCR] separate squelch

Yahoo group: TrunkPCR
Date: 2006-08-12 04:43:05 UTC
From: Jay
Topic: 241 Message: 242

Hi Marco,

TrunkPCR does use a separate squelch & volume level for each channel.
If you click the "Master" Button beneath the Volume Knob so that it says
"Volume", then the separate levels are set for each channel. When set to
"Master", each channel uses the same Volume & Squelch for each channel...

CTCSS Tone Search hasn't been put in place yet! But will eventually :-)
DTCS option is in the works...

Regards,
Jay

----- Original Message -----
From: "marcocochet"

> hi,
>
> First of all congrats with your fine software, but i got to ask;
> in talkpcr you got separate squelch (one squelch per frequentie) in
> the frequentiebanks.
> i liked this feature alot and want to ask if it is planned in one of
> your future releases?
> it looks to me if you can program such a peace of software, it is a
> little effort to program this also ;-)
> also i like to ask if there such thing as a ctcss and dcs tone search
> capability.
> maybe i looked over it , but if not is it planned to be included?
>
> thanks in advance and keep up the good work,
> Marco

243. Re: separate squelch

Yahoo group: TrunkPCR
Date: 2006-08-12 13:10:23 UTC
From: marcocochet
Topic: 241 Message: 243

Hi Jay,

thanks for your reply.
i must have overlooked the squelch option.
it makes a already good program even nicer ;-)

greetings,

Marco

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Marco,
>
> TrunkPCR does use a separate squelch & volume level for each channel.
> If you click the "Master" Button beneath the Volume Knob so that it says
> "Volume", then the separate levels are set for each channel. When
set to
> "Master", each channel uses the same Volume & Squelch for each
channel...
>
> CTCSS Tone Search hasn't been put in place yet! But will eventually :-)
> DTCS option is in the works...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "marcocochet"
>
>
> > hi,
> >
> > First of all congrats with your fine software, but i got to ask;
> > in talkpcr you got separate squelch (one squelch per frequentie) in
> > the frequentiebanks.
> > i liked this feature alot and want to ask if it is planned in one of
> > your future releases?
> > it looks to me if you can program such a peace of software, it is a
> > little effort to program this also ;-)
> > also i like to ask if there such thing as a ctcss and dcs tone search
> > capability.
> > maybe i looked over it , but if not is it planned to be included?
> >
> > thanks in advance and keep up the good work,
> > Marco

>

244. control channel activity screen

Yahoo group: TrunkPCR
Date: 2006-08-23 02:06:25 UTC
From: Glenn Blum
Topic: 244 Message: 244

Under the control channel screen is a tab for pages.If I can recall this allows us to see any type of pages that are used on any systems that TRUNKPCR can recieve. The only trunk system in my area that I think that uses pages is our county wide (Bell County Texas) EDACS system. No I may be mistaken and please prove me wrong but when a fire department sends out a two tone "page" should this be displayed on that screen? Normally they send out a single tone burst for about 5 seconds then a two tone after that for the page for that group then a voice dispatch will come through.

Glenn
kd5dga
Nolanville,Texas

245. Re: [TrunkPCR] control channel activity screen

Yahoo group: TrunkPCR
Date: 2006-08-23 04:47:46 UTC
From: Jay
Topic: 244 Message: 245

Hi Glenn,

The only Page type of notification shown is in Motorola Trunking Systems.

TrunkPCR doesn't handle "Tone" pages from Fire Calls... That would require you to connect the Audio output (Ext. Spkr) of the PCR to the right side of the Line-In of your sound card. But since I don't have a DSP routine setup for strictly that, it's not currently possible...

In Edacs, there isn't any "Paging" codes given in the control channel data stream that I Know of. Which is why you don't see any pages...

Jay

----- Original Message -----
From: Glenn Blum

Under the control channel screen is a tab for pages.If I can recall this allows us to see any type of pages that are used on any systems that TRUNKPCR can recieve. The only trunk system in my area that I think that uses pages is our county wide (Bell County Texas) EDACS system. No I may be mistaken and please prove me wrong but when a fire department sends out a two tone "page" should this be displayed on that screen? Normally they send out a single tone burst for about 5 seconds then a two tone after that for the page for that group then a voice dispatch will come through.

Glenn
kd5dga
Nolanville,Texas

246. Runtime error 400

Yahoo group: TrunkPCR
Date: 2006-08-23 22:59:17 UTC
From: Robert D.
Topic: 246 Message: 246

Everything seems to be working great, then after about 5 minutes the program stops and gives a run time error 400. I've removed the program and relaoded with no luck in correcting the problem.

Does anyone know what the means and how to fix it.

Thanks in advance for the help.

jr"bob"dobbs

247. Re: [TrunkPCR] control channel activity screen

Yahoo group: TrunkPCR
Date: 2006-08-23 23:12:11 UTC
From: Glenn Blum
Topic: 244 Message: 247

Ok cool.
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, August 22, 2006 11:47 PM
Subject: Re: [TrunkPCR] control channel activity screen

Hi Glenn,

The only Page type of notification shown is in Motorola Trunking Systems.

TrunkPCR doesn't handle "Tone" pages from Fire Calls... That would require you to connect the Audio output (Ext. Spkr) of the PCR to the right side of the Line-In of your sound card. But since I don't have a DSP routine setup for strictly that, it's not currently possible...

In Edacs, there isn't any "Paging" codes given in the control channel data stream that I Know of. Which is why you don't see any pages...

Jay

----- Original Message -----
From: Glenn Blum

Under the control channel screen is a tab for pages.If I can recall this allows us to see any type of pages that are used on any systems that TRUNKPCR can recieve. The only trunk system in my area that I think that uses pages is our county wide (Bell County Texas) EDACS system. No I may be mistaken and please prove me wrong but when a fire department sends out a two tone "page" should this be displayed on that screen? Normally they send out a single tone burst for about 5 seconds then a two tone after that for the page for that group then a voice dispatch will come through.

Glenn
kd5dga
Nolanville,Texas

248. Re: [TrunkPCR] Runtime error 400

Yahoo group: TrunkPCR
Date: 2006-08-24 07:19:27 UTC
From: Jay
Topic: 246 Message: 248

Hey Bob,

Run time error 400 means "Form already displayed"
If the donation window is shown, then close it after it pops up. You can't just keep it in the background...
Otherwise, if you clicked a menu or button that resulted in displaying a certain window, say for example the Print Preview and you had another window open that allows you to display it, then if you tried to have the Print Preview window diplayed again from a different window, then that would cause the error...

Jay

----- Original Message -----
From: "Robert D."

> Everything seems to be working great, then after about 5 minutes the
> program stops and gives a run time error 400. I've removed the program
> and relaoded with no luck in correcting the problem.
>
> Does anyone know what the means and how to fix it.
>
> Thanks in advance for the help.
>
> jr"bob"dobbs

249. Re: Runtime error 400

Yahoo group: TrunkPCR
Date: 2006-08-24 10:51:48 UTC
From: Robert D.
Topic: 246 Message: 249

Jay,

Thanks for the info. I will check that out this afternoon....and
donate.

jr"bob"d

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Bob,
>
> Run time error 400 means "Form already displayed"
> If the donation window is shown, then close it after it pops up.
You can't
> just keep it in the background...
> Otherwise, if you clicked a menu or button that resulted in
displaying a
> certain window, say for example the Print Preview and you had
another window
> open that allows you to display it, then if you tried to have the
Print
> Preview window diplayed again from a different window, then that
would cause
> the error...
>
> Jay
>
> ----- Original Message -----
> From: "Robert D."
>
> > Everything seems to be working great, then after about 5 minutes
the
> > program stops and gives a run time error 400. I've removed the
program
> > and relaoded with no luck in correcting the problem.
> >
> > Does anyone know what the means and how to fix it.
> >
> > Thanks in advance for the help.
> >
> > jr"bob"dobbs
>

250. Trunk Editing (adding ID's)

Yahoo group: TrunkPCR
Date: 2006-08-27 15:01:12 UTC
From: n4kv
Topic: 250 Message: 250

I'm having trouble adding to my trunk group list. Everytime I try to add an ID (placing an DEC ID and selecting Add), I get a Microsoft error message saying that TrunkPCR needs to close and asking if I want to send a report. I can edit my trunk ID list without problem.

What am I doing wrong?

John N4KV
Ver 0.7.189

251. AUDIO SPECTRUM ANALYSER

Yahoo group: TrunkPCR
Date: 2006-08-27 23:44:56 UTC
From: Glenn Blum
Topic: 251 Message: 251

For some reason the Audio Spectrum Analyser isnt working.Is this happening everyone?

Glenn
kd5dga

252. Re: [TrunkPCR] Trunk Editing (adding ID's)

Yahoo group: TrunkPCR
Date: 2006-08-28 05:00:54 UTC
From: Jay
Topic: 250 Message: 252

Hey John,

Is the error caused after you enter any number or only a certain one?
Don't know if this will help, but try switching to Hex View, then back to
Decimal...

Jay

----- Original Message -----
> I'm having trouble adding to my trunk group list. Everytime I try to
> add an ID (placing an DEC ID and selecting Add), I get a Microsoft
> error message saying that TrunkPCR needs to close and asking if I want
> to send a report. I can edit my trunk ID list without problem.
>
> What am I doing wrong?
>
> John N4KV
> Ver 0.7.189

253. Re: Trunk Editing (adding ID's)

Yahoo group: TrunkPCR
Date: 2006-08-28 13:31:43 UTC
From: n4kv
Topic: 250 Message: 253

Jay,

Thanks for you thoughts... I figured it out late last night... after 50-100 trys... including switching from DEC to Hex views and back.

Problem: Program freezes when trying to add a trunk groups manually.

Here is the solution I found:

Under Trunk Settings- Make sure that "Save New ID's When" is set to "SEEN".

Now that I'm finally up and running with TrunkPCR and been manually building my banks with previously collected/known information, I do have a couple of suggestions... and would be happy to help in doing some of the work.

1. An instruction manual that:
A. Describes the functions/terms (i.e. profiles,banks, channel editing, trunk editing, trunk bands,etc.)
B. Different ways to use the flexibility of the program to Monitor signals (i.e. application ideas and how to use all the functionality).

2. A robust editor for manually building the profiles, banks, channels, and trunking information...

Jay, what you have here with this program is a very functional product which has gained an extended life with the new ICOM receivers that have been released. The unique "trunking" aspect offers a deliverable that is very attractive... especially for the "price". I have played with just about every scanner program out there and yours gives me the compact functionality that I really like!

Keep up the good work.... as time permits.

John N4KV

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey John,
>
> Is the error caused after you enter any number or only a certain one?
> Don't know if this will help, but try switching to Hex View, then back to
> Decimal...
>
> Jay
>

> ----- Original Message -----
> > I'm having trouble adding to my trunk group list. Everytime I try to
> > add an ID (placing an DEC ID and selecting Add), I get a Microsoft
> > error message saying that TrunkPCR needs to close and asking if I want
> > to send a report. I can edit my trunk ID list without problem.
> >
> > What am I doing wrong?
> >
> > John N4KV
> > Ver 0.7.189
>

254. Re: [TrunkPCR] Re: Trunk Editing (adding ID's)

Yahoo group: TrunkPCR
Date: 2006-08-29 04:38:20 UTC
From: Jay
Topic: 250 Message: 254

Hey John,

Well, I found the reason why it was crashing thanks to your checking :)
Fixed...

If you have the time and really want to help make a manual, that would be
great!
I've been lagging on that for some time now...

A robust editor huh? maybe in time...

Thanks again,
Jay

----- Original Message -----
>From: "n4kv"
> Jay,
>
> Thanks for you thoughts... I figured it out late last night... after
> 50-100 trys... including switching from DEC to Hex views and back.
>
> Problem: Program freezes when trying to add a trunk groups manually.
>
> Here is the solution I found:
>
> Under Trunk Settings- Make sure that "Save New ID's When" is set to
> "SEEN".
>
> Now that I'm finally up and running with TrunkPCR and been manually
> building my banks with previously collected/known information, I do
> have a couple of suggestions... and would be happy to help in doing
> some of the work.
>
> 1. An instruction manual that:
> A. Describes the functions/terms (i.e. profiles,banks, channel
> editing, trunk editing, trunk bands,etc.)
> B. Different ways to use the flexibility of the program to Monitor
> signals (i.e. application ideas and how to use all the functionality).
>
> 2. A robust editor for manually building the profiles, banks,
> channels, and trunking information...
>
> Jay, what you have here with this program is a very functional product
> which has gained an extended life with the new ICOM receivers that
> have been released. The unique "trunking" aspect offers a deliverable
> that is very attractive... especially for the "price". I have played

> with just about every scanner program out there and yours gives me the
> compact functionality that I really like!
>
> Keep up the good work.... as time permits.
>
> John N4KV

255. Re: [TrunkPCR] AUDIO SPECTRUM ANALYSER

Yahoo group: TrunkPCR
Date: 2006-08-31 11:25:11 UTC
From: Jay
Topic: 251 Message: 255

Hey Glenn,

How is it not working?
In normal operation or trunking? If you are trying to use it in trunking, then it won't work since the sound card is already in use...

Thanks,
Jay
----- Original Message -----
From: Glenn Blum

For some reason the Audio Spectrum Analyser isnt working.Is this happening everyone?

Glenn
kd5dga

256. tone decoder in trunking

Yahoo group: TrunkPCR
Date: 2006-09-02 01:03:37 UTC
From: Glenn Blum
Topic: 256 Message: 256

Jay,
Is there a way for the tone decoder to run while trunking?
I am not sure it is working.
This will aloow me to monitor the two tone burst that most of our fire departments use to page out.
Glenn

257. Re: [TrunkPCR] tone decoder in trunking

Yahoo group: TrunkPCR
Date: 2006-09-02 10:01:43 UTC
From: Jay
Topic: 256 Message: 257

Hey Glenn,

If you mean the Audio Spectrum Analyzer, then nope...
It requires access to the sound card like the trunking deoder and can not have joint access...
Maybe in the future I'll make use of the rihgt channel of the Line-In for features like that, but no time soon...

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Jay,
Is there a way for the tone decoder to run while trunking?
I am not sure it is working.
This will allow me to monitor the two tone burst that most of our fire departments use to page out.
Glenn

258. Remote use??

Yahoo group: TrunkPCR
Date: 2006-09-06 00:53:52 UTC
From: Mike
Topic: 258 Message: 258

I was wondering if anyone knows of a way I can remotely use my PCR1000.

The problem is my antenna is way upstairs and would be a pain to run the cable downstairs. I was hoping to have my PCR1000 connected to a computer upstairs. Than somehow through my network use my laptop to control my receiver and be able to hear it also from the laptop.

Any ideas,

Thanks in advance

Mike

259. Re: [TrunkPCR] Remote use??

Yahoo group: TrunkPCR
Date: 2006-09-06 06:05:16 UTC
From: Jay
Topic: 258 Message: 259

Hey Mike,

Have you seen PCR Remote:
http://members.cox.net/5150soft/PcrRemote/PcrRemote.html

It will allow you to control your PCR over your network, but doesn't do trunking...
To hear your radio live, I might suggest using a baby monitor or some other program that will stream the audio in real time. Shoutcast has a long delay time...

Regards,
Jay

----- Original Message -----
From: "Mike"
> I was wondering if anyone knows of a way I can remotely use my PCR1000.
>
> The problem is my antenna is way upstairs and would be a pain to run
> the cable downstairs. I was hoping to have my PCR1000 connected to a
> computer upstairs. Than somehow through my network use my laptop to
> control my receiver and be able to hear it also from the laptop.
>
> Any ideas,
>
> Thanks in advance
>
> Mike

260. Re: Remote use??

Yahoo group: TrunkPCR
Date: 2006-09-06 15:28:47 UTC
From: Mike
Topic: 258 Message: 260

Hi Jay,

Truck PCR is a great program. I was hoping to use it as my remote program. Do you see this possible in the near future?

Thanks for the info, I will have to look at Remote PCR for now.

Mike

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Mike,
>
> Have you seen PCR Remote:
> http://members.cox.net/5150soft/PcrRemote/PcrRemote.html
>
> It will allow you to control your PCR over your network, but doesn't do
> trunking...
> To hear your radio live, I might suggest using a baby monitor or some other
> program that will stream the audio in real time. Shoutcast has a long delay
> time...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "Mike"
> > I was wondering if anyone knows of a way I can remotely use my PCR1000.
> >
> > The problem is my antenna is way upstairs and would be a pain to run
> > the cable downstairs. I was hoping to have my PCR1000 connected to a
> > computer upstairs. Than somehow through my network use my laptop to
> > control my receiver and be able to hear it also from the laptop.
> >
> > Any ideas,
> >
> > Thanks in advance
> >
> > Mike

>

261. Re: Remote use??

Yahoo group: TrunkPCR
Date: 2006-09-06 16:43:27 UTC
From: Mike
Topic: 258 Message: 261

Jay,

I tried to load PCR remote but it says i dont have "smartsound quicktracks plugin" . I am not sure what this is. Any ideas?

Thanks
Mike

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Mike,
>
> Have you seen PCR Remote:
> http://members.cox.net/5150soft/PcrRemote/PcrRemote.html
>
> It will allow you to control your PCR over your network, but doesn't do
> trunking...
> To hear your radio live, I might suggest using a baby monitor or some other
> program that will stream the audio in real time. Shoutcast has a long delay
> time...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "Mike"
> > I was wondering if anyone knows of a way I can remotely use my PCR1000.
> >
> > The problem is my antenna is way upstairs and would be a pain to run
> > the cable downstairs. I was hoping to have my PCR1000 connected to a
> > computer upstairs. Than somehow through my network use my laptop to
> > control my receiver and be able to hear it also from the laptop.
> >
> > Any ideas,
> >
> > Thanks in advance
> >
> > Mike
>

262. RG-6 Cable

Yahoo group: TrunkPCR
Date: 2006-09-06 22:58:24 UTC
From: Mike
Topic: 262 Message: 262

Jay,

I said before I dont have cable running downstairs for my antenna. I do have an RG-6 cable run though. Do you know if thats ok to use with the PCR-1000? I hope so, that would work out good. I have a Discone antenna in the attic and right now I am using the receiver downstairs with the laptop and only have the antenna that came with the unit. Its not very good.

Thanks again
Mike

263. Re: [TrunkPCR] Re: Remote use??

Yahoo group: TrunkPCR
Date: 2006-09-07 00:32:26 UTC
From: Jay
Topic: 258 Message: 263

Hey Mike,

The "smartsound quicktracks plugin" isn't part of the PCR Remote program and isn't used with it... Searching Google, I found this link:
http://www.monkeyjob.com/FAQ/SmartSound-Quicktracks-Plugin-msi.htm

Another website gives this info:
The message you are receiving indicates that the Quicktracks plug-in was not completely installed and that Windows Installer believes there is still work it needs to complete. The message that pops-up when you run other programs is there as a reminder that the installation process is not complete.

For whatever reason this problem exists, the solution is the same. Download and install the Quicktracks updater. Once this file is on your computer, run the installer. It will complete the installation and fix the problem. You should no longer receive the message about the QuicktracksPlugin.msi.

Download & Install Quicktracks
< http://www.smartsound.com/support/updates.html >

Jay

----- Original Message -----
From: "Mike"
> Jay,
>
> I tried to load PCR remote but it says i dont have "smartsound
> quicktracks plugin" . I am not sure what this is. Any ideas?
>
> Thanks
> Mike

264. Re: [TrunkPCR] RG-6 Cable

Yahoo group: TrunkPCR
Date: 2006-09-07 00:36:20 UTC
From: Jay
Topic: 262 Message: 264

Hi Mike,
RG-6 is 75Ohm coax cable for installation of cable television, antenna, satellite and video systems. I wouldn't use it with the PCR since it requires 50 ohm cable...

Jay

----- Original Message -----
From: "Mike"

> Jay,
>
> I said before I dont have cable running downstairs for my antenna. I
> do have an RG-6 cable run though. Do you know if thats ok to use with
> the PCR-1000? I hope so, that would work out good. I have a Discone
> antenna in the attic and right now I am using the receiver downstairs
> with the laptop and only have the antenna that came with the unit. Its
> not very good.
>
> Thanks again
> Mike

265. Re: [Spam] [TrunkPCR] RG-6 Cable

Yahoo group: TrunkPCR
Date: 2006-09-07 00:49:49 UTC
From: Glenn Blum
Topic: 265 Message: 265

USE IT !
Whe it comes to recieving rg-6 isnt too bad but for your situation. RG-6 is low loss catv cable and the only difference is that the impedence is 75 ohm versus 50 ohm for rg8/rg58 cable.
I would make a patch cable with a BNC male on one end and a type F on the other for the antenna hook up and a pl-259 with cable adapter/sleeve for rg-6 to pl-259 this will allow you to use the thinner rg-6 cable with a standard pl-259.
Or...
Get the crimp on type pl-259 or mak up with adapters.

Glenn

----- Original Message -----
From: Mike
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, September 06, 2006 5:58 PM
Subject: [Spam] [TrunkPCR] RG-6 Cable

Jay,

I said before I dont have cable running downstairs for my antenna. I do have an RG-6 cable run though. Do you know if thats ok to use with the PCR-1000? I hope so, that would work out good. I have a Discone antenna in the attic and right now I am using the receiver downstairs with the laptop and only have the antenna that came with the unit. Its not very good.

Thanks again
Mike

266. Re: [TrunkPCR] Re: Remote use??

Yahoo group: TrunkPCR
Date: 2006-09-07 00:54:20 UTC
From: mike r
Topic: 258 Message: 266

Jay

It seem to be only UPDATES. It is looking for an original install. I cant seem to find a stand alone install..

Hey Mike,

The "smartsound quicktracks plugin" isn't part of the PCR Remote program and isn't used with it... Searching Google, I found this link:
http://www.monkeyjob.com/FAQ/SmartSound-Quicktracks-Plugin-msi.htm

Another website gives this info:
The message you are receiving indicates that the Quicktracks plug-in was not completely installed and that Windows Installer believes there is still work it needs to complete. The message that pops-up when you run other programs is there as a reminder that the installation process is not complete.

For whatever reason this problem exists, the solution is the same. Download and install the Quicktracks updater. Once this file is on your computer, run the installer. It will complete the installation and fix the problem. You should no longer receive the message about the QuicktracksPlugin.msi.

Download & Install Quicktracks
< http://www.smartsound.com/support/updates.html >

Jay

----- Original Message -----
From: "Mike"
> Jay,
>
> I tried to load PCR remote but it says i dont have "smartsound
> quicktracks plugin" . I am not sure what this is. Any ideas?
>
> Thanks
> Mike

267. Bonito software?

Yahoo group: TrunkPCR
Date: 2006-09-06 16:27:15 UTC
From: Doc
Topic: 267 Message: 267

Hhhhmmmmm, , ,

At only 112 bucks, this software should be like magic. . . .

Ebay number 250024842080

Doc.
==========

268. Re: [Spam] [TrunkPCR] Bonito software?

Yahoo group: TrunkPCR
Date: 2006-09-07 01:14:04 UTC
From: Glenn Blum
Topic: 268 Message: 268

Bonito Radiocom 4.5 is a good program but running on windows XP is a different story. Now you have to understand it is NOT a scanning program and mainly designed for HF frequencies. It is great for recieving HF weather fax, Slow Scan TV,PSK31 and CW. It has a great but very powerfull DSP inbeded into the program so you have to be carefull when making DSP related changes.
My copy was included with my PCR1000 three years ago.

Glenn
kd5dga

----- Original Message -----
From: Doc
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, September 06, 2006 11:27 AM
Subject: [Spam] [TrunkPCR] Bonito software?

Hhhhmmmmm, , ,

At only 112 bucks, this software should be like magic. . . .

Ebay number 250024842080

Doc.
==========

269. Re: [Spam] [TrunkPCR] RG-6 Cable

Yahoo group: TrunkPCR
Date: 2006-09-07 01:37:28 UTC
From: Jay
Topic: 265 Message: 269

Yep, I agree...
I first read it as 750 Ohm, not 75 Ohm...

Jay
----- Original Message -----
From: Glenn Blum

USE IT !
Whe it comes to recieving rg-6 isnt too bad but for your situation. RG-6 is low loss catv cable and the only difference is that the impedence is 75 ohm versus 50 ohm for rg8/rg58 cable.
I would make a patch cable with a BNC male on one end and a type F on the other for the antenna hook up and a pl-259 with cable adapter/sleeve for rg-6 to pl-259 this will allow you to use the thinner rg-6 cable with a standard pl-259.
Or...
Get the crimp on type pl-259 or mak up with adapters.

Glenn

----- Original Message -----
From: Mike
Jay,

I said before I dont have cable running downstairs for my antenna. I do have an RG-6 cable run though. Do you know if thats ok to use with the PCR-1000? I hope so, that would work out good. I have a Discone antenna in the attic and right now I am using the receiver downstairs with the laptop and only have the antenna that came with the unit. Its not very good.

Thanks again
Mike

270. Re: [Spam] [TrunkPCR] RG-6 Cable

Yahoo group: TrunkPCR
Date: 2006-09-07 01:53:44 UTC
From: mike r
Topic: 265 Message: 270

Hey,

Seems to be working ok and the reciever is not getting hot or anything. I have the coax form the Discone and made some connectors to connect to the RG-6 down to my living room. Seems ok so far. Alot better reception than the antenna that came with the receiver..

Thanks

Mike

Yep, I agree...

I first read it as 750 Ohm, not 75 Ohm...

Jay

----- Original Message -----

From: Glenn Blum

USE IT !

Whe it comes to recieving rg-6 isnt too bad but for your situation. RG-6 is low loss catv cable and the only difference is that the impedence is 75 ohm versus 50 ohm for rg8/rg58 cable.

I would make a patch cable with a BNC male on one end and a type F on the other for the antenna hook up and a pl-259 with cable adapter/sleeve for rg-6 to pl-259 this will allow you to use the thinner rg-6 cable with a standard pl-259.

Or...

Get the crimp on type pl-259 or mak up with adapters.

Glenn

----- Original Message -----

From: Mike

Jay,

I said before I dont have cable running downstairs for my antenna. I do have an RG-6 cable run though. Do you know if thats ok to use with the PCR-1000? I hope so, that would work out good. I have a Discone antenna in the attic and right now I am using the receiver downstairs with the laptop and only have the antenna that came with the unit. Its not very good.

Thanks again
Mike

271. Finding new trucked systems?

Yahoo group: TrunkPCR
Date: 2006-09-07 22:36:32 UTC
From: Mike
Topic: 271 Message: 271

I was wondering how people find these frequencies that form a trunked group. I can see you you could scan and find the one channel that has the tones, but how do you find all the others that belong to that group?

Figliano

272. Encrypted

Yahoo group: TrunkPCR
Date: 2006-09-08 15:46:21 UTC
From: Mike
Topic: 272 Message: 272

I have a trunked police group but it comes up in the diplay in orange
DES ENCRYPTED. IS there any way to listen to (hack) this?

Thanks

Mike

273. Encrypted

Yahoo group: TrunkPCR
Date: 2006-09-08 15:46:20 UTC
From: Mike
Topic: 272 Message: 273

I have a trunked police group but it comes up in the diplay in orange
DES ENCRYPTED. IS there any way to listen to (hack) this?

Thanks

Mike

274. Re: [TrunkPCR] Encrypted

Yahoo group: TrunkPCR
Date: 2006-09-08 16:36:18 UTC
From: Doc
Topic: 272 Message: 274

DES basically means Digital Encryption, therefore it is not possible to "hack" it.
Other encryption systems, such as voice inversion, are more vulnerable, but digital is not possible to decrepit.

Doc
==========

Mike wrote:

> I have a trunked police group but it comes up in the diplay in orange
> DES ENCRYPTED. IS there any way to listen to (hack) this?
>
> Thanks
>
> Mike
>
>

275. Re: [TrunkPCR] Finding new trucked systems?

Yahoo group: TrunkPCR
Date: 2006-09-08 23:14:51 UTC
From: Jay
Topic: 271 Message: 275

Clicking "Trunking Information" under the help menu will take you to radioreference.com. From there check out their database for the country yuou live in. They might have what you are looking for..

Jay

----- Original Message -----
From: "Mike"
> I was wondering how people find these frequencies that form a trunked
> group. I can see you you could scan and find the one channel that has
> the tones, but how do you find all the others that belong to that
> group?
>
>
> Figliano

276. Re: [TrunkPCR] Encrypted

Yahoo group: TrunkPCR
Date: 2006-09-08 23:19:39 UTC
From: Jay
Topic: 272 Message: 276

Nope... That is Digital Encryption of the audio and is beyond the capabilities of the program. If TrunkPCR could decode it, I'd be selling the program for $1000.00 :)

Jay

----- Original Message -----
From: "Mike"
> I have a trunked police group but it comes up in the diplay in orange
> DES ENCRYPTED. IS there any way to listen to (hack) this?
>
> Thanks
>
> Mike

277. Re: [TrunkPCR] Finding new trucked systems?

Yahoo group: TrunkPCR
Date: 2006-09-08 23:22:32 UTC
From: mike r
Topic: 271 Message: 277

Thanks,

I have seen that site, but I was wondering how they came up with the banks of frequencies. Say I come across a unknown TONE channel. How do I figure out all the other channels for that group..

Mike

Clicking "Trunking Information" under the help menu will take you to
radioreference.com. From there check out their database for the country
yuou live in. They might have what you are looking for..

Jay

----- Original Message -----
From: "Mike"
> I was wondering how people find these frequencies that form a trunked
> group. I can see you you could scan and find the one channel that has
> the tones, but how do you find all the others that belong to that
> group?
>
>
> Figliano

278. Re: [TrunkPCR] Finding new trucked systems?

Yahoo group: TrunkPCR
Date: 2006-09-09 00:57:00 UTC
From: Jay
Topic: 271 Message: 278

For Motorola systems, after clicking the Trunk Button, click the Control Button. This will bring up the Control Channel Activity screen, after a few minutes you should see in the left column the LCN and the frequency associated to it. You can then enter these new channels in your scan bank.

If you are monitoring an Edacs system, you will see the LCN's, but no frequency. In this case you would have to use a second scanner to find the associated frequency by hand...

Jay
----- Original Message -----
From: mike r
Thanks,

I have seen that site, but I was wondering how they came up with the banks of frequencies. Say I come across a unknown TONE channel. How do I figure out all the other channels for that group..

Mike

279. Re: [Spam] [TrunkPCR] Finding new trucked systems?

Yahoo group: TrunkPCR
Date: 2006-09-09 01:14:24 UTC
From: Glenn Blum
Topic: 279 Message: 279

Here is my way.
If you find a Motorola then the program gives you the correct frequencies and order.
Now under EDACS if you find a Control channel then allow the program to aquire the channel sow a LCN which will be blank.The go do a FCC frequency search in you area for the control channel frequency only. There you will find a site then you can see all the regestered frequencies for that site but they are usually not in the logical order. Now you can go by trial and error by plugging those frequencis in.
Before I forget also check www.radioreference .com for any information in your area. It may be possible that someone has already discovered this and you may not have to figure it out.

Glenn

----- Original Message -----
From: Mike
To: TrunkPCR@yahoogroups.com
Sent: Thursday, September 07, 2006 5:36 PM
Subject: [Spam] [TrunkPCR] Finding new trucked systems?

I was wondering how people find these frequencies that form a trunked group. I can see you you could scan and find the one channel that has the tones, but how do you find all the others that belong to that group?

Figliano

280. Re: [TrunkPCR] Encrypted

Yahoo group: TrunkPCR
Date: 2006-09-09 02:19:14 UTC
From: mike r
Topic: 272 Message: 280

Jay,

I see these new scanners that will receive digital stuff. I would guess that most of these would be encrypted. What do you think? What can you actually hear on the digital stuff?

I have a PCR-1000, do you know if there is a way to get higher frequencies on this with some other device connetect to it, or is it cheaper in the long run to just upgrade?

I had my scanner in a box for about a year and I decide to get it out and hook it back up. I am getting into it again. This program of yours is great. I get to hear all the local polics and stuff now.

Thanks for all you work on this.

Mike

Nope... That is Digital Encryption of the audio and is beyond the
capabilities of the program. If TrunkPCR could decode it, I'd be selling
the program for $1000.00 :)

Jay

----- Original Message -----
From: "Mike"
> I have a trunked police group but it comes up in the diplay in orange
> DES ENCRYPTED. IS there any way to listen to (hack) this?
>
> Thanks
>
> Mike

281. Re: [Spam] [TrunkPCR] Finding new trucked systems?

Yahoo group: TrunkPCR
Date: 2006-09-09 02:37:21 UTC
From: mike r
Topic: 279 Message: 281

Hey Glenn,

Thanks for the info. I am in Canada, Do you know where theer might be a frequency list here. I went to radioreference but cant find it. You have to pay on that site to do a search. I have scrolled through cities near me but no lick.

It is and EDACS control channel. 866.0750

I am in Ontario.

I will keep looking :)

Thanks again

Mike

Here is my way.

If you find a Motorola then the program gives you the correct frequencies and order.

Now under EDACS if you find a Control channel then allow the program to aquire the channel sow a LCN which will be blank.The go do a FCC frequency search in you area for the control channel frequency only. There you will find a site then you can see all the regestered frequencies for that site but they are usually not in the logical order. Now you can go by trial and error by plugging those frequencis in.

Before I forget also check www.radioreference (http://www.radioreference/) .com for any information in your area. It may be possible that someone has already discovered this and you may not have to figure it out.

Glenn

----- Original Message -----

From: Mike

To: TrunkPCR@yahoogroups.com

Sent: Thursday, September 07, 2006 5:36 PM

Subject: [Spam] [TrunkPCR] Finding new trucked systems?

I was wondering how people find these frequencies that form a trunked group. I can see you you could scan and find the one channel that has the tones, but how do you find all the others that belong to that group?

Figliano

282. Re: [TrunkPCR] Finding new trucked systems?

Yahoo group: TrunkPCR
Date: 2006-09-09 03:15:25 UTC
From: JRGraves
Topic: 271 Message: 282

Mike,
Just go to http://www.radioreference.com and click on RR Database.
You can then go to "Select Another Country" and click on Canada.
You can do all of this without paying anything.
Hopefully this will be of some help to you.
Jim G.
Augusta, GA

----- Original Message -----
From: mike r
To: TrunkPCR@yahoogroups.com
Sent: Friday, September 08, 2006 10:37 PM
Subject: Re: [Spam] [TrunkPCR] Finding new trucked systems?

Hey Glenn,

Thanks for the info. I am in Canada, Do you know where theer might be a frequency list here. I went to radioreference but cant find it. You have to pay on that site to do a search. I have scrolled through cities near me but no lick.

It is and EDACS control channel. 866.0750

I am in Ontario.

I will keep looking :)

Thanks again

Mike

283. TrunkPCR version 0.8.200 Now Available

Yahoo group: TrunkPCR
Date: 2006-09-23 03:32:16 UTC
From: Jay
Topic: 283 Message: 283

TrunkPCR version 0.8.200 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

I've been testing this new version using a PCR-2500 that has been graciously loaned from Vincent Battle... P25 Card support is still undergoing and I need your feedback to fix any kinks. To activate P25 decoding, you will have to click the FSK Mode button. It will change to P25 instead.
All of your active Control Channels will need to changed to P25, other channels will need to be changed to FM...
Any old channels that were set to FSK will have to be changed to FM and "Stored", otherwise you will get strange results when listening...

This update fixes a few bugs and has a few changes:

May 04,2006 - Added: Channel Selector using a List Display - 1 Click Tune.
May 07,2006 - Fixed: Group/Radio ID Descriptions now updated on main window.
May 08,2006 - -----: Group/Radio ID Descriptions can now be Clicked ONCE to edit.
May 09,2006 - Fixed: Multiple Displays of Frequency in CC Activity, if LCN=0.
May 09,2006 - Added: List of System Pages in CC Activity.
May 09,2006 - Added: List of User Status Updates in CC Activity.
May 09,2006 - Added: Audio Spectrum Display.
May 10,2006 - Fixed: Control List display in CC activity when Afiliation Reset Clicked.
May 12,2006 - Added: 6 Watch Group Lists in CC Activity, Set in Trunk Settings.
May 12,2006 - Fixed: Logging Buttons in Dump Display if 'Dump.Log' NOT Opened.
May 12,2006 - Fixed: Logging Buttons in Misc Display if 'Misc.Log' NOT Opened.
May 13,2006 - Added: Time Stamps to Dump and Misc Log Files.
May 18,2006 - Added: KeepAlive Function. Default was ON in Previous Versions.
May 18,2006 - Added: Raise DTR Function. Default was ON in Previous Versions.
May 21,2006 - Fixed: Dual Receiver mode in Edacs.
May 21,2006 - -----: Edacs LCN 26 to 31 Report Messages. No longer used as active channels.
May 21,2006 - Fixed: Updating Stored Freqs when Channel Editor Saved.
May 22,2006 - -----: Increased Max Groups and Radios Again.
May 22,2006 - -----: Increased Max Banks and Channels for $50 donations.
May 23,2006 - Added: Direct Entry of Frequency after using any knobs or menus.

May 30,2006 - Fixed: External Speaker Selection for PCR-100 when pluged-in or out.
June 04,2006 - Fixed: COM Status Display when Spectrum Sweep Enabled/Disabled.
June 08,2006 - Added: Decoding Wave Files for Moto/Edacs Trunking Systems.
June 15,2006 - Added: Block Data Calls in Edacs.
June 20,2006 - Fixed: I-Call Reporting in Edacs.
June 22,2006 - Added: ESK Selection in Edacs.
June 23,2006 - Fixed: Edacs Dotting was set to Zero when Trunk Settings loaded.
June 24,2006 - Fixed: Scanning in Conventional Mode when ScanBank Count = Zero.
June 29,2006 - Fixed: Menus Enabled/Disabled when Sweep Spectrum Selected/Deselected.
June 29,2006 - Added: 7.5 khz Step Frequency...
July 14,2006 - Added: MPT-1327 Trunking Support. (Minimal at this time)
Aug 18,2006 - -----: PCR Type Setting now Automatic. Menu Removed...
Aug 18,2006 - Added: More Support for PCR-1500/2500...
Aug 24,2006 - Added: Searching Tone for CTCSS & DTCS Tone Squelch...
Aug 26,2006 - Fixed: Saving SoundCard Settings.
Aug 26,2006 - Added: Select SoundCard Settings From Trunk Settings.
Aug 28,2006 - Fixed: Saving Group Watch Settings.
Aug 28,2006 - Fixed: Adding a New GroupID from TrunkID Editor.
Aug 31,2006 - Fixed: Entering a Frequency above 2ghz from keypad.
Sept 05,2006 - Added: Locking Out a channel during Scanning now Resumes Scanning.
Sept 13,2006 - Added: Follow Active Frequencies in BandScope. (Double-Click sets Watch Level)
Sept 19,2006 - Added: Duplex Offset Frequency for each Scan Bank.
Sept 21,2006 - Added: Duplex +/- Offset Buttons control frequency look-up.
Version 0.8.200 Released 09/22/2006

A new option in the BandScope will allow you to follow the active freqs according to the signal level. Double-click on either side bandscope when there is black area or the center bar. A Red line will appear indicating the watch level. This is turned on in the BandScope Menu...

MPT1327 Support is limited at this time... I'll need some input from users who have this system in their area to complete this trunking scheme...

Regards,
Jay

284. Australian user

Yahoo group: TrunkPCR
Date: 2006-10-01 22:01:31 UTC
From: dr500s
Topic: 284 Message: 284

I am in country South Australia and have not been able to get any results with the program. Was wondering if there are any other South Australian users who may be having some success who could possibly point me in the right direction ??? Thanks.

285. Re: [TrunkPCR] Australian user

Yahoo group: TrunkPCR
Date: 2006-10-03 06:10:00 UTC
From: Jay
Topic: 284 Message: 285

What is it that's not working right?
Is it a trunking problem?

If you can give some details on that, I'm sure we can figure it out :)

Thanks,
Jay

----- Original Message -----
From: "dr500s"
> I am in country South Australia and have not been able to get any
> results with the program. Was wondering if there are any other South
> Australian users who may be having some success who could possibly
> point me in the right direction ??? Thanks.

286. TrunkPCR version 0.81.201 Now Available

Yahoo group: TrunkPCR
Date: 2006-10-06 01:38:39 UTC
From: Jay
Topic: 286 Message: 286

TrunkPCR version 0.81.201 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

Sept 28,2006 - -----: Duplex Center selected when Channel Option
Selected if duplex wasn't centered.
Sept 28,2006 - Fixed: Squelch operation if O'Scope Enabled.
Oct 02,2006 - Fixed: Scanning in Dual Rcvr if No Banks selected for
Scan.
Oct 03,2006 - -----: Changed 3khz Filter caption to 2.8khz (Actual
Filter).
Oct 03,2006 - Added: Weather Alert Functions for PCR-1500/2500.
Oct 05,2006 - Fixed: Selection of FM/P25 Mode Setting for PCR-
1500/2500.
Version 0.81.201 Released 10/05/2006

Regards,
Jay

287. Re: Australian user

Yahoo group: TrunkPCR
Date: 2006-10-07 06:35:41 UTC
From: dr500s
Topic: 284 Message: 287

Hi thanks for answering, I have the connections as per the help file and in the 60 - 70% of 1s however the recovery rate always remains at 0% When I go to the normal PCR1000 software I can hear voice messages on the channels I am using so they are definitely active however when I go back to TrunkPCR I always get the same negative results. Any help or advice would be greatly appreciated. Thank you.

288. Re: Australian user

Yahoo group: TrunkPCR
Date: 2006-10-07 23:04:18 UTC
From: Jay
Topic: 284 Message: 288

With 60-70% 1's, you must have alot of distortion or are on a voice channel. With the propper settings you would see 45-55% 1's.
Are you starting out on an active control channel frequency?

If you look in the RadioReference database:
http://www.radioreference.com/modules.php?name=RR
What system are you trying to monitor???

If it's MPT-1327, then that part is still in the works and won't follow conversations yet...
Otherwise, the problem is somewhere in the settings...

Let me know what system you are trying to monitor and we'll go from there...

Jay

--- In TrunkPCR@yahoogroups.com, "dr500s" <dr500s@...> wrote:
>
> Hi thanks for answering, I have the connections as per the help file
> and in the 60 - 70% of 1s however the recovery rate always remains at
> 0% When I go to the normal PCR1000 software I can hear voice messages
> on the channels I am using so they are definitely active however when
> I go back to TrunkPCR I always get the same negative results. Any
> help or advice would be greatly appreciated. Thank you.
>

289. Re: Australian user

Yahoo group: TrunkPCR
Date: 2006-10-07 23:42:02 UTC
From: dr500s
Topic: 284 Message: 289

Your very fisst sentence sums it up I think !!! I have been monitoring only the voice channels as I thought they would be the ones where it was all happening. I am in Port Augusta South Australia and am trying to monitor the South Australian Government Radio Network (SAGRN) I have a list of frequencies usen here http://users.sa.chariot.net.au/~mattb/scan/pt-augusta.txt , would the data channel be the correct one to use? Thank you very much for the help, I finally feel I may be getting somewhere with it. ... Sam.

290. Re: [TrunkPCR] Re: Australian user

Yahoo group: TrunkPCR
Date: 2006-10-08 09:49:23 UTC
From: Jay
Topic: 284 Message: 290

Hi Sam,

In the Trunk Settings, Select Motorola for your system type. Under Motorola Options Click "Custom"... You can close this window now...
Under the Trunk Menu, click "Edit Freq Plan", this will bring up the Custom Freq Plan Editor.
You will need to enter the following info:
Base Freq: Offset: Step:
412.4750 380 12.5

Close the Freq Plan Editor...
Set the channel where 413.0875 is stored, click trunk and you should be ok...

Regards,
Jay

----- Original Message -----
From: "dr500s"
> Your very fisst sentence sums it up I think !!! I have been
> monitoring only the voice channels as I thought they would be the ones
> where it was all happening. I am in Port Augusta South Australia and
> am trying to monitor the South Australian Government Radio Network
> (SAGRN) I have a list of frequencies usen here
> http://users.sa.chariot.net.au/~mattb/scan/pt-augusta.txt , would the
> data channel be the correct one to use? Thank you very much for the
> help, I finally feel I may be getting somewhere with it. ... Sam.

291. Re: Bonito software?

Yahoo group: TrunkPCR
Date: 2006-10-09 20:56:29 UTC
From: Stuart Pinkney
Topic: 267 Message: 291

--- In TrunkPCR@yahoogroups.com, Doc <drpepper5@...> wrote:
>
> Hhhhmmmmm, , ,
>
> At only 112 bucks, this software should be like magic. . . .
>
> Ebay number 250024842080
>
> Doc.
> ==========
>

Hi I've just joined the group and going over some of the back dated mail, a few years ago now I bought an Icom pcr1000 and it came with the Bonito software, I don't know when this stopped but you don't get it any more. It is a cracking piece of software though.

Regards
Stuart

292. Re: Australian user

Yahoo group: TrunkPCR
Date: 2006-10-10 11:11:23 UTC
From: dr500s
Topic: 284 Message: 292

Thanks very much for your patience and halp Jay, We have finally got it working, it has found some groups and some radios and I have heard some voice transmissions, will have some more time after work tomorrow to play around with it again getting used to it. Once again Thank You very much. Regards .... Sam.

293. Modified Configuration Set-Up With Creative Sound Blaster Audigy Sound Card

Yahoo group: TrunkPCR
Date: 2006-10-24 17:10:50 UTC
From: pidxr
Topic: 293 Message: 293

OK, it is time for me to weigh in on TrunkPCR and to pass along some information that might help someone else who has the same sound card that I use. Note that a Motorola Type II Smartzone trunking system is used here in the Seattle/Tacoma area.

First, let me say that once mastered, TrunkPCR is easy to use and functionally works great. There are still many hidden features that I continue to discover on a daily basis. The trick is to experiment. That being said, the program can be difficult to first understand and set up for a particular system. I would probably still be fussing with it without some very specific and useful help from Jay and I thank him very much.

I use an Icom PCR1500. Please note that the TrunkPCR Help page references setting the software to FSK with a 15kHz IF bandwidth. This software setting is not functional on the PCR1500 radio and no setting is necessary for the FSK output on this radio.

I use a Creative SoundBlaster Audigy (SBA) SB1394 sound card. I connected the FSK port on the back of the radio to the "Line-In" connection on the sound card. This worked much better than using the Mic input on the sound card (the Mic connection generated noise). Now here is the trick. The TrunkPCR Help page states to "mute" the "Line-In" device on the Play Control mixer of the sound card. This probably works fine for most sound cards but the SBA does not mute the "Line-In", rather it shuts it off. Here is a modified procedure for the SBA sound card:

1. Pull up the sound card mixer panel by clicking on the Creative SBA mixer icon or the small speaker in your system tray. Make sure the "Line-In" is unchecked.

2. Now go to the "options" tab at the top left of the mixer panel. Click options, click properties, click recording, and click the box for Analog Mix (Line/CD/Aux/TAD/PC).

3. You will now have a single mixer panel to view. Click the "Select" box. This will mute the Control channel input. Use this level control on the single mixer panel to adjust the recovery (mine is just off the lowest bottom setting).

4. If the recovery is low (~30% to ~50%), even at high level settings, reduce the "Sampling Rate" in the TrunkPCR "Trunk" option using the settings tab (note: this pertains the Motorola trunk system option. I don't have any experience with the others trunk

system types).

5. Reduce the "Sampling Rate to the next lowest value. In my case, I had to use a 22050 sampling rate.

Everything works great with these modifications. Hopefully, this will help someone out there.

Thanks Jay for a great piece of software!

Leigh
Mercer Island, WA

294. TrunkPcr 0.81.201

Yahoo group: TrunkPCR
Date: 2006-10-29 20:21:56 UTC
From: Alec Leamas
Topic: 294 Message: 294

Can't say enough to the fellow who put's all the time & effort into
this great pgm.

That's the good part. The bad?...I run Win XP-Pro (pentium 4) & when
I run TrunkPCR, without any other pgm's running, it seem's somewhat
stable.However if I try to do much of anything else the p/c locks
up.And I don't mean a *soft* lockup either.The only way to get back
control is to hit the reset button on p/c which is not a good thing to do.

I have not run TrunkPCR in conventional mode much at all so can't say
if it would be as unstable as it is via trunk mode.When running the
pgm does what its supposed to do & that's fine with me.

I know the pgm is a work in progress & I'll be updating whenever a
release is available.

Again...thank's for the pgm.

Alec
--
wash dc , usa

295. Re: [TrunkPCR] TrunkPcr 0.81.201

Yahoo group: TrunkPCR
Date: 2006-10-30 08:37:11 UTC
From: Jay
Topic: 294 Message: 295

HI Alec,

Have you tried 0.81.203??? It's on the homepage...
How many other programs are running down in your system tray? If you have too many running in the background that might contribute to it...

Which PCR-Radio are you running? If it's a 100 or 1000 and you're using a USB-to-Serial adapter, it could be the fault of it's driver... My Belkin F5U409 doesn't like one HP test machine, but works great on the other two (XP Pro).

Please give us a few more details on what your running... What brand of PC, type of sound-card (internal/external) and what brand...

It may not be the fault of TrunkPCR, but could be what's in your system...

Does TrunkPCR give *Any* sort of error before your pc locks up???

Have you tried any of the compatibility modes in XP? (Right click on TrunkPCR.exe)

Thanks,
Jay

----- Original Message -----
From: Alec Leamas

Can't say enough to the fellow who put's all the time & effort into this great pgm.

That's the good part. The bad?...I run Win XP-Pro (pentium 4) & when I run TrunkPCR, without any other pgm's running, it seem's somewhat stable.However if I try to do much of anything else the p/c locks up.And I don't mean a *soft* lockup either.The only way to get back control is to hit the reset button on p/c which is not a good thing to do.

I have not run TrunkPCR in conventional mode much at all so can't say if it would be as unstable as it is via trunk mode.When running the pgm does what its supposed to do & that's fine with me.

I know the pgm is a work in progress & I'll be updating whenever a release is available.

Again...thank's for the pgm.

Alec
--
wash dc , usa

296. Re: TrunkPcr 0.81.201

Yahoo group: TrunkPCR
Date: 2006-10-30 13:59:35 UTC
From: Alec Leamas
Topic: 294 Message: 296

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> HI Alec,
>
> Have you tried 0.81.203??? It's on the homepage...

You know I'm not exactly sure where/how I came upon the ***.201 version number I posted but it's wrong. I'm running version .203 (exe dated 10/16/06).

> How many other programs are running down in your system tray? If
>you have
> too many running in the background that might contribute to it...

Other than my virus/firewall stuff about the only other pgm I've running in the background is a small time correction deal.

> Which PCR-Radio are you running? If it's a 100 or 1000 and you're
using a
> USB-to-Serial adapter, it could be the fault of it's driver...

I have a pcr1000 that has the regular 'ol serial cable to my com-2 port.

> Please give us a few more details on what your running... What
brand of PC,
> type of sound-card (internal/external) and what brand...

I have a *home-built* machine with a Gigabyte 8IHXP mb & a P4 cpu , embedded sound & a MSI Nvidia GForce4 TI 4200 for sight.

> It may not be the fault of TrunkPCR, but could be what's in your
>system...

That's always the case. No matter the pgm. Anytime a pgm is added to the mix there's an effect.

It seem's whenever TrunkPCR locks up the machine I usually get the do-you-want-to-send-MS-this-error-report (or the like) notice.

Now I know this "report" has quite abit of jargon way beyond my know how & I'd love to be able to send it to you.But the problem with that is that's the last thing I get before the machine locks up.Even if I did want to send MS the info , which I never do , I could not as nothing works.I have to do a hard reset to get the p/c back to use.

I have not tried any of the "compatibility modes" as yet.To tell you the truth its been quite some time since I've had to go to that extreme.I'll give it a go to see if it helps.

Thanks for the info.

Al

>
> ----- Original Message -----
> From: Alec Leamas
>
> Can't say enough to the fellow who put's all the time & effort into this
> great pgm.
>
> That's the good part. The bad?...I run Win XP-Pro (pentium 4) & when
> I run TrunkPCR, without any other pgm's running, it seem's somewhat
> stable.However if I try to do much of anything else the p/c locks
> up.And I don't mean a *soft* lockup either.The only way to get back
> control is to hit the reset button on p/c which is not a good thing
to do.
>
> I have not run TrunkPCR in conventional mode much at all so can't say
> if it would be as unstable as it is via trunk mode.When running the
> pgm does what its supposed to do & that's fine with me.
>
> I know the pgm is a work in progress & I'll be updating whenever a
> release is available.
>
> Again...thank's for the pgm.
>
> Alec
> --
> wash dc , usa
>

297. PCR EPROM Backup

Yahoo group: TrunkPCR
Date: 2006-10-30 17:02:43 UTC
From: pidxr
Topic: 297 Message: 297

The TrunkPCR help page shows a EEPROM backup screen that apparently writes the PCR EPROM data to a file called EeBackUp.dat.

Question: How does this utility get accessed within TrunkPCR and does it work on the PCR1500 radio?

If not, where can I find such a utility that is OK for the PCR1500?

Thanks

Leigh

298. Re: [TrunkPCR] PCR EPROM Backup

Yahoo group: TrunkPCR
Date: 2006-10-30 21:16:58 UTC
From: Jay
Topic: 297 Message: 298

Hey Leigh,

The PCR-1500 and PCR-2500 do not support the same EEprom Backup protocol as
the PCR-1000/100.. When I figure out how, I'll add that support...
We may have to wait till Icom releases one...

Regards,
Jay

----- Original Message -----
From: pidxr

The TrunkPCR help page shows a EEPROM backup screen that apparently
writes the PCR EPROM data to a file called EeBackUp.dat.

Question: How does this utility get accessed within TrunkPCR and does
it work on the PCR1500 radio?

If not, where can I find such a utility that is OK for the PCR1500?

Thanks

Leigh

299. Re: [TrunkPCR] Re: TrunkPcr 0.81.201

Yahoo group: TrunkPCR
Date: 2006-10-30 21:37:31 UTC
From: Jay
Topic: 294 Message: 299

Hmmmm, this is a new problem...
Are you monitoing a Motorola or Edacs system?
Do you have the Control Channel Activity window open when this happens?
Does this problem happen when in Scanning, Searhing or tracking?
Are you doing anything with the program just before the problem?
Does it happen after a certain ammount of time has passed?

Thanks,
Jay

----- Original Message -----
>From: Alec Leamas
>
>I have a pcr1000 that has the regular 'ol serial cable to my com-2 port.
>I have a *home-built* machine with a Gigabyte 8IHXP mb & a P4 cpu ,
>embedded sound & a MSI Nvidia GForce4 TI 4200 for sight.
>
>I have not tried any of the "compatibility modes" as yet.To tell you
>the truth its been quite some time since I've had to go to that
>extreme.I'll give it a go to see if it helps.
>
>Thanks for the info.
>
>Al

300. Re: TrunkPcr 0.81.201

Yahoo group: TrunkPCR
Date: 2006-10-31 14:12:09 UTC
From: Alec Leamas
Topic: 294 Message: 300

"Jay" wrote:
>
> Hmmmm, this is a new problem...
> Are you monitoing a Motorola or Edacs system?

Motorola

> Do you have the Control Channel Activity window open when this >happens?

Nope

> Does this problem happen when in Scanning, Searhing or tracking?
> Are you doing anything with the program just before the problem?
> Does it happen after a certain ammount of time has passed?

It locks up whenever I start multitasking. If TrunkPCR is running by itself (trunk mode), scanning-searching etc, then all is fairly stable. It's when I try to do anything else is when the problem presents. That's why it was frustrating. It wasn't when I tried to do one particular thing, like starting the web browser or Windows explorer, when the p/c locked up. It varied in the length of time, or pgm's started, between lockups.

To tell you the truth I removed the pgm yesterday. I just hated having to do a hard reset to get the machine working again.

I did not think you would be as responsive as you've been & figured I'd just wait until a more stable version was released.
I'll reinstall the pgm & take better notes on any problems that may occur.

Al

> ----- Original Message -----
> >From: Alec Leamas
> >
> >I have a pcr1000 that has the regular 'ol serial cable to my com-2 port.
> >I have a *home-built* machine with a Gigabyte 8IHXP mb & a P4 cpu ,
> >embedded sound & a MSI Nvidia GForce4 TI 4200 for sight.
> >
> >I have not tried any of the "compatibility modes" as yet.To tell you
> >the truth its been quite some time since I've had to go to that
> >extreme.I'll give it a go to see if it helps.
> >
> >Thanks for the info.
> >

```
> >Al
>
```

301. Re: Modified Configuration Set-Up With Creative Sound Blaster Audigy Sound Card

Yahoo group: TrunkPCR
Date: 2006-11-01 02:23:41 UTC
From: pidxr
Topic: 293 Message: 301

One more thing I discovered with this SBA sound card setup. Even though the data output from the PCR1500 is connected to the Line-In on the sound card, the Mic input must be muted for everything to work properly.

One other trick is to run the "Restore Defaults" SBA utility if you are still having problems. Some programs that access the sound card can leave things in strange configurations...this is probably true of other sound cards as well.

Happy Trunking

Leigh
Mercer Island, WA

302. Re: [TrunkPCR] Digest Number 115

Yahoo group: TrunkPCR
Date: 2006-11-01 18:32:15 UTC
From: G. Lofstead
Topic: 302 Message: 302

Hummmm..... How much memory do you have and how much SWAP is allocated??
Insufficient swap can cause this problem too. Usually it will tell you too many programs running other time just crash...

Jerry

>
> From: TrunkPCR@yahoogroups.com
> Date: 2006/11/01 Wed AM 09:49:38 EST
> To: TrunkPCR@yahoogroups.com
> Subject: [TrunkPCR] Digest Number 115
>
> There are 2 messages in this issue.
>
> Topics in this digest:
>
> 1. Re: TrunkPcr 0.81.201
> From: Alec Leamas
>
> 2. Re: Modified Configuration Set-Up With Creative Sound Blaster Audig
> From: pidxr
>
>
> Messages
> _____
>
> 1. Re: TrunkPcr 0.81.201
> Posted by: "Alec Leamas" red3lemas@... al_leamas
> Date: Tue Oct 31, 2006 6:19 am (PST)
>
> "Jay" wrote:
> >
> > Hmmmm, this is a new problem...
> > Are you monitoing a Motorola or Edacs system?
>
> Motorola
>
> > Do you have the Control Channel Activity window open when this >happens?
>
> Nope
>
> > Does this problem happen when in Scanning, Searhing or tracking?
> > Are you doing anything with the program just before the problem?
> > Does it happen after a certain ammount of time has passed?
>

> It locks up whenever I start multitasking. If TrunkPCR is running by
> itself (trunk mode), scanning-searching etc, then all is fairly
> stable. It's when I try to do anything else is when the problem
> presents. That's why it was frustrating. It wasn't when I tried to do
> one particular thing, like starting the web browser or Windows
> explorer, when the p/c locked up. It varied in the length of time, or
> pgm's started, between lockups.
>
> To tell you the truth I removed the pgm yesterday. I just hated
> having to do a hard reset to get the machine working again.
>
> I did not think you would be as responsive as you've been & figured
> I'd just wait until a more stable version was released.
> I'll reinstall the pgm & take better notes on any problems that may
> occur.
>
> Al

303. PCR2500 Yahoo Group

Yahoo group: TrunkPCR
Date: 2006-11-09 18:33:50 UTC
From: Dave
Topic: 303 Message: 303

The PCR2500 Yahoo Group has reached over 400 members in just a few short months. You all are invited to join - all are welcome.

Remember to leave a quick note in the box as to why you want to join, something regarding the group or your affinity to the PCR2500.

http://groups.yahoo.com/group/PCR2500/
http://groups.yahoo.com/group/PCR2500/join?

304. using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-10 00:42:36 UTC
From: inssomnia2k
Topic: 304 Message: 304

Hi all

Im trying to use this program for the first time, and Im getting lost.

Following the online help:

"1). Enter all known Control Channel Frequencies of a Trunk System in a Scan Bank. If your system is a Motorola VHF or UHF or Edacs, then Enter ALL Known Frequencies and their associated LCN (Code) using the Frequency Plan Editor."

There is no "VHF" to select. The "Edit Freq Plan" is always greyed out. I dont know where to enter the LCN information, nor where to even get that information, radioreference doesn't seem to list them for each frequency.

http://www.radioreference.com/modules.php?name=RR&sid=861
Just for reference, Im trying to trunk track the above system.

Im gathering how this works is that (on a 2500) that the sub tuner will tune the control channel, therefore I use the packet 2 output into the sound card, .. Then trunkPCR will tune the primary tuner (the one with the P25 capabilities) to the frequency required depending on the groups you want to scan. No?

Basically, I need a "trunkPCR for Dummies" I get great 100% decode from the control channel, but it does nothing but "searching" all the time.

305. Re: [TrunkPCR] using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-10 01:28:25 UTC
From: Jay
Topic: 304 Message: 305

Hi Dave,

In the Trunk Settings, you'll need to click the Extended button in the Motorola Options, close this window.
Now click on the Freq Plan Editor under the Trunk Menu. Enter this info:

Base Offset Step LCN Low LCN High
141.015 380 15.0 380 578
151.7300 579 15.0 579 631
154.3200 632 15.0 632 759

Make sure the three entries have their checkbox checked and the rest un-checked...

Your thoughts about the 2500 operation are correct..

This should get you up and trunking, if not, let us know...

Regards,
Jay

----- Original Message -----
From: inssomnia2k

Hi all

Im trying to use this program for the first time, and Im getting lost.

Following the online help:

"1). Enter all known Control Channel Frequencies of a Trunk System in a Scan Bank. If your system is a Motorola VHF or UHF or Edacs, then Enter ALL Known Frequencies and their associated LCN (Code) using the Frequency Plan Editor."

There is no "VHF" to select. The "Edit Freq Plan" is always greyed out. I dont know where to enter the LCN information, nor where to even get that information, radioreference doesn't seem to list them for each frequency.

http://www.radioreference.com/modules.php?name=RR&sid=861
Just for reference, Im trying to trunk track the above system.

Im gathering how this works is that (on a 2500) that the sub tuner will tune the control channel, therefore I use the packet 2 output into the sound card, .. Then trunkPCR will tune the primary tuner (the one with the P25 capabilities) to the frequency required depending on the groups you want to scan. No?

Basically, I need a "trunkPCR for Dummies" I get great 100% decode from the control channel, but it does nothing but "searching" all the time.

306. Re: using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-10 03:25:09 UTC
From: inssomnia2k
Topic: 304 Message: 306

Thanks for the reply, that worked well.

Is there an "auto" for the modulation? Im always having to hit p25
after I start trunking. I added all 8 channels for my site (cayuga),
and set them as P25 if they were, and stored them, but if the channel
I was last on was an FM channel for example the control channel, that
it tries to tune all found trunk frequencies in FM as well, resulting
in noise :(

Thx!

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Dave,
>
> In the Trunk Settings, you'll need to click the Extended button in the
> Motorola Options, close this window.
> Now click on the Freq Plan Editor under the Trunk Menu. Enter this info:
>
> Base Offset Step LCN Low LCN High
> 141.015 380 15.0 380 578
> 151.7300 579 15.0 579 631
> 154.3200 632 15.0 632 759
>
> Make sure the three entries have their checkbox checked and the rest
> un-checked...
>
> Your thoughts about the 2500 operation are correct..
>
> This should get you up and trunking, if not, let us know...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: inssomnia2k
>
> Hi all
>
> Im trying to use this program for the first time, and Im getting lost.
>
> Following the online help:
>
> "1). Enter all known Control Channel Frequencies of a Trunk System in
> a Scan Bank. If your system is a Motorola VHF or UHF or Edacs, then

> Enter ALL Known Frequencies and their associated LCN (Code) using the
> Frequency Plan Editor."
>
> There is no "VHF" to select. The "Edit Freq Plan" is always greyed
> out. I dont know where to enter the LCN information, nor where to
> even get that information, radioreference doesn't seem to list them
> for each frequency.
>
> http://www.radioreference.com/modules.php?name=RR&sid=861
> Just for reference, Im trying to trunk track the above system.
>
> Im gathering how this works is that (on a 2500) that the sub tuner
> will tune the control channel, therefore I use the packet 2 output
> into the sound card, .. Then trunkPCR will tune the primary tuner
> (the one with the P25 capabilities) to the frequency required
> depending on the groups you want to scan. No?
>
> Basically, I need a "trunkPCR for Dummies" I get great 100% decode
> from the control channel, but it does nothing but "searching" all the
> time.
>

307. Re: using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-10 03:46:41 UTC
From: inssomnia2k
Topic: 304 Message: 307

Actually I should have worded it better, its a mixed analog/digital
trunk system, so I cant get both at the same time, unless Im missing
the "auto" option somewhere?

--- In TrunkPCR@yahoogroups.com, "inssomnia2k" <dave@...> wrote:
>
>
> Thanks for the reply, that worked well.
>
> Is there an "auto" for the modulation? Im always having to hit p25
> after I start trunking. I added all 8 channels for my site (cayuga),
> and set them as P25 if they were, and stored them, but if the channel
> I was last on was an FM channel for example the control channel, that
> it tries to tune all found trunk frequencies in FM as well, resulting
> in noise :(
>
> Thx!
>
>
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> >
> > Hi Dave,
> >
> > In the Trunk Settings, you'll need to click the Extended button in the
> > Motorola Options, close this window.
> > Now click on the Freq Plan Editor under the Trunk Menu. Enter this
info:
> >
> > Base Offset Step LCN Low LCN High
> > 141.015 380 15.0 380 578
> > 151.7300 579 15.0 579 631
> > 154.3200 632 15.0 632 759
> >
> > Make sure the three entries have their checkbox checked and the rest
> > un-checked...
> >
> > Your thoughts about the 2500 operation are correct..
> >
> > This should get you up and trunking, if not, let us know...
> >
> > Regards,
> > Jay
> >
> >

> > ----- Original Message -----
> > From: inssomnia2k
> >
> > Hi all
> >
> > Im trying to use this program for the first time, and Im getting lost.
> >
> > Following the online help:
> >
> > "1). Enter all known Control Channel Frequencies of a Trunk System in
> > a Scan Bank. If your system is a Motorola VHF or UHF or Edacs, then
> > Enter ALL Known Frequencies and their associated LCN (Code) using the
> > Frequency Plan Editor."
> >
> > There is no "VHF" to select. The "Edit Freq Plan" is always greyed
> > out. I dont know where to enter the LCN information, nor where to
> > even get that information, radioreference doesn't seem to list them
> > for each frequency.
> >
> > http://www.radioreference.com/modules.php?name=RR&sid=861
> > Just for reference, Im trying to trunk track the above system.
> >
> > Im gathering how this works is that (on a 2500) that the sub tuner
> > will tune the control channel, therefore I use the packet 2 output
> > into the sound card, .. Then trunkPCR will tune the primary tuner
> > (the one with the P25 capabilities) to the frequency required
> > depending on the groups you want to scan. No?
> >
> > Basically, I need a "trunkPCR for Dummies" I get great 100% decode
> > from the control channel, but it does nothing but "searching" all the
> > time.
> >
>

308. Re: [TrunkPCR] Re: using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-10 04:04:46 UTC
From: Jay
Topic: 304 Message: 308

Ok, one problem solved :)

Is the control channel in the bank set to P25 or FM when you first set that channel?
To keep it saved, set the channel number to the control channel (Not trunking yet), then click the P25 Mode button and click "Store" beneath the keypad to save this channel setting...

This will keep the Main Receiver tuned to P25.

Regards,
Jay

----- Original Message -----
From: inssomnia2k

Thanks for the reply, that worked well.

Is there an "auto" for the modulation? Im always having to hit p25 after I start trunking. I added all 8 channels for my site (cayuga), and set them as P25 if they were, and stored them, but if the channel I was last on was an FM channel for example the control channel, that it tries to tune all found trunk frequencies in FM as well, resulting in noise :(

Thx!

309. Re: using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-10 04:19:39 UTC
From: inssomnia2k
Topic: 304 Message: 309

OK that worked, for keeping a frequency on P25, but my problem is the
same frequencies are also used for analog on different talkgroups, and
I dont know if its a limitation of the radio or some setting I missed?

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Ok, one problem solved :)
>
> Is the control channel in the bank set to P25 or FM when you first
set that
> channel?
> To keep it saved, set the channel number to the control channel (Not
> trunking yet), then click the P25 Mode button and click "Store"
beneath the
> keypad to save this channel setting...
>
> This will keep the Main Receiver tuned to P25.
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: inssomnia2k
>
> Thanks for the reply, that worked well.
>
> Is there an "auto" for the modulation? Im always having to hit p25
> after I start trunking. I added all 8 channels for my site (cayuga),
> and set them as P25 if they were, and stored them, but if the channel
> I was last on was an FM channel for example the control channel, that
> it tries to tune all found trunk frequencies in FM as well, resulting
> in noise :(
>
> Thx!
>

310. Re: [TrunkPCR] Re: using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-10 04:30:25 UTC
From: Jay
Topic: 304 Message: 310

Ok, I see what you mean. If the mode is set to P25, then it will only allow digital calls to be heard and when it tries to listen to an analog call in P25 mode, it sounds bad???

Hmmm, I thought the P25 "Auto" option in the 2500 settings did this...

Thanks for the info,
Jay

----- Original Message -----
From: inssomnia2k

Actually I should have worded it better, its a mixed analog/digital trunk system, so I cant get both at the same time, unless Im missing the "auto" option somewhere?

311. Re: using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-10 04:41:33 UTC
From: inssomnia2k
Topic: 304 Message: 311

Yes exactly, if I click P25 I ONLY hear P25, and analog is muted, if I click on FM, then I hear ONLY analog channels, and the P25 transmissions are just digital noise.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Ok, I see what you mean. If the mode is set to P25, then it will only allow
> digital calls to be heard and when it tries to listen to an analog call in
> P25 mode, it sounds bad???
>
> Hmmm, I thought the P25 "Auto" option in the 2500 settings did this...
>
> Thanks for the info,
> Jay
>
> ----- Original Message -----
> From: inssomnia2k
>
> Actually I should have worded it better, its a mixed analog/digital
> trunk system, so I cant get both at the same time, unless Im missing
> the "auto" option somewhere?
>

312. TrunkPCR with AOR's ARD25 P-25 Decoder

Yahoo group: TrunkPCR
Date: 2006-11-10 04:59:43 UTC
From: pbigelbach
Topic: 312 Message: 312

I run TrunkPCR with my PCR1000 using an old scanner with a discriminator mod to tune the control channels. The system I monitor is huge (1517 talkgroups and still counting), and it is mixed with analog and P-25 digital audio.

With the dual receiver setup I have been very happy priority scanning only the analog traffic. But now with AOR's ARD25 P-25 decoder TrunkPCR sings!

The ARD25 is designed for 10.7Mhz IF input from the receiver which the PCR1000 does not have so the ARD25 has to be modified to accept the packet output of the PCR1000.

Besides having to cut one of the legs of a surface mount IC and soldering a fine wire in a small platted through hole for a connection point, I had to build a circuit to increase the DC voltage of the packet output of the PCR1000 to match the voltage inside the ARD25.

This was no simple task, but now I must say I am a very happy camper.

I have not seen a digital scanner on the market that has the same capabilities TrunkPCR provides! Thanks Jay for such a cool tool!

BTW the audio of the P-25 is very good with the exception of occasional R2D2 like chirps when it jumps into the middle of a P-25 transmission.

-=Patrick=-

313. Re: [TrunkPCR] TrunkPCR with AOR's ARD25 P-25 Decoder

Yahoo group: TrunkPCR
Date: 2006-11-10 13:17:47 UTC
From: Glenn Blum
Topic: 312 Message: 313

I agree, TrunkPcr is the best program for trunking.I had ran UniTrunker along side of trunkpcr and trunkpcr provided better functuality and the information was the same.
I have to admit your set-up looks like a challenge. There is NO P-25 in my area. 99% of the public service communications is EDACS. I was very happy when Jay had added the EDACS support.

Glenn
----- Original Message -----
From: pbigelbach
To: TrunkPCR@yahoogroups.com
Sent: Thursday, November 09, 2006 10:59 PM
Subject: [TrunkPCR] TrunkPCR with AOR's ARD25 P-25 Decoder

I run TrunkPCR with my PCR1000 using an old scanner with a discriminator mod to tune the control channels. The system I monitor is huge (1517 talkgroups and still counting), and it is mixed with analog and P-25 digital audio.

With the dual receiver setup I have been very happy priority scanning only the analog traffic. But now with AOR's ARD25 P-25 decoder TrunkPCR sings!

The ARD25 is designed for 10.7Mhz IF input from the receiver which the PCR1000 does not have so the ARD25 has to be modified to accept the packet output of the PCR1000.

Besides having to cut one of the legs of a surface mount IC and soldering a fine wire in a small platted through hole for a connection point, I had to build a circuit to increase the DC voltage of the packet output of the PCR1000 to match the voltage inside the ARD25.

This was no simple task, but now I must say I am a very happy camper.

I have not seen a digital scanner on the market that has the same capabilities TrunkPCR provides! Thanks Jay for such a cool tool!

BTW the audio of the P-25 is very good with the exception of occasional R2D2 like chirps when it jumps into the middle of a P-25 transmission.

-=Patrick=-

314. osceola bank

Yahoo group: TrunkPCR
Date: 2006-11-10 23:05:27 UTC
From: magnetus26
Topic: 314 Message: 314

Hi all
im new to trunking does ne1 has a bank file backup for osceola and orange county on fl???
TIA
att
miguel

315. Web page access/control of PCR?

Yahoo group: TrunkPCR
Date: 2006-11-10 23:40:28 UTC
From: Mike
Topic: 315 Message: 315

Jay,

This program is great. I was wondering if there was anyway to set something up on my webpage for others to use. I have brothers out of town and they would like to hear the local police I pick up. I know how to stream it but I was hoping to have a webpage that they could actually see the program and contol my radio. I would like to listen to my station when I am at work too. Is this possible with your program or do you know of any other programs out there that will do this. Also info on how to do it.

Thanks Jay..

Mike

316. Difference between the "scan" and search" start modes in the trunk settings menu

Yahoo group: TrunkPCR
Date: 2006-11-11 00:15:05 UTC
From: inssomnia2k
Topic: 316 Message: 316

I thought I understood this as similar to a uniden 396/996 scanner, as "scan" would only scan for programmed group ID's, while search would find new groups, but it seems that "scan" never tracks my programmed ID's.

Did I miss something?

317. Re: [TrunkPCR] Re: using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-11 00:26:23 UTC
From: Jay
Topic: 304 Message: 317

Ok, I'll have a fix for that, but only if the "Allow Listening of Continuation Calls" is un-checked...
Since I do know when a call is placed and it's either Astro or Analog, I can make a change for that. With the "Allow Continuation Calls" un-checked, you will not be able to listen to calls that are in mid transmission, Only "New" Calls...

This change will be in the next release...

Regards,
Jay

----- Original Message -----
From: inssomnia2k

OK that worked, for keeping a frequency on P25, but my problem is the same frequencies are also used for analog on different talkgroups, and I dont know if its a limitation of the radio or some setting I missed?

318. Re: using trunkPCR For the first time.

Yahoo group: TrunkPCR
Date: 2006-11-11 00:58:59 UTC
From: inssomnia2k
Topic: 304 Message: 318

Thats awesome. :)

Thx

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Ok, I'll have a fix for that, but only if the "Allow Listening of
> Continuation Calls" is un-checked...
> Since I do know when a call is placed and it's either Astro or
Analog, I can
> make a change for that. With the "Allow Continuation Calls"
un-checked, you
> will not be able to listen to calls that are in mid transmission, Only
> "New" Calls...
>
> This change will be in the next release...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: inssomnia2k
>
> OK that worked, for keeping a frequency on P25, but my problem is the
> same frequencies are also used for analog on different talkgroups, and
> I dont know if its a limitation of the radio or some setting I missed?
>

319. Re: Difference between the "scan" and search" start modes in the trunk settings

Yahoo group: TrunkPCR
Date: 2006-11-11 01:06:20 UTC
From: inssomnia2k
Topic: 316 Message: 319

I figured it out, you have to select "scan" in the trunk edit menu :)

--- In TrunkPCR@yahoogroups.com, "inssomnia2k" <dave@...> wrote:
>
>
> I thought I understood this as similar to a uniden 396/996 scanner, as
> "scan" would only scan for programmed group ID's, while search would
> find new groups, but it seems that "scan" never tracks my programmed
ID's.
>
>
> Did I miss something?
>

320. Re: [TrunkPCR] Re: Difference between the "scan" and search" start modes in the trunk settings

Yahoo group: TrunkPCR
Date: 2006-11-11 03:37:22 UTC
From: Jay
Topic: 316 Message: 320

Yep, in order to have Trunk Groups "Scanned" you have to click the "Memory Button" Once while listening to a group so that the "Mem" text appears. You can also set this in the Trunk ID Editor for each Group...

Scan mode will only allow Groups to be heard that have the "Memory" flag set.
Search mode will let you listen for all Groups...

Regards,
Jay

----- Original Message -----
From: inssomnia2k

I figured it out, you have to select "scan" in the trunk edit menu :)

--- In TrunkPCR@yahoogroups.com, "inssomnia2k" <dave@...> wrote:
>
> I thought I understood this as similar to a uniden 396/996 scanner, as
> "scan" would only scan for programmed group ID's, while search would
> find new groups, but it seems that "scan" never tracks my programmed
ID's.
>
> Did I miss something?

321. Silence.

Yahoo group: TrunkPCR
Date: 2006-11-11 13:51:32 UTC
From: jack_q_dog
Topic: 321 Message: 321

Well I'm stumped. I've got a 2500 that I can listen to just fine in the Icom software -- via either speaker or USB audio. When trying to get TrunkPCR to work I can't hear a thing. I've got trunking working just fine (I think) as I can listen to my control cahnnel via line in, I've got a 100% recovery rate, and I can see talk groups. I just don't hear any audio. As a simple test, I've tried tuning to a local radio station -- same thing. Meter in TrunkPCR shows signal, yet I hear nothing. Mute is not on. Any thoughts?

322. Re: [TrunkPCR] Difference between the "scan" and search" start modes in the trunk settings menu

Yahoo group: TrunkPCR
Date: 2006-11-11 16:13:45 UTC
From: Glenn Blum
Topic: 316 Message: 322

From my experience it is good to allow Trunkpcr to search for a day or two then once you have compiled a list of trunk groups and users then select the ones you want to trunk then allow the program to scan those groups. Trunkpcr is constantly adding trunk groups while you are scanning but they will not be heard unless you select them to be heard.Usually it takes a while to find every trunk group that the system you are wanting to scan.
TrunkPcr did open a world that a scanner like the 396/996 didnt offer, especially to the information TRUNKPCR can offer.
Glenn
----- Original Message -----
From: inssomnia2k
To: TrunkPCR@yahoogroups.com
Sent: Friday, November 10, 2006 6:15 PM
Subject: [TrunkPCR] Difference between the "scan" and search" start modes in the trunk settings menu

I thought I understood this as similar to a uniden 396/996 scanner, as
"scan" would only scan for programmed group ID's, while search would
find new groups, but it seems that "scan" never tracks my programmed ID's.

Did I miss something?

323. Re: [TrunkPCR] Silence.

Yahoo group: TrunkPCR
Date: 2006-11-11 16:36:38 UTC
From: Glenn Blum
Topic: 321 Message: 323

Try hooking up a external speaker to the audio out.
----- Original Message -----
From: jack_q_dog
To: TrunkPCR@yahoogroups.com
Sent: Saturday, November 11, 2006 7:51 AM
Subject: [TrunkPCR] Silence.

Well I'm stumped. I've got a 2500 that I can listen to just fine in the Icom software -- via either speaker or USB audio. When trying to get TrunkPCR to work I can't hear a thing. I've got trunking working just fine (I think) as I can listen to my control cahnnel via line in, I've got a 100% recovery rate, and I can see talk groups. I just don't hear any audio. As a simple test, I've tried tuning to a local radio station -- same thing. Meter in TrunkPCR shows signal, yet I hear nothing. Mute is not on. Any thoughts?

324. Packet or External PCR1500

Yahoo group: TrunkPCR
Date: 2006-11-11 17:17:27 UTC
From: goldyjc
Topic: 324 Message: 324

I am a newbie on trunking, and i would like to know a tutorial/manual so as to extract the digital information from my ICOM PCR1500.

It uses USB Audio codec, but reading the site, i notice that i must use the Packet connector or the external speaker line to my soundcard?.

Any help will be appreciate.

Droopy

325. Re: [TrunkPCR] Silence.

Yahoo group: TrunkPCR
Date: 2006-11-11 21:01:32 UTC
From: Jay
Topic: 321 Message: 325

One thing that comes to mind would be your sound card settings from the control panel.
In the Multimedia Properties, change the Preferred Device to your sound card and make sure the "Use preferred devices only" is checked...

You could also check your Volume properties (Mixer Control) by double clicking on the speaker icon in the system tray...

Regards,
Jay

----- Original Message -----
From: jack_q_dog

Well I'm stumped. I've got a 2500 that I can listen to just fine in the Icom software -- via either speaker or USB audio. When trying to get TrunkPCR to work I can't hear a thing. I've got trunking working just fine (I think) as I can listen to my control cahnnel via line in, I've got a 100% recovery rate, and I can see talk groups. I just don't hear any audio. As a simple test, I've tried tuning to a local radio station -- same thing. Meter in TrunkPCR shows signal, yet I hear nothing. Mute is not on. Any thoughts?

326. Re: [TrunkPCR] Packet or External PCR1500

Yahoo group: TrunkPCR
Date: 2006-11-11 21:09:16 UTC
From: Jay
Topic: 324 Message: 326

Hey Droopy,

What digital information do you need to extract ???
The USB Audio, I beleive is only for listening to the PCR.
The decoder needs the output of the packet connector for it to work
properly. The sound from the speaker output or USB Audio doesn't have the
full information that the deocoder needs...

Regards,
Jay

----- Original Message -----
From: goldyjc

I am a newbie on trunking, and i would like to know a tutorial/manual
so as to extract the digital information from my ICOM PCR1500.

It uses USB Audio codec, but reading the site, i notice that i must use
the Packet connector or the external speaker line to my soundcard?.

Any help will be appreciate.

Droopy

327. Re: [TrunkPCR] Re: Australian user

Yahoo group: TrunkPCR
Date: 2006-11-12 03:44:11 UTC
From: mike r
Topic: 284 Message: 327

Hi Jay,

I was wondering if it is possible or if anyone has tried this. Can I take the Packet output from my PCR1000 and have that go into my computer on one side/channel of the input and the PCR1000's audio output go into the other side/channel of the input. That way one channel/mono could work for the TrunkPCR and the other channel/mono could work for streaming in another program at the same time?

Just a thought, right now I'm using two computers to stream my truncked police. One running TrunkPCR and the other using the PCR1000's audio out and streaming with Windows Media Encoder. This works good but it would be nice to have if all on one computer.

I just wanted to see if anyone has tried this before and if it will work.

Thanks alot

Mike

328. Two sound cards. One for packet, one for audio and streaming

Yahoo group: TrunkPCR
Date: 2006-11-12 05:17:11 UTC
From: Mike
Topic: 328 Message: 328

Jay,

I emailed you earlier asking if I could use one computer with TrunkPCR to run both the "packet" and the "audio" out from my PCR1000 at the same time.

I was able to do it with 2 sound cards. One is the onboard audio and the other was a Sound Blaster live. I used the onboard sound for the "packet" out and TrunkPCR. Than the "audio" out from my PCR1000 I sent into the SoundBlaster and Windows Media Encoder. Now I can use one computer to run TrunkPCR and stream at the same time.

I'm not sure if anyone else is doing this but I thought I would just let everyone know. I didnt know that it would work... cool :)

Now I can listen to my local towns police/fire when I'm at work over the net.

Mike

329. Re: [TrunkPCR] Two sound cards. One for packet, one for audio and streaming

Yahoo group: TrunkPCR
Date: 2006-11-12 20:34:34 UTC
From: Jay
Topic: 328 Message: 329

Yep, that is the only way for now to trunk and stream...
Once I get my own routines working to stream the audio in PCR Remote, we can use the right channel of the Line-In for streaming...

Good job... Care to share your streaming site address?

Regards,
Jay

----- Original Message -----
From: Mike

Jay,

I emailed you earlier asking if I could use one computer with TrunkPCR to run both the "packet" and the "audio" out from my PCR1000 at the same time.

I was able to do it with 2 sound cards. One is the onboard audio and the other was a Sound Blaster live. I used the onboard sound for the "packet" out and TrunkPCR. Than the "audio" out from my PCR1000 I sent into the SoundBlaster and Windows Media Encoder. Now I can use one computer to run TrunkPCR and stream at the same time.

I'm not sure if anyone else is doing this but I thought I would just let everyone know. I didnt know that it would work... cool :)

Now I can listen to my local towns police/fire when I'm at work over the net.

Mike

330. Re: Two sound cards. One for packet, one for audio and streaming

Yahoo group: TrunkPCR
Date: 2006-11-16 10:42:08 UTC
From: Mike
Topic: 328 Message: 330

I dont have it set up as a web page. All I have it doing is streaming using Windows Media Encoder. With the encoder I also capture part of the screen to see the Groups and ID's. Than on my laptop I enter the ULR into my Windows Media Player and can listen and also see the Groups and ID's remotely. Now I can be at work and listen to my scanner. It works good. Also, I'm not sure why but in order to get both sound cards to work at the same time I had to install DirectX. I am running windows 2000 on a P600 to control and stream the PCR. When I am at home I connect to the radio from my laptop over the Lan. I am not sure how much bandwith I use when listening from work. I guess I will find out soon. Its a 90K stream with video but if I just have audio streaming it still sounds good when I bring it down to 4K.

I hope this helps if anyone is trying to do the same thing.

Mike

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Yep, that is the only way for now to trunk and stream...
> Once I get my own routines working to stream the audio in PCR
Remote, we can
> use the right channel of the Line-In for streaming...
>
> Good job... Care to share your streaming site address?
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: Mike
>
> Jay,
>
> I emailed you earlier asking if I could use one computer with TrunkPCR
> to run both the "packet" and the "audio" out from my PCR1000 at the
> same time.
>
> I was able to do it with 2 sound cards. One is the onboard audio and
> the other was a Sound Blaster live. I used the onboard sound for
> the "packet" out and TrunkPCR. Than the "audio" out from my PCR1000 I
> sent into the SoundBlaster and Windows Media Encoder. Now I can use one
> computer to run TrunkPCR and stream at the same time.
>
> I'm not sure if anyone else is doing this but I thought I would just
> let everyone know. I didnt know that it would work... cool :)

>
> Now I can listen to my local towns police/fire when I'm at work over
> the net.
>
> Mike
>

331. Re: [TrunkPCR] Re: Two sound cards. One for packet, one for audio and streaming

Yahoo group: TrunkPCR
Date: 2006-11-16 16:24:24 UTC
From: S. Cash Olsen
Topic: 328 Message: 331

Mike,

Would you be able to point to, or make from your own experience, a set of instructions to let others know how you did this without having to read volumes of stuff.

Just a list of instructions that were fairly specific. With comments about where we might have to make changes of personal preference or necessity, that would differ from your setup.

There are several things I would like to experiment with but seem to get stuck in the rat race of documentation.

Cash

----- Original Message -----
From: Mike
To: TrunkPCR@yahoogroups.com
Sent: Thursday, November 16, 2006 3:42 AM
Subject: [TrunkPCR] Re: Two sound cards. One for packet, one for audio and streaming

I dont have it set up as a web page. All I have it doing is streaming using Windows Media Encoder. With the encoder I also capture part of the screen to see the Groups and ID's. Than on my laptop I enter the ULR into my Windows Media Player and can listen and also see the Groups and ID's remotely. Now I can be at work and listen to my scanner. It works good. Also, I'm not sure why but in order to get both sound cards to work at the same time I had to install DirectX. I am running windows 2000 on a P600 to control and stream the PCR. When I am at home I connect to the radio from my laptop over the Lan. I am not sure how much bandwith I use when listening from work. I guess I will find out soon. Its a 90K stream with video but if I just have audio streaming it still sounds good when I bring it down to 4K.

I hope this helps if anyone is trying to do the same thing.

Mike

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Yep, that is the only way for now to trunk and stream...
> Once I get my own routines working to stream the audio in PCR
Remote, we can
> use the right channel of the Line-In for streaming...
>
> Good job... Care to share your streaming site address?
>

> Regards,
> Jay
>
> ----- Original Message -----
> From: Mike
>
> Jay,
>
> I emailed you earlier asking if I could use one computer with TrunkPCR
> to run both the "packet" and the "audio" out from my PCR1000 at the
> same time.
>
> I was able to do it with 2 sound cards. One is the onboard audio and
> the other was a Sound Blaster live. I used the onboard sound for
> the "packet" out and TrunkPCR. Than the "audio" out from my PCR1000 I
> sent into the SoundBlaster and Windows Media Encoder. Now I can use one
> computer to run TrunkPCR and stream at the same time.
>
> I'm not sure if anyone else is doing this but I thought I would just
> let everyone know. I didnt know that it would work... cool :)
>
> Now I can listen to my local towns police/fire when I'm at work over
> the net.
>
> Mike
>

332. Re: Two sound cards. One for packet, one for audio and streaming

Yahoo group: TrunkPCR
Date: 2006-11-16 19:09:37 UTC
From: Mike
Topic: 328 Message: 332

Hi Cash,

Here are some step by step instructions on what I did, I hope they help a bit.

How to use one computer with a PCR 1000 and Trunk PCR to broadcast your audio stream

I wanted to be able to listen to my local police while I was at work so I decide to stream it and this is how I did it.

I'm using an old Packard Bell 600Mhz computer (running Windows 2000) with an onboard soundcard, and I also installed a cheap $15 PCI sound card.
First I installed Jay's Trunk PCR program and set that up from the instructions on his web page.
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrHelp.html

Once I had that running well I continued,

I took the "packet out" from the PCR1000 and plugged it into the onboard soundcard (line in).

Than I took the "audio out" from the PCR1000 and plugged it into the second (pci) soundcards (line in).

(I `m not sure why but I had to also install DirectX in order for this to work with the two sound cards.)

Step-by-Step Encoder Setup

Windows Media Encoder Version 9 (I got my Windows Media Encoder at Download.com)

-Run the encoder, select 'Broadcast a live event', Click OK
-Select the devices you want to use in the next screen, click Next (This is the second sound card. Line in from PCR1000 audio out. Not Packet)
-Select 'Pull from the encoder', click Next
-Enter a port number eg 5700, click Next
-In the audio drop down menu pick "voice quality audio"
- In the bit rate box select 7 or 11Kbps. (I find the audio sounds ok with these low settings) press Next
-Archive a copy...' leave unchecked, click Next
-Give your stream some info if you want - if not just leave blank, click Next
-Click Finish
Give the encoder a few seconds to sort itself out.

-Go to the File menu, and select 'Save As' - call the file a name (e.g.
broadcast.wme) and save it to your Desktop. In the future you can launch
the encoder with this settings by double-clicking it, so you do not have to set it up every single time.
Click 'Start Encoding' to start your broadcast.

Listening to your broadcast with Windows Media Player 9

To listen to your broadcast you have to know what your IP address is.

-In Windows Media Player Select "File" than "open URL"
-Now enter your IP address and the port number you selected in Windows Media Encoder.
Eg (HTTP://11.111.111.111:5700) no brackets
Where 5700 is what ever port number you set up in the Encoder

Note:
If you are using a router you will have to set it up so it points to the computer running all this. I had to go to the Linksys site and look up my router and it has information on Port Forwarding there.

Also, once you learn your way around Windows Media Encoder you can also send video, or a capture of your screen. I captured a portion of the Trunk PCR screen. Just the area with Groups and Radio ID's. This way it also broadcast this information so while I am listening I can also see who is talking.

When I am at home I use my laptop in a different room to listen to my station. Instead of connection with my internet IP address I use my LAN address. This way I am not eating up my providers bandwidth. I can basically unplug my cable modem and just use my router and it works ok at home.

I hope this helps a little, if you have any more questions feel free to ask.

I have never uploaded anything to this site before. I will try and upload these instructions in WORD to the "files" are.

Mike

--- In TrunkPCR@yahoogroups.com, "S. Cash Olsen" <KD5SSJ@...> wrote:
>
> Mike,
>
> Would you be able to point to, or make from your own experience, a set of instructions to let others know how you did this without having to read volumes of stuff.
>
> Just a list of instructions that were fairly specific. With comments about where we might have to make changes of personal

preference or necessity, that would differ from your setup.
>
> There are several things I would like to experiment with but seem
to get stuck in the rat race of documentation.
>
> Cash
>
>
> ----- Original Message -----
> From: Mike
> To: TrunkPCR@yahoogroups.com
> Sent: Thursday, November 16, 2006 3:42 AM
> Subject: [TrunkPCR] Re: Two sound cards. One for packet, one for
audio and streaming
>
>
> I dont have it set up as a web page. All I have it doing is
streaming
> using Windows Media Encoder. With the encoder I also capture part
of
> the screen to see the Groups and ID's. Than on my laptop I enter
the
> ULR into my Windows Media Player and can listen and also see the
> Groups and ID's remotely. Now I can be at work and listen to my
> scanner. It works good. Also, I'm not sure why but in order to get
> both sound cards to work at the same time I had to install
DirectX. I
> am running windows 2000 on a P600 to control and stream the PCR.
> When I am at home I connect to the radio from my laptop over the
Lan.
> I am not sure how much bandwith I use when listening from work. I
> guess I will find out soon. Its a 90K stream with video but if I
just
> have audio streaming it still sounds good when I bring it down to
4K.
>
> I hope this helps if anyone is trying to do the same thing.
>
> Mike
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> >
> > Yep, that is the only way for now to trunk and stream...
> > Once I get my own routines working to stream the audio in PCR
> Remote, we can
> > use the right channel of the Line-In for streaming...
> >
> > Good job... Care to share your streaming site address?
> >
> > Regards,

> > Jay
> >
> > ----- Original Message -----
> > From: Mike
> >
> > Jay,
> >
> > I emailed you earlier asking if I could use one computer with
TrunkPCR
> > to run both the "packet" and the "audio" out from my PCR1000 at
the
> > same time.
> >
> > I was able to do it with 2 sound cards. One is the onboard
audio and
> > the other was a Sound Blaster live. I used the onboard sound for
> > the "packet" out and TrunkPCR. Than the "audio" out from my
PCR1000 I
> > sent into the SoundBlaster and Windows Media Encoder. Now I can
use one
> > computer to run TrunkPCR and stream at the same time.
> >
> > I'm not sure if anyone else is doing this but I thought I would
just
> > let everyone know. I didnt know that it would work... cool :)
> >
> > Now I can listen to my local towns police/fire when I'm at work
over
> > the net.
> >
> > Mike
> >
>

333. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2006-11-16 19:13:21 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 333

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /Info/How to broadcast your audio stream.doc
Uploaded by : mike_motor_bike <mike_rhein@...>
Description : How to broadcast you audio stream

You can access this file at the URL:
http://groups.yahoo.com/group/TrunkPCR/files/Info/How%20to%20broadcast%20your%20audio%20st
ream.doc

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/help/us/groups/files

Regards,

mike_motor_bike <mike_rhein@...>
```

334. Re: [TrunkPCR] Re: Two sound cards. One for packet, one for audio and streaming

Yahoo group: TrunkPCR
Date: 2006-11-17 00:35:43 UTC
From: S. Cash Olsen
Topic: 328 Message: 334

Mike,

Thanks a bunch. I will try to hookup this and make it work for me. Your instructions make it look very straight forward and easy to follow.

I appreciate your answering my email, and so quickly.

73, Cash Olsen, KD5SSJ

Kits to build Scotty's Spectrum Analyzer http://www.zianet.com/erg
Scotty's Spectrum Analyzer website http://users4.ev1.net/%7Ewsprowls/
Yahoo Builders Group http://groups.yahoo.com/group/spectrumanalyzer/

----- Original Message -----
From: Mike
To: TrunkPCR@yahoogroups.com
Sent: Thursday, November 16, 2006 12:09 PM
Subject: [TrunkPCR] Re: Two sound cards. One for packet, one for audio and streaming

Hi Cash,

Here are some step by step instructions on what I did, I hope they help a bit.

How to use one computer with a PCR 1000 and Trunk PCR to broadcast your audio stream

I wanted to be able to listen to my local police while I was at work so I decide to stream it and this is how I did it.

I'm using an old Packard Bell 600Mhz computer (running Windows 2000) with an onboard soundcard, and I also installed a cheap $15 PCI sound card.
First I installed Jay's Trunk PCR program and set that up from the instructions on his web page.
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrHelp.html

Once I had that running well I continued,

I took the "packet out" from the PCR1000 and plugged it into the onboard soundcard (line in).

Than I took the "audio out" from the PCR1000 and plugged it into the second (pci) soundcards (line in).

(I `m not sure why but I had to also install DirectX in order for this to work with the two sound cards.)

Step-by-Step Encoder Setup

Windows Media Encoder Version 9 (I got my Windows Media Encoder at Download.com)

-Run the encoder, select 'Broadcast a live event', Click OK
-Select the devices you want to use in the next screen, click Next (This is the second sound card. Line in from PCR1000 audio out. Not Packet)
-Select 'Pull from the encoder', click Next
-Enter a port number eg 5700, click Next
-In the audio drop down menu pick "voice quality audio"
- In the bit rate box select 7 or 11Kbps. (I find the audio sounds ok with these low settings) press Next
-Archive a copy...' leave unchecked, click Next
-Give your stream some info if you want - if not just leave blank, click Next
-Click Finish
Give the encoder a few seconds to sort itself out.
-Go to the File menu, and select 'Save As' - call the file a name (e.g.
broadcast.wme) and save it to your Desktop. In the future you can launch
the encoder with this settings by double-clicking it, so you do not have to set it up every single time.
Click 'Start Encoding' to start your broadcast.

Listening to your broadcast with Windows Media Player 9

To listen to your broadcast you have to know what your IP address is.

-In Windows Media Player Select "File" than "open URL"
-Now enter your IP address and the port number you selected in Windows Media Encoder.
Eg (HTTP://11.111.111.111:5700) no brackets
Where 5700 is what ever port number you set up in the Encoder

Note:
If you are using a router you will have to set it up so it points to the computer running all this. I had to go to the Linksys site and look up my router and it has information on Port Forwarding there.

Also, once you learn your way around Windows Media Encoder you can also send video, or a capture of your screen. I captured a portion of the Trunk PCR screen. Just the area with Groups and Radio ID's. This way it also broadcast this information so while I am listening I can also see who is talking.

When I am at home I use my laptop in a different room to listen to my station. Instead of connection with my internet IP address I use my LAN address. This way I am not eating up my providers bandwidth. I can basically unplug my cable modem and just use my router and it works ok at home.

I hope this helps a little, if you have any more questions feel free to ask.

I have never uploaded anything to this site before. I will try and upload these instructions in WORD to the "files" are.

Mike

--- In TrunkPCR@yahoogroups.com, "S. Cash Olsen" <KD5SSJ@...> wrote:
>
> Mike,
>
> Would you be able to point to, or make from your own experience, a set of instructions to let others know how you did this without having to read volumes of stuff.
>
> Just a list of instructions that were fairly specific. With comments about where we might have to make changes of personal preference or necessity, that would differ from your setup.
>
> There are several things I would like to experiment with but seem to get stuck in the rat race of documentation.
>
> Cash
>
>
> ----- Original Message -----
> From: Mike
> To: TrunkPCR@yahoogroups.com
> Sent: Thursday, November 16, 2006 3:42 AM
> Subject: [TrunkPCR] Re: Two sound cards. One for packet, one for audio and streaming
>
>
> I dont have it set up as a web page. All I have it doing is streaming
> using Windows Media Encoder. With the encoder I also capture part of
> the screen to see the Groups and ID's. Than on my laptop I enter the
> ULR into my Windows Media Player and can listen and also see the
> Groups and ID's remotely. Now I can be at work and listen to my
> scanner. It works good. Also, I'm not sure why but in order to get
> both sound cards to work at the same time I had to install DirectX. I
> am running windows 2000 on a P600 to control and stream the PCR.
> When I am at home I connect to the radio from my laptop over the Lan.
> I am not sure how much bandwith I use when listening from work. I
> guess I will find out soon. Its a 90K stream with video but if I just
> have audio streaming it still sounds good when I bring it down to

4K.
>
> I hope this helps if anyone is trying to do the same thing.
>
> Mike
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> >
> > Yep, that is the only way for now to trunk and stream...
> > Once I get my own routines working to stream the audio in PCR
> Remote, we can
> > use the right channel of the Line-In for streaming...
> >
> > Good job... Care to share your streaming site address?
> >
> > Regards,
> > Jay
> >
> > ----- Original Message -----
> > From: Mike
> >
> > Jay,
> >
> > I emailed you earlier asking if I could use one computer with
TrunkPCR
> > to run both the "packet" and the "audio" out from my PCR1000 at
the
> > same time.
> >
> > I was able to do it with 2 sound cards. One is the onboard
audio and
> > the other was a Sound Blaster live. I used the onboard sound for
> > the "packet" out and TrunkPCR. Than the "audio" out from my
PCR1000 I
> > sent into the SoundBlaster and Windows Media Encoder. Now I can
use one
> > computer to run TrunkPCR and stream at the same time.
> >
> > I'm not sure if anyone else is doing this but I thought I would
just
> > let everyone know. I didnt know that it would work... cool :)
> >
> > Now I can listen to my local towns police/fire when I'm at work
over
> > the net.
> >
> > Mike
> >
>

335. Re: Silence.

Yahoo group: TrunkPCR
Date: 2006-11-19 00:27:50 UTC
From: jack_q_dog
Topic: 321 Message: 335

Thanks Jay.

It doesn't appear to be sound settings issue. I was able to get audio
by opening the ICOM software, unmuting the built-in speaker and then
going from there with TrunkPCR. I'm wondering, does TrunkPCR support
audio via USB like the ICOM software does? Or will I only get audio
from the receiver itself?

Cheers,
B.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> One thing that comes to mind would be your sound card settings from the
> control panel.
> In the Multimedia Properties, change the Preferred Device to your
sound card
> and make sure the "Use preferred devices only" is checked...
>
> You could also check your Volume properties (Mixer Control) by double
> clicking on the speaker icon in the system tray...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: jack_q_dog
>
> Well I'm stumped. I've got a 2500 that I can listen to just fine in
> the Icom software -- via either speaker or USB audio. When trying to
> get TrunkPCR to work I can't hear a thing. I've got trunking working
> just fine (I think) as I can listen to my control cahnnel via line in,
> I've got a 100% recovery rate, and I can see talk groups. I just don't
> hear any audio. As a simple test, I've tried tuning to a local radio
> station -- same thing. Meter in TrunkPCR shows signal, yet I hear
> nothing. Mute is not on. Any thoughts?
>

336. Re: [TrunkPCR] Re: Silence.

Yahoo group: TrunkPCR
Date: 2006-11-22 10:42:38 UTC
From: Jay
Topic: 321 Message: 336

Ok, I have something for you to try.
Click on the "Bank:" Label in the main display to bring up the debug window, in the text window enter JA201, then click Send. If that doesn't work try J4800 and click Send..

With the volume at the 11 O'Clock position, you should be able to hear sound out of the speaker on the PCR...

Jay

----- Original Message -----
From: jack_q_dog
Thanks Jay.

It doesn't appear to be sound settings issue. I was able to get audio by opening the ICOM software, unmuting the built-in speaker and then going from there with TrunkPCR. I'm wondering, does TrunkPCR support audio via USB like the ICOM software does? Or will I only get audio from the receiver itself?

Cheers,
B.

337. Re: Silence.

Yahoo group: TrunkPCR
Date: 2006-11-22 15:20:46 UTC
From: jack_q_dog
Topic: 321 Message: 337

Well the debug window is certainly interesting.

I'm actually getting sound from the PCR speaker right now without a problem. What I was trying to get was audio through the PC. I suppose I could just hook audio out from the PCR to an additional input on the PC -- but what I was wondering is if TrunkPCR can capture and play the audio from the USB connection like the ICOM software does.

Thanks again,
B.

>
> Ok, I have something for you to try.
> Click on the "Bank:" Label in the main display to bring up the debug window,
> in the text window enter JA201, then click Send. If that doesn't work try
> J4800 and click Send..
>
> With the volume at the 11 O'Clock position, you should be able to hear sound
> out of the speaker on the PCR...
>
> Jay
>
> ----- Original Message -----
> From: jack_q_dog
> Thanks Jay.
>
> It doesn't appear to be sound settings issue. I was able to get audio
> by opening the ICOM software, unmuting the built-in speaker and then
> going from there with TrunkPCR. I'm wondering, does TrunkPCR support
> audio via USB like the ICOM software does? Or will I only get audio
> from the receiver itself?
>
> Cheers,
> B.
>

338. Re: [TrunkPCR] Re: Silence.

Yahoo group: TrunkPCR
Date: 2006-11-22 22:25:14 UTC
From: Jay
Topic: 321 Message: 338

Ahhh, ok...

The USB Audio is probably controlled only through Icom's program. Once I figure how to enable it, we'll be able to use it in TrunkPCR...

If the USB Audio is "Turned ON", then you would be able to use it normally through *Any* Audio Playback or Recording program, but until then it's a dead duck...

Thanks for the update...

Regards,
Jay

----- Original Message -----
From: jack_q_dog

Well the debug window is certainly interesting.

I'm actually getting sound from the PCR speaker right now without a problem. What I was trying to get was audio through the PC. I suppose I could just hook audio out from the PCR to an additional input on the PC -- but what I was wondering is if TrunkPCR can capture and play the audio from the USB connection like the ICOM software does.

Thanks again,
B.

339. Re: Silence.

Yahoo group: TrunkPCR
Date: 2006-11-23 17:36:43 UTC
From: jack_q_dog
Topic: 321 Message: 339

Thanks Jay.

I fired up a serial sniffer and tested the ICOM software. Turns out it does nothing with the USB signal. Volume control and mute both sent no commands to the PCR.

So that implies that the PCR is simply always blasting the USB audio stream. Sure enough, if I open the windows sound controller it will record the scanner from the USB Audio Codec.

The only challenge I've had is finding a program that will read the USB stream and simultaneously play it back out the sound card. The closest I've gotten is Audacity, which will monitor while it's recording. This plays the PCR via the PC speaker, which it what I was after -- it just has the problem it's recording a file to disk the whole time as well.

It looks like WinAmp can play line in using the URL "linein://" but I've not gotten this to work for the USB Audio signal. It will show the signal in its spectrum analyzer but not actually play it.

Cheers,
B.

>
> Ahhh, ok...
>
> The USB Audio is probably controlled only through Icom's program. Once I
> figure how to enable it, we'll be able to use it in TrunkPCR...
>
> If the USB Audio is "Turned ON", then you would be able to use it normally
> through *Any* Audio Playback or Recording program, but until then it's a
> dead duck...
>
> Thanks for the update...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: jack_q_dog
>
> Well the debug window is certainly interesting.

>
> I'm actually getting sound from the PCR speaker right now without a
> problem. What I was trying to get was audio through the PC. I
suppose
> I could just hook audio out from the PCR to an additional input on
the
> PC -- but what I was wondering is if TrunkPCR can capture and play
the
> audio from the USB connection like the ICOM software does.
>
> Thanks again,
> B.
>

340. Homepage and email

Yahoo group: TrunkPCR
Date: 2006-11-29 04:18:01 UTC
From: Jay
Topic: 340 Message: 340

Due to a problem with my internet service provider, I may be without service for awhile...
In this time my web sites may be offline until further notice...

Regards,
Jay

341. Announcing Digital Ham Group

Yahoo group: TrunkPCR
Date: 2006-12-20 01:32:17 UTC
From: Mark
Topic: 341 Message: 341

Announcing Digital Ham Yahoo Group

This group is dedicated to the discussion & development of amateur / ham radio use of digital voice & data communication techniques utilizing D-STAR digital voice & data, APCO P25 digital voice, packet radio(including APRS), HSMM(High Speed Multi Media) / Wi-Fi, and PSK / FSK on VHF & UHF.

Join the group to exchange ideas & information and learn about operating the digital modes in Northern & Central Illinois, Southern Wisconsin, Northwest Indiana, Eastern Iowa and Southwest Michigan.

http://groups.yahoo.com/group/illinoisdigitalham/

73, Mark, WB9QZB

342. New features

Yahoo group: TrunkPCR
Date: 2006-12-20 03:41:36 UTC
From: Glenn Blum
Topic: 342 Message: 342

Anything new comming up with TRUNKPCR?
What is the two radio feature for?
Glenn
kd5dga

343. tracking filter

Yahoo group: TrunkPCR
Date: 2006-12-20 03:59:48 UTC
From: Glenn Blum
Topic: 343 Message: 343

I never understood the tracking filter option. What is this used for?

Thanks,
Glenn

344. Re: [TrunkPCR] New features

Yahoo group: TrunkPCR
Date: 2006-12-20 04:45:09 UTC
From: Patrick Bigelbach
Topic: 342 Message: 344

The two radio function allows you to constantly monitor the control channel with one radio (I use an old non-trunking scanner with a discriminator mod) while TrunkPCR controls my PCR1000. This feature allows true priority scanning and if configured so, it can interrupt a lower priority talkgroup mid stream if a higher priority talkgroup becomes active. Really cool feature!

-=Patrick=-

Glenn Blum wrote:
>
> Anything new comming up with TRUNKPCR?
> What is the two radio feature for?
> Glenn
> kd5dga
>

345. Re: [TrunkPCR] tracking filter

Yahoo group: TrunkPCR
Date: 2006-12-20 12:59:32 UTC
From: Jay
Topic: 343 Message: 345

Hey Glenn,

(As stated from the TalkPCR help, slightly modified)

The Tracking filter control, allows you to manually tune the RF front end of the radio.

Above 50MHz, the PCR1000 uses bandpass filters that are electronically tuned to track the RF tuned frequency. The filter is normally tuned with data from the calibration points stored in the EEPROM.

As the command to tune the filter is open for the normal operational mode of the radio, TrunkPCR gives the user a control to adjust it. The control has a range of 0 to 255, 0 sets the normal Auto Tune mode.

Note that no permanent effect is made to the radio, the EEPROM is not unlocked, when the Tracking filter form is closed, the control is set back to Auto.

What use is the control?

Well you can see if the filter has been tuned correctly by the EEPROM data, also you may be able to set the tuning slightly to one side, to help reject a strong signal that is causing problems.

Regards,
Jay

----- Original Message -----
From: Glenn Blum

I never understood the tracking filter option. What is this used for?

Thanks,
Glenn

346. Re: [TrunkPCR] New features

Yahoo group: TrunkPCR
Date: 2006-12-20 13:23:52 UTC
From: Jay
Topic: 342 Message: 346

Talk about timming :)

New features include, but not limited to:
1) Set the (2) background colors used in the CC Activity lists.
2) Select a "Highlight" background color for a Active Call in the Control List.
3) Define a color for each Group ID and Radio ID that will be displayed in the CC Activity Lists and the Main Display.
4) Select a Font for the CC Activity Lists.
5) Select a Font to be used by Group ID's in CC Activity Lists.
6) Select a Font to be used by Radio ID's in CC Activity Lists.
7) Select a Font for each Group ID and Radio ID to be used in the Main Display.
8) Resize the CC Activity window.
9) Added 2 more Lists to the Group Watch Tab to track 2 more Groups.
10) Plus a few more, one is a totally new idea used in scanning programs :)

I should have this ready to put in all your stockings on X-Mas :-)
Having too much playing with the update myself...
Checking it twice to be sure it will be ready...

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Anything new comming up with TRUNKPCR?
What is the two radio feature for?
Glenn
kd5dga

347. Re: [TrunkPCR] New features

Yahoo group: TrunkPCR
Date: 2006-12-21 01:26:14 UTC
From: Glenn Blum
Topic: 342 Message: 347

cool.looking foward to it..
Merry christmas.
Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, December 20, 2006 7:23 AM
Subject: Re: [TrunkPCR] New features

Talk about timming :)

New features include, but not limited to:
1) Set the (2) background colors used in the CC Activity lists.
2) Select a "Highlight" background color for a Active Call in the Control List.
3) Define a color for each Group ID and Radio ID that will be displayed in the CC Activity Lists and the Main Display.
4) Select a Font for the CC Activity Lists.
5) Select a Font to be used by Group ID's in CC Activity Lists.
6) Select a Font to be used by Radio ID's in CC Activity Lists.
7) Select a Font for each Group ID and Radio ID to be used in the Main Display.
8) Resize the CC Activity window.
9) Added 2 more Lists to the Group Watch Tab to track 2 more Groups.
10) Plus a few more, one is a totally new idea used in scanning programs :)

I should have this ready to put in all your stockings on X-Mas :-)
Having too much playing with the update myself...
Checking it twice to be sure it will be ready...

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Anything new comming up with TRUNKPCR?
What is the two radio feature for?
Glenn
kd5dga

348. RE: [TrunkPCR] New features

Yahoo group: TrunkPCR
Date: 2006-12-21 01:35:46 UTC
From: vince48
Topic: 342 Message: 348

Yes indeed, all of those new features look great. Merry Christmas to all.
Jay, great work!

Vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn Blum
Sent: Wednesday, December 20, 2006 5:26 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] New features

cool.looking foward to it..

Merry christmas.

Glenn

----- Original Message -----

From: Jay <mailto:crazycalifornian@...>

To: TrunkPCR@yahoogroup <mailto:TrunkPCR@yahoogroups.com> s.com

Sent: Wednesday, December 20, 2006 7:23 AM

Subject: Re: [TrunkPCR] New features

Talk about timming :)

New features include, but not limited to:
1) Set the (2) background colors used in the CC Activity lists.
2) Select a "Highlight" background color for a Active Call in the Control List.
3) Define a color for each Group ID and Radio ID that will be displayed in the CC Activity Lists and the Main Display.
4) Select a Font for the CC Activity Lists.
5) Select a Font to be used by Group ID's in CC Activity Lists.
6) Select a Font to be used by Radio ID's in CC Activity Lists.
7) Select a Font for each Group ID and Radio ID to be used in the Main Display.
8) Resize the CC Activity window.
9) Added 2 more Lists to the Group Watch Tab to track 2 more Groups.
10) Plus a few more, one is a totally new idea used in scanning programs :)

I should have this ready to put in all your stockings on X-Mas :-)
Having too much playing with the update myself...

Checking it twice to be sure it will be ready...

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Anything new comming up with TRUNKPCR?
What is the two radio feature for?
Glenn
kd5dga

_____ NOD32 1932 (20061220) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

349. Re: [TrunkPCR] New features

Yahoo group: TrunkPCR
Date: 2006-12-21 04:30:59 UTC
From: Glenn Blum
Topic: 342 Message: 349

Jay,
Is this going to be a Christmas secrete;
10) Plus a few more, one is a totally new idea used in scanning programs :)
The new idea used in scanning.

Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, December 20, 2006 7:23 AM
Subject: Re: [TrunkPCR] New features

Talk about timming :)

New features include, but not limited to:
1) Set the (2) background colors used in the CC Activity lists.
2) Select a "Highlight" background color for a Active Call in the Control List.
3) Define a color for each Group ID and Radio ID that will be displayed in the CC Activity Lists and the Main Display.
4) Select a Font for the CC Activity Lists.
5) Select a Font to be used by Group ID's in CC Activity Lists.
6) Select a Font to be used by Radio ID's in CC Activity Lists.
7) Select a Font for each Group ID and Radio ID to be used in the Main Display.
8) Resize the CC Activity window.
9) Added 2 more Lists to the Group Watch Tab to track 2 more Groups.
10) Plus a few more, one is a totally new idea used in scanning programs :)

I should have this ready to put in all your stockings on X-Mas :-)
Having too much playing with the update myself...
Checking it twice to be sure it will be ready...

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Anything new comming up with TRUNKPCR?
What is the two radio feature for?
Glenn
kd5dga

350. Re: [TrunkPCR] New features

Yahoo group: TrunkPCR
Date: 2006-12-21 04:42:31 UTC
From: Jay
Topic: 342 Message: 350

Yep :-) LOL

The New Idea has NEVER been used in any Trunk scanning or regular scanning programs, You'll see why when you get to play with it :)

I'm pretty sure my "New Feature" will be copied by others scanning programs, once they see how usefull it is :-)

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Jay,
Is this going to be a Christmas secret;
10) Plus a few more, one is a totally new idea used in scanning programs :)
The new idea used in scanning.

Glenn

351. Re: [TrunkPCR] New features

Yahoo group: TrunkPCR
Date: 2006-12-21 22:34:12 UTC
From: Glenn Blum
Topic: 342 Message: 351

Thats cool with the new idea.Uncool if it is coppied by others.Too bad you couldnt put a copyright to YOUR idea.
Heck..TRUNKPCR is awsome.
I have unitrunker installed and sometimes I do run unitrunker in the background but trunkpcr provides much better function.However unitrunker does support alot of other radios...I am happy with my PCR.

Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, December 20, 2006 10:42 PM
Subject: Re: [TrunkPCR] New features

Yep :-) LOL

The New Idea has NEVER been used in any Trunk scanning or regular scanning programs, You'll see why when you get to play with it :)

I'm pretty sure my "New Feature" will be copied by others scanning programs, once they see how usefull it is :-)

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Jay,
Is this going to be a Christmas secret;
10) Plus a few more, one is a totally new idea used in scanning programs :)
The new idea used in scanning.

Glenn

352. Dual radio option

Yahoo group: TrunkPCR
Date: 2006-12-22 03:26:58 UTC
From: Glenn Blum
Topic: 352 Message: 352

This is a continuation of the dual radio topic I started a few posts ago. Now My question(s) since I have very limited experience at this.

1. by using two radios to trunk with (which I unstood provides you with better usage with the priority) do I need to run two soundcards?

2. with the other radio providing the discriminator input for the control channel then how does TRUNKPCR provide the trunking?

3. I would guess that the PCR2500 would be great for this function or maybe two pcr1000's?

I do have a pro 2052 but I have yet to make the discriminator mod since My pcr1000 provides me with my discriminator out.

Thanks,
Glenn
kd5dga

353. Re: [TrunkPCR] Dual radio option

Yahoo group: TrunkPCR
Date: 2006-12-22 09:41:39 UTC
From: Patrick Bigelbach
Topic: 352 Message: 353

Glenn:

No, you only need one soundcard, You simply connect the second radio's discriminator output to where you had previously connected the PCR's packet output. With a dual radio config the packet output of the PCR is not used by TrunkPCR so it could be used for other things like Astro decoding.

By continually monitoring the control channel from a second radio TrunkPCR will tune the PCR over it's serial port to follow the trunking.

I have a PCR1000 so I know nothing about the 2500. If the 2500 is a dual receiver, then that might work. But it seams to me the best radio for the job is that old one collecting dust in the corner as long as it has discriminator output and can tune the control channel somehow. IMHO, Dual PCR1000s might be a challenge since you would have to be controlling two computer controlled radios at once which may require two available serial ports and perhaps separate software.

I think my second radio may be a pro2052 ever since I got my TrunkPCR to broadcast over the internet, I don't go out to my shack (where my radios are) very much.

Hope this helps! And Merry Christmas everyone!

-=Patrick=-

Glenn Blum wrote:
>
> This is a continuation of the dual radio topic I started a few posts
> ago. Now My question(s) since I have very limited experience at this.
>
> 1. by using two radios to trunk with (which I unstood provides you
> with better usage with the priority) do I need to run two soundcards?
>
> 2. with the other radio providing the discriminator input for the
> control channel then how does TRUNKPCR provide the trunking?
>
> 3. I would guess that the PCR2500 would be great for this function or
> maybe two pcr1000's?
>
> I do have a pro 2052 but I have yet to make the discriminator mod
> since My pcr1000 provides me with my discriminator out.
>
>
> Thanks,
> Glenn

> kd5dga
>

354. Re: [TrunkPCR] Dual radio option

Yahoo group: TrunkPCR
Date: 2006-12-22 22:16:46 UTC
From: Glenn Blum
Topic: 352 Message: 354

Thats cool.The discriminator tap for the pro2052 is pretty straight foward.I also have a pro92 and bc80 but I have never found any info on the web for a disc out mod for the bc80.Now it sounds that it is more beneficial to use the second radio for the discriminator out for better trunking.
For astro ...90% of the communications in the central Texas area is either wide or narrow band EDACS. Fort Hood uses TXU for their communications which is a very large system but it is Narrow band EDACS. Bell County uses EDACS standard for now. They are planning to upgrade to pro-voice when the rebanding occures.
How did you get TRUNKPCR to broad cast over the internet?
Heck this maybe a mod weekend and maybe get some good scanning in.

Glenn
----- Original Message -----
From: Patrick Bigelbach
To: TrunkPCR@yahoogroups.com
Sent: Friday, December 22, 2006 3:41 AM
Subject: Re: [TrunkPCR] Dual radio option

Glenn:

No, you only need one soundcard, You simply connect the second radio's discriminator output to where you had previously connected the PCR's packet output. With a dual radio config the packet output of the PCR is not used by TrunkPCR so it could be used for other things like Astro decoding.

By continually monitoring the control channel from a second radio TrunkPCR will tune the PCR over it's serial port to follow the trunking.

I have a PCR1000 so I know nothing about the 2500. If the 2500 is a dual receiver, then that might work. But it seams to me the best radio for the job is that old one collecting dust in the corner as long as it has discriminator output and can tune the control channel somehow. IMHO, Dual PCR1000s might be a challenge since you would have to be controlling two computer controlled radios at once which may require two available serial ports and perhaps separate software.

I think my second radio may be a pro2052 ever since I got my TrunkPCR to broadcast over the internet, I don't go out to my shack (where my radios are) very much.

Hope this helps! And Merry Christmas everyone!

-=Patrick=-

Glenn Blum wrote:

This is a continuation of the dual radio topic I started a few posts ago. Now My question(s) since I have very limited experience at this.

1. by using two radios to trunk with (which I unstood provides you with better usage with the priority) do I need to run two soundcards?

2. with the other radio providing the discriminator input for the control channel then how does TRUNKPCR provide the trunking?

3. I would guess that the PCR2500 would be great for this function or maybe two pcr1000's?

I do have a pro 2052 but I have yet to make the discriminator mod since My pcr1000 provides me with my discriminator out.

Thanks,
Glenn
kd5dga

355. convert AFS to DEC

Yahoo group: TrunkPCR
Date: 2006-12-23 16:38:34 UTC
From: syl_dussureault
Topic: 355 Message: 355

I'm trying to get software or trick to convert AFS group in DEC group or HEX group. Because I have a radio that need DEC setting as group and with my TRUNKPCR, it uses AFS group. I know I can use the logging file in TRUNKPCR then take the HEX code for one AFS group and convert it in DEC with the windows calculator, but I guess there is another way to simply convert AFS in DEC.

Thanks

Sylvain
VE2JER

356. Re: [TrunkPCR] convert AFS to DEC

Yahoo group: TrunkPCR
Date: 2006-12-23 16:53:08 UTC
From: scosgt@aol.com
Topic: 355 Message: 356

```
Just click the button in the logging file
```

357. RE: [TrunkPCR] Dual radio option

Yahoo group: TrunkPCR
Date: 2006-12-23 17:38:15 UTC
From: vince48
Topic: 352 Message: 357

Jay

Regarding EDACS systems, in the trunk settings, what is the "use ESK mask" mean and do? My local EDACS systems is real problematic with TrunkPCR, when I monitor a call the call the program seems not to stay on the call before it ends but switches frequencies every half second it seems.

Merry Christmas to all

Vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn Blum
Sent: Friday, December 22, 2006 2:17 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Dual radio option

Thats cool.The discriminator tap for the pro2052 is pretty straight foward.I also have a pro92 and bc80 but I have never found any info on the web for a disc out mod for the bc80.Now it sounds that it is more beneficial to use the second radio for the discriminator out for better trunking.

For astro ...90% of the communications in the central Texas area is either wide or narrow band EDACS. Fort Hood uses TXU for their communications which is a very large system but it is Narrow band EDACS. Bell County uses EDACS standard for now. They are planning to upgrade to pro-voice when the rebanding occures.

How did you get TRUNKPCR to broad cast over the internet?

Heck this maybe a mod weekend and maybe get some good scanning in.

Glenn

----- Original Message -----

From: Patrick <mailto:patrick@...> Bigelbach

To: TrunkPCR@yahoogroup <mailto:TrunkPCR@yahoogroups.com> s.com

Sent: Friday, December 22, 2006 3:41 AM

Subject: Re: [TrunkPCR] Dual radio option

Glenn:

No, you only need one soundcard, You simply connect the second radio's discriminator output to where you had previously connected the PCR's packet output. With a dual radio config the packet output of the PCR is not used by TrunkPCR so it could be used for other things like Astro decoding.

By continually monitoring the control channel from a second radio TrunkPCR will tune the PCR over it's serial port to follow the trunking.

I have a PCR1000 so I know nothing about the 2500. If the 2500 is a dual receiver, then that might work. But it seams to me the best radio for the job is that old one collecting dust in the corner as long as it has discriminator output and can tune the control channel somehow. IMHO, Dual PCR1000s might be a challenge since you would have to be controlling two computer controlled radios at once which may require two available serial ports and perhaps separate software.

I think my second radio may be a pro2052 ever since I got my TrunkPCR to broadcast over the internet, I don't go out to my shack (where my radios are) very much.

Hope this helps! And Merry Christmas everyone!

-=Patrick=-

Glenn Blum wrote:

This is a continuation of the dual radio topic I started a few posts ago. Now My question(s) since I have very limited experience at this.

1. by using two radios to trunk with (which I unstood provides you with better usage with the priority) do I need to run two soundcards?

2. with the other radio providing the discriminator input for the control channel then how does TRUNKPCR provide the trunking?

3. I would guess that the PCR2500 would be great for this function or maybe two pcr1000's?

I do have a pro 2052 but I have yet to make the discriminator mod since My pcr1000 provides me with my discriminator out.

Thanks,

Glenn

kd5dga

_____ NOD32 1935 (20061222) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

358. christmas

Yahoo group: TrunkPCR
Date: 2006-12-23 23:13:04 UTC
From: Glenn Blum
Topic: 358 Message: 358

Before I forget;
I want to wish everyone a very merry CHristmas.

Glenn
kd5dga

359. Re: [TrunkPCR] convert AFS to DEC

Yahoo group: TrunkPCR
Date: 2006-12-23 23:34:24 UTC
From: Jay
Topic: 355 Message: 359

In the Trunk Settings, you can choose to have the Group ID displayed as Dec, Hex or AFS in Edacs systems...

Regards,
Jay

----- Original Message -----
From: syl_dussureault

I'm trying to get software or trick to convert AFS group in DEC group or HEX group. Because I have a radio that need DEC setting as group and with my TRUNKPCR, it uses AFS group. I know I can use the logging file in TRUNKPCR then take the HEX code for one AFS group and convert it in DEC with the windows calculator, but I guess there is another way to simply convert AFS in DEC.

Thanks

Sylvain
VE2JER

360. TrunkPCR version 0.82.205 Now Available

Yahoo group: TrunkPCR
Date: 2006-12-25 15:11:19 UTC
From: Jay
Topic: 360 Message: 360

TrunkPCR version 0.82.205 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes a few bugs, made a few changes for the PCR-1500/2500 and added some New Features:

Oct 23,2006 - -----: Group Priority now updated in Main Display when changed.
Oct 23,2006 - -----: Group Priority now updated in CC Activity Display when changed.
Oct 25,2006 - Fixed: Some Moto Continuation Msgs on 800mhz were set as UHF Calls.
Oct 25,2006 - Added: Show Users who are NOT allowed in System Activity Display.
Oct 27,2006 - Fixed: Active Frequency of Moto Private Call now Displayed.
Oct 30,2006 - Fixed: The Height of All Windows now adjusted properly for XP.
Nov 03,2006 - -----: Patches show more accurate info. Invalid data came from Frame Errors.
(Radio ID's could have been mis-interpreted as Group ID's)...
Nov 03,2006 - -----: Patches now Removed from list when "Delete Patch" received in data stream.
Nov 04,2006 - Added: Find & Replace text for Groups/Radios in TrunkID Editor.
Nov 10,2006 - Fixed: After removing ID's in Trunk ID Editor, then clicking a Trunk Bank BUG!.
Nov 11,2006 - Added: Automatic P25 Mode selection for PCR-2500 in Trunk Settings.
Nov 12,2006 - Fixed: Display of Frequency in CC Activity using Extended Freq Plan.
Nov 14,2006 - Fixed: "Run time error 341" When Trunk Started in Scan Mode BUG!.
Nov 14,2006 - Fixed: Displaying of Groups in Group Watch if CC Activity Window was Closed then Re-Opened.
Nov 15,2006 - Added: Quick-Tune to an Active Call when The LCN or Freq is Clicked in the CC Activity.
Nov 15,2006 - Added: Move a Group to a New Trunk Bank when the TB column is Clicked in the CC Activity.
Nov 20,2006 - Added: Background Color Selection For List Displays in CC Activity.
Nov 20,2006 - Added: Foreground Color Selection For Each Group and Radio ID's in CC Activity and Main Display.
Nov 20,2006 - Added: Background Color Selection For Active Call in CC Activity.

Nov 24,2006 - Fixed: Radio Count in Main Display when Radio(s) Removed in Trunk ID Editor.
Dec 04,2006 - Fixed: DV Mode for PCR-2500 now shown as "DV" instead of "UNK" in Main Display.
Dec 08,2006 - Added: "Shift Key" Combinations controls Scan/Trunk Function Buttons (w/Underscore Char) in Main Display.
Dec 11,2006 - Added: Font Selection For List Displays in CC Activity.
Dec 12,2006 - Added: Font Selection For Each Group and Radio ID's in Main Display.
Dec 13,2006 - Added: Same Font Selection For Group and Radio ID's in CC Activity.
Dec 15,2006 - Added: CC Activity window can now be ReSized.
Dec 15,2006 - Fixed: Display problem in CC Activity when Column Header Width in List Displays adjusted.
Dec 23,2006 - Added: Auto Mode Correction if a PCR doesn't support a certain Mode.
Dec 24,2006 - -----: D-Star Mode button now displays as "DV"
Dec 24,2006 - -----: DV & P25 Mode Buttons now display appropriate Tool Tip Text...
Dec 24,2006 - Fixed: Radio ID/Info updates while conversation continues on same channel. (Change in Radio ID)
Dec 24,2006 - Added: "See Who's Talking" (TM) Feature. With this NEW Idea you can see who's talking on a Group...

1) Before you do anything else, setup the Fonts & Colors for Each Trunking Bank.
Under the Trunk Menu, click Display Properties. Click the Set Default Color Button to set the new colors.
Click the Default List Font Button, Set Group Defaults Button and the Set Radio Defaults Button.
Click the Apply button to make the changes...

2) Now that you have your New Initial settings made, you can customize them to your desire.
For the List Displays to look right, the height of the Group & Radio Fonts must be same or smaller than the List Font.
Play with these New Settings until you get the right look you want for the CC Activity Lists and the Main Display.

3) The "See Who's Talking" (TM) feature is selected in the Trunk Settings.
After you hear a conversation,
you'll "See" what it is :-) This feature can be changed for each Group & Radio ID...

Version 0.82.205 Released 12/25/2006

Regards,
Jay

361. version 0.82.205

Yahoo group: TrunkPCR
Date: 2006-12-25 18:03:39 UTC
From: Glenn Blum
Topic: 361 Message: 361

I like the abilities to change the fonts and color. I am using the black option you had included.

Thanks,
Glenn

362. soundcard sample rates

Yahoo group: TrunkPCR
Date: 2006-12-25 18:35:31 UTC
From: Glenn Blum
Topic: 362 Message: 362

Has anyone had any troubles at running at the highest rate? Mine is set at 44,100.

Thanks,
Glenn

363. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-25 18:49:45 UTC
From: scosgt@aol.com
Topic: 363 Message: 363

It appears that the pictures are only saved to individual radios, rather than globally to the talk gorup. At least, in two Moto systems, NJ State Police and Suffolk County PD, this seems to be true. Both are huge groups, with NJSP North having over 1100 radios. This makes it impractical to get all the radios associated with pictures.
I wonder if this is a decoding problem, that the radios are not properly assigned to the groups (although the proper TG's come up on the screen).
Can this be fixed to display a picture with any radio in a TG? Or maybe set the default pic to the Police Car, since that is what most of the trunked units are, and then just change the non-PD units?
I looked in the .ini files, and I did not see where the pics are assigned, so maybe Jay can revise something or give some guidance?
Thanks!

364. RE: [TrunkPCR] soundcard sample rates

Yahoo group: TrunkPCR
Date: 2006-12-25 19:17:04 UTC
From: vince48
Topic: 362 Message: 364

Glenn

I'm running at 48000

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn Blum
Sent: Monday, December 25, 2006 10:36 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] soundcard sample rates

Has anyone had any troubles at running at the highest rate? Mine is set at 44,100.

Thanks,

Glenn

_____ NOD32 1938 (20061225) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

365. WinKeyer USB question ...

Yahoo group: TrunkPCR
Date: 2006-12-25 21:08:47 UTC
From: k8eab67
Topic: 365 Message: 365

I cannot find any key or key combo that (correctly)
sends the Morse prosign SK ...

The SHIFT 4 key combo on my WinKeyer USB unit sends
SX rather than SK ...

Anyone else have this problem?

Weymouth Walker (Wey) ...
K8EAB in metro Atlanta, GA

366. Re: [TrunkPCR] TrunkPCR version 0.82.205 Now Available

Yahoo group: TrunkPCR
Date: 2006-12-25 21:36:21 UTC
From: scosgt@aol.com
Topic: 360 Message: 366

This is the error information I am getting after constant crashes of the new version. sure hope someone can read it!


```
<?xml version="1.0" encoding="UTF-16"?>
<DATABASE>
<EXE NAME="TrunkPcr.exe" FILTER="GRABMI_FILTER_PRIVACY">
<MATCHING_FILE NAME="spectrum.dll" SIZE="77824" CHECKSUM="0x981E2BE"
BIN_FILE_VERSION="1.0.0.5" BIN_PRODUCT_VERSION="1.0.0.5" PRODUCT_VERSION="1, 0, 0,
5" FILE_DESCRIPTION="spectrum" COMPANY_NAME=" " PRODUCT_NAME=" spectrum"
FILE_VERSION="1, 0, 0, 5" ORIGINAL_FILENAME="spectrum.dll"
INTERNAL_NAME="spectrum" LEGAL_COPYRIGHT="Copyright © 1999 Richard S. Horne"
VERFILEDATEHI="0x0"
VERFILEDATELO="0x0" VERFILEOS="0x40004" VERFILETYPE="0x2" MODULE_TYPE="WIN32"
PE_CHECKSUM="0x0" LINKER_VERSION="0x0" UPTO_BIN_FILE_VERSION="1.0.0.5"
UPTO_BIN_PRODUCT_VERSION="1.0.0.5" LINK_DATE="07/18/1999 13:16:55"
UPTO_LINK_DATE="07/18/1999 13:16:55" VER_LANGUAGE="English (United States) [0x409]" />
<MATCHING_FILE NAME="TrunkPcr.dll" SIZE="196608" CHECKSUM="0x3DC9629"
MODULE_TYPE="WIN32" PE_CHECKSUM="0x0" LINKER_VERSION="0x10000"
LINK_DATE="12/25/2006 03:51:16" UPTO_LINK_DATE="12/25/2006 03:51:16" />
<MATCHING_FILE NAME="TrunkPcr.exe" SIZE="2359296" CHECKSUM="0x96219691"
BIN_FILE_VERSION="0.82.0.205" BIN_PRODUCT_VERSION="0.82.0.205"
PRODUCT_VERSION="0.82.0205" FILE_DESCRIPTION="Trunk Tracking PCR"
COMPANY_NAME="FiftyOne-Fifty
Systems" PRODUCT_NAME="Trunk PCR" FILE_VERSION="0.82.0205"
ORIGINAL_FILENAME="TrunkPcr.exe" INTERNAL_NAME="TrunkPcr" LEGAL_COPYRIGHT="Copyright © Jay
L.
Bray 2002 - 2006" VERFILEDATEHI="0x0" VERFILEDATELO="0x0" VERFILEOS="0x4"
VERFILETYPE="0x1" MODULE_TYPE="WIN32" PE_CHECKSUM="0x2491EC" LINKER_VERSION="0x52"
UPTO_BIN_FILE_VERSION="0.82.0.205" UPTO_BIN_PRODUCT_VERSION="0.82.0.205"
LINK_DATE="12/25/2006 13:50:50" UPTO_LINK_DATE="12/25/2006 13:50:50"
VER_LANGUAGE="English (United States) [0x409]" />
</EXE>
<EXE NAME="kernel32.dll" FILTER="GRABMI_FILTER_THISFILEONLY">
<MATCHING_FILE NAME="kernel32.dll" SIZE="984064" CHECKSUM="0xF12E1D4A"
BIN_FILE_VERSION="5.1.2600.2945" BIN_PRODUCT_VERSION="5.1.2600.2945"
PRODUCT_VERSION="5.1.2600.2945" FILE_DESCRIPTION="Windows NT BASE API Client DLL"
COMPANY_NAME="Microsoft Corporation" PRODUCT_NAME="Microsoft® Windows® Operating
System" FILE_VERSION="5.1.2600.2945 (xpsp_sp2_gdr.060704-2349)"
ORIGINAL_FILENAME="kernel32" INTERNAL_NAME="kernel32" LEGAL_COPYRIGHT="© Microsoft
Corporation.
All rights reserved." VERFILEDATEHI="0x0" VERFILEDATELO="0x0"
VERFILEOS="0x40004" VERFILETYPE="0x2" MODULE_TYPE="WIN32" PE_CHECKSUM="0xF724D"
LINKER_VERSION="0x50001" UPTO_BIN_FILE_VERSION="5.1.2600.2945"
UPTO_BIN_PRODUCT_VERSION="5.1.2600.2945" LINK_DATE="07/05/2006 10:55:00"
UPTO_LINK_DATE="07/05/2006
```

10:55:00" VER_LANGUAGE="English (United States) [0x409]" />
</EXE>
<EXE NAME="kernel32.dll" FILTER="GRABMI_FILTER_THISFILEONLY">
<MATCHING_FILE NAME="kernel32.dll" SIZE="984064" CHECKSUM="0xF12E1D4A"
BIN_FILE_VERSION="5.1.2600.2945" BIN_PRODUCT_VERSION="5.1.2600.2945"
PRODUCT_VERSION="5.1.2600.2945" FILE_DESCRIPTION="Windows NT BASE API Client DLL"
COMPANY_NAME="Microsoft Corporation" PRODUCT_NAME="Microsoft® Windows® Operating
System" FILE_VERSION="5.1.2600.2945 (xpsp_sp2_gdr.060704-2349)"
ORIGINAL_FILENAME="kernel32" INTERNAL_NAME="kernel32" LEGAL_COPYRIGHT="© Microsoft
Corporation.
All rights reserved." VERFILEDATEHI="0x0" VERFILEDATELO="0x0"
VERFILEOS="0x40004" VERFILETYPE="0x2" MODULE_TYPE="WIN32" PE_CHECKSUM="0xF724D"
LINKER_VERSION="0x50001" UPTO_BIN_FILE_VERSION="5.1.2600.2945"
UPTO_BIN_PRODUCT_VERSION="5.1.2600.2945" LINK_DATE="07/05/2006 10:55:00"
UPTO_LINK_DATE="07/05/2006
10:55:00" VER_LANGUAGE="English (United States) [0x409]" />
</EXE>
</DATABASE>

367. Re: [TrunkPCR] TrunkPCR version 0.82.205 Now Available

Yahoo group: TrunkPCR
Date: 2006-12-26 00:43:50 UTC
From: Jay
Topic: 360 Message: 367

Looks like the Spectrum.dll may not work in XP... It's an older 3rd party dll...

Reegards,
Jay

----- Original Message -----
From: scosgt@...

This is the error information I am getting after constant crashes of the new version. sure hope someone can read it!

368. Re: [TrunkPCR] soundcard sample rates

Yahoo group: TrunkPCR
Date: 2006-12-26 00:53:36 UTC
From: Jay
Topic: 362 Message: 368

Hey Glenn,

Your sound card may not support the higher rates. Most of the older ones can only go as high as 44,100...

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Has anyone had any troubles at running at the highest rate? Mine is set at 44,100.

Thanks,
Glenn

369. Re: [TrunkPCR] TrunkPCR version 0.82.205 Now Available

Yahoo group: TrunkPCR
Date: 2006-12-26 00:57:52 UTC
From: scosgt@aol.com
Topic: 360 Message: 369

Is it worth trying the older spectrum.dll, or does it need a new one?

370. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 01:13:20 UTC
From: Jay
Topic: 363 Message: 370

Hey Bruce,

If the CC Activity Control section shows "Radio Unknown" for the Radio ID, then the picture displayed will be that of the Group instead of the User/Radio...

Assigning a picture to the Groups should clear this up...

Shoot, on the San Diego RCS system, I have over 12000 Radios and over 900 Groups. I'm still assigning pics to users as they appear :-)

You can also define your own pictures for a certrain group of users by selecting the "Custom" option and load your pictures...

TrunkPCR doesn't automatically assign a picture to a Group or Radio, that's left up to the user to determine which picture is associated with a certain Group or Radio...

Clicking on a Group / Radio Description will bring up the Edit Group / Radio dialogs. From there you can assign a Font, Color and Picture for each Group and Radio...

Regards,
Jay

----- Original Message -----
From: scosgt@...

It appears that the pictures are only saved to individual radios, rather than globally to the talk gorup. At least, in two Moto systems, NJ State Police and Suffolk County PD, this seems to be true. Both are huge groups, with NJSP North having over 1100 radios. This makes it impractical to get all the radios associated with pictures.
I wonder if this is a decoding problem, that the radios are not properly assigned to the groups (although the proper TG's come up on the screen).
Can this be fixed to display a picture with any radio in a TG? Or maybe set the default pic to the Police Car, since that is what most of the trunked units are, and then just change the non-PD units?
I looked in the .ini files, and I did not see where the pics are assigned, so maybe Jay can revise something or give some guidance?
Thanks!

371. Re: [TrunkPCR] Spectrum.dll error

Yahoo group: TrunkPCR
Date: 2006-12-26 01:19:50 UTC
From: Jay
Topic: 371 Message: 371

Hey Bruce,

There isn't an older or newer spectrum.dll file. I've been using the same one for a few years...
Guess I'll make that option unusable on XP systems... So users don't think of it as a bug ;)

Jay

----- Original Message -----
From: scosgt@...

Is it worth trying the older spectrum.dll, or does it need a new one?

372. TrunkPcr Column width

Yahoo group: TrunkPCR
Date: 2006-12-26 01:24:58 UTC
From: rlupack
Topic: 372 Message: 372

Hi..
With the new version of TrunkPcr, I can't seem to save the column width in the "control tab" once I adjust it. It always wants to revert to the narrower width setting. The default width is too narrow to view the complete number or text.

Regards... Ron

373. Re: [TrunkPCR] Spectrum.dll error

Yahoo group: TrunkPCR
Date: 2006-12-26 01:22:21 UTC
From: scosgt@aol.com
Topic: 371 Message: 373

It seems that the entire new version is not usable on XP. I get the same crash if I just leave it running without touching anything.

374. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 01:21:22 UTC
From: scosgt@aol.com
Topic: 363 Message: 374

Right, I can't find a way to assign the same picture to all radios in a group?

Also, the custom option is not available, when I click on it I just get a quick flash on the screen and that's it. The box won't stay up. Maybe that .dll problem...

375. RE: [TrunkPCR] Spectrum.dll error

Yahoo group: TrunkPCR
Date: 2006-12-26 01:31:49 UTC
From: vince48
Topic: 371 Message: 375

I'm using the new version with XP Pro. No cashes.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Monday, December 25, 2006 5:22 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Spectrum.dll error

It seems that the entire new version is not usable on XP. I get the same crash if I just leave it running without touching anything.

Messages
<http://groups.yahoo.com/group/TrunkPCR/message/371;_ylc=X3oDMTMzZDM5ZDFiBF9TAzk3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARtc2dJZAMzNzMEc2VjA2Z0cgRzbGsDdnRwYwRzdGltZQMxMTY3MDk2NTUzBHRwY0lkAzM3MQ--> in this topic (2)
<http://groups.yahoo.com/group/TrunkPCR/post;_ylc=X3oDMTJwanZxNDNhBF9TAzk3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARtc2dJZAMzNzMEc2VjA2Z0cgRzbGsDcnBseQRzdGltZQMxMTY3MDk2NTUz?act=reply&messageNum=373> Reply (via web post) | Start
<http://groups.yahoo.com/group/TrunkPCR/post;_ylc=X3oDMTJma2h0bnJqBF9TAzk3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNudHBjBHN0aW1lAzExNjcwOTY1NTM-> a new topic

Messages
<http://groups.yahoo.com/group/TrunkPCR/messages;_ylc=X3oDMTJma3JqM3FyBF9TAzk3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNtc2dzBHN0aW1lAzExNjcwOTY1NTM-> | Files
<http://groups.yahoo.com/group/TrunkPCR/files;_ylc=X3oDMTJnNDlrajg5BF9TAzk3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNmaWxlcwRzdGltZQMxMTY3MDk2NTUz> | Photos
<http://groups.yahoo.com/group/TrunkPCR/photos;_ylc=X3oDMTJmbHIwaG1wBF9TAzk3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNwaG90BHN0aW1lAzExNjcwOTY1NTM-> | Links
<http://groups.yahoo.com/group/TrunkPCR/links;_ylc=X3oDMTJnZWJnZjJ1BF9TAzk3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNsaW5rcwRzdGltZQMxMTY3MDk2NTUz> | Database
<http://groups.yahoo.com/group/TrunkPCR/database;_ylc=X3oDMTJkYXZpOG5vBF9TAzk3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNkYgRzdGltZQMxMTY3MDk2NTUz> | Members
<http://groups.yahoo.com/group/TrunkPCR/members;_ylc=X3oDMTJmY3VqamViBF9TAzk3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNtYnJzBHN0aW1lAzExNjcwOTY1NTM-> | Calendar
<http://groups.yahoo.com/group/TrunkPCR/calendar;_ylc=X3oDMTJlajY5ZTRpBF9TAz

k3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNjYW
wEc3RpbWUDMTE2NzA5NjU1Mw-->

<http://groups.yahoo.com/;_ylc=X3oDMTJlbnJpMTV0BF9TAzk3NDc2NTkwBGdycElkAzE1M
zQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNnZnAEc3RpbWUDMTE2NzA5NjU1N
A--> Yahoo! Groups
Change
<http://groups.yahoo.com/group/TrunkPCR/join;_ylc=X3oDMTJnZDRrczhzBF9TAzk3ND
c2NTkwBGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNzdG5ncw
RzdGltZQMxMTY3MDk2NTU0> settings via the Web (Yahoo! ID required)
Change settings via email: Switch
<mailto:TrunkPCR-digest@yahoogroups.com?subject=Email%20Delivery:%20Digest>
delivery to Daily Digest | Switch
<mailto:TrunkPCR-traditional@yahoogroups.com?subject=Change%20Delivery%20For
mat:%20Traditional> format to Traditional
Visit
<http://groups.yahoo.com/group/TrunkPCR;_ylc=X3oDMTJlZWM2bHBlBF9TAzk3NDc2NTk
wBGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDZnRyBHNsawNocGYEc3RpbWU
DMTE2NzA5NjU1NA--> Your Group | Yahoo! Groups
<http://docs.yahoo.com/info/terms/> Terms of Use | Unsubscribe
<mailto:TrunkPCR-unsubscribe@yahoogroups.com?subject=>

Recent Activity

* 13

New
<http://groups.yahoo.com/group/TrunkPCR/members;_ylc=X3oDMTJnOGgwaHNpBF9TAzk
3MzU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDdnRsBHNsawN2bWJ
ycwRzdGltZQMxMTY3MDk2NTUz> Members

* 1

New
<http://groups.yahoo.com/group/TrunkPCR/links;_ylc=X3oDMTJobTdjNXA1BF9TAzk3M
zU5NzE0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDdnRsBHNsawN2bGlua
3MEc3RpbWUDMTE2NzA5NjU1Mw--> Links

Visit
<http://groups.yahoo.com/group/TrunkPCR;_ylc=X3oDMTJmcTVrOHZnBF9TAzk3MzU5NzE
0BGdycElkAzE1MzQ1NDc5BGdycHNwSWQDMTcwNTA2MzEwOARzZWMDdnRsBHNsawN2Z2hwBHN0aW1
lAzExNjcwOTY1NTM-> Your Group

SPONSORED LINKS

* Craft
<http://groups.yahoo.com/gads;_ylc=X3oDMTJkdDkwNmY1BF9TAzk3MzU5NzE0BF9wAzEEZ
3JwSWQDMTUzNDU0NzkEZ3Jwc3BJZAMxNzA1MDYzMTA4BHNlYwNzbG1vZARzdGltZQMxMTY3MDk2N
TU0?t=ms&k=Craft+hobby&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio
&c=3&s=60&g=2&.sig=Dt-CZh0TH1RoSnLZHgP9Ow> hobby
* Hobby
<http://groups.yahoo.com/gads;_ylc=X3oDMTJkYzc0Z2szBF9TAzk3MzU5NzE0BF9wAzIEZ

3JwSWQDMTUzNDU0NzkEZ3Jwc3BJZAMxNzA1MDYzMTA4BHNlYwNzbG1vZARzdGltZQMxMTY3MDk2N
TU0?t=ms&k=Hobby+and+craft+supply&w1=Craft+hobby&w2=Hobby+and+craft+supply&w
3=Ham+radio&c=3&s=60&g=2&.sig=lwLlDPmwcqlaZure-pmZfA> and craft supply
* Ham
<http://groups.yahoo.com/gads;_ylc=X3oDMTJkYW8ydGlkBF9TAzk3MzU5NzE0BF9wAzMEZ
3JwSWQDMTUzNDU0NzkEZ3Jwc3BJZAMxNzA1MDYzMTA4BHNlYwNzbG1vZARzdGltZQMxMTY3MDk2N
TU0?t=ms&k=Ham+radio&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&c
=3&s=60&g=2&.sig=lF7nf4QlqpNjA1t9IG9b1g> radio

Y! GeoCities

Share
<http://us.ard.yahoo.com/SIG=12imeel3q/M=493064.9803219.10510212.8674578/D=g
roups/S=1705063108:NC/Y=YAHOO/EXP=1167103754/A=3848525/R=0/SIG=11vts2tqq/*ht
tp:/us.rd.yahoo.com/evt=42416/*http:/geocities.yahoo.com/> Your Passion

Join the web's lar- gest community.

Biz Tools

Y!
<http://us.ard.yahoo.com/SIG=12i3dcetp/M=493064.9803229.10510223.8674578/D=g
roups/S=1705063108:NC/Y=YAHOO/EXP=1167103754/A=4025323/R=0/SIG=12a352npd/*ht
tp:/us.rd.yahoo.com/evt=44092/*http:/smallbusiness.yahoo.com/r-index> Small
Business

Track packages,

get forms, & more

Yahoo! Groups

Start
<http://groups.yahoo.com/start;_ylc=X3oDMTJwNzdqZWpiBF9TAzk3MzU5NzE0BF9wAzME
Z3JwSWQDMTUzNDU0NzkEZ3Jwc3BJZAMxNzA1MDYzMTA4BHNlYwNuY21vZARzbGsDZ3JvdXBzMgRz
dGltZQMxMTY3MDk2NTUz> a group

in 3 easy steps.

Connect with others.

.

<http://geo.yahoo.com/serv?s=97359714/grpId=15345479/grpspId=1705063108/msgI
d=373/stime=1167096553/nc1=3848525/nc2=4025323/nc3=3>
__,._,___

_____ NOD32 1938 (20061225) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

376. Re: [TrunkPCR] TrunkPcr Column width

Yahoo group: TrunkPCR
Date: 2006-12-26 01:39:21 UTC
From: Jay
Topic: 372 Message: 376

Hey Ron,

Once the CC Activity window is closed, you'll have to reset them when you reopen it.
I don't save the column widths... You can double click the Column Separator to auto adjust the width (when there is text under the column)...

Regards,
Jay

----- Original Message -----
From: rlupack

Hi..
With the new version of TrunkPcr, I can't seem to save the column width in the "control tab" once I adjust it. It always wants to revert to the narrower width setting. The default width is too narrow to view the complete number or text.

Regards... Ron

377. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 01:50:37 UTC
From: Jay
Topic: 363 Message: 377

Hi Bruce,

Well, there isn't a way to assign a picture for ALL Users in a Group.
Since some Groups, such as Fire Groups, have many different types of
users...
Plus I have other Groups that have multiple types of users as well... So I
leave it up to the user to select a picture for any user or group...

The spectrum.dll doesn't have anything to do with trunking, so that can't be
it...

Hmmm, clicking the "Custom" option makes that window disappear??? That's an
odd one...

Regards,
Jay

----- Original Message -----
From: scosgt@...

Right, I can't find a way to assign the same picture to all radios in a
group?

Also, the custom option is not available, when I click on it I just get a
quick flash on the screen and that's it. The box won't stay up. Maybe that
dll problem...

378. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 01:58:26 UTC
From: scosgt@aol.com
Topic: 363 Message: 378

Yes, and this is a fairly new system with not too much on it. No problems at all with the earlier version, or TalkPCR or Bonito or the Icom program. I had hoped that the actual error message might give a clue. I do like the new picture system, but so far it appers I can't use it.
Could it be a problem in the systems I have saved? Or the .ini?
BTW, I downloaded and installed the new program first on a spare machine, just to make sure it would not cause any system problems. It would not run on there at all! (XP SP1). Just sat and looked at me!

AFA the assignments, I do understand, but most of my talkgroups are PD, so it would have been way easier to assign one pic for the entire group.
Meanwhile, I went back to the prior version and it has been running error free for hours. Something in there I am choking on, I fear.

379. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 02:07:11 UTC
From: scosgt@aol.com
Topic: 363 Message: 379

Any clue in that printout as to what could be conflicting with it?
I do have Epson Status Monitor installed, and it tends to conflict with almost everything!

380. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 02:31:22 UTC
From: Jay
Topic: 363 Message: 380

Hi Bruce,

Ok, what if you leave the "See Who's Talking" turned off? to verify the problem is that?
Did you check out the instructions in the Read Me file? (Just to check)...
Since there are other new additions to the program, it may not just be associated with the pics.
Make sure you Set the Fonts and Colors for ALL Groups and Radios in the Display Properties...

Jay

----- Original Message -----
From: scosgt@...

Any clue in that printout as to what could be conflicting with it?
I do have Epson Status Monitor installed, and it tends to conflict with almost everything!

381. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 02:32:32 UTC
From: scosgt@aol.com
Topic: 363 Message: 381

Just for the heck of it, I did a fresh full install, and turned off just about everything in task manager. Still crashes with the exact same issues almost immediately.

So, it looks like something in this new version is not compatible with XP SP2

382. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 02:41:48 UTC
From: Jay
Topic: 363 Message: 382

The error message just gives details on what's running with the program, not the actual error that I can refer to...

TrunkPCR is tested on Windows 95, Windows 98 SE2 (TI TravelMate LapTop) and Windows XP Pro (ComPaq) and works fine for me on these machines. Once I can get my 4th PC that has Windows ME (HP) back up and running I can check it out on that. Just saying that I do check it out on most configurations possible before I let the public beta test it...

I may add an option to assign a pic to all users of a Group, but then you'll have to change the pic for the Dispatch Operators...

Regards,
Jay

----- Original Message -----
From: scosgt@...

Yes, and this is a fairly new system with not too much on it. No problems at all with the earlier version, or TalkPCR or Bonito or the Icom program. I had hoped that the actual error message might give a clue. I do like the new picture system, but so far it appers I can't use it.
Could it be a problem in the systems I have saved? Or the .ini?
BTW, I downloaded and installed the new program first on a spare machine, just to make sure it would not cause any system problems. It would not run on there at all! (XP SP1). Just sat and looked at me!

AFA the assignments, I do understand, but most of my talkgroups are PD, so it would have been way easier to assign one pic for the entire group. Meanwhile, I went back to the prior version and it has been running error free for hours. Something in there I am choking on, I fear.

383. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 02:53:17 UTC
From: scosgt@aol.com
Topic: 363 Message: 383

I gave up and went back to the prior release, guess I'll have to wait for the next version.
I have other computers that can run 98, but for various reasons I think I prefer to run it on this particular machine. Besides, if I need to change machines you may have to send me a new key!

In a message dated 12/25/2006 9:35:35 PM Eastern Standard Time, crazycalifornian@... writes:

> Hi Bruce,
>
> Ok, what if you leave the "See Who's Talking" turned off? to verify the
> problem is that?
> Did you check out the instructions in the Read Me file? (Just to check)...
> Since there are other new additions to the program, it may not just be
> associated with the pics.
>
>
>
>
>

384. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 03:06:39 UTC
From: Jay
Topic: 363 Message: 384

But Did you also set up the Fonts for ALL Groups and Radios In the Display Properties???

Or the problem could be associated with your specific problematic monitor like you stated???

----- Original Message -----
From: scosgt@...

Just for the heck of it, I did a fresh full install, and turned off just about everything in task manager. Still crashes with the exact same issues almost immediately.

So, it looks like something in this new version is not compatible with XP SP2

385. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 03:08:38 UTC
From: Jay
Topic: 363 Message: 385

Also, I do have access to a XP SP2 Pentium 4, 3.3ghz machine and it seems ok on there too...

----- Original Message -----
From: scosgt@...

So, it looks like something in this new version is not compatible with XP SP2

386. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 03:20:03 UTC
From: scosgt@aol.com
Topic: 363 Message: 386

In a message dated 12/25/2006 10:08:33 PM Eastern Standard Time, crazycalifornian@... writes:

I turned off everything in task manager, and still had the same problem of it locking right up. No idea what the problem is, this is a unit that only went into service around 6 weeks ago, has the IBM pre-load software, and I have only installed Office, AOL and a printer so it is about as plain vanilla as it gets.

But Did you also set up the Fonts for ALL Groups and Radios In the Display

387. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 03:33:50 UTC
From: Leigh Sedgwick
Topic: 363 Message: 387

Runs OK here on a Dell Pentium 4, 2.2 ghz running XP, SP2...

Thanks for the update Jay...but, I think you're nuts releasing it on Christmas day :-)....

Happy Holidays all and thanks again for a great program Jay!

Mike, K7PI
Mercer Island, WA

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, December 25, 2006 7:08 PM
Subject: Re: [TrunkPCR] version 0.82.205 (bugs?)

Also, I do have access to a XP SP2 Pentium 4, 3.3ghz machine and it seems ok
on there too...

----- Original Message -----
From: scosgt@...

So, it looks like something in this new version is not compatible with XP
SP2

388. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 04:15:24 UTC
From: scosgt@aol.com
Topic: 363 Message: 388

After setting the fonts to default, I have it running for a while. Trying to set a custom picture is an instant crash. Also, call me crazy, but it seems like the updated version has some trouble holding the control channel on two weaker systems I monitor (holds fine on the earlier version). I know that propagation conditions rule on this, but switching from one app to the other, the control channels seem to get lost an awful lot more on this version. don't know if there is anything in the software that fan even do this.

389. Re: [TrunkPCR] Spectrum.dll error

Yahoo group: TrunkPCR
Date: 2006-12-26 04:20:46 UTC
From: Glenn Blum
Topic: 371 Message: 389

No crashes here.I am running XP home edition fully updated.

Glenn
----- Original Message -----
From: vince48
To: TrunkPCR@yahoogroups.com
Sent: Monday, December 25, 2006 7:31 PM
Subject: RE: [TrunkPCR] Spectrum.dll error

I'm using the new version with XP Pro. No cashes.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Monday, December 25, 2006 5:22 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Spectrum.dll error

It seems that the entire new version is not usable on XP. I get the same crash if I just leave it running without touching anything.

_____ NOD32 1938 (20061225) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

390. Re: [TrunkPCR] soundcard sample rates

Yahoo group: TrunkPCR
Date: 2006-12-26 04:23:27 UTC
From: Glenn Blum
Topic: 362 Message: 390

I got it running at 96000 now and by looking at the 1's and recovery rate the program is running much smooth.

Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, December 25, 2006 6:53 PM
Subject: Re: [TrunkPCR] soundcard sample rates

Hey Glenn,

Your sound card may not support the higher rates. Most of the older ones can only go as high as 44,100...

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Has anyone had any troubles at running at the highest rate? Mine is set at 44,100.

Thanks,
Glenn

391. Re: [TrunkPCR] TrunkPcr Column width

Yahoo group: TrunkPCR
Date: 2006-12-26 04:19:46 UTC
From: Glenn Blum
Topic: 372 Message: 391

I was going to ask about this and add to it. I like to keep the control channel window at full screen. No complaint just personal preference.
I like the monkey! kinda reminds me of some of our local law enforcement officials.

Glenn

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, December 25, 2006 7:39 PM
Subject: Re: [TrunkPCR] TrunkPcr Column width

Hey Ron,

Once the CC Activity window is closed, you'll have to reset them when you reopen it.
I don't save the column widths... You can double click the Column Separator to auto adjust the width (when there is text under the column)...

Regards,
Jay

----- Original Message -----
From: rlupack

Hi..
With the new version of TrunkPcr, I can't seem to save the column width in the "control tab" once I adjust it. It always wants to revert to the narrower width setting. The default width is too narrow to view the complete number or text.

Regards... Ron

392. Re: [TrunkPCR] version 0.82.205 (bugs?)

Yahoo group: TrunkPCR
Date: 2006-12-26 06:31:07 UTC
From: Jay
Topic: 363 Message: 392

Hi Bruce,

Thanks for the updated info... It's got me scratching my head :)
One other user reported that a fix for him was to install the prior version using the installer, then extracted the New Update to where TrunkPCR is installed and all was better...
It that is the fix, let me know and I'll make a fresh installer...

Thanks again,
Jay

----- Original Message -----
From: scosgt@...

After setting the fonts to default, I have it running for a while. Trying to set a custom picture is an instant crash. Also, call me crazy, but it seems like the updated version has some trouble holding the control channel on two weaker systems I monitor (holds fine on the earlier version). I know that propagation conditions rule on this, but switching from one app to the other, the control channels seem to get lost an awful lot more on this version. don't know if there is anything in the software that fan even do this.

393. Re: [TrunkPCR] TrunkPcr Column width

Yahoo group: TrunkPCR
Date: 2006-12-26 06:37:16 UTC
From: Jay
Topic: 393 Message: 393

Ahhh, good point Glenn.

I don't have the Full Screen box enabled, it would make it a bit easier...
I'll see aboout sizing the column widths in the next update and add the Full
Screen capability...

Yeah, the monkey makes me laugh :-)

Regards,
Jay

----- Original Message -----
From: Glenn Blum

I was going to ask about this and add to it. I like to keep the control
channel window at full screen. No complaint just personal preference.
I like the monkey! kinda reminds me of some of our local law enforcement
officials.

Glenn

----- Original Message -----
From: Jay

Hey Ron,

Once the CC Activity window is closed, you'll have to reset them when you
reopen it.
I don't save the column widths... You can double click the Column Separator
to auto adjust the width (when there is text under the column)...

Regards,
Jay

----- Original Message -----
From: rlupack

Hi..
With the new version of TrunkPcr, I can't seem to save the column
width in the "control tab" once I adjust it. It always wants to revert
to the narrower width setting. The default width is too narrow to view
the complete number or text.

Regards... Ron

394. Next Update out later tonoight

Yahoo group: TrunkPCR
Date: 2006-12-27 00:45:51 UTC
From: Jay
Topic: 394 Message: 394

Hey All,

I'll have an update out sometime tonight.
It will fix the issue with loading custom pictures causing a crash and removing the picture when transfering a Group ID to a different TrunkBank, along with removing the picture after you click Scan or Search...

In my haste to get it out yesterday, I didn't give myself enough time to test it with the new additions...

Regards,
Jay

395. RE: [TrunkPCR] Next Update out later tonoight

Yahoo group: TrunkPCR
Date: 2006-12-27 00:53:47 UTC
From: vince48
Topic: 394 Message: 395

Jay

Thanks for the new version. A few bugs, but best thing out there!

Vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, December 26, 2006 4:46 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Next Update out later tonoight

Hey All,

I'll have an update out sometime tonight.
It will fix the issue with loading custom pictures causing a crash and removing the picture when transfering a Group ID to a different TrunkBank, along with removing the picture after you click Scan or Search...

In my haste to get it out yesterday, I didn't give myself enough time to test it with the new additions...

Regards,
Jay

_____ NOD32 1939 (20061226) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

396. (Another issue) Next Update out later tonoight

Yahoo group: TrunkPCR
Date: 2006-12-27 01:52:27 UTC
From: scosgt@aol.com
Topic: 396 Message: 396

I am unable to monitor a local EDACS system, NYNJ Port Authority. Here is what happens:
Both Uniden and Radio Shack scanners right next to the PCR1000 track fine. The TrunkPCR "sees" the original mic click and displays the group and the freq of the transmission (NOT the CC), but it almost never displays the radio or opens the squelch! In other words, I am listening to a conversation on the 396T, the same freq displays on TrunkPCR, but the group and not the radio displays, and there is no audio! I am getting 100% decode (this is a strong local system) and the 1's are between 48 and 52. I have tried all different settings in the setting screen, decode at up to 9600 etc. I do get full control data in that setup, it just somehow looks like the software is not fully decoding the data. I also noticed that I have the crashes eliminated on Moto systems, another local EDACS crashes quite often. I did verify that the channels are loaded in LCN.
Anyone?

Program is great, have many pics showing on my big Moto systems, the EDACS seems a problem. Again, it often will click when a transmission comes up, but all I get is the click, then just "watching....."

397. Re: [TrunkPCR] (Another issue)

Yahoo group: TrunkPCR
Date: 2006-12-27 03:17:09 UTC
From: Jay
Topic: 397 Message: 397

Hey Bruce,

If you are seeing the "Watching....." scroll message and you are in Scan/Search mode (Not on HOLD), then that appears to be a Scan Delay issue setting with the Resume Delay activated.
So, check the Scan Delay Settings and see what's what...

What did you do to resolve the crashing problem with the Moto system???

Thanks for the update,
Jay

----- Original Message -----
From: scosgt@...

I am unable to monitor a local EDACS system, NYNJ Port Authority. Here is what happens:
Both Uniden and Radio Shack scanners right next to the PCR1000 track fine. The TrunkPCR "sees" the original mic click and displays the group and the freq of the transmission (NOT the CC), but it almost never displays the radio or opens the squelch! In other words, I am listening to a conversation on the 396T, the same freq displays on TrunkPCR, but the group and not the radio displays, and there is no audio! I am getting 100% decode (this is a strong local system) and the 1's are between 48 and 52. I have tried all different settings in the setting screen, decode at up to 9600 etc. I do get full control data in that setup, it just somehow looks like the software is not fully decoding the data. I also noticed that I have the crashes eliminated on Moto systems, another local EDACS crashes quite often. I did verify that the channels are loaded in LCN.
Anyone?

Program is great, have many pics showing on my big Moto systems, the EDACS seems a problem. Again, it often will click when a transmission comes up, but all I get is the click, then just "watching....."

398. Re: [TrunkPCR] (Another issue)

Yahoo group: TrunkPCR
Date: 2006-12-27 03:25:20 UTC
From: scosgt@aol.com
Topic: 397 Message: 398

As I stated in another post, the EDACS problem was resolved by going back to the older version, something wrong with the code. NOT a scan delay problem, it would never lock on the actual transmitting radio, I am using the older system, and it works like a champ. Do check the TrunkPCR.dll, as that is the other file that was changed. The old version will not run with the new dll (I tried), maybe that is where the error lies. I also had the same results on two other EDACS systems, so for sure this is a code problem.
As to the Moto systems, I followed your suggestion and re-set all the display settings back to default. That seemed to work. The only crashes after that were on the custom picture screen, and an EDACS system. I am certain that the EDACS problem is that something got changed or overlooked, nothing else makes sense since the older version works perfectly with the actual same banks files.

399. Re: [TrunkPCR] (Another issue)

Yahoo group: TrunkPCR
Date: 2006-12-27 03:38:02 UTC
From: scosgt@aol.com
Topic: 397 Message: 399

One other thing - is it possible I need to create new EDACS banks with the new version for some reason - that it will not work properly with the EDACS banks from the prior version? That's the only other thing I can think of. I tried all the settings, with no difference. But with the older version, the EDACS banks work fine with just about any settings.

400. Re: [TrunkPCR] (Another issue)

Yahoo group: TrunkPCR
Date: 2006-12-27 07:08:19 UTC
From: Jay
Topic: 397 Message: 400

Hey Bruce,

You should't need to make a new Edacs Bank. Changes to the Bank (.Bnk), Trunk (.Tnk) or Radio (.Rcv) when upgrading, those are automatically done. You should keep a backup of your Bank files from a version that's working for you. You can't use the new (.Tnk) or (.Rcv) files and sometimes the (.Bnk) in an older version without having confilicts...

The Moto & Edacs Decoders haven't been changed that would affect the Recovery Rate. Have you noticed a drop in the Recovery Rate??? As a matter of fact, the Edacs Decoder hasn't been changed since before the 0.8.200 came out... So it's not the "Decoder Code"...

Previously you stated that you saw the "Watching....." Scroll message. That will only show up when you are "HOLDing" on a Group or you are using the Resume Delay in the Scan Settings...

Try switching your Sampling Rate in the Trunk Settings to see if that makes a difference...

I find it odd that on my bogged down win95 system, everything works great, even on my P133 Laptop...

The Edacs station I listen to is about 100 miles away, and right now I can't even hear the control channel, so Edacs testing on this end is out until conditions improve...

Regards,
Jay

----- Original Message -----
From: scosgt@...

One other thing - is it possible I need to create new EDACS banks with the new version for some reason - that it will not work properly with the EDACS banks from the prior version? That's the only other thing I can think of. I tried all the settings, with no difference. But with the older version, the EDACS banks work fine with just about any settings.

As I stated in another post, the EDACS problem was resolved by going back to the older version, something wrong with the code. NOT a scan delay problem, it would never lock on the actual transmitting radio, I am using the older system, and it works like a champ. Do check the TrunkPCR.dll, as that is the other file that was changed. The old version will not run with the new dll (I tried), maybe that is where the error lies. I also had the same results on two other EDACS systems, so for sure this is a code problem.
As to the Moto systems, I followed your suggestion and re-set all the

display settings back to default. That seemed to work. The only crashes after that were on the custom picture screen, and an EDACS system. I am certain that the EDACS problem is that something got changed or overlooked, nothing else makes sense since the older version works perfectly with the actual same banks files.

Program is great, have many pics showing on my big Moto systems, the EDACS seems a problem. Again, it often will click when a transmission comes up, but all I get is the click, then just "watching....."

401. TrunkPCR version 0.82.206 Now Available

Yahoo group: TrunkPCR
Date: 2006-12-27 13:12:36 UTC
From: Jay
Topic: 401 Message: 401

TrunkPCR version 0.82.205 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes a few bugs:

Dec 26,2006 - Fixed: User Picture removed from display when Moving Group
to a different TrunkBank.
Dec 26,2006 - Fixed: User Picture Selection in Custom Select caused a
crash (guess I was in too much of a hury to release).
Version 0.82.206 Released 12/27/2006

Regards,
Jay

402. Can't get TrunkPCR to start

Yahoo group: TrunkPCR
Date: 2006-12-27 14:18:04 UTC
From: Bruce Freund
Topic: 402 Message: 402

Can't get TrunkPCR to run on:

a) 1 GHz XP SP2 tower with PCR-1000
b) 1.3 GHz Windows 2K laptop with PCR-100

Same symptoms: the application will show briefly in Task Manager and then quit and disappear. The W2K laptop at least gets as far as noting that the radio is not in COM2 and asks for the right port, but then disappears after trying to select COM1. Fresh download this morning did not change symptoms. Any ideas? Can't get this application far enough along to evaluate whether it would be useful or not...

403. Re: [TrunkPCR] (Another issue)

Yahoo group: TrunkPCR
Date: 2006-12-27 14:45:28 UTC
From: scosgt@aol.com
Topic: 397 Message: 403

Tried all that stuff. It just does not go to the actual transmitting radio and open the squelch on EDACS, and I don't know why. The earlier version works great. I have flipped the versions back and forth, and there is no doubt that this is true. I just don't know why it is so.

404. Re: [TrunkPCR] Can't get TrunkPCR to start

Yahoo group: TrunkPCR
Date: 2006-12-27 15:20:00 UTC
From: Jay
Topic: 402 Message: 404

Thanks Bruce,

Another user has reported that exact same problem...
What Country are you in? or what decimal separator do you use? Comma (,) or Period (.)??

Thanks again,
Jay

----- Original Message -----
From: Bruce Freund
Can't get TrunkPCR to run on:

a) 1 GHz XP SP2 tower with PCR-1000
b) 1.3 GHz Windows 2K laptop with PCR-100

Same symptoms: the application will show briefly in Task Manager and then quit and disappear. The W2K laptop at least gets as far as noting that the radio is not in COM2 and asks for the right port, but then disappears after trying to select COM1. Fresh download this morning did not change symptoms. Any ideas? Can't get this application far enough along to evaluate whether it would be useful or not...

405. Re: [TrunkPCR] Can't get TrunkPCR to start

Yahoo group: TrunkPCR
Date: 2006-12-27 15:27:59 UTC
From: scosgt@aol.com
Topic: 402 Message: 405

I also had the same symptoms on an XP machine. I didn't pursue it, as it was a spare machine I was just using to test.

406. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-27 19:21:41 UTC
From: scosgt@aol.com
Topic: 406 Message: 406

OK, the new version cures the custom picture issue.
The EDACS issue still exists.
But here is a clue as to the problem:

I am getting numerous hits on the following groups:
16416 (Groupd #4020) AFS 00-040
16384 (Group 4000) AFS 00-000

Neither of these groups actually exists, and I suspect that each time I get a little squelch break, it is getting a hit on one of these. This is likely the problem, or at least a big clue as to the problem, the decode is not properly seeing the radios. These in fact look (In DEC) like MOTO groups, but I get hits on them in all my EDACS systems. Back to the older version, these systems work perfectly.
Strangely, I do get some hits from the dispatcher (group 97 DEC) but not the replys. So something is just not decoding properly.

ALSO, what is the EDACS mask and what does the priority 50 mean and should that be set to something else?
Thanks

407. Re: [TrunkPCR] Can't get TrunkPCR to start

Yahoo group: TrunkPCR
Date: 2006-12-27 20:21:44 UTC
From: Bruce Freund
Topic: 402 Message: 407

Jay,

I'm in VA, USA and use periods vice commas as decimal separators.

Bruce

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, December 27, 2006 10:20 AM
Subject: Re: [TrunkPCR] Can't get TrunkPCR to start

Thanks Bruce,

Another user has reported that exact same problem...
What Country are you in? or what decimal separator do you use? Comma (,) or Period (.)??

Thanks again,
Jay

----- Original Message -----
From: Bruce Freund
Can't get TrunkPCR to run on:

a) 1 GHz XP SP2 tower with PCR-1000
b) 1.3 GHz Windows 2K laptop with PCR-100

Same symptoms: the application will show briefly in Task Manager and then quit and disappear. The W2K laptop at least gets as far as noting that the radio is not in COM2 and asks for the right port, but then disappears after trying to select COM1. Fresh download this morning did not change symptoms. Any ideas? Can't get this application far enough along to evaluate whether it would be useful or not...

408. Re: [TrunkPCR] Can't get TrunkPCR to start

Yahoo group: TrunkPCR
Date: 2006-12-28 02:12:41 UTC
From: Jay
Topic: 402 Message: 408

Ok, there goes that idea, but I had to ask..
It does give me another idea where to look though...

Thanks again...

----- Original Message -----
From: Bruce Freund

Jay,

I'm in VA, USA and use periods vice commas as decimal separators.

Bruce

----- Original Message -----
From: Jay

Thanks Bruce,

Another user has reported that exact same problem...
What Country are you in? or what decimal separator do you use? Comma (,) or
Period (.)??

Thanks again,
Jay

----- Original Message -----
From: Bruce Freund
Can't get TrunkPCR to run on:

a) 1 GHz XP SP2 tower with PCR-1000
b) 1.3 GHz Windows 2K laptop with PCR-100

Same symptoms: the application will show briefly in Task Manager and
then quit and disappear. The W2K laptop at least gets as far as noting
that the radio is not in COM2 and asks for the right port, but then
disappears after trying to select COM1. Fresh download this morning
did not change symptoms. Any ideas? Can't get this application far
enough along to evaluate whether it would be useful or not...

409. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 02:07:31 UTC
From: Jay
Topic: 406 Message: 409

Hi Bruce,

Yep, haven't found the problem with the Edacs yet... If you are getting a good dump, could you send me a 15 minute (or so) Dump, zipped?? Just so I can see what info you are getting..

Actually those groups do exist as far as the program goes.
16384 (Group #4000) = Patched Group
16400 (Group #4010) = Private / I-Calls
16416 (Group #4020) = Data Call

For Edacs, you should keep the "Block Data Calls" Checked, unless you want your hard drive filled with data info :) Actually, I should disable that option, since that is a possibility...

The ESK Mask is for systems that use the Extra Security Key encryption. Not all Edacs systems use this. If your system did use this, you would be getting allot of meaningless messages if it wasn't set properly...

If you are getting good data flow in the [Dump List], or seeing activity in the [Control List] that you can match with your other scanners, then it's decoding fine.

What could be happening is that somehow, I forgot to make a change in the Edacs portion of the Main User Inteface (not the decoder dll), while adding the new additions or other changes in the past two months. I may have been side tracked one day and thought I had completed that part...

No worries, I'll track that bug down and squash that little bugger soon enough :)

Thanks,
Jay

----- Original Message -----
From: scosgt@...

OK, the new version cures the custom picture issue.
The EDACS issue still exists.
But here is a clue as to the problem:

I am getting numerous hits on the following groups:
16416 (Groupd #4020) AFS 00-040
16384 (Group 4000) AFS 00-000

Neither of these groups actually exists, and I suspect that each time I get a little squelch break, it is getting a hit on one of these. This is likely the problem, or at least a big clue as to the problem, the decode is not

properly seeing the radios. These in fact look (In DEC) like MOTO groups, but I get hits on them in all my EDACS systems. Back to the older version, these systems work perfectly.
Strangely, I do get some hits from the dispatcher (group 97 DEC) but not the replys. So something is just not decoding properly.

ALSO, what is the EDACS mask and what does the priority 50 mean and should that be set to something else?
Thanks

410. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 02:39:15 UTC
From: scosgt@aol.com
Topic: 406 Message: 410
Attachments: 1 described; binary payloads are missing from this source WARC

Here is a good dump, from the older version. I will now rename the files, and get a bad dump and forward it over.

What do the priority (50) settings do?

411. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 03:53:11 UTC
From: Jay
Topic: 406 Message: 411

Ok, Thanks....

If you are using a 2nd radio/scanner with a discriminator tap, you can use
it in Dual Receiver mode and use the Priority feature. A lower number has
higher priority over olthers.
So if a Group with a priority of 50 is talking and a call comes in for a
Group that has a priority of 40, the later Group will have a higher priority
and will jump to the frequency that call is made on.

Thanks again,
Jay

----- Original Message -----
From: scosgt@...

Here is a good dump, from the older version. I will now rename the files,
and get a bad dump and forward it over.

What do the priority (50) settings do?

412. RE: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 03:55:16 UTC
From: vince48
Topic: 406 Message: 412

Jay

How can I set up my 2500 to utilize the priority feature?

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Wednesday, December 27, 2006 7:53 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] EDACS

Ok, Thanks....

If you are using a 2nd radio/scanner with a discriminator tap, you can use
it in Dual Receiver mode and use the Priority feature. A lower number has
higher priority over olthers.
So if a Group with a priority of 50 is talking and a call comes in for a
Group that has a priority of 40, the later Group will have a higher priority
and will jump to the frequency that call is made on.

Thanks again,
Jay

----- Original Message -----
From: scosgt@... <mailto:scosgt%40aol.com>

Here is a good dump, from the older version. I will now rename the files,
and get a bad dump and forward it over.

What do the priority (50) settings do?

_____ NOD32 1941 (20061228) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

413. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 04:00:32 UTC
From: scosgt@aol.com
Topic: 406 Message: 413

AND would you need two sound cards?

414. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 03:58:02 UTC
From: scosgt@aol.com
Topic: 406 Message: 414

THAT is a very cool feature. I may have to look around for a radio with a tap.

In a message dated 12/27/2006 10:55:00 PM Eastern Standard Time, crazycalifornian@... writes:

> Ok, Thanks....
>
> If you are using a 2nd radio/scanner with a discriminator tap, you can use
> it in Dual Receiver mode and use the Priority feature. A lower number has
> higher priority over olthers.
> So if a Group with a priority of 50 is talking and a call comes in for a
> Group that has a priority of 40, the later Group will have a higher priority
> and will jump to the frequency that call is made on.
>
>
>
>
>
>

415. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 04:13:59 UTC
From: Jay
Topic: 406 Message: 415

Hi Vince,

You can use the Sub Receiver for decoding just by clicking on the [Dual] Rcvr Option and using the Packet out of the Sub Receiver connecting to your Line-In on the Soundcard...

Since the P25 only works in the Main Receiver, you will (in the next update for UHF) be able to follow the P25 Calls normally...

Regards,
Jay

----- Original Message -----
From: vince48

Jay
How can I set up my 2500 to utilize the priority feature?

Ok, Thanks....

If you are using a 2nd radio/scanner with a discriminator tap, you can use it in Dual Receiver mode and use the Priority feature. A lower number has higher priority over olthers.
So if a Group with a priority of 50 is talking and a call comes in for a Group that has a priority of 40, the later Group will have a higher priority and will jump to the frequency that call is made on.

Thanks again,
Jay

----- Original Message -----
From: scosgt@...

Here is a good dump, from the older version. I will now rename the files, and get a bad dump and forward it over.

What do the priority (50) settings do?

416. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 04:20:14 UTC
From: Jay
Topic: 406 Message: 416

Nope, you would only need 1 Soundcard for the audio source...
The packet out of the PCR-1000 would not be used in this case...

Regards,
Jay

----- Original Message -----
From: scosgt@...

THAT is a very cool feature. I may have to look around for a radio with a tap.
AND would you need two sound cards?

Ok, Thanks....

If you are using a 2nd radio/scanner with a discriminator tap, you can use it in Dual Receiver mode and use the Priority feature. A lower number has higher priority over olthers.
So if a Group with a priority of 50 is talking and a call comes in for a Group that has a priority of 40, the later Group will have a higher priority and will jump to the frequency that call is made on.

417. EDACS Problem

Yahoo group: TrunkPCR
Date: 2006-12-28 05:03:03 UTC
From: Jay
Topic: 417 Message: 417

Well, I have 0.81.203 and 0.82.206 runnng side-by-side and with a signal level of (0) Zero on the meter, and enough signal to actually hear for the past 30 minutes, I can receive Edacs Calls equally as well on both versions on this end...

Regards,
Jay

418. Re: [TrunkPCR] EDACS Problem

Yahoo group: TrunkPCR
Date: 2006-12-28 06:09:17 UTC
From: scosgt@aol.com
Topic: 417 Message: 418

I get signal, I just don't get talkgroups.....

In a message dated 12/28/2006 12:05:17 AM Eastern Standard Time, crazycalifornian@... writes:

> Well, I have 0.81.203 and 0.82.206 runnng side-by-side and with a signal
> level of (0) Zero on the meter, and enough signal to actually hear for the
> past 30 minutes, I can receive Edacs Calls equally as well on both versions on
> this end...

419. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 06:08:14 UTC
From: scosgt@aol.com
Topic: 406 Message: 419

OK, I am confused, what is the purpose of using a second radio with discriinator tap and not using the tap on the PCR?

In a message dated 12/27/2006 11:22:00 PM Eastern Standard Time, crazycalifornian@... writes:

> Nope, you would only need 1 Soundcard for the audio source...
> The packet out of the PCR-1000 would not be used in this case...
>
>
>
>
>
>

420. Re: [TrunkPCR] EDACS Problem

Yahoo group: TrunkPCR
Date: 2006-12-28 06:10:13 UTC
From: scosgt@aol.com
Topic: 417 Message: 420

Just out of curiousity, do I need to specify the radio type manually on the newer version? Could that be the problem? I use a 1000

421. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 07:30:14 UTC
From: Jay
Topic: 406 Message: 421

In a 2 Radio set-up, the 2nd is used for the audio source for decoding, while the PCR is used to listen to the calls... Which is why only need 1 Soundcard is needed...

Jay

----- Original Message -----
From: scosgt@...

OK, I am confused, what is the purpose of using a second radio with discriinator tap and not using the tap on the PCR?

In a message dated 12/27/2006 11:22:00 PM Eastern Standard Time, crazycalifornian@... writes:

Nope, you would only need 1 Soundcard for the audio source...
The packet out of the PCR-1000 would not be used in this case...

422. Re: [TrunkPCR] EDACS Problem

Yahoo group: TrunkPCR
Date: 2006-12-28 07:43:59 UTC
From: Jay
Topic: 417 Message: 422

If you mean the PCR Type, then No... PCR selection is automatic...
It should say [PCR-1000] in the caption of the Title Bar (Top Blue part) for a PCR-1000...

Do you have the Trunk Banks "ON" (Green) for the assocated Group?

The only things needed by the user in this last update to do is the fonts & color...
Everything else, is as it was...

Regards,
Jay

----- Original Message -----
From: scosgt@...

Just out of curiousity, do I need to specify the radio type manually on the newer version? Could that be the problem? I use a 1000

423. Startup Problem

Yahoo group: TrunkPCR
Date: 2006-12-28 07:54:49 UTC
From: digitizedlife
Topic: 423 Message: 423

Anything new on the startup problem? I would really like to use the program but cannot get it to start?

424. TrunkPCR 0.82.206 won´t start

Yahoo group: TrunkPCR
Date: 2006-12-28 09:57:20 UTC
From: oby1can0bi
Topic: 424 Message: 424

I´ve tried the latest version of TrunkPCR, but it won´t start. I´ve now tried it on three XP machines and one 2003 server.

Can anyone please post me an earlier version to try?

oby1can0bi@...

Regards,
Oby1

425. Re: [TrunkPCR] Startup Problem

Yahoo group: TrunkPCR
Date: 2006-12-28 11:12:52 UTC
From: Jay
Topic: 423 Message: 425

Nope, nothing yet...
Just started looking at that issue...

Regards,
Jay

----- Original Message -----
From: digitizedlife

Anything new on the startup problem? I would really like to use the
program but cannot get it to start?

426. Re: [TrunkPCR] TrunkPCR 0.82.206 won´t start

Yahoo group: TrunkPCR
Date: 2006-12-28 11:11:28 UTC
From: Jay
Topic: 426 Message: 426

Hey Jedi Master,

Another user reported that for him, the last version that worked for him was 0.6.69...
That version only had limited Motorola Trunking capability back then...
And it's not compatible with any of the files from the newer versions...

I'll post it in the File Section for you to check out...

Regards,
Jay

----- Original Message -----
From: oby1can0bi

I?ve tried the latest version of TrunkPCR, but it won?t start. I?ve now tried it on three XP machines and one 2003 server.

Can anyone please post me an earlier version to try?

oby1can0bi@...

Regards,
Oby1

427. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2006-12-28 11:22:07 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 427

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /Previous Versions/TrunkPcr 0_6_69.zip
Uploaded by : craazyc <crazycalifornian@...>
Description : TrunkPCR Version 0.6.69 Installer

You can access this file at the URL:
http://groups.yahoo.com/group/TrunkPCR/files/Previous%20Versions/TrunkPcr%200_6_69.zip

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/help/us/groups/files

Regards,

craazyc <crazycalifornian@...>
```

428. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2006-12-28 11:29:25 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 428

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /Previous Versions/TrunkPcr_0_8_200.zip
Uploaded by : craazyc <crazycalifornian@...>
Description : TrunkPcr Version 0.8.200 Installer

You can access this file at the URL:
http://groups.yahoo.com/group/TrunkPCR/files/Previous%20Versions/TrunkPcr_0_8_200.zip

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/help/us/groups/files

Regards,

craazyc <crazycalifornian@...>
```

429. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2006-12-28 11:26:38 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 429

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /Previous Versions/TrunkPcr 0_7_180.zip
Uploaded by : craazyc <crazycalifornian@...>
Description : TrunkPcr Version 0.7.180 Installer

You can access this file at the URL:
http://groups.yahoo.com/group/TrunkPCR/files/Previous%20Versions/TrunkPcr%200_7_180.zip

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/help/us/groups/files

Regards,

craazyc <crazycalifornian@...>
```

430. Re: TrunkPCR 0.82.206 won´t start

Yahoo group: TrunkPCR
Date: 2006-12-28 12:31:07 UTC
From: oby1can0bi
Topic: 426 Message: 430

Hi Jay!

I´m sure that there are many people out there, including me, who wants to help you debug your fantastic program.

Maybe, and hopefully, it will be easier for you to track down the problem when we find the the version that do run (...run and the do run run... ;-)).

I´ll stop jerking around now and try out the older versions. Bye!

Oby1

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Jedi Master,
>
> Another user reported that for him, the last version that worked for him was
> 0.6.69...
> That version only had limited Motorola Trunking capability back then...
> And it's not compatible with any of the files from the newer versions...
>
> I'll post it in the File Section for you to check out...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: oby1can0bi
>
> I´ve tried the latest version of TrunkPCR, but it won´t start. I´ve
> now tried it on three XP machines and one 2003 server.
>
> Can anyone please post me an earlier version to try?
>
> oby1can0bi@...
>
> Regards,
> Oby1
>

431. TrunkPCR 0.8.200 works fine (as so far)

Yahoo group: TrunkPCR
Date: 2006-12-28 12:56:15 UTC
From: oby1can0bi
Topic: 426 Message: 431

I´m back!

Well, I didn´t have to go back as far as to 0.6.69. The 0.8.200 version starts up just fine (even without the radio connected). The basic functions for the radio (scanning and so on) seems to work fine too. Now I have to play around with it to work out the trunk-functions.

Thanks!

See you soon.

Oby1

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Jedi Master,
>
> Another user reported that for him, the last version that worked for him was
> 0.6.69...
> That version only had limited Motorola Trunking capability back then...
> And it's not compatible with any of the files from the newer versions...
>
> I'll post it in the File Section for you to check out...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: oby1can0bi
>
> I´ve tried the latest version of TrunkPCR, but it won´t start. I´ve
> now tried it on three XP machines and one 2003 server.
>
> Can anyone please post me an earlier version to try?
>
> oby1can0bi@...
>
> Regards,
> Oby1
>

432. Re: [TrunkPCR] TrunkPCR 0.8.200 works fine (as so far)

Yahoo group: TrunkPCR
Date: 2006-12-28 13:31:46 UTC
From: Doug Bade
Topic: 426 Message: 432

I found that after I did get it running
on the one computer with issues (using an older
version) that I was able to overlay the new update and all was well...

I initially started the sw without a
radio and in my case with no serial ports valid,
so the comm setup box came up and with no comm
port to choose, I closed it with (no choice
selected) "cancel" (as I recall) and the sw
never would restart again far enough to fix this
when I re-enabled my comm ports (which I had
disabled while troubleshooting another hibernate
problem) .. I kept getting a runtime failure...
and could not get to an operation or config screen.

Removing the new and reinstalling an older
version,(I just went back one generation) which
I had kept, started properly and I could then do
the update to the new version. I still have not
gotten the sound card input to accept EDACS on
THAT PC yet.. Mic input seems to filter too
much.. I ended up using an aux input on my other PC, and it works much better..

I need to figure out which input is more "data
linear"..... as I could hear and see the edacs
stream but it would not decode as the data was
being trashed.. lots of 1's (like 50 %) but no
data integrity... and it was not an invert issue
either....My third PC I tried came up fine but
the mic input did the same thing... Changing to
the aux in fixed it right up...nice pretty square
waves on the scope instead of hashy sorta sine waves...:-)

BTW, Jay.... I love the oscilloscope for
troubleshooting the sound card input....very cool !!!!!!!!!

Doug

At 07:56 AM 12/28/2006, you wrote:

>I´m back!
>
>Well, I didn´t have to go back as far as to 0.6.69. The 0.8.200
>version starts up just fine (even without the radio connected). The
>basic functions for the radio (scanning and so on) seems to work fine
>too. Now I have to play around with it to work out the trunk-functions.
>

>Thanks!
>
>See you soon.
>
>Oby1
>
>--- In
><mailto:TrunkPCR%40yahoogroups.com>TrunkPCR@yahoogroups.com,
>"Jay" <crazycalifornian@...> wrote:
> >
> > Hey Jedi Master,
> >
> > Another user reported that for him, the last version that worked for
>him was
> > 0.6.69...
> > That version only had limited Motorola Trunking capability back then...
> > And it's not compatible with any of the files from the newer versions...
> >
> > I'll post it in the File Section for you to check out...
> >
> > Regards,
> > Jay
> >
> > ----- Original Message -----
> > From: oby1can0bi
> >
> > I´ve tried the latest version of TrunkPCR, but it won´t start. I´ve
> > now tried it on three XP machines and one 2003 server.
> >
> > Can anyone please post me an earlier version to try?
> >
> > oby1can0bi@...
> >
> > Regards,
> > Oby1
> >
>
>

433. RE: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 14:45:02 UTC
From: Sylvain (yahoo)
Topic: 406 Message: 433

AM I BLIND?? I CAN’T SEE THE CHECK BOX FOR SECOND RECEIVER ON THE LAST UPDATE???

VE2JER
Sylvain Dussureault
HYPERLINK "mailto:ve2jer@..."ve2jer@...
HYPERLINK "mailto:sylvain.dussureault@..."sylvain.dussureault@videotron.ca

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, December 28, 2006 2:30 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] EDACS

In a 2 Radio set-up, the 2nd is used for the audio source for decoding, while the PCR is used to listen to the calls... Which is why only need 1 Soundcard is needed...

Jay

----- Original Message -----
From: HYPERLINK "mailto:scosgt%40aol.com"scosgt@...

OK, I am confused, what is the purpose of using a second radio with discriinator tap and not using the tap on the PCR?

In a message dated 12/27/2006 11:22:00 PM Eastern Standard Time, HYPERLINK "mailto:crazycalifornian%40hotmail.com"crazycalifornian@-hotmail.com writes:

Nope, you would only need 1 Soundcard for the audio source...
The packet out of the PCR-1000 would not be used in this case...

--
No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.432 / Virus Database: 268.15.29/607 - Release Date: 12/28/2006 12:31 PM

--
No virus found in this outgoing message.
Checked by AVG Free Edition.
Version: 7.5.432 / Virus Database: 268.15.29/607 - Release Date:

12/28/2006 12:31 PM

434. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 15:51:55 UTC
From: scosgt@aol.com
Topic: 406 Message: 434

I just don't understand why that would work any differently?

In a message dated 12/28/2006 2:32:46 AM Eastern Standard Time,
crazycalifornian@... writes:

> In a 2 Radio set-up, the 2nd is used for the audio source for decoding,
> while the PCR is used to listen to the calls... Which is why only need 1
> Soundcard is needed...
>
>
>
>
>

435. Re: [TrunkPCR] Re: TrunkPCR 0.82.206 wo n´t start

Yahoo group: TrunkPCR
Date: 2006-12-28 16:22:30 UTC
From: scosgt@aol.com
Topic: 435 Message: 435

I just tried to install the latest update on a clean IBM ThinkPad P4 running xp SP1
I got the type 13 mismatch error.

I thought maybe people were having a problem becuase they did not upzip all the files first, but that was obviously not the case!

436. Re: [TrunkPCR] Re: TrunkPCR 0.82.206 wo n´t start

Yahoo group: TrunkPCR
Date: 2006-12-28 17:00:09 UTC
From: scosgt@aol.com
Topic: 435 Message: 436

Here is an update:

After fooling around a bit, putting the newer exe and dll in place of the older, I got it to run, but it was a crash a minute.

THEN
I put the UPDATE files into the original version 2 directory
VOILA it runs
And
I made a new PAPD EDACS group and
VOILA
It seems to work perfectly
SO
First of all, it seems that the EDACS banks created in the earlier version may not work properly in the newer version. I will create a new bank in my main computer and see what happens, it may well be the cure based on the above
AND
ATT: Jay
It "looks" like the .exe and .dll files in the full version somehow differ from the files in the update version, for some unknown reason, the full version files don't work and crash, the update files seem to work?

More later.

437. TrunkPCR 0.8.200 works fine (as so far)

Yahoo group: TrunkPCR
Date: 2006-12-28 17:13:47 UTC
From: oby1can0bi
Topic: 426 Message: 437

I´m back!

Well, I didn´t have to go back as far as to 0.6.69. The 0.8.200 version starts up just fine (even without the radio connected). The basic functions for the radio (scanning and so on) seems to work fine too. Now I have to play around with it to work out the trunk-functions.

Thanks!

See you soon.

Oby1

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Jedi Master,
>
> Another user reported that for him, the last version that worked for him was
> 0.6.69...
> That version only had limited Motorola Trunking capability back then...
> And it's not compatible with any of the files from the newer versions...
>
> I'll post it in the File Section for you to check out...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: oby1can0bi
>
> I´ve tried the latest version of TrunkPCR, but it won´t start. I´ve
> now tried it on three XP machines and one 2003 server.
>
> Can anyone please post me an earlier version to try?
>
> oby1can0bi@...
>
> Regards,
> Oby1
>

438. Re: [TrunkPCR] EDACS update update

Yahoo group: TrunkPCR
Date: 2006-12-28 17:27:30 UTC
From: scosgt@aol.com
Topic: 438 Message: 438

OK, so I created a new PAPD bank on the main computer. NO JOY! Still the EDACS problem.
There must be some kind of conflicting files, maybe from one of the versions.
It is a head scratcher.

439. Latest version now working

Yahoo group: TrunkPCR
Date: 2006-12-28 18:40:25 UTC
From: digitizedlife
Topic: 439 Message: 439

I installed 0.8.200 and it worked fine, then I copied the update files for 0.82.206 over the install and all is fine. Seems like a problem with the installer files in 0.82.206? I have also tried 0.82.206 with Windows Vista it is working perfectly!

440. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 20:19:32 UTC
From: scosgt@aol.com
Topic: 406 Message: 440

I think I am getting closer...
Definately something wrong with the installer.
Using that Thinkpad, I was able to install the older version, then overwrite with the files from the new update, and that starts up and works. Made my EDACS bank, and that works...
So, I transferred the entire directory to my radio machine...WORKS

THEN,
TA DA
I started naming the groups in the ID field....
STOPPED WORKING!!!!!!! No EDACS groups being received.
DELETED all the ID's in the field
STARTED WORKING AGAIN!!!!

Pictures work OK, but when I start naming the groups, it stops receiving.
SOMEWHERE there is a clue to the problem in there! Help Jay!!!!

441. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-28 20:29:33 UTC
From: scosgt@aol.com
Topic: 406 Message: 441

Now even more focus:

When I name TG 65 (DEC) Newark, the radio stops scanning properly. When I remove TG 65 (DEC), the radio starts working again!!!!!!

If I don't assign a text tag to TG 65, the radio works!

Some kind of conflict in the decoder?

442. Newbie Question ...

Yahoo group: TrunkPCR
Date: 2006-12-29 07:43:39 UTC
From: k8eab67
Topic: 442 Message: 442

I'm pulling my Icom PCR-1000 out of storage to use with TrunkPCR ...

Does this link to the Forsyth County, GA trunked service have all the info I need for TrunkPCR?

http://www.radioreference.com/modules.php?name=RR&sid=3828

Thanks for any help/replies ...

Weymouth Walker (Wey) ...
K8EAB
Metro Atlanta, GA

443. Re: [TrunkPCR] Latest version now working

Yahoo group: TrunkPCR
Date: 2006-12-29 09:57:18 UTC
From: Jay
Topic: 439 Message: 443

Well, that's good news :) At least there is one way to get it up and running...

Thanks for the report,
Jay

----- Original Message -----
From: digitizedlife

I installed 0.8.200 and it worked fine, then I copied the update files for 0.82.206 over the install and all is fine. Seems like a problem with the installer files in 0.82.206? I have also tried 0.82.206 with Windows Vista it is working perfectly!

444. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2006-12-29 09:59:50 UTC
From: Jay
Topic: 406 Message: 444

Hi Bruce,

Thanks for the info...
I'll have to compare the two setup files and see what's out of place...

Regards,
Jay

----- Original Message -----
From: scosgt@...

I think I am getting closer...
Definately something wrong with the installer.
Using that Thinkpad, I was able to install the older version, then overwrite with the files from the new update, and that starts up and works. Made my EDACS bank, and that works...
So, I transferred the entire directory to my radio machine...WORKS

THEN,
TA DA
I started naming the groups in the ID field....
STOPPED WORKING!!!!!!! No EDACS groups being received.
DELETED all the ID's in the field
STARTED WORKING AGAIN!!!!

Pictures work OK, but when I start naming the groups, it stops receiving.
SOMEWHERE there is a clue to the problem in there! Help Jay!!!!

445. P25 Audio

Yahoo group: TrunkPCR
Date: 2006-12-29 13:04:00 UTC
From: rlupack
Topic: 445 Message: 445

Hi..
Is there any way to increase the P25 audio level from my PCR2500 when using TrunkPCR ? The NFM audio is ok but when P25 comes through its much lower level.
Regards.. Ron

446. Newest version works well....but....

Yahoo group: TrunkPCR
Date: 2006-12-29 22:28:51 UTC
From: sltay456
Topic: 446 Message: 446

Jay,

The latest version works well. Great job on the new features.

I understand that there is no way to asign a picture globally to all units in a group. I'd like to see that change. Why, you ask? My local SO has 300 deputies and about 60 patrol cars plus various other mobile units. Each deputy is assigned his own portable radio. As a result, depending on who is working, there is a car radio and a pac set assigned to each partrol unit. It makes assigning pictures to each radio a major chore. So, for now, I don't use the "who's talking" feature while trunking.

On the plus side, when I scan non trunked banks I really like the feature. It adds to the fun of scanning.

Steve

PS. I have the program working on both PCR2500 and PCR1000.

447. Re: [TrunkPCR] Latest version now working

Yahoo group: TrunkPCR
Date: 2006-12-30 15:21:37 UTC
From: Jay
Topic: 439 Message: 447

I pacthed the installer, so version 0.82.206 should install without a problem now.
The spectrum.dll file was being copied in the "windows\system" path and registered as a shared file. Now it's copied to the folder where TrunkPCR is instaled...

The installer has been re-uploaded to the home page...

Regards,
Jay

448. Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2006-12-31 20:23:07 UTC
From: scosgt@aol.com
Topic: 448 Message: 448

I found an old PRO-92 I had not used in a while, so I did the discriminator tap (really easy, just remove the back, one wire to solder, I found a screw to attach the shield, just ground a 1/2 moon into the case and ran the wire right outside with a mono 1/8 plug on the end).

This is way cool. The priority feature works, but there was a big added benefit...

The PRO-92, even tho it is not the best 800Mhz receiver out there, is now able to be positioned to catch the strongest reception on the cc. It looks like the tap is better than the one on the PCR1000, as I get 100% on the NJSP North, which is a distant system. I was never able to hold much above 60% with the PCR.

AND

I can now tune the antenna on the PCR1000 for reception of the voice channels, instead of the control channel! I am using a MAX 800Mhz antenna with a GRE Handheld type amplifier (was using a desktop type, but the connecting cable has a lot of line loss). I now get excellent voice reception and 100% cc data. This is really a nice setup. Of course., I assume digital would require a PCR2500 with P25 board, AND a P25 capable scanner with a tap? Well, maybe this won't matter to me for a while not much digital here.

449. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 05:52:27 UTC
From: Patrick Bigelbach
Topic: 448 Message: 449

Greetings:

Actually you could add a modified ARD25 from AOR and connect it to the newly available packet port of your PCR1000. This will decode the digital P25 into analog voice.

The system I listen to in San Diego is a mixture of Digital and Analog, so sometimes when the priority function jumps from a digital transmission to an analog one midstream or vice versa I will get some RD2ish squaks, but overall the audio output is not to bad.

I thought about the PCR2500 + P25 but the $$$$$$ got in the way.

-=Patrick=-

scosgt@... wrote:
>
> *I found an old PRO-92 I had not used in a while, so I did the
> discriminator tap (really easy, just remove the back, one wire to
> solder, I found a screw to attach the shield, just ground a 1/2 moon
> into the case and ran the wire right outside with a mono 1/8 plug on
> the end).
>
> This is way cool. The priority feature works, but there was a big
> added benefit...
>
> The PRO-92, even tho it is not the best 800Mhz receiver out there, is
> now able to be positioned to catch the strongest reception on the cc.
> It looks like the tap is better than the one on the PCR1000, as I get
> 100% on the NJSP North, which is a distant system. I was never able to
> hold much above 60% with the PCR.
>
> AND
>
> I can now tune the antenna on the PCR1000 for reception of the voice
> channels, instead of the control channel! I am using a MAX 800Mhz
> antenna with a GRE Handheld type amplifier (was using a desktop type,
> but the connecting cable has a lot of line loss). I now get excellent
> voice reception and 100% cc data. This is really a nice setup. Of
> course., I assume digital would require a PCR2500 with P25 board, AND
> a P25 capable scanner with a tap? Well, maybe this won't matter to me
> for a while not much digital here.*
>
>

450. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 12:01:20 UTC
From: Ted Hay
Topic: 448 Message: 450

Patrick Bigelbach wrote:
> Greetings:
>
> Actually you could add a modified ARD25 from AOR and connect it to the
> newly available packet port of your PCR1000. This will decode the
> digital P25 into analog voice.
>
>

Doesn't the ARD25 use the 10.7 IF, not a packet port which likely after
the 455 IF?

Ted

451. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 15:42:47 UTC
From: scosgt@aol.com
Topic: 448 Message: 451

In a message dated 1/1/2007 7:10:56 AM Eastern Standard Time,
tedhay@... writes:

> Actually you could add a modified ARD25 from AOR and connect it to the
> newly available packet port of your PCR1000. This will decode the digital P25
> into analog voice.
>

Wouldn't I still need a scanner with digital and a discrim tap to be able to
decode the control channel, or is the control channel still analog?

452. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 15:47:05 UTC
From: scosgt@aol.com
Topic: 448 Message: 452

And then there is this from Universal Radio web page:

Important Notice:
Please note that the ARD25 does not support trunk tracking, nor will it decode APCO25 transmissions on trunked systems.

453. RE: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 16:00:48 UTC
From: Scott Halligan
Topic: 448 Message: 453

When I had an ARD-25 I can confirm that I used it to decode transmissions from trunked systems that were either pure P25 systems or mixed mode 3600 baud systems. I think what AOR is trying to say is that adding the device to a receiver does not make the receiver trunk track. The "warning" is from AOR, not Universal.

I received trunked P25 transmissions using an Icom IC-R8500 with the ARD-25 in conventional mode. I can't see any reasons why an ARD-25 with any receiver would not work to decode trunked P25 transmissions in conjunction with TrunkPCR, Trunker, UniTrunker, etc.

Scott
Webmaster - Scan Cape Cod/Scan Massachusetts
h <http://www.scancapecod.us> ttp://www.scancapecod.us

<http://geo.yahoo.com/serv?s=97359714/grpId=15345479/grpspId=1705063108/msgId=452/stime=1167666796/nc1=4025321/nc2=3848542/nc3=3>

454. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 17:34:35 UTC
From: Patrick Bigelbach
Topic: 448 Message: 454

Ted:

Yes it does but I modded my ARD25 so it would take the packet port
output of my PCR1000.

-=Patrick=-

Ted Hay wrote:
>
>
>
> Patrick Bigelbach wrote:
>
>> Greetings:
>>
>> Actually you could add a modified ARD25 from AOR and connect it to
>> the newly available packet port of your PCR1000. This will decode
>> the digital P25 into analog voice.
>>
>>
>
> Doesn't the ARD25 use the 10.7 IF, not a packet port which likely
> after the 455 IF?
>
> Ted
>

455. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 17:40:33 UTC
From: Patrick Bigelbach
Topic: 448 Message: 455

Your second receiver which is tuned to the digital control channel has to stay in place, but by attaching the ARD25 to the packet port of your PCR1000 you would be able to listen to the P25 digital transmissions.

-=Patrick=-

scosgt@... wrote:
>
> *In a message dated 1/1/2007 7:10:56 AM Eastern Standard Time,
> tedhay@... writes:
>
> *
>> Actually you could add a modified ARD25 from AOR and connect it to
>> the newly available packet port of your PCR1000. This will decode
>> the digital P25 into analog voice.
>
> *
> Wouldn't I still need a scanner with digital and a discrim tap to be
> able to decode the control channel, or is the control channel still
> analog?*
>
>

456. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 17:47:34 UTC
From: Patrick Bigelbach
Topic: 448 Message: 456

I believe they state that because they had people thinking this was a magic bullet and could attach it to their old analog scanner and now have a trunktracking digital scanner. Mine works on the San Diego RCS.

-=Patrick=-

scosgt@... wrote:
>
> *And then there is this from Universal Radio web page:
>
> **Important Notice:*
> *Please note that the ARD25 does /not/ support trunk tracking, nor
> will it decode APCO25 transmissions on trunked systems.*
>
>
>
>

457. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 18:17:38 UTC
From: scosgt@aol.com
Topic: 448 Message: 457

Yes, but does the second receiver with the discriminator tap need to be a digital APCO receiver, or is the cc still analog?

In a message dated 1/1/2007 12:56:09 PM Eastern Standard Time, patrick@... writes:

> Your second receiver which is tuned to the digital control channel has to
> stay in place, but by attaching the ARD25 to the packet port of your PCR1000
> you would be able to listen to the P25 digital transmissions.
>
>
>
>

458. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 19:59:15 UTC
From: Patrick Bigelbach
Topic: 448 Message: 458

No your second receiver does not have to be a "digital" receiver, it just has to have a discriminator tap and be able to tune the CC. The CC is technically a digital signal, but Jay's software takes care of decoding that through your soundcard.

There has been some discussion regarding what people have called a "P25 trunked system" which how I understand is a 4-level FSK 9600 baud CC. Since the system I listen to is a 3600 baud CC I do not know if Jay's TrunkPCR will decode the 9600 baud CC.

Decoding the APCO P25 encoded voice can be accomplished by taking the packet out of the PCR1000 and connecting it to a modified ARD25. This is what I have and coupled with TrunkPCR I hardly ever turn on my digital scanners anymore.

I even use Microsoft Media encoder to broadcast the audio output of my ARD25 coupled with the screen capture of the TrunkPCR program over the Internet so I can watch and listen where ever I go even on my Treo 700wx!

-=Patrick=-

scosgt@... wrote:
>
> *Yes, but does the second receiver with the discriminator tap need to
> be a digital APCO receiver, or is the cc still analog?
>
>
> In a message dated 1/1/2007 12:56:09 PM Eastern Standard Time,
> patrick@... writes:
>
> *
>> Your second receiver which is tuned to the digital control channel
>> has to stay in place, but by attaching the ARD25 to the packet port
>> of your PCR1000 you would be able to listen to the P25 digital
>> transmissions.
>>
>>
>>
>
> *
> *
>
>

459. RE: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-01 23:47:49 UTC
From: vince48
Topic: 448 Message: 459

When using the priority, the higher the value gets check first or the lower priority value?

Vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Sunday, December 31, 2006 12:23 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Two receivers!!!!

I found an old PRO-92 I had not used in a while, so I did the discriminator tap (really easy, just remove the back, one wire to solder, I found a screw to attach the shield, just ground a 1/2 moon into the case and ran the wire right outside with a mono 1/8 plug on the end).

This is way cool. The priority feature works, but there was a big added benefit...

The PRO-92, even tho it is not the best 800Mhz receiver out there, is now able to be positioned to catch the strongest reception on the cc. It looks like the tap is better than the one on the PCR1000, as I get 100% on the NJSP North, which is a distant system. I was never able to hold much above 60% with the PCR.

AND

I can now tune the antenna on the PCR1000 for reception of the voice channels, instead of the control channel! I am using a MAX 800Mhz antenna with a GRE Handheld type amplifier (was using a desktop type, but the connecting cable has a lot of line loss). I now get excellent voice reception and 100% cc data. This is really a nice setup. Of course., I assume digital would require a PCR2500 with P25 board, AND a P25 capable scanner with a tap? Well, maybe this won't matter to me for a while not much digital here.

_____ NOD32 1949 (20061230) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

460. More on discriminator taps

Yahoo group: TrunkPCR
Date: 2007-01-02 00:01:27 UTC
From: scosgt@aol.com
Topic: 460 Message: 460

I'm having so much fun with this, I wanted a second tapped radio as a backup (the PRO-92 is old enough to fail soon).
Radio Shack has the PRO-84 on sale for $69.99
It is a piece of junk scanner (but it does come with a nice set of headphones!)

Fairly easy to tap, the instructions are on radio reference. I didn't bother with a socket, just ran the audio cable right out thru a hole I burned into the back cover.

Works good, not the worlds greatest receiver, but it does work.

Anyone know why some instructions specify using a 10K resistor? I did on the 84, did not on the PRO-92. What does that do?

461. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 00:18:04 UTC
From: scosgt@aol.com
Topic: 448 Message: 461

The lower, so the highest priority would be 1

In a message dated 1/1/2007 7:05:47 PM Eastern Standard Time,
vince48@... writes:

>
>
>
> When using the priority, the higher the value gets check first or the lower
> priority value?
>
>
>
>
>
>

462. RE: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 00:37:18 UTC
From: vince48
Topic: 448 Message: 462

Yes, discovered that after I sent my email. Neat feature. Thank you Sir.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Monday, January 01, 2007 4:18 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Two receivers!!!!

The lower, so the highest priority would be 1

In a message dated 1/1/2007 7:05:47 PM Eastern Standard Time, vince48@... writes:

When using the priority, the higher the value gets check first or the lower priority value?

_____ NOD32 1951 (20070101) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

463. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 00:36:07 UTC
From: scosgt@aol.com
Topic: 448 Message: 463

Actually, I have been running the Port Authority EDACS system. It is only busy at certain times, and does not have many talkgroups. I have JFK airport as 1, Newark as 2. It is amazing to see Newark interrupted and JFK come up all by itself. Makes it hard to do trunking any other way.
And unlike priority on regular scanners, there is no interruption every few seconds for it to sample the other channel. It is way cool.

In a message dated 1/1/2007 7:05:47 PM Eastern Standard Time,
vince48@... writes:

> When using the priority, the higher the value gets check first or the lower
> priority value?

464. RE: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 00:45:36 UTC
From: vince48
Topic: 448 Message: 464

Cool. On sub receiver, you just use the control channel? No LCN for EDACS for sub receiver?

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Monday, January 01, 2007 4:36 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Two receivers!!!!

Actually, I have been running the Port Authority EDACS system. It is only busy at certain times, and does not have many talkgroups. I have JFK airport as 1, Newark as 2. It is amazing to see Newark interrupted and JFK come up all by itself. Makes it hard to do trunking any other way.
And unlike priority on regular scanners, there is no interruption every few seconds for it to sample the other channel. It is way cool.

In a message dated 1/1/2007 7:05:47 PM Eastern Standard Time, vince48@... writes:

When using the priority, the higher the value gets check first or the lower priority value?

_____ NOD32 1951 (20070101) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

465. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 01:25:54 UTC
From: scosgt@aol.com
Topic: 448 Message: 465

No, all the EDACS stuff still has to be programmed into TRUNKPCR, the second radio is only for the control channel feed. If it is a trunker, you can lock onto the CC within the EDACS system programmed into that scanner, and it will show the TG activity as it comes in. Not sure if that will affect the output into the TRUNKPCR

466. Re: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 01:28:30 UTC
From: scosgt@aol.com
Topic: 448 Message: 466

And here is another neat trick:

PepBoys auto store was selling a few weeks ago a transmitter/headphone setup for $9.95
Discarding the headphones, the transmitter outputs on 88.3 Mhz wide FM
So plugging that into a speaker jack on the PCR1000, I can use any radio with FM band (currently using the BC330, but anything with WFM will do) to make my PCR1000 mobile! Of course, there is no video display, but my setup is in the one place in the house I can actually receive a couple of systems, so this way I get a remote monitor. With the two receiver setup, I can set priority, so if anything good happens I can go over to the setup.

467. RE: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 01:42:58 UTC
From: vince48
Topic: 448 Message: 467

Got'cha. You are right. A real neat feature and no switching every few seconds like conventional scammers. Jay you ROCK!

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Monday, January 01, 2007 5:26 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Two receivers!!!!

No, all the EDACS stuff still has to be programmed into TRUNKPCR, the second radio is only for the control channel feed. If it is a trunker, you can lock onto the CC within the EDACS system programmed into that scanner, and it will show the TG activity as it comes in. Not sure if that will affect the output into the TRUNKPCR

_____ NOD32 1951 (20070101) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

468. RE: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 02:15:08 UTC
From: Glenn
Topic: 448 Message: 468

That's cool.

Glenn Blum

kd5dga

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Patrick Bigelbach
Sent: Monday, January 01, 2007 11:35 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Two receivers!!!!

Ted:

Yes it does but I modded my ARD25 so it would take the packet port output of
my PCR1000.

-=Patrick=-

Ted Hay wrote:

Patrick Bigelbach wrote:

Greetings:

Actually you could add a modified ARD25 from AOR and connect it to the newly
available packet port of your PCR1000. This will decode the digital P25
into analog voice.

Doesn't the ARD25 use the 10.7 IF, not a packet port which likely after the
455 IF?

Ted

470. RE: [TrunkPCR] Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 02:14:03 UTC
From: Glenn
Topic: 448 Message: 470

I haven't made move onto the use of two radio setup. However It is in my plans.

Glenn Blum

kd5dga

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Sunday, December 31, 2006 2:23 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Two receivers!!!!

I found an old PRO-92 I had not used in a while, so I did the discriminator tap (really easy, just remove the back, one wire to solder, I found a screw to attach the shield, just ground a 1/2 moon into the case and ran the wire right outside with a mono 1/8 plug on the end).

This is way cool. The priority feature works, but there was a big added benefit...

The PRO-92, even tho it is not the best 800Mhz receiver out there, is now able to be positioned to catch the strongest reception on the cc. It looks like the tap is better than the one on the PCR1000, as I get 100% on the NJSP North, which is a distant system. I was never able to hold much above 60% with the PCR.

AND

I can now tune the antenna on the PCR1000 for reception of the voice channels, instead of the control channel! I am using a MAX 800Mhz antenna with a GRE Handheld type amplifier (was using a desktop type, but the connecting cable has a lot of line loss). I now get excellent voice reception and 100% cc data. This is really a nice setup. Of course., I assume digital would require a PCR2500 with P25 board, AND a P25 capable scanner with a tap? Well, maybe this won't matter to me for a while not much digital here.

471. Re: Two receivers!!!!

Yahoo group: TrunkPCR
Date: 2007-01-02 08:50:52 UTC
From: Jay
Topic: 448 Message: 471

Hi Bruce,

One reason the PCR-1000 may not be receiving that well could be that is is a little off frequency. I noticed on mine that it was about 1.5 to 2.5 khz off center freq trying to decode the distant Edacs station.
What I did, was to "re-adjust" the Center Frequency of the Xtal Reference using PCR-Pro. (Or you could use the Ex-2099? ICom Alignment program) After the adjustment, I got up to 70% deocode on a very faint signal...
To check yours, use the Frequency Selector in TrunkPCR and adjust by 100khz up/down until you get the best decoding. Another thing to try would be to play with the Tracking Filter...

Regards,
Jay

--- In TrunkPCR@yahoogroups.com, scosgt@... wrote:
> It looks like the tap is better than the one on the PCR1000, as I get 100% on the NJSP North, which is a distant system. I was never able to hold much above 60% with the PCR.

472. PCR100

Yahoo group: TrunkPCR
Date: 2007-01-02 17:34:47 UTC
From: scosgt@aol.com
Topic: 472 Message: 472

Does anyone know if TRUNKPCR works with the Icom PCR 100 (assuming you feed it discriminator audio from the radio or a second radio?)

Thanks

473. Re: [TrunkPCR] PCR100

Yahoo group: TrunkPCR
Date: 2007-01-05 01:17:19 UTC
From: Jay
Topic: 472 Message: 473

Hey Bruce,

Well, I can vouch that it works on both PCR-100's that I have :)
The PCR-100 control codes is the same as the PCR-1000, except for the
External Speaker and Stereo selection. If TrunkPCR works on your 1000, then
it will work on a 100...

Regards,
Jay

----- Original Message -----
From: scosgt@...

Does anyone know if TRUNKPCR works with the Icom PCR 100 (assuming you feed
it discriminator audio from the radio or a second radio?)

Thanks

474. Re: [TrunkPCR] PCR100

Yahoo group: TrunkPCR
Date: 2007-01-05 01:34:03 UTC
From: scosgt@aol.com
Topic: 472 Message: 474

Thanks!

475. P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-05 04:01:04 UTC
From: nandromijn
Topic: 475 Message: 475

Of the several available versions, I only can get version TrunkPcr_0_81_203 to decode P25. I can't get the newer version TrunkPcr_0_82_206 to decode P25 at all. It will open the audio and just produce noise. I tried reinstalling, going back and forth, I tried the update, and every time the older version works but the newer does not. I am using it on the Ontario VHF Fleetnet system that has both P25 and analog users.

Any suggestions and help are appreciated.

Nand.

476. Re: [TrunkPCR] P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-05 03:59:37 UTC
From: Dave
Topic: 475 Message: 476

I helped with this at the time (also on Ontario Fleetnet) but I could never get it to work, the system is both digital and analog but it could only do one at a time unless more work was done to that feature.?

nandromijn wrote:
>
> Of the several available versions, I only can get version
> TrunkPcr_0_81_203 to decode P25. I can't get the newer version
> TrunkPcr_0_82_206 to decode P25 at all. It will open the audio and just
> produce noise. I tried reinstalling, going back and forth, I tried the
> update, and every time the older version works but the newer does not.
> I am using it on the Ontario VHF Fleetnet system that has both P25 and
> analog users.
>
> Any suggestions and help are appreciated.
>
> Nand.
>
>

477. Re: P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-05 04:44:41 UTC
From: nandromijn
Topic: 475 Message: 477

Thanks for the reply Dave.

I was under the impression that the latest version automatically decides if the received transmission is either analog (FM) or digital. As it is right now, it does receive the analog transmissions fine but when a P25 transmission is received, it does not appear to go through the P25 decoder. The result is just a lot of digital noise coming from the speaker.

The older version does allow me to manually select either analog (FM) or P25. I am wondering if I am just not going about it the right way with the newer version.

Nand.

--- In TrunkPCR@yahoogroups.com, Dave <dave@...> wrote:
>
> I helped with this at the time (also on Ontario Fleetnet) but I could
> never get it to work, the system is both digital and analog but it could
> only do one at a time unless more work was done to that feature.?
>

478. Re: [TrunkPCR] P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-05 05:49:47 UTC
From: Patrick Bigelbach
Topic: 475 Message: 478

Nand:

Do you have a PCR2500 with P25 module?

I don't believe that the newest version of TrunkPCR decodes P25 audio directly, matter of fact I am not aware of any "Available" software that will do it because the patent holders of IBME voice encoding (which is what P25 audio uses) require it to be done in hardware.

I decode P25 with an external hardware device connected to my PCR1000 and coupled with TrunkPCR I am able to monitor both the analog and P25 users of the system I listen to.

-=Patrick=-

TrunkPCR should allow you to turn off the audio on a P25 transmission which it can tell is P25 by decoding the control channel.
nandromijn wrote:
>
> Of the several available versions, I only can get version
> TrunkPcr_0_81_203 to decode P25. I can't get the newer version
> TrunkPcr_0_82_206 to decode P25 at all. It will open the audio and just
> produce noise. I tried reinstalling, going back and forth, I tried the
> update, and every time the older version works but the newer does not.
> I am using it on the Ontario VHF Fleetnet system that has both P25 and
> analog users.
>
> Any suggestions and help are appreciated.
>
> Nand.
>
>

479. Re: [TrunkPCR] P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-05 06:28:12 UTC
From: Jay
Topic: 475 Message: 479

Hi Nand,

I have that fixed in ..207 (Which should be out soon, just doing some final testing).
For UHF/VHF systems you'll set the "Digital ID Range" and use the "Auto-P25" together. In this way, the program will know which Filter to use for Digital and Analog calls...
Fine-tuning the PCR-2500 w/P25 is still in progress. Hopefully v ..207 will resolve this along with the "Will Not Run" isssue...

Regards,
Jay

----- Original Message -----
From: "nandromijn" <n.romijn@...>

> Of the several available versions, I only can get version
> TrunkPcr_0_81_203 to decode P25. I can't get the newer version
> TrunkPcr_0_82_206 to decode P25 at all. It will open the audio and just
> produce noise. I tried reinstalling, going back and forth, I tried the
> update, and every time the older version works but the newer does not.
> I am using it on the Ontario VHF Fleetnet system that has both P25 and
> analog users.
>
> Any suggestions and help are appreciated.
>
> Nand.

480. Re: P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-05 12:07:33 UTC
From: nandromijn
Topic: 475 Message: 480

Thanks for the reply Patrick.

Yes, I do have the P25 module installed and working with the older version and the ICOM software.

Nand.

--- In TrunkPCR@yahoogroups.com, Patrick Bigelbach <patrick@...> wrote:
>
> Nand:
>
> Do you have a PCR2500 with P25 module?
>
> I don't believe that the newest version of TrunkPCR decodes P25 audio
> directly, matter of fact I am not aware of any "Available" software that
> will do it because the patent holders of IBME voice encoding (which is
> what P25 audio uses) require it to be done in hardware.
>
> I decode P25 with an external hardware device connected to my PCR1000
> and coupled with TrunkPCR I am able to monitor both the analog and P25
> users of the system I listen to.
>
> -=Patrick=-
>

481. Re: P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-05 12:17:06 UTC
From: nandromijn
Topic: 475 Message: 481

Thanks Jay,

I am happy that you have the solution. Your support is excellent.

Also, isn't there an auto mode in the PCR-2500 that looks after
selecting either analog or P25.

Nand.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Nand,
>
> I have that fixed in ..207 (Which should be out soon, just doing
some final
> testing).
> For UHF/VHF systems you'll set the "Digital ID Range" and use
the "Auto-P25"
> together. In this way, the program will know which Filter to use
for
> Digital and Analog calls...
> Fine-tuning the PCR-2500 w/P25 is still in progress. Hopefully
v ..207 will
> resolve this along with the "Will Not Run" isssue...
>
> Regards,
> Jay
>

482. Re: [TrunkPCR] Re: P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-05 14:41:05 UTC
From: Jay
Topic: 475 Message: 482

Yes there is, but I haven't figured what the propper response from the PCR-2500 is for the Internal "Auto P25" setting... I may need a few more dumps from some users after the next release to see how the program behaves with the changes...

Jay

----- Original Message -----
From: "nandromijn" <n.romijn@...>

> Thanks Jay,
>
> I am happy that you have the solution. Your support is excellent.
>
> Also, isn't there an auto mode in the PCR-2500 that looks after
> selecting either analog or P25.
>
> Nand.
>
>
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> >
> > Hi Nand,
> >
> > I have that fixed in ..207 (Which should be out soon, just doing
> some final
> > testing).
> > For UHF/VHF systems you'll set the "Digital ID Range" and use
> the "Auto-P25"
> > together. In this way, the program will know which Filter to use
> for
> > Digital and Analog calls...
> > Fine-tuning the PCR-2500 w/P25 is still in progress. Hopefully
> v ..207 will
> > resolve this along with the "Will Not Run" isssue...
> >
> > Regards,
> > Jay

483. Re: P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-05 17:13:17 UTC
From: nandromijn
Topic: 475 Message: 483

In that case, if there is anything that I can do, just ask.

Nand.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Yes there is, but I haven't figured what the propper response from
the
> PCR-2500 is for the Internal "Auto P25" setting... I may need a
few more
> dumps from some users after the next release to see how the program
behaves
> with the changes...
>
> Jay
>
> ----- Original Message -----
> From: "nandromijn" <n.romijn@...>
>
> > Thanks Jay,
> >
> > I am happy that you have the solution. Your support is excellent.
> >
> > Also, isn't there an auto mode in the PCR-2500 that looks after
> > selecting either analog or P25.
> >
> > Nand.

484. MPT1327

Yahoo group: TrunkPCR
Date: 2007-01-06 18:13:31 UTC
From: druidstoneuk
Topic: 484 Message: 484

Is anyone using TrunkPCR to monitor MPT1327 and who can give me some pointers please?

Good strong local control channel but when I click on "trunk" all I get is the audio from the PCR muted and "searching" running across the display. %1's hovering around 45-55 but nothing in the box to the right of that.

485. Re: [TrunkPCR] MPT1327

Yahoo group: TrunkPCR
Date: 2007-01-06 22:05:38 UTC
From: Jay
Topic: 484 Message: 485

Yep, MPT1327 is still in test phase. I have a few more things to complete before it's fully functional...

Regards,
Jay

----- Original Message -----
From: "druidstoneuk" <druidstoneuk@...>

> Is anyone using TrunkPCR to monitor MPT1327 and who can give me some
> pointers please?
>
> Good strong local control channel but when I click on "trunk" all I
> get is the audio from the PCR muted and "searching" running across the
> display. %1's hovering around 45-55 but nothing in the box to the
> right of that.

486. Re: MPT1327

Yahoo group: TrunkPCR
Date: 2007-01-06 23:01:57 UTC
From: druidstoneuk
Topic: 484 Message: 486

So the lack of anything visibly happening is not down to me but down
to the mode not really being supported yet?

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Yep, MPT1327 is still in test phase. I have a few more things to
complete
> before it's fully functional...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "druidstoneuk" <druidstoneuk@...>
>
> > Is anyone using TrunkPCR to monitor MPT1327 and who can give me some
> > pointers please?
> >
> > Good strong local control channel but when I click on "trunk" all I
> > get is the audio from the PCR muted and "searching" running across the
> > display. %1's hovering around 45-55 but nothing in the box to the
> > right of that.
>

487. Re: [TrunkPCR] Re: MPT1327

Yahoo group: TrunkPCR
Date: 2007-01-07 00:07:07 UTC
From: Jay
Topic: 484 Message: 487

Correct... It's not that you have something set up wrong, I do...

Jay

----- Original Message -----
From: "druidstoneuk" <druidstoneuk@...>

> So the lack of anything visibly happening is not down to me but down
> to the mode not really being supported yet?
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> >
> > Yep, MPT1327 is still in test phase. I have a few more things to
> complete
> > before it's fully functional...
> >
> > Regards,
> > Jay
> >
> > ----- Original Message -----
> > From: "druidstoneuk" <druidstoneuk@...>
> >
> > > Is anyone using TrunkPCR to monitor MPT1327 and who can give me some
> > > pointers please?
> > >
> > > Good strong local control channel but when I click on "trunk" all I
> > > get is the audio from the PCR muted and "searching" running across the
> > > display. %1's hovering around 45-55 but nothing in the box to the
> > > right of that.

488. Re: MPT1327

Yahoo group: TrunkPCR
Date: 2007-01-07 14:27:37 UTC
From: druidstoneuk
Topic: 484 Message: 488

Thanks for the quick response Jay. I'll look forward to when you've
got it working :)

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Correct... It's not that you have something set up wrong, I do...
>
> Jay
>
> ----- Original Message -----
> From: "druidstoneuk" <druidstoneuk@...>
>
> > So the lack of anything visibly happening is not down to me but down
> > to the mode not really being supported yet?
> >
> > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > >
> > > Yep, MPT1327 is still in test phase. I have a few more things to
> > complete
> > > before it's fully functional...
> > >
> > > Regards,
> > > Jay
> > >
> > > ----- Original Message -----
> > > From: "druidstoneuk" <druidstoneuk@>
> > >
> > > > Is anyone using TrunkPCR to monitor MPT1327 and who can give
me some
> > > > pointers please?
> > > >
> > > > Good strong local control channel but when I click on "trunk"
all I
> > > > get is the audio from the PCR muted and "searching" running
across the
> > > > display. %1's hovering around 45-55 but nothing in the box to the
> > > > right of that.
>

489. TrunkPCR version 0.82.207 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-11 11:20:21 UTC
From: Jay
Topic: 489 Message: 489

TrunkPCR version 0.82.207 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes a few bugs:

Dec 27,2006 - Fixed: User Picture now shown in [Edit Group ID] window.
Dec 27,2006 - -----: CC Activity Window now has a Full Screen option.
Dec 28,2006 - -----: Initial COM Port now set to #1.
Dec 28,2006 - -----: Disabled code that Set Thread Priority (Bug Check!).
Dec 29,2006 - Fixed: User Picture removed from display when de-activating
a TrunkBank.
Dec 29,2006 - -----: Moved System Details / Stats from CC Control to a
New List in System Info.
Dec 29,2006 - Added: Clicking on a TrunkBank in Affiliation List now
allows you to edit it.
Dec 29,2006 - Added: Define a Range of Group ID's as Astro Digital for
Auto P25 Decoding.
Dec 31,2006 - Added: Apply Groups Color, Font and User Picture to Radios
when Affiliated to Group or Call Made.
Dec 31,2006 - -----: Changed a bit of code to reduce "Type Mismatch"
errors when loading.
Jan 04,2006 - -----: Removed Auto P25 option since Digital Range now
used.
Jan 05,2007 - Added: Announcement of Emergency Messages.
Version 0.82.207 Released 01/11/2007

1) For PCR-2500 users with a P25 Card, Verify or change the Digital Group
ID Range in the Trunk Settings.
This will help set the propper mode (P25 or FM), used to listen to
Digital & Analog Calls...

Regards,
Jay

490. Re: P25 not working for me.

Yahoo group: TrunkPCR
Date: 2007-01-12 00:28:05 UTC
From: nandromijn
Topic: 475 Message: 490

Thanks Jay,

Version TrunkPcr_0_81_207 works great in selecting either analog or P25 signals based on talkgroup Ids. This version also doesn't appear to get confused selecting the com port for the radio.

Nand.

491. NEW VERSION

Yahoo group: TrunkPCR
Date: 2007-01-12 00:31:53 UTC
From: Glenn
Topic: 491 Message: 491

New version working great.

One option to add in the future. (DON'T LAUGH) While conventionally scanning is there a way for a "hit" counter for the frequencies that are scanned?

I have two banks of conventional scanning frequencies.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

492. version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-12 02:24:58 UTC
From: Glenn
Topic: 492 Message: 492

Jay,

I like the full screen option on the activity window.

System info under the system details tab is good.

The extra group watch was a blessing.

User status I don't think works with EDACS.

I don't see pages on EDACS. (I don't think any of the systems in my area use pages)WE discussed this sometime ago.

The picture display is a nice feature. (the default picture should be called"trunk monkey")

Display setting is awesome.

I have always been happy with trunkpcr.

No bugs to report here.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

493. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-12 02:48:25 UTC
From: Jay
Topic: 492 Message: 493

Hey Glenn,

Yep, Pages aren't used in Edacs... I'll have to see about removing that tab for Edacs systems...

Trunk Monkey? LOL ok... we'll see :-)

Thanks for the report,
Jay

----- Original Message -----
From: Glenn

Jay,

I like the full screen option on the activity window.

System info under the system details tab is good.

The extra group watch was a blessing.

User status I don't think works with EDACS.

I don't see pages on EDACS. (I don't think any of the systems in my area use pages)WE discussed this sometime ago.

The picture display is a nice feature. (the default picture should be called"trunk monkey")

Display setting is awesome.

I have always been happy with trunkpcr.

No bugs to report here.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

494. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-12 02:56:40 UTC
From: scosgt@aol.com
Topic: 492 Message: 494

Bunch of "run time error" Overflow 6
Also after saving, looks like maybe too much data in the saved picture associations?

495. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-12 03:13:15 UTC
From: Jay
Topic: 492 Message: 495

Overflow 6???

Could you send me your TrunkPCR.ini file and the associated Bank Files (.Bnk, .Tnk and .Rcv) for the bank(s) that you are seeing a crash in?? This may help to narrow it down...

Thanks,
Jay

----- Original Message -----
From: scosgt@...

Bunch of "run time error" Overflow 6
Also after saving, looks like maybe too much data in the saved picture associations?

496. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-12 03:33:50 UTC
From: scosgt@aol.com
Topic: 492 Message: 496
Attachments: 9 described; binary payloads are missing from this source WARC

[Body unavailable in the source archive]

497. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-12 03:46:11 UTC
From: scosgt@aol.com
Topic: 492 Message: 497

OOPS, I did not intend to send this to the group, only to Jay

498. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-12 23:56:30 UTC
From: scosgt@aol.com
Topic: 492 Message: 498

```
Run time error 6
Overflow
```

499. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-13 19:55:47 UTC
From: scosgt@aol.com
Topic: 492 Message: 499

Is it possible I am getting the overflow because I am using an unregistered version on another laptop and I have exceeded the radio/group limits (on NJSP, which is huge).

500. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-14 00:19:46 UTC
From: Jay
Topic: 492 Message: 500

Hey Bruce,

Registration just sets up limits... It shouldn't interfere with anything, but your 2nd key has been generated and sent... Let us know what results you get after installing the key file...

Thanks,
Jay
----- Original Message -----
From: scosgt@...

Is it possible I am getting the overflow because I am using an unregistered version on another laptop and I have exceeded the radio/group limits (on NJSP, which is huge).

501. Re: [TrunkPCR] NEW VERSION

Yahoo group: TrunkPCR
Date: 2007-01-14 00:28:04 UTC
From: Jay
Topic: 491 Message: 501

Adding hits to already known frequencies stored in channels? That is do-able...

Thanks,
Jay

----- Original Message -----
From: Glenn

New version working great.

One option to add in the future. (DON'T LAUGH) While conventionally scanning is there a way for a "hit" counter for the frequencies that are scanned?

I have two banks of conventional scanning frequencies.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

502. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-14 00:36:44 UTC
From: scosgt@aol.com
Topic: 492 Message: 502

Well, I just got an overflow error without saving anything! Oops

503. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-14 00:39:49 UTC
From: scosgt@aol.com
Topic: 492 Message: 503

I installed the key, and it must have taken, because I now have 508 radios listed in NJSP, but I am still getting the popup!!!!!!
GRRRR.....

In a message dated 1/13/2007 7:24:17 PM Eastern Standard Time, crazycalifornian@... writes:

> Registration just sets up limits... It shouldn't interfere with anything,
> but your 2nd key has been generated and sent... Let us know what results you
> get after installing the key file...

504. Re: [TrunkPCR] version 00.82.207

Yahoo group: TrunkPCR
Date: 2007-01-14 00:42:41 UTC
From: scosgt@aol.com
Topic: 492 Message: 504

Same thing with the overflow errors...

And I have some trouble saving group names and pictures - specfically 53296.
No matter how many times I save it, it always comes back after a restart as
GROUP D030

505. RE: [TrunkPCR] NEW VERSION

Yahoo group: TrunkPCR
Date: 2007-01-14 03:28:15 UTC
From: Glenn
Topic: 491 Message: 505

Yep. Adding a "hit counter" to conventional scanning list that is already programmed into a bank. Sometimes I listen into the Texas Dept. of Public Safety (commonly called the state police) they only have about 5 common frequencies but they use PL tones that change for each region.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, January 13, 2007 6:28 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] NEW VERSION

Adding hits to already known frequencies stored in channels? That is do-able...

Thanks,

Jay

----- Original Message -----

From: Glenn <mailto:kd5dga@...>

New version working great.

One option to add in the future. (DON'T LAUGH) While conventionally scanning is there a way for a "hit" counter for the frequencies that are scanned?

I have two banks of conventional scanning frequencies.

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

506. TrunkPCR version 0.82.208 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-14 06:58:17 UTC
From: Jay
Topic: 506 Message: 506

TrunkPCR version 0.82.208 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes a few bugs:

Jan 12,2006 - Fixed: Reading / Saving Registry Settings.
Jan 12,2006 - Fixed: Last Profile saved, Now used when loaded.
Jan 12,2006 - Fixed: Default Recording Format now saved
Jan 13,2006 - Fixed: Problem with some types of windows open at the same time.
Jan 13,2006 - Fixed: Restored Frequency Display in CC Control for Edacs.
Jan 13,2006 - Fixed: Error 5 when Inserting or Extracting plug on PCR-100 Ext. Speaker.
Version 0.82.208 Released 01/13/2007

Regards,
Jay

507. TrunkPCR version 0.82.208a Now Available

Yahoo group: TrunkPCR
Date: 2007-01-15 01:50:45 UTC
From: Jay
Topic: 507 Message: 507

TrunkPCR version 0.82.208a Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes a few bugs:

Jan 12,2006 - Fixed: Reading / Saving Registry Settings.
Jan 12,2006 - Fixed: Last Profile saved, Now used when loaded.
Jan 12,2006 - Fixed: Default Recording Format now saved
Jan 13,2006 - Fixed: Problem with some types of windows open at the same time.
Jan 13,2006 - Fixed: Restored Frequency Display in CC Control for Edacs.
Jan 13,2006 - Fixed: Error 5 when Inserting or Extracting plug on PCR-100 Ext. Speaker.
Jan 14,2006 - Fixed: Corrupted / Missing User Pictures.
Version 0.82.208a Released 01/14/2007

Regards,
Jay

508. two tone selective calling

Yahoo group: TrunkPCR
Date: 2007-01-18 00:46:17 UTC
From: Glenn
Topic: 508 Message: 508

Has anyone heard of using Plectron tones for paging.

Let me explain;

I found out that our local EDACS system uses a two tone paging for EMS/Fire called Plectron tones and one dept uses Motorola 2 tones.

Ok now here is the 64 dollar question;

Has anyone found a program that can decode these tones?

If so did can a decoding program run in the background of TRUNKPCR while TRUNKPCR is scanning?

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

509. Radio Gear Yahoo Group

Yahoo group: TrunkPCR
Date: 2007-01-18 07:35:06 UTC
From: Dave
Topic: 509 Message: 509

Check out the new Radio Gear Yahoo Group at
http://groups.yahoo.com/group/radiogear/

A place to discuss radio communications gear, accessories, and other radio communications equipment.

Everyone here at TrunkPCR Group is invited.

From the moderators of the PCR2500 Yahoo Group and the PCR1500 Yahoo Group.

510. TrunkPCR version 0.82.209 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-18 08:05:53 UTC
From: Jay
Topic: 510 Message: 510

TrunkPCR version 0.82.208a Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes 1 problem:

Jan 16,2006 - Fixed: Corrupted / Missing Pictures for PCR-2500 and status displays.
Jan 17,2006 - Added: A few more error traps for those experiencing an overflow crash
Version 0.82.209 Released 01/17/2007

Regards,
Jay

511. Suppress Emergency Alerts?

Yahoo group: TrunkPCR
Date: 2007-01-18 13:46:47 UTC
From: Lindsay C Blanton III
Topic: 511 Message: 511

Does anyone know how I can suppress emergency alerts that pop up now?

My screen is filled with emergency alerts from units very quickly due to the size and loading of the system that I monitor, and I'd rather see these emergency alert pop-ups either time out and disappear, or be suppressed all together.

Thanks!

Lindsay

512. Re: [TrunkPCR] Suppress Emergency Alerts?

Yahoo group: TrunkPCR
Date: 2007-01-18 15:17:59 UTC
From: Jay
Topic: 511 Message: 512

Not at the moment... But it will have that option soon.
I've been experimenting with this option and I see that the Edacs station I listen to has a bunch of these alerts as well :) I'll make that change soon...

Regards,
Jay

----- Original Message -----
From: "Lindsay C Blanton III" <lindsay@...>

> Does anyone know how I can suppress emergency alerts that pop up now?
>
> My screen is filled with emergency alerts from units very quickly due to the
> size and loading of the system that I monitor, and I'd rather see these
> emergency alert pop-ups either time out and disappear, or be suppressed all
> together.
>
> Thanks!
>
> Lindsay

513. RE: [TrunkPCR] Suppress Emergency Alerts?

Yahoo group: TrunkPCR
Date: 2007-01-19 00:05:48 UTC
From: Glenn
Topic: 511 Message: 513

HMMMM I never see emergency alerts from any of our EDACS systems.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Thursday, January 18, 2007 9:18 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Suppress Emergency Alerts?

Not at the moment... But it will have that option soon.
I've been experimenting with this option and I see that the Edacs station I
listen to has a bunch of these alerts as well :) I'll make that change
soon...

Regards,
Jay

----- Original Message -----
From: "Lindsay C Blanton III" <lindsay@lcblanton.
<mailto:lindsay%40lcblanton.com> com>

> Does anyone know how I can suppress emergency alerts that pop up now?
>
> My screen is filled with emergency alerts from units very quickly due to
the
> size and loading of the system that I monitor, and I'd rather see these
> emergency alert pop-ups either time out and disappear, or be suppressed
all
> together.
>
> Thanks!
>
> Lindsay

514. Re: [TrunkPCR] Suppress Emergency Alerts?

Yahoo group: TrunkPCR
Date: 2007-01-19 00:12:32 UTC
From: Lindsay C Blanton III
Topic: 511 Message: 514

Well, a symptom of the EDACS ProVoice system here in San Antonio is that
often when an officer places their radio in the convertacom charger in the
car, it for some reason sets off the emergency button.

One hour of monitoring will result in about 15-20 pop-ups...

-Lb

On 1/18/07 6:05 PM, "Glenn" <kd5dga@...> wrote:

> HMMMM I never see emergency alerts from any of our EDACS systems.
>
>
>
> Glenn Blum
>
> kd5dga
>
> http://home.earthlink.net/~kd5dga/
>
> -----Original Message-----
> From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
> Of Jay
> Sent: Thursday, January 18, 2007 9:18 AM
> To: TrunkPCR@yahoogroups.com
> Subject: Re: [TrunkPCR] Suppress Emergency Alerts?
>
>
>
> Not at the moment... But it will have that option soon.
> I've been experimenting with this option and I see that the Edacs station I
> listen to has a bunch of these alerts as well :) I'll make that change
> soon...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "Lindsay C Blanton III" <lindsay@lcblanton.
> <mailto:lindsay%40lcblanton.com> com>
>
>> Does anyone know how I can suppress emergency alerts that pop up now?
>>
>> My screen is filled with emergency alerts from units very quickly due to
> the
>> size and loading of the system that I monitor, and I'd rather see these

>> emergency alert pop-ups either time out and disappear, or be suppressed
> all
>> together.
>>
>> Thanks!
>>
>> Lindsay
>
>
>

515. RE: [TrunkPCR] Suppress Emergency Alerts?

Yahoo group: TrunkPCR
Date: 2007-01-19 00:35:28 UTC
From: Glenn
Topic: 511 Message: 515

I knew you folks down there had to deal with pro-voice. I am about 2 ½ hours north of you in Nolanville Texas (west of Temple Next to Ft. Hood) Lucky we are still under EDACS wideband, however they are planning PRO-VOICE in the future.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Lindsay C Blanton III
Sent: Thursday, January 18, 2007 6:13 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Suppress Emergency Alerts?

Well, a symptom of the EDACS ProVoice system here in San Antonio is that often when an officer places their radio in the convertacom charger in the car, it for some reason sets off the emergency button.

One hour of monitoring will result in about 15-20 pop-ups...

-Lb

On 1/18/07 6:05 PM, "Glenn" <kd5dga@earthlink.
<mailto:kd5dga%40earthlink.net> net> wrote:

> HMMMM I never see emergency alerts from any of our EDACS systems.
>
>
>
> Glenn Blum
>
> kd5dga
>
> http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/
>
> -----Original Message-----
> From: TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com
[mailto:TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com] On Behalf
> Of Jay
> Sent: Thursday, January 18, 2007 9:18 AM
> To: TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com
> Subject: Re: [TrunkPCR] Suppress Emergency Alerts?

>
>
>
> Not at the moment... But it will have that option soon.
> I've been experimenting with this option and I see that the Edacs station
I
> listen to has a bunch of these alerts as well :) I'll make that change
> soon...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "Lindsay C Blanton III" <lindsay@lcblanton.
> <mailto:lindsay%40lcblanton.com> com>
>
>> Does anyone know how I can suppress emergency alerts that pop up now?
>>
>> My screen is filled with emergency alerts from units very quickly due to
> the
>> size and loading of the system that I monitor, and I'd rather see these
>> emergency alert pop-ups either time out and disappear, or be suppressed
> all
>> together.
>>
>> Thanks!
>>
>> Lindsay
>
>
>

516. RE: [TrunkPCR] TrunkPCR version 0.82.209 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-19 01:45:37 UTC
From: Glenn
Topic: 510 Message: 516

Jay,

You locked the files. When I extract them my computer prompts me for a pass
word.

I downloaded them from your website.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Thursday, January 18, 2007 2:06 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR version 0.82.209 Now Available

TrunkPCR version 0.82.208a Now Available for Downloading from homepage:
http://members. <http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html>
cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update fixes 1 problem:

Jan 16,2006 - Fixed: Corrupted / Missing Pictures for PCR-2500 and status
displays.
Jan 17,2006 - Added: A few more error traps for those experiencing an
overflow crash
Version 0.82.209 Released 01/17/2007

Regards,
Jay

517. Re: [TrunkPCR] TrunkPCR version 0.82.209 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-19 02:20:24 UTC
From: scosgt@aol.com
Topic: 510 Message: 517

I downloaded them and the extracted just fine. Are you using an external unzipper or the one built into XP?

518. RE: [TrunkPCR] TrunkPCR version 0.82.209 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-19 03:26:38 UTC
From: Glenn
Topic: 510 Message: 518

The one built into xp.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of scosgt@...
Sent: Thursday, January 18, 2007 8:20 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR version 0.82.209 Now Available

I downloaded them and the extracted just fine. Are you using an external
unzipper or the one built into XP?

519. Re: [TrunkPCR] TrunkPCR version 0.82.209 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-19 03:58:59 UTC
From: scosgt@aol.com
Topic: 510 Message: 519

I did the update, it unzips OK, Did not try the installer

520. Re: [TrunkPCR] TrunkPCR version 0.82.209 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-19 06:25:55 UTC
From: Jay
Topic: 510 Message: 520

Hey Glenn,

Nope, a password isn't required... Try downloading the file again...
I downloaded both files this morning and they tested ok without a password.

Regards,
Jay

----- Original Message -----
From: Glenn

Jay,

You locked the files. When I extract them my computer prompts me for a pass word.

I downloaded them from your website.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

521. TrunkPCR version 0.82.210 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-19 10:31:13 UTC
From: Jay
Topic: 521 Message: 521

TrunkPCR version 0.82.210 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update adds 1 option
Jan 18,2006 - Added: A few more error traps for those experiencing an
overflow crash
Jan 18,2006 - Added: Emergency Anncouncement Enable / Disable option in
Trunk Settings.
Version 0.82.210 Released 01/19/2007

Regards,
Jay

522. Need some help!

Yahoo group: TrunkPCR
Date: 2007-01-20 10:37:21 UTC
From: scanmil
Topic: 522 Message: 522

Hi,

I'm new to the group and i have just purchased the R2500 and I'm having trouble getting it to trunk an EDACS network properly.

I have edited the Freq Plan and put in the 11 frequencies in the correct LCN, i then added these same frequencies in Bank 1, i then manually put it on the control channel and pressed Trunk, now it's picking things up but it's not skipping the end of transmission beeps?

I'm getting between 47 -75% 1's and up to 92% on the other beside it, What have i done wrong?

Any help would be greatly appreciated.

AJ.

523. Re: [TrunkPCR] Need some help!

Yahoo group: TrunkPCR
Date: 2007-01-20 16:37:43 UTC
From: Jay
Topic: 522 Message: 523

Hi AJ,

To skip the EOT Beeps, Check the "Switch to Control when Dotting Sequence Heard" checkbox.
You can change the "Number of times to Listen, Before Switching" for your preferred time...

Regards,
Jay

----- Original Message -----
From: "scanmil" <scanmil@...>

> Hi,
>
> I'm new to the group and i have just purchased the R2500 and I'm
> having trouble getting it to trunk an EDACS network properly.
>
> I have edited the Freq Plan and put in the 11 frequencies in the
> correct LCN, i then added these same frequencies in Bank 1, i then
> manually put it on the control channel and pressed Trunk, now it's
> picking things up but it's not skipping the end of transmission beeps?
>
> I'm getting between 47 -75% 1's and up to 92% on the other beside it,
> What have i done wrong?
>
> Any help would be greatly appreciated.
>
> AJ.

524. RE: [TrunkPCR] Need some help!

Yahoo group: TrunkPCR
Date: 2007-01-20 18:16:38 UTC
From: Glenn
Topic: 522 Message: 524

Yep. I have this checked also. Our County's system uses the EOT. I would think that EOT is used for a system that employs a voting to extend their coverage.

I wouldn't worry about a high recovery rate with EDACS mine varies from 50 to 100 percent but the 1's count stay from 48 to 54 avg. I get great reception since the main tower is 5 miles away on a 600 foot tower.

My question is you getting good reception?

Is this a 9600 wideband or 4800 narrow band?

Now I do see my recovery rate drop to 0 when there is a transmission for a long period of time but I hear no drop in voice quality.

Here is one to throw into this my local systems (One is Bell County's 9600 system and the other is TXU 4800 system) I get s-meter readings around 9 constantly. These are systems that are close by with recovery rates in the 70 to 90's and 1's in the 50's avg. Now there is another system further away approx 50 miles from my location I get no signal strength but I get 100 percent recovery and 1's at 50 avg. I really think that it depends upon the system.

Will the recovery rate go up if you are using two radio's?

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, January 20, 2007 10:38 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Need some help!

Hi AJ,

To skip the EOT Beeps, Check the "Switch to Control when Dotting Sequence Heard" checkbox.
You can change the "Number of times to Listen, Before Switching" for your preferred time...

Regards,
Jay

----- Original Message -----
From: "scanmil" <scanmil@yahoo. <mailto:scanmil%40yahoo.com.au> com.au>

> Hi,
>
> I'm new to the group and i have just purchased the R2500 and I'm
> having trouble getting it to trunk an EDACS network properly.
>
> I have edited the Freq Plan and put in the 11 frequencies in the
> correct LCN, i then added these same frequencies in Bank 1, i then
> manually put it on the control channel and pressed Trunk, now it's
> picking things up but it's not skipping the end of transmission beeps?
>
> I'm getting between 47 -75% 1's and up to 92% on the other beside it,
> What have i done wrong?
>
> Any help would be greatly appreciated.
>
> AJ.

525. failsoft

Yahoo group: TrunkPCR
Date: 2007-01-20 18:42:35 UTC
From: Glenn
Topic: 525 Message: 525

Jay,

Under the system information window the system info shows a failsoft =1, is this telling me that at any point there was a control channel failure?

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

526. Re: [TrunkPCR] Need some help!

Yahoo group: TrunkPCR
Date: 2007-01-21 00:50:04 UTC
From: Adam
Topic: 522 Message: 526
Attachments: 1 described; binary payloads are missing from this source WARC

Hi Jay,

Thanks so much for your help, ok have checked that and it's now finally working ok but occasionally i'm still getting beeps coming through? , it will go for a few clean conversations then it will stick on the beeps for 1 or 2 then go clean again for a few more?

Now with the "Number of times to Listen, Before Switching", could you please explain actually what effect this has? , so if i say set this to 1 am i correct in thinking it will only listen for the beeps the one time then switch to the control channel? ,or have i got this all wrong! I tried a number of settings from 1 through to 50 hoping it would fix the few beeps i still have coming through but it didn't seem to make any difference what so ever.

Also sometimes i find it's doing something weird, it will start to receive audio then it will try to start scanning, then receive audio then try to scan and so on in very quick succession , sounds like it's going "pop pop pop" with the audio while it's jumping from scan to audio and of course you can't hear the conversations to well! , any idea's on this?

@Glenn:

Yes getting great reception, full scale on both my 996T and 396T, i live about 10 - 15km from the tower, i can actually just receive it with no antenna connected on my 396T. The system is an EDACS Wide 9600 Baud, and i have checked to make sure that 9600 is checked in the software, the 1's never drop below 45 and sometimes get as high as 57%. Is there anyway a data slicer circuit could be used with this software to improve it's decoding, or wouldn't it make much difference?

I must say i am extremely impressed with this receiver so far after only having it for a few days, for the price it's an amazing box of tricks!

Thanks again for everyones help, being new here and to the 2500 i apologize if all these questions have been answered before.

AJ.

At 03:37 AM 21/01/2007, you wrote:

>Hi AJ,
>
>To skip the EOT Beeps, Check the "Switch to Control when Dotting Sequence
>Heard" checkbox.
>You can change the "Number of times to Listen, Before Switching" for your

>preferred time...
>
>Regards,
>Jay
>
>----- Original Message -----
>From: "scanmil" <<mailto:scanmil%40yahoo.com.au>scanmil@...>
>
> > Hi,
> >
> > I'm new to the group and i have just purchased the R2500 and I'm
> > having trouble getting it to trunk an EDACS network properly.
> >
> > I have edited the Freq Plan and put in the 11 frequencies in the
> > correct LCN, i then added these same frequencies in Bank 1, i then
> > manually put it on the control channel and pressed Trunk, now it's
> > picking things up but it's not skipping the end of transmission beeps?
> >
> > I'm getting between 47 -75% 1's and up to 92% on the other beside it,
> > What have i done wrong?
> >
> > Any help would be greatly appreciated.
> >
> > AJ.
>
>

527. Re: [TrunkPCR] Need some help!

Yahoo group: TrunkPCR
Date: 2007-01-21 01:51:03 UTC
From: Jay
Topic: 522 Message: 527

Hey Adam,

The number of times to listen is the count of how many times a sample of the Beep Frequency is heard.
The actual length of one Beep is somewhere above 30 I think. Having this value too low will result in the pop-pop-pop as you stated.
This is because while hearing the Beeps, the control channel is still sending out "Channel is Still Active" (or Continuation) Messags. So if the Listen time is too short and the program goes back to the control channel and sees these messages, it will tune to the channel frequency where the beeping is still taking place...

You can also try un-checking the "Allow Listening of Continuation Calls" to get around this.
You will always hear the Beep at least once...

On the distant station I listen to, I get up to 80% recovery rate on a clear day with a signal level at Zero. When I get a signal at S-1 or S-2, it will stay above 95% most of the time.

Regards,
Jay

----- Original Message -----
From: Adam

Hi Jay,

Thanks so much for your help, ok have checked that and it's now finally working ok but occasionally i'm still getting beeps coming through? , it will go for a few clean conversations then it will stick on the beeps for 1 or 2 then go clean again for a few more?

Now with the "Number of times to Listen, Before Switching", could you please explain actually what effect this has? , so if i say set this to 1 am i correct in thinking it will only listen for the beeps the one time then switch to the control channel? ,or have i got this all wrong! I tried a number of settings from 1 through to 50 hoping it would fix the few beeps i still have coming through but it didn't seem to make any difference what so ever.

Also sometimes i find it's doing something weird, it will start to receive audio then it will try to start scanning, then receive audio then try to scan and so on in very quick succession , sounds like it's going "pop pop pop" with the audio while it's jumping from scan to audio and of course you can't hear the conversations to well! , any idea's on this?

@Glenn:

Yes getting great reception, full scale on both my 996T and 396T, i live about 10 - 15km from the tower, i can actually just receive it with no antenna connected on my 396T. The

system is an EDACS Wide 9600 Baud, and i have checked to make sure that 9600 is checked in the software, the 1's never drop below 45 and sometimes get as high as 57%. Is there anyway a data slicer circuit could be used with this software to improve it's decoding, or wouldn't it make much difference?

I must say i am extremely impressed with this receiver so far after only having it for a few days, for the price it's an amazing box of tricks!

Thanks again for everyones help, being new here and to the 2500 i apologize if all these questions have been answered before.

AJ.

At 03:37 AM 21/01/2007, you wrote:

Hi AJ,

To skip the EOT Beeps, Check the "Switch to Control when Dotting Sequence Heard" checkbox.
You can change the "Number of times to Listen, Before Switching" for your preferred time...

Regards,
Jay

----- Original Message -----
From: "scanmil" <scanmil@... >

> Hi,
>
> I'm new to the group and i have just purchased the R2500 and I'm
> having trouble getting it to trunk an EDACS network properly.
>
> I have edited the Freq Plan and put in the 11 frequencies in the
> correct LCN, i then added these same frequencies in Bank 1, i then
> manually put it on the control channel and pressed Trunk, now it's
> picking things up but it's not skipping the end of transmission beeps?
>
> I'm getting between 47 -75% 1's and up to 92% on the other beside it,
> What have i done wrong?
>
> Any help would be greatly appreciated.
>
> AJ.

528. Re: [TrunkPCR] failsoft

Yahoo group: TrunkPCR
Date: 2007-01-21 01:53:58 UTC
From: Jay
Topic: 525 Message: 528

Hey Glenn,

I beleive the Failsoft is a feature on some Edacs systems. Failsoft = 1 means that it's enabled in the system. I'd have to read more on the Edacs manual for a more exact meaning...
But it doesn't mean that you had a failure...

Regards,
Jay
----- Original Message -----
From: Glenn

Jay,

Under the system information window the system info shows a failsoft =1, is this telling me that at any point there was a control channel failure?

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

529. RE: [TrunkPCR] Need some help!

Yahoo group: TrunkPCR
Date: 2007-01-21 02:01:05 UTC
From: Glenn
Topic: 522 Message: 529

Not a problem, with the help I can provide. I am still running a PCR1000. I am waiting for the prices to drop a little before I invest.

With the EDACS I live in the land of EDACS. Central Texas is full of them. M/A Comm Tyco must be proud.

ADACS is first then only two counties near by use Motorola type II and the rest is LTR or conventional.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Adam
Sent: Saturday, January 20, 2007 6:50 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Need some help!

Hi Jay,

Thanks so much for your help, ok have checked that and it's now finally working ok but occasionally i'm still getting beeps coming through? , it will go for a few clean conversations then it will stick on the beeps for 1 or 2 then go clean again for a few more?

Now with the "Number of times to Listen, Before Switching", could you please explain actually what effect this has? , so if i say set this to 1 am i correct in thinking it will only listen for the beeps the one time then switch to the control channel? ,or have i got this all wrong! I tried a number of settings from 1 through to 50 hoping it would fix the few beeps i still have coming through but it didn't seem to make any difference what so ever.

Also sometimes i find it's doing something weird, it will start to receive audio then it will try to start scanning, then receive audio then try to scan and so on in very quick succession , sounds like it's going "pop pop pop" with the audio while it's jumping from scan to audio and of course you can't hear the conversations to well! , any idea's on this?

@Glenn:

Yes getting great reception, full scale on both my 996T and 396T, i live about 10 - 15km from the tower, i can actually just receive it with no antenna connected on my 396T. The system is an EDACS Wide 9600 Baud, and i

have checked to make sure that 9600 is checked in the software, the 1's never drop below 45 and sometimes get as high as 57%. Is there anyway a data slicer circuit could be used with this software to improve it's decoding, or wouldn't it make much difference?

I must say i am extremely impressed with this receiver so far after only having it for a few days, for the price it's an amazing box of tricks!

Thanks again for everyones help, being new here and to the 2500 i apologize if all these questions have been answered before.

AJ.

At 03:37 AM 21/01/2007, you wrote:

Hi AJ,

To skip the EOT Beeps, Check the "Switch to Control when Dotting Sequence Heard" checkbox.
You can change the "Number of times to Listen, Before Switching" for your preferred time...

Regards,
Jay

----- Original Message -----
From: "scanmil" <scanmil@yahoo. <mailto:scanmil%40yahoo.com.au> com.au >

> Hi,
>
> I'm new to the group and i have just purchased the R2500 and I'm
> having trouble getting it to trunk an EDACS network properly.
>
> I have edited the Freq Plan and put in the 11 frequencies in the
> correct LCN, i then added these same frequencies in Bank 1, i then
> manually put it on the control channel and pressed Trunk, now it's
> picking things up but it's not skipping the end of transmission beeps?
>
> I'm getting between 47 -75% 1's and up to 92% on the other beside it,
> What have i done wrong?
>
> Any help would be greatly appreciated.
>
> AJ.

530. RE: [TrunkPCR] Need some help!

Yahoo group: TrunkPCR
Date: 2007-01-21 02:03:36 UTC
From: Glenn
Topic: 522 Message: 530

Jay,

For the distant site I can trunk (LCRA Council Creek) doesn't matter what the conditions are. From comparison TRUNKPCR beats out my pro2052 for this location. I cant hear the signal on the pro2052.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, January 20, 2007 7:51 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Need some help!

Hey Adam,

The number of times to listen is the count of how many times a sample of the Beep Frequency is heard.

The actual length of one Beep is somewhere above 30 I think. Having this value too low will result in the pop-pop-pop as you stated.

This is because while hearing the Beeps, the control channel is still sending out "Channel is Still Active" (or Continuation) Messags. So if the Listen time is too short and the program goes back to the control channel and sees these messages, it will tune to the channel frequency where the beeping is still taking place...

You can also try un-checking the "Allow Listening of Continuation Calls" to get around this.

You will always hear the Beep at least once...

On the distant station I listen to, I get up to 80% recovery rate on a clear day with a signal level at Zero. When I get a signal at S-1 or S-2, it will stay above 95% most of the time.

Regards,

Jay

----- Original Message -----

From: Adam <mailto:scanmil@...>

Hi Jay,

Thanks so much for your help, ok have checked that and it's now finally working ok but occasionally i'm still getting beeps coming through? , it will go for a few clean conversations then it will stick on the beeps for 1 or 2 then go clean again for a few more?

Now with the "Number of times to Listen, Before Switching", could you please explain actually what effect this has? , so if i say set this to 1 am i correct in thinking it will only listen for the beeps the one time then switch to the control channel? ,or have i got this all wrong! I tried a number of settings from 1 through to 50 hoping it would fix the few beeps i still have coming through but it didn't seem to make any difference what so ever.

Also sometimes i find it's doing something weird, it will start to receive audio then it will try to start scanning, then receive audio then try to scan and so on in very quick succession , sounds like it's going "pop pop pop" with the audio while it's jumping from scan to audio and of course you can't hear the conversations to well! , any idea's on this?

@Glenn:

Yes getting great reception, full scale on both my 996T and 396T, i live about 10 - 15km from the tower, i can actually just receive it with no antenna connected on my 396T. The system is an EDACS Wide 9600 Baud, and i have checked to make sure that 9600 is checked in the software, the 1's never drop below 45 and sometimes get as high as 57%. Is there anyway a data slicer circuit could be used with this software to improve it's decoding, or wouldn't it make much difference?

I must say i am extremely impressed with this receiver so far after only having it for a few days, for the price it's an amazing box of tricks!

Thanks again for everyones help, being new here and to the 2500 i apologize if all these questions have been answered before.

AJ.

At 03:37 AM 21/01/2007, you wrote:

Hi AJ,

To skip the EOT Beeps, Check the "Switch to Control when Dotting Sequence Heard" checkbox.
You can change the "Number of times to Listen, Before Switching" for your preferred time...

Regards,
Jay

----- Original Message -----
From: "scanmil" <scanmil@yahoo. <mailto:scanmil%40yahoo.com.au> com.au >

> Hi,
>
> I'm new to the group and i have just purchased the R2500 and I'm
> having trouble getting it to trunk an EDACS network properly.
>
> I have edited the Freq Plan and put in the 11 frequencies in the
> correct LCN, i then added these same frequencies in Bank 1, i then
> manually put it on the control channel and pressed Trunk, now it's
> picking things up but it's not skipping the end of transmission beeps?
>
> I'm getting between 47 -75% 1's and up to 92% on the other beside it,
> What have i done wrong?
>
> Any help would be greatly appreciated.
>
> AJ.

531. RE: [TrunkPCR] failsoft

Yahoo group: TrunkPCR
Date: 2007-01-21 02:05:01 UTC
From: Glenn
Topic: 525 Message: 531

Oh ok cool. Uh an EDACS manual????? Is the available on-line? If it is send a link...

Thanks,

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, January 20, 2007 7:54 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] failsoft

Hey Glenn,

I beleive the Failsoft is a feature on some Edacs systems. Failsoft = 1 means that it's enabled in the system. I'd have to read more on the Edacs manual for a more exact meaning...

But it doesn't mean that you had a failure...

Regards,

Jay

----- Original Message -----

From: Glenn <mailto:kd5dga@...>

Jay,

Under the system information window the system info shows a failsoft =1, is this telling me that at any point there was a control channel failure?

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

532. Re: [TrunkPCR] failsoft

Yahoo group: TrunkPCR
Date: 2007-01-21 09:55:51 UTC
From: Jay
Topic: 525 Message: 532

The document I have can be found here:
http://electronics.ihs.com/document/abstract/SVLZIAAAAAAAAAAA

TIA TSB69.3 Enhanced Digital Access Communications System (EDACS) Digital Air Interface for: Channel Access, Modulation, Messages, and Formats

It's not a free download though...

Regards,
Jay

----- Original Message -----
From: Glenn
To: TrunkPCR@yahoogroups.com
Sent: Saturday, January 20, 2007 6:05 PM
Subject: RE: [TrunkPCR] failsoft

Oh ok cool. Uh an EDACS manual????? Is the available on-line? If it is send a link...

Thanks,

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, January 20, 2007 7:54 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] failsoft

Hey Glenn,

I beleive the Failsoft is a feature on some Edacs systems. Failsoft = 1 means that it's enabled in the system. I'd have to read more on the Edacs manual for a more exact meaning...

But it doesn't mean that you had a failure...

Regards,

Jay

----- Original Message -----

From: Glenn

Jay,

Under the system information window the system info shows a failsoft =1, is this telling me that at any point there was a control channel failure?

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

534. Re: [TrunkPCR] Latest error message - hope this gets thru

Yahoo group: TrunkPCR
Date: 2007-01-23 00:40:10 UTC
From: scosgt@aol.com
Topic: 534 Message: 534

And also, the Version 2.8 works better, ESPECIALLY on EDACS. Tested side by side with a PRO-97, the older version picks up everything, the version 210 misses transmissions (as we had the problem before). I ALSO notice that on the older version I get 100% on the two local systems (using a PRO-97 with a tap) and the newest version varies up and down but never holds anyplace near 100%

535. TrunkPCR version 0.83.213 Now Available

Yahoo group: TrunkPCR
Date: 2007-01-27 01:20:10 UTC
From: Jay
Topic: 535 Message: 535

TrunkPCR version 0.83.213 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update Fixes a Few things: I think we may Now be BUG FREE :-)

Jan 24,2006 - Fixed: Digital ID Range in Trunk Settings shows correct selection.
Jan 24,2006 - Added: Digital ID Range in Trunk Settings has a button to Check/Set Custom Range.
Jan 25,2006 - Added: Validation of Group/Radio ID settings when .Tnk & Rcv Files are loaded.
Jan 25,2006 - Fixed: OverFLow Error #6 caused by Invalid User Picture Index.
Version 0.83.213 Released 01/26/2007

Regards,
Jay

536. New member with a question please

Yahoo group: TrunkPCR
Date: 2007-01-27 06:03:37 UTC
From: Rick
Topic: 535 Message: 536

Hi all, I am considering buying an IC-R2500, I have had a quick look at the software you offer but I can only see 1 input for the base freq, step and offset for a Motorola Type II (UHF) trunking system..... where I live (Adelaide, Australia) there are 2 base freq's, steps and offsets....

Can you tell me if I am missing something or if this is just not possible yet with the software, and if not, are there any plans to allow the input of more than 1 in the future please?

TYIA for any help you can give me.

Rick

537. Re: [TrunkPCR] New member with a question please

Yahoo group: TrunkPCR
Date: 2007-01-27 07:30:48 UTC
From: Jay
Topic: 535 Message: 537

Hi Rick,

In the Trunk Settings, click "Extended" in the Moto Options. Then when you click "Edit Freq Plan" you can enter your values there. If you need further help, we're here...

Regards,
Jay

----- Original Message -----
> Hi all, I am considering buying an IC-R2500, I have had a quick look at the
> software you offer but I can only see 1 input for the base freq, step and
> offset for a Motorola Type II (UHF) trunking system..... where I live
> (Adelaide, Australia) there are 2 base freq's, steps and offsets....
>
> Can you tell me if I am missing something or if this is just not possible
> yet with the software, and if not, are there any plans to allow the input of
> more than 1 in the future please?
>
> TYIA for any help you can give me.
>
> Rick

538. setup trunk tracking on a PCR-1500

Yahoo group: TrunkPCR
Date: 2007-01-27 18:48:06 UTC
From: kb2wqm
Topic: 538 Message: 538

Is there a document on how to initially setup TrunkPCR ? I live in a rural area and don't know anyone who could supply me with a startup list. I look at the software and it appears, to me anyway, to be configurable to scan for trunk systems. Any help in getting started would be appreciated. I'm using a PCR-1500. Thanks...

Jeff

539. Dual Receivers, EDACS, and Dotting Sequence

Yahoo group: TrunkPCR
Date: 2007-01-27 22:57:01 UTC
From: Jerry
Topic: 539 Message: 539

Hi all, I just set TrunkPCR up with two receivers..one receiver for the control channel, one receiver for the talk channels. It works great on the Denver Police EDACS system, following the conversations nicely!

One problem, how do I get TrunkPCR to hear the "dotting sequence" after each transmission, since all TrunkPCR is now hearing is the control channel? The constant "beep beep beep beep beep" after each transmission is driving me crazy :)

Thanks,
Jerry Sharp, KD0GS

540. RE: [TrunkPCR] New member with a question please

Yahoo group: TrunkPCR
Date: 2007-01-27 23:01:36 UTC
From: Rick
Topic: 535 Message: 540

Ahhh I see it now, thanks Jay. I am off to order the 2500 now and then I will probably have a lot more questions once it gets here.

Rick

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, 27 January 2007 6:01 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] New member with a question please

Hi Rick,

In the Trunk Settings, click "Extended" in the Moto Options. Then when you click "Edit Freq Plan" you can enter your values there. If you need further help, we're here...

Regards,
Jay

----- Original Message -----
> Hi all, I am considering buying an IC-R2500, I have had a quick look at the
> software you offer but I can only see 1 input for the base freq, step and
> offset for a Motorola Type II (UHF) trunking system..... where I live
> (Adelaide, Australia) there are 2 base freq's, steps and offsets....
>
> Can you tell me if I am missing something or if this is just not possible
> yet with the software, and if not, are there any plans to allow the input of
> more than 1 in the future please?
>
> TYIA for any help you can give me.
>
> Rick

Yahoo! Groups Links

_____ NOD32 2011 (20070127) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

541. Re: [TrunkPCR] Dual Receivers, EDACS, and Dotting Sequence

Yahoo group: TrunkPCR
Date: 2007-01-28 00:43:54 UTC
From: Adam
Topic: 539 Message: 541
Attachments: 1 described; binary payloads are missing from this source WARC

Hi Jerry,

In the EDACS setup screen have you got the "Switch to control when Dotting sequence heard" ticked? , and also what is the "Number of times to listen, Before switching" set to? , also try ticking and un ticking the "Allow listening of Continuation Calls (No Radio ID)" , sometimes it will make a difference.

I find with our EDACS network here in Australia i have to have the "Number of times to listen, Before switching" set to 99 before it works ok, even then it still sometimes lets a few beeps through, but it's much better than putting up with all the beeps! , i think i just need to play around with it a bit more and find the best settings, i did notice the latest release of this excellent software made a huge difference to it working, the version before i only had about 50% success rate where as with this new one i would say i'm getting about 97% success rate now!

Hope this helps.

Regards,
Adam.

At 09:57 AM 28/01/2007, you wrote:

>Hi all, I just set TrunkPCR up with two receivers..one receiver for
>the control channel, one receiver for the talk channels. It works
>great on the Denver Police EDACS system, following the conversations
>nicely!
>
>One problem, how do I get TrunkPCR to hear the "dotting sequence"
>after each transmission, since all TrunkPCR is now hearing is the
>control channel? The constant "beep beep beep beep beep" after each
>transmission is driving me crazy :)
>
>Thanks,
>Jerry Sharp, KD0GS
>
>

542. Re: [TrunkPCR] Dual Receivers, EDACS, and Dotting Sequence

Yahoo group: TrunkPCR
Date: 2007-01-28 01:04:58 UTC
From: Jay
Topic: 539 Message: 542

Hey Jerry,

In a Dual Receiver setup, the sound card is decoding only the Control
Channel and not able to hear the Dotting Sequence...
I'll start on adding support for a 2nd audio source using the Right Channel
of the Line-In soon, so that the Dotting Sequence can be decoded and
processed properly...

Regards,
Jay

----- Original Message -----
From: "Jerry"

> Hi all, I just set TrunkPCR up with two receivers..one receiver for
> the control channel, one receiver for the talk channels. It works
> great on the Denver Police EDACS system, following the conversations
> nicely!
>
> One problem, how do I get TrunkPCR to hear the "dotting sequence"
> after each transmission, since all TrunkPCR is now hearing is the
> control channel? The constant "beep beep beep beep beep" after each
> transmission is driving me crazy :)
>
> Thanks,
> Jerry Sharp, KD0GS

543. Re: [TrunkPCR] setup trunk tracking on a PCR-1500

Yahoo group: TrunkPCR
Date: 2007-01-28 01:19:00 UTC
From: Jay
Topic: 538 Message: 543

Hey Jeff,

Take a look at RadioReference.com and check out there database. They have listings for most areas. Let us know where you live and what systems you would like help with in setting up...

There isn't a doc file, but limited help is here:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrHelp.html

Regards,
Jay

----- Original Message -----
From: "kb2wqm" <kb2m@...>
> Is there a document on how to initially setup TrunkPCR ? I live in a
> rural area and don't know anyone who could supply me with a startup
> list. I look at the software and it appears, to me anyway, to be
> configurable to scan for trunk systems. Any help in getting started
> would be appreciated. I'm using a PCR-1500. Thanks...
>
> Jeff

544. Re: Dual Receivers, EDACS, and Dotting Sequence

Yahoo group: TrunkPCR
Date: 2007-01-28 01:21:04 UTC
From: Jerry
Topic: 539 Message: 544

Thanks Jay, looking forward to your future enhancements. I really do like how trunking works using dual radios, the software always knows what is happening on the control channel.

Looking forward to your updates, to the Trunking program that just keeps getting better.

Thanks,
Jerry Sharp, KD0GS

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Jerry,
>
> In a Dual Receiver setup, the sound card is decoding only the Control
> Channel and not able to hear the Dotting Sequence...
> I'll start on adding support for a 2nd audio source using the Right Channel
> of the Line-In soon, so that the Dotting Sequence can be decoded and
> processed properly...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: "Jerry"
>
>
> > Hi all, I just set TrunkPCR up with two receivers..one receiver for
> > the control channel, one receiver for the talk channels. It works
> > great on the Denver Police EDACS system, following the conversations
> > nicely!
> >
> > One problem, how do I get TrunkPCR to hear the "dotting sequence"
> > after each transmission, since all TrunkPCR is now hearing is the
> > control channel? The constant "beep beep beep beep beep" after each
> > transmission is driving me crazy :)
> >
> > Thanks,
> > Jerry Sharp, KD0GS

>

545. Re: [TrunkPCR] Dual Receivers, EDACS, and Dotting Sequence

Yahoo group: TrunkPCR
Date: 2007-01-28 01:38:08 UTC
From: Adam
Topic: 539 Message: 545

Hi Jay,

Is there anyway a Data Slicer could be used to monitor the control channel input rather than the Mic or Line in? , do you think it would make decoding more accurate?

Regards,
Adam.

At 12:04 PM 28/01/2007, you wrote:

>Hey Jerry,
>
>In a Dual Receiver setup, the sound card is decoding only the Control
>Channel and not able to hear the Dotting Sequence...
>I'll start on adding support for a 2nd audio source using the Right Channel
>of the Line-In soon, so that the Dotting Sequence can be decoded and
>processed properly...
>
>Regards,
>Jay

Send instant messages to your online friends http://au.messenger.yahoo.com

546. Re: [TrunkPCR] Dual Receivers, EDACS, and Dotting Sequence

Yahoo group: TrunkPCR
Date: 2007-01-29 02:40:53 UTC
From: Jay
Topic: 539 Message: 546

Support for a Data Slicer is not planned for public use at this time...
I'll be testing LTR using a data slicer while developing the LTR Decoder,
but after that I'll remove it...
I don't think a data slicer would make a difference in performance.

Regards,
Jay

----- Original Message -----
From: "Adam" <scanmil@...>

> Hi Jay,
>
> Is there anyway a Data Slicer could be used to monitor the control channel
> input rather than the Mic or Line in? , do you think it would make
decoding
> more accurate?
>
> Regards,
> Adam.

547. Re: [TrunkPCR] Dual Receivers, EDACS, and Dotting Sequence

Yahoo group: TrunkPCR
Date: 2007-01-29 07:43:25 UTC
From: Adam
Topic: 539 Message: 547

Thanks Jay.

Regards,
Adam.

At 01:40 PM 29/01/2007, you wrote:

>Support for a Data Slicer is not planned for public use at this time...
>I'll be testing LTR using a data slicer while developing the LTR Decoder,
>but after that I'll remove it...
>I don't think a data slicer would make a difference in performance.
>
>Regards,
>Jay
>
>----- Original Message -----
>From: "Adam" <<mailto:scanmil%40yahoo.com.au>scanmil@...>
>
> > Hi Jay,
> >
> > Is there anyway a Data Slicer could be used to monitor the control channel
> > input rather than the Mic or Line in? , do you think it would make
>decoding
> > more accurate?
> >
> > Regards,
> > Adam.

548. Latest Versions not saving settings

Yahoo group: TrunkPCR
Date: 2007-02-02 19:55:38 UTC
From: Lindsay C Blanton III
Topic: 548 Message: 548

Folks,

The last 2 releases or so of TrunkPCR are not saving their settings properly... So when I close TrunkPCR and restart the banks and settings are reset back to the post-installation defaults.

I run two separate setups of TrunkPCR concurrently, in c:\radio\trunkpcr1 and c:\radio\trunkpcr2

They seem to both want to reference hard coded path locations for the ini files instead of their local directories. This was working fine before, but now is not.

Any ideas?

In addition, with these latest versions I am unable to run two instances at the same time for two separate 2500's. Only one of the com ports is recognized, the other shows up as a choice, but results in the "check radio cables" error message. The regular Icom software is able to access just fine both 2500's.

Lindsay

549. Re: [TrunkPCR] Latest Versions not saving settings

Yahoo group: TrunkPCR
Date: 2007-02-03 02:29:45 UTC
From: Jay
Topic: 548 Message: 549

Hi Lindsay,

Hmmm, ok... When I "Fixed" the code to remember the last "TrunkPcr.ini" that was used, I wasn't thinking of multiple instances running, as in your case...
The registry setting keeps track of the last profile used, so when you run two instances, it will use the same TrunkPcr.ini for both...
Although it may be a pain in the butt, you might be able to work around this by modifying the registry after running the first instance, the run the 2nd... (Delete the LastProfile entry before running the 2nd)
"Hkey_Local_User\software\fiftyone-Fifty\TrunkPcr\LastProfile"

I'll make an adjustment to allow that again...

Regards,
Jay

----- Original Message -----
From: "Lindsay C Blanton III" <lindsay@...>
> Folks,
>
> The last 2 releases or so of TrunkPCR are not saving their settings
> properly... So when I close TrunkPCR and restart the banks and settings
are
> reset back to the post-installation defaults.
>
> I run two separate setups of TrunkPCR concurrently, in c:\radio\trunkpcr1
> and c:\radio\trunkpcr2
>
> They seem to both want to reference hard coded path locations for the ini
> files instead of their local directories. This was working fine before,
but
> now is not.
>
> Any ideas?
>
> In addition, with these latest versions I am unable to run two instances
at
> the same time for two separate 2500's. Only one of the com ports is
> recognized, the other shows up as a choice, but results in the "check
radio
> cables" error message. The regular Icom software is able to access just
> fine both 2500's.
>
> Lindsay

550. dual radio trunking

Yahoo group: TrunkPCR
Date: 2007-02-10 20:15:28 UTC
From: Glenn
Topic: 550 Message: 550

Jay and the group,

I have now modified my pro2052 for discriminator out and running trunkpcr as dual radio. Pretty sweet. My recovery rate stays at 100 percent and the 1's are usually 49 to 51.

I definitely see the difference. The continuation on call is now excellent.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

551. RE: [TrunkPCR] dual radio trunking

Yahoo group: TrunkPCR
Date: 2007-02-10 20:30:07 UTC
From: vince48
Topic: 550 Message: 551

Glenn

You will really enjoy the dual receiver function. The priority function works in this mode and you can set priorities by talk group. You cannot do this with Uniden and GRE scanners. It really enhances my trunk monitoring. I use my Icom 2500, which has two receivers built in. have fun :-)

Vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn
Sent: Saturday, February 10, 2007 12:15 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] dual radio trunking

Jay and the group,

I have now modified my pro2052 for discriminator out and running trunkpcr as dual radio. Pretty sweet. My recovery rate stays at 100 percent and the 1's are usually 49 to 51.

I definitely see the difference. The continuation on call is now excellent.

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

_____ NOD32 2050 (20070210) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

552. DUAL TRUNK HELP

Yahoo group: TrunkPCR
Date: 2007-02-11 00:50:19 UTC
From: Glenn
Topic: 552 Message: 552

If I wanted to listen to a conversation between two persons and only follow their conversations, how do I do it?

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

553. Re: [TrunkPCR] DUAL TRUNK HELP

Yahoo group: TrunkPCR
Date: 2007-02-11 01:04:54 UTC
From: scosgt@aol.com
Topic: 552 Message: 553

In a message dated 2/10/2007 7:51:33 PM Eastern Standard Time,
kd5dga@... writes:

>
>
> If I wanted to listen to a conversation between two persons and only follow
> their conversations, how do I do it?
>
>
>
>
>
> Click "hold"?

554. RE: [TrunkPCR] DUAL TRUNK HELP

Yahoo group: TrunkPCR
Date: 2007-02-11 01:15:52 UTC
From: vince48
Topic: 552 Message: 554

Glenn

Hold + alt = follow "group"

Hold + ctrl = follow "radio"

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn
Sent: Saturday, February 10, 2007 4:50 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] DUAL TRUNK HELP

If I wanted to listen to a conversation between two persons and only follow their conversations, how do I do it?

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

_____ NOD32 2051 (20070210) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

555. RE: [TrunkPCR] DUAL TRUNK HELP

Yahoo group: TrunkPCR
Date: 2007-02-11 02:52:27 UTC
From: Glenn
Topic: 552 Message: 555

Oh ok. This is what I needed.

I didn't realize what I was missing when I didn't have the two radio trunking.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of vince48
Sent: Saturday, February 10, 2007 7:16 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] DUAL TRUNK HELP

Glenn

Hold + alt = follow "group"

Hold + ctrl = follow "radio"

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn
Sent: Saturday, February 10, 2007 4:50 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] DUAL TRUNK HELP

If I wanted to listen to a conversation between two persons and only follow their conversations, how do I do it?

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

_____ NOD32 2051 (20070210) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset. <http://www.eset.com> com

556. TrunkPCR version 0.84.214 Now Available

Yahoo group: TrunkPCR
Date: 2007-02-11 21:06:52 UTC
From: Jay
Topic: 556 Message: 556

TrunkPCR version 0.84.214 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few changes

Feb 07,2006 - -----: Removed LastProfile setting to Allow running
Multiple Instances of TrunkPCR.
Feb 08,2006 - Fixed: Registration for 'Windows Vista (TM) Ultimate'.
Feb 10,2006 - Added: RadioReference.com Web Importing of Trunking and
Conventional systems.
Feb 11,2006 - -----: Saving Group/Radio ID's in TrunkID Editor now bypass
the "Save New ID's When" Rule.
Version 0.84.214 Released 02/11/2007

Regards,
Jay

557. Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-12 06:27:23 UTC
From: Shannon Andrews
Topic: 557 Message: 557

I'm really glad to see this feature added. However, I am unable to get the TalkGroups to import. I have a login for Radioreference and am able to get a list of the groups I want to import. When I click on "import" I get a list of the talkgroups, in this case there are 453 of them. On the bottom of that window there is "finish" and "abort" but "finish" is greyed out. With my registration I have room for 750 groups so that shouldn't be the problem. I've tried to select just one talkgroup and get the same thing. I am able to import sites - just not talkgroups. Anyone know if I'm doing something wrong here?

Thanks,

Shannon Andrews

558. Re: [TrunkPCR] Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-12 06:45:53 UTC
From: Jay
Topic: 557 Message: 558

Hi Shannon,

In order to import the Channels or TalkGroups when the Finish Button is Greyed Out, you need to edit the descriptions that are over 60 characters. When you click on an item in the List, the description will be copied to the textbox for you to edit. The textbox is wide enough to display 60 characters in it's normal view. After you update a description, the list will be updated and if there are any more descriptions that exceed 60 characters, they will be visible in the list...

Regards,
Jay

----- Original Message -----
From: "Shannon Andrews"

> I'm really glad to see this feature added. However, I am unable to get
> the TalkGroups to import. I have a login for Radioreference and am able
> to get a list of the groups I want to import. When I click on "import"
> I get a list of the talkgroups, in this case there are 453 of them. On
> the bottom of that window there is "finish" and "abort" but "finish" is
> greyed out. With my registration I have room for 750 groups so that
> shouldn't be the problem. I've tried to select just one talkgroup and
> get the same thing. I am able to import sites - just not talkgroups.
> Anyone know if I'm doing something wrong here?
>
> Thanks,
>
> Shannon Andrews

559. Group ID, Radio ID question & also help with antenna designs.

Yahoo group: TrunkPCR
Date: 2007-02-16 15:57:49 UTC
From: Mike
Topic: 559 Message: 559

I was wondering if I should see the Radio ID description in the first row and the Radio ID description in the second row on the TrunkPCR main window.

For some reason when I edit the Group ID's, it puts information into the Radio ID's even when I say NO to save info to Radio ID's.
I even deleted all the Radio ID's and let them fill up again on their own and the descriptions were filled in again.

Maybe I'm confused on how this is suppose to work but I though I could edit Group ID's than go into Radio ID's and edit those to individuals as well.
Also do different Radio Groups have the same Radio ID's. Because I can have one Group show up and the Radio ID of another group is displayed.

Also I am looking for some antenna ideas. I'm 50Km away from the aiport I'm listening to and some of the conversations are a bit choppy.
I'm using a Discone omni directional antenna right now. I was hoping to make a Yagi in the 866Mhz range but I have no idea how to make this. I am an electrician so I dont think I would have a problem building one but could use a point in the right direction.

Thanks in advance for any help.
Mike

560. Re: [TrunkPCR] Group ID, Radio ID question.

Yahoo group: TrunkPCR
Date: 2007-02-16 18:14:07 UTC
From: Jay
Topic: 560 Message: 560

Ok, I think you are a bit confused on how the Radio ID Descriptions are created.

When a new Group ID is seen, it's description will be saved as "Group#nnnn", where "nnnn" represents a hexadecimal number of the Group ID.

When a Radio Affiliates to or talks on a Group for the first time, it's description will be saved as "Group#nnnn - > Radio#nnnn". This will specify the Group it affiliates to or talks on, along with the Radio ID in hexadecimal.

When you Edit/Change the Group ID Description and respond with a "NO" when it asks if you want to "update Radio Descriptions also?", you are saying No to *Only* the currently saved Radios that have the *Old Group Description* at this time.
When a New Radio talks on this group, it's description will reflect the change of the *New Group Description*... (Which is why after you deleted ALL Radios, that the New Radio Descriptions contained the description of the Group ID they were talking on)

Here's how I edit my Groups /Radios:
1) A New Group (32880 Decimal) is seen.
2) It's description is created as "Group#8070".
3) A Radio (788 Decimal) talks on Group 32880.
4) It's description is created as "Group#8070 -> Radio#0314" to help Identify who the user might be.
5) I change the Group Description to "Hazard County Sheriff" and have the radio descriptions updated.
6) The User/Radio Description gets updated to: "Hazard County Sheriff -> Radio#0314".
7) After listening to a few conversations, I determine who Radio#0314 is assigned to and change the Radio Description to "Hazard County Sheriff - Roscoe's Patrol Car"...

A Radio/User can talk on many different Groups. I find many local cops, fire units and medics that share the same groups when needed...

Jay

----- Original Message -----
From: "Mike"

> I was wondering if I should see the Radio ID description in the first
> row and the Radio ID description in the second row on the TrunkPCR main
> window.
>
> For some reason when I edit the Group ID's, it puts information into

> the Radio ID's even when I say NO to save info to Radio ID's.
> I even deleted all the Radio ID's and let them fill up again on their
> own and the descriptions were filled in again.
>
> Maybe I'm confused on how this is suppose to work but I though I could
> edit Group ID's than go into Radio ID's and edit those to individuals
> as well.
> Also do different Radio Groups have the same Radio ID's. Because I can
> have one Group show up and the Radio ID of another group is displayed.
>
> Thanks in advance for any help.
> Mike

561. Re: Group ID, Radio ID question.

Yahoo group: TrunkPCR
Date: 2007-02-16 22:51:56 UTC
From: Mike
Topic: 560 Message: 561

Oh, OK I get it now.

Thanks Jay

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Ok, I think you are a bit confused on how the Radio ID Descriptions
are
> created.
>
> When a new Group ID is seen, it's description will be saved as
> "Group#nnnn", where "nnnn" represents a hexadecimal number of the
Group ID.
>
> When a Radio Affiliates to or talks on a Group for the first time,
it's
> description will be saved as "Group#nnnn - > Radio#nnnn". This
will specify
> the Group it affiliates to or talks on, along with the Radio ID in
> hexadecimal.
>
> When you Edit/Change the Group ID Description and respond with
a "NO" when
> it asks if you want to "update Radio Descriptions also?", you are
saying No
> to *Only* the currently saved Radios that have the *Old Group
Description*
> at this time.
> When a New Radio talks on this group, it's description will reflect
the
> change of the *New Group Description*... (Which is why after you
deleted
> ALL Radios, that the New Radio Descriptions contained the
description of the
> Group ID they were talking on)
>
> Here's how I edit my Groups /Radios:
> 1) A New Group (32880 Decimal) is seen.
> 2) It's description is created as "Group#8070".
> 3) A Radio (788 Decimal) talks on Group 32880.
> 4) It's description is created as "Group#8070 -> Radio#0314" to
help
> Identify who the user might be.
> 5) I change the Group Description to "Hazard County Sheriff" and
have the

> radio descriptions updated.
> 6) The User/Radio Description gets updated to: "Hazard County
Sheriff ->
> Radio#0314".
> 7) After listening to a few conversations, I determine who
Radio#0314 is
> assigned to and change the Radio Description to "Hazard County
Sheriff -
> Roscoe's Patrol Car"...
>
> A Radio/User can talk on many different Groups. I find many local
cops,
> fire units and medics that share the same groups when needed...
>
> Jay
>
>
> ----- Original Message -----
> From: "Mike"
>
> > I was wondering if I should see the Radio ID description in the
first
> > row and the Radio ID description in the second row on the
TrunkPCR main
> > window.
> >
> > For some reason when I edit the Group ID's, it puts information
into
> > the Radio ID's even when I say NO to save info to Radio ID's.
> > I even deleted all the Radio ID's and let them fill up again on
their
> > own and the descriptions were filled in again.
> >
> > Maybe I'm confused on how this is suppose to work but I though I
could
> > edit Group ID's than go into Radio ID's and edit those to
individuals
> > as well.
> > Also do different Radio Groups have the same Radio ID's. Because
I can
> > have one Group show up and the Radio ID of another group is
displayed.
> >
> > Thanks in advance for any help.
> > Mike
>

562. police codes??

Yahoo group: TrunkPCR
Date: 2007-02-18 01:58:08 UTC
From: Mike
Topic: 562 Message: 562

Anyone know the police 9 codes for the Burlington Ontario area? I cant find them any where.

563. I may have discivered I'm too dumb to use this software

Yahoo group: TrunkPCR
Date: 2007-02-18 20:33:40 UTC
From: Louis Cashmer
Topic: 563 Message: 563

I'm just getting started and wanted to make a donation through PayPal to help continue the good work. I simply cannot find an email address to be able to do that.

I know it's me. I know I should put my new 1500 back in the box. Duh!

73s
Louis
KG4QPQ

564. Re: I may have discivered I'm too dumb to use this software

Yahoo group: TrunkPCR
Date: 2007-02-18 20:35:11 UTC
From: Louis Cashmer
Topic: 563 Message: 564

Never mind, I found it.

--- In TrunkPCR@yahoogroups.com, "Louis Cashmer" <lcashmer@...> wrote:
>
> I'm just getting started and wanted to make a donation through PayPal
> to help continue the good work. I simply cannot find an email
address
> to be able to do that.
>
> I know it's me. I know I should put my new 1500 back in the box. Duh!
>
> 73s
> Louis
> KG4QPQ
>

565. EEPROM problems

Yahoo group: TrunkPCR
Date: 2007-02-19 02:58:44 UTC
From: Glenn
Topic: 565 Message: 565

This (I guess) only applies to the PCR1000 but I have not checked my EPROM in quite sometime. I verified to find out I had 109 errors. Luckily I keep all my Back-ups on a disc for that just in case time. I don't think it was TRUNKPCR that made my EEPROM get corrupted. I hate to say it but I also run a PRO-252 off another com-port and sometimes I get the com-ports mixed up and I allow my PRO-2052 programs try to talk to the PCR.

It is good to back-up and verify every so often.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

566. Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-19 05:01:19 UTC
From: Mike
Topic: 557 Message: 566

I was just wondering how this options works. I can log in and select
Country, Province, and County but thats it. Nothing else happens.
Should the window fill up with info??
everyting else is greyed out...??

Mike

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Shannon,
>
> In order to import the Channels or TalkGroups when the Finish
Button is
> Greyed Out, you need to edit the descriptions that are over 60
characters.
> When you click on an item in the List, the description will be
copied to the
> textbox for you to edit. The textbox is wide enough to display 60
> characters in it's normal view. After you update a description,
the list
> will be updated and if there are any more descriptions that exceed
60
> characters, they will be visible in the list...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "Shannon Andrews"
>
>
> > I'm really glad to see this feature added. However, I am unable
to get
> > the TalkGroups to import. I have a login for Radioreference and
am able
> > to get a list of the groups I want to import. When I click
on "import"
> > I get a list of the talkgroups, in this case there are 453 of
them. On
> > the bottom of that window there is "finish" and "abort"
but "finish" is
> > greyed out. With my registration I have room for 750 groups so
that
> > shouldn't be the problem. I've tried to select just one talkgroup
and

> > get the same thing. I am able to import sites - just not
talkgroups.
> > Anyone know if I'm doing something wrong here?
> >
> > Thanks,
> >
> > Shannon Andrews
>

567. web import

Yahoo group: TrunkPCR
Date: 2007-02-19 05:17:59 UTC
From: Glenn
Topic: 567 Message: 567

I get down to the county option and that is it. The program will not go further. I will give it a try tomorrow. It's almost 1130 pm.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

568. single or dual radio trunking

Yahoo group: TrunkPCR
Date: 2007-02-19 06:10:47 UTC
From: Glenn
Topic: 568 Message: 568

What is the difference when you select the single or dual radio buttons? Right now I am slaved from my PRO2052 discriminator out. I didn't see much difference from either single or dual radio options.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

569. Re: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-19 10:32:49 UTC
From: Jay
Topic: 557 Message: 569

Hi Mike,

If you select Canada for the Country and Ontario for the Province, the County and System should both show ">>> Select <<<".
If you click the System Dropdown, you should be able to select a few Province Agencies from there.
If you click a County and the System Dropdown stays Greyed Out, then there may not be any Trunking, Conventional or Agency systems to choose from for that County.
The Trunking, Conventional or Agency buttons will display as normal if there is specific info there.

What Province and County are you selecting???

Jay

----- Original Message -----
From: "Mike"

> I was just wondering how this options works. I can log in and select
> Country, Province, and County but thats it. Nothing else happens.
> Should the window fill up with info??
> everyting else is greyed out...??
>
> Mike

570. Re: [TrunkPCR] single or dual radio trunking

Yahoo group: TrunkPCR
Date: 2007-02-19 11:22:04 UTC
From: Jay
Topic: 568 Message: 570

Hey Glenn,

In Dual Mode, you'll have the Priority Feature, constant monitoring of the Control Channel and the ability to see which Radio/User is actually talking in the Main Display.

In Single mode when the program stops on a frequency, you will only see which user initiated the call and the Radio ID won't be updated until a new call is placed. In Dual Mode, you'll see the user who initated the call and the Radio ID & Description will be updated when the other Radio/User in the conversation talks (in most cases).

Also, if you had "Hunt Control Channel on Data Loss" enabled, you would see a message in the Status Bar saying "Please Set 2nd Receiver to Control Channel" instead of trying to hunt for it...

Jay

----- Original Message -----
From: Glenn

What is the difference when you select the single or dual radio buttons? Right now I am slaved from my PRO2052 discriminator out. I didn't see much difference from either single or dual radio options.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

571. Can't seem to import .MCH from ICOM software

Yahoo group: TrunkPCR
Date: 2007-02-19 17:21:07 UTC
From: Louis Cashmer
Topic: 571 Message: 571

I'm sure it's something I'm missing. I have version 0.84.214 of TrunkPCR and version 2 of the ICOM software and I don't seem able to import my MCH files. It acts like it did it, but everything is blank.

I searched the group and could only find issues with web import. What am I doing wrong?

Forgive the newbie.

Louis
KG4QPQ

572. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 00:48:32 UTC
From: Glenn
Topic: 557 Message: 572

Ok but there is a bunch of trunked systems in my area.

United States

Texas

Bell (county)

Give it a try.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Monday, February 19, 2007 4:33 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: Web Import issues.

Hi Mike,

If you select Canada for the Country and Ontario for the Province, the
County and System should both show ">>> Select <<<".
If you click the System Dropdown, you should be able to select a few
Province Agencies from there.
If you click a County and the System Dropdown stays Greyed Out, then there
may not be any Trunking, Conventional or Agency systems to choose from for
that County.
The Trunking, Conventional or Agency buttons will display as normal if there
is specific info there.

What Province and County are you selecting???

Jay

----- Original Message -----
From: "Mike"

> I was just wondering how this options works. I can log in and select
> Country, Province, and County but thats it. Nothing else happens.
> Should the window fill up with info??
> everyting else is greyed out...??
>
> Mike

573. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 01:20:20 UTC
From: Glenn
Topic: 557 Message: 573

<http://www.radioreference.com/modules.php?name=RR&ctid=2536>
http://www.radioreference.com/modules.php?name=RR&ctid=2536

here is the database for my area.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Glenn
Sent: Monday, February 19, 2007 6:49 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

Ok but there is a bunch of trunked systems in my area.

United States

Texas

Bell (county)

Give it a try.

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Monday, February 19, 2007 4:33 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: Web Import issues.

Hi Mike,

If you select Canada for the Country and Ontario for the Province, the
County and System should both show ">>> Select <<<".
If you click the System Dropdown, you should be able to select a few
Province Agencies from there.
If you click a County and the System Dropdown stays Greyed Out, then there
may not be any Trunking, Conventional or Agency systems to choose from for

that County.
The Trunking, Conventional or Agency buttons will display as normal if there is specific info there.

What Province and County are you selecting???

Jay

----- Original Message -----
From: "Mike"

> I was just wondering how this options works. I can log in and select
> Country, Province, and County but thats it. Nothing else happens.
> Should the window fill up with info??
> everyting else is greyed out...??
>
> Mike

574. Re: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 09:26:26 UTC
From: Jay
Topic: 557 Message: 574

Hey Glenn,

Hmmm, it works on my end...
After I select Bell County, the Trunk, Conventional & Agency buttons are usable...
Conventional is selected and the list is filled. I can click on the Trunking and Agency buttons and select numerous Systems and those fill the list also...

If you would (after you get the Bell County Selected), click the File Menu and Save XML File. Then send it to me so I can take a look. I may end up changing how I retreive the data...

Regards,
Jay

----- Original Message -----
From: Glenn

Ok but there is a bunch of trunked systems in my area.

United States

Texas

Bell (county)

Give it a try.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

575. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 11:13:53 UTC
From: peter@gehughes.us
Topic: 557 Message: 575

I keep having the same issue
Could it be connected to RadioReference and NOT being a PAYING member?

I have also been having problems using a USB to Serial
adapter...TrunkPCR randomly tells me that the port is in use or not
available.

Peter Hughes
N7BMG

> -------- Original Message --------
> Subject: Re: [TrunkPCR] Re: Web Import issues.
> From: "Jay" <crazycalifornian@...>
> Date: Tue, February 20, 2007 4:26 am
> To: <TrunkPCR@yahoogroups.com>
>
>
>
> Hey Glenn, Hmmm, it works on my end... After I select Bell County, the Trunk, Conventional & Agency buttons are usable... Conventional is selected and the list is filled. I can click on the Trunking and Agency buttons and select numerous Systems and those fill the list also... If you would (after you get the Bell County Selected), click the File Menu and Save XML File. Then send it to me so I can take a look. I may end up changing how I retreive the data... Regards, Jay ----- Original Message ----- From: Glenn Ok but there is a bunch of trunked systems in my area. United States Texas Bell (county) Give it a try. Glenn Blum kd5dga http://home.earthlink.net/~kd5dga/

576. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 12:04:26 UTC
From: Glenn
Topic: 557 Message: 576

Ok, I will do that.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, February 20, 2007 3:26 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: Web Import issues.

Hey Glenn,

Hmmm, it works on my end...

After I select Bell County, the Trunk, Conventional & Agency buttons are usable...

Conventional is selected and the list is filled. I can click on the Trunking and Agency buttons and select numerous Systems and those fill the list also...

If you would (after you get the Bell County Selected), click the File Menu and Save XML File. Then send it to me so I can take a look. I may end up changing how I retreive the data...

Regards,

Jay

----- Original Message -----

From: Glenn <mailto:kd5dga@...>

Ok but there is a bunch of trunked systems in my area.

United States

Texas

Bell (county)

Give it a try.

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

577. Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 14:29:05 UTC
From: Mike
Topic: 557 Message: 577

I am picking Canada, Ontario, Halton...I can select all three areas
but than nothing happens..

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Mike,
>
> If you select Canada for the Country and Ontario for the Province,
the
> County and System should both show ">>> Select <<<".
> If you click the System Dropdown, you should be able to select a few
> Province Agencies from there.
> If you click a County and the System Dropdown stays Greyed Out,
then there
> may not be any Trunking, Conventional or Agency systems to choose
from for
> that County.
> The Trunking, Conventional or Agency buttons will display as normal
if there
> is specific info there.
>
> What Province and County are you selecting???
>
> Jay
>
> ----- Original Message -----
> From: "Mike"
>
>
> > I was just wondering how this options works. I can log in and
select
> > Country, Province, and County but thats it. Nothing else happens.
> > Should the window fill up with info??
> > everyting else is greyed out...??
> >
> > Mike
>

578. Re: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 15:35:18 UTC
From: Jay
Topic: 557 Message: 578

Hi Peter,

For the Web Import, you don't need to be a donating user to use it.

Which USB to Serial adapter are you using?
Do you have the latest driver for it installed?

Jay

----- Original Message -----
> I keep having the same issue
> Could it be connected to RadioReference and NOT being a PAYING member?
>
> I have also been having problems using a USB to Serial
> adapter...TrunkPCR randomly tells me that the port is in use or not
> available.
>
>
> Peter Hughes
> N7BMG

579. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 15:02:29 UTC
From: Bill Crocker
Topic: 557 Message: 579

Are you running Norton Anti-Virus? It's been known to interfere with downloads from Radio Reference's database.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Mike
Sent: Tuesday, February 20, 2007 9:29 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Web Import issues.

I am picking Canada, Ontario, Halton...I can select all three areas but than nothing happens..

--- In TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Mike,
>
> If you select Canada for the Country and Ontario for the Province, the
> County and System should both show ">>> Select <<<".
> If you click the System Dropdown, you should be able to select a few
> Province Agencies from there.
> If you click a County and the System Dropdown stays Greyed Out, then there
> may not be any Trunking, Conventional or Agency systems to choose from for
> that County.
> The Trunking, Conventional or Agency buttons will display as normal if there
> is specific info there.
>
> What Province and County are you selecting???
>
> Jay
>
> ----- Original Message -----
> From: "Mike"
>
>
> > I was just wondering how this options works. I can log in and select
> > Country, Province, and County but thats it. Nothing else happens.

> > Should the window fill up with info??
> > everyting else is greyed out...??
> >
> > Mike
>

580. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 16:15:08 UTC
From: peter@gehughes.us
Topic: 557 Message: 580

The Corporate Net Nazis are running a Locked version of Norton on my
machine at work.
I will try again when I get back home tonight...Where I have absolute
control over my life..... :-)

Thanks
Peter

> -------- Original Message --------
> Subject: RE: [TrunkPCR] Re: Web Import issues.
> From: "Bill Crocker" <wcrocker007@...>
> Date: Tue, February 20, 2007 10:02 am
> To: <TrunkPCR@yahoogroups.com>
>
>
>
> Are you running Norton Anti-Virus? It's been known to interfere with downloads from Radio
Reference's database. Bill
> From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Mike
> Sent: Tuesday, February 20, 2007 9:29 AM
> To: TrunkPCR@yahoogroups.com
> Subject: [TrunkPCR] Re: Web Import issues.
>
>
>
> I am picking Canada, Ontario, Halton...I can select all three areas
> but than nothing happens..
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> >
> > Hi Mike,
> >
> > If you select Canada for the Country and Ontario for the Province,
> the
> > County and System should both show ">>> Select <<<".
> > If you click the System Dropdown, you should be able to select a few
> > Province Agencies from there.
> > If you click a County and the System Dropdown stays Greyed Out,
> then there
> > may not be any Trunking, Conventional or Agency systems to choose
> from for
> > that County.
> > The Trunking, Conventional or Agency buttons will display as normal
> if there
> > is specific info there.

> >
> > What Province and County are you selecting???
> >
> > Jay
> >
> > ----- Original Message -----
> > From: "Mike"
> >
> >
> > > I was just wondering how this options works. I can log in and
> select
> > > Country, Province, and County but thats it. Nothing else happens.
> > > Should the window fill up with info??
> > > everyting else is greyed out...??
> > >
> > > Mike
> >
>
>

581. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 16:25:10 UTC
From: peter@gehughes.us
Topic: 557 Message: 581

I am running an FTDI device with ver. 2.0.0.0 which is the latest driver listed on their site..
But I am also running it on XP-Pro SP2 so who knows what other problems are happening.

It could just be interference from TalkPCR which I also use...although not at the same time.

I will try again tonight on my 98SE machine at home and see what happens.

Peter

> -------- Original Message --------
> Subject: Re: [TrunkPCR] Re: Web Import issues.
> From: "Jay" <crazycalifornian@...>
> Date: Tue, February 20, 2007 10:35 am
> To: <TrunkPCR@yahoogroups.com>
>
>
>
> Hi Peter,
>
> For the Web Import, you don't need to be a donating user to use it.
>
> Which USB to Serial adapter are you using?
> Do you have the latest driver for it installed?
>
> Jay
>
> ----- Original Message -----
> > I keep having the same issue
> > Could it be connected to RadioReference and NOT being a PAYING member?
> >
> > I have also been having problems using a USB to Serial
> > adapter...TrunkPCR randomly tells me that the port is in use or not
> > available.
> >
> >
> > Peter Hughes
> > N7BMG
>
>

582. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-20 22:36:44 UTC
From: Glenn
Topic: 557 Message: 582

Avast is my antivirus. However since I have a gateway (two wire) I am wondering if the gateway's firewall is the problem? I get through all the options but cant get past that.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Bill Crocker
Sent: Tuesday, February 20, 2007 9:02 AM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

Are you running Norton Anti-Virus? It's been known to interfere with downloads from Radio Reference's database.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Mike
Sent: Tuesday, February 20, 2007 9:29 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Web Import issues.

I am picking Canada, Ontario, Halton...I can select all three areas but than nothing happens..

--- In TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Mike,
>
> If you select Canada for the Country and Ontario for the Province, the
> County and System should both show ">>> Select <<<".
> If you click the System Dropdown, you should be able to select a few
> Province Agencies from there.
> If you click a County and the System Dropdown stays Greyed Out, then there
> may not be any Trunking, Conventional or Agency systems to choose from for

> that County.
> The Trunking, Conventional or Agency buttons will display as normal
if there
> is specific info there.
>
> What Province and County are you selecting???
>
> Jay
>
> ----- Original Message -----
> From: "Mike"
>
>
> > I was just wondering how this options works. I can log in and
select
> > Country, Province, and County but thats it. Nothing else happens.
> > Should the window fill up with info??
> > everyting else is greyed out...??
> >
> > Mike
>

583. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-21 00:51:01 UTC
From: vince48
Topic: 557 Message: 583

Glenn

I also use AVAST and have no problems using the import. My connection and downloads are without any problems.

vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn
Sent: Tuesday, February 20, 2007 2:37 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

Avast is my antivirus. However since I have a gateway (two wire) I am wondering if the gateway's firewall is the problem? I get through all the options but cant get past that.

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Bill Crocker
Sent: Tuesday, February 20, 2007 9:02 AM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

Are you running Norton Anti-Virus? It's been known to interfere with downloads from Radio Reference's database.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Mike
Sent: Tuesday, February 20, 2007 9:29 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Web Import issues.

I am picking Canada, Ontario, Halton...I can select all three areas but than nothing happens..

--- In TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com, "Jay"
<crazycalifornian@...> wrote:
>
> Hi Mike,
>
> If you select Canada for the Country and Ontario for the Province,
the
> County and System should both show ">>> Select <<<".
> If you click the System Dropdown, you should be able to select a few
> Province Agencies from there.
> If you click a County and the System Dropdown stays Greyed Out,
then there
> may not be any Trunking, Conventional or Agency systems to choose
from for
> that County.
> The Trunking, Conventional or Agency buttons will display as normal
if there
> is specific info there.
>
> What Province and County are you selecting???
>
> Jay
>
> ----- Original Message -----
> From: "Mike"
>
>
> > I was just wondering how this options works. I can log in and
select
> > Country, Province, and County but thats it. Nothing else happens.
> > Should the window fill up with info??
> > everyting else is greyed out...??
> >
> > Mike
>

_____ NOD32 2072 (20070220) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

584. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-21 01:12:19 UTC
From: Glenn
Topic: 557 Message: 584

I am wondering a few things here. Normally I don't need a service like this however it is nice to have.

1. Does any internet options need to be changed?

2. My 2WIRE gateway firewall?

3. Does my version of .net framework good? (I think that .xml needs .net)

4. Any type of security settings? (I have no software firewall except windows XP and it is disabled)

This problem is the same with UNITRUNKER import. Under Unitrunker you can select a system download but it does not work either.

I know it has something to do with windows settings.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of vince48
Sent: Tuesday, February 20, 2007 6:51 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

Glenn

I also use AVAST and have no problems using the import. My connection and downloads are without any problems.

vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@...m] On Behalf Of Glenn
Sent: Tuesday, February 20, 2007 2:37 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

Avast is my antivirus. However since I have a gateway (two wire) I am wondering if the gateway's firewall is the problem? I get through all the options but cant get past that.

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Bill Crocker
Sent: Tuesday, February 20, 2007 9:02 AM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

Are you running Norton Anti-Virus? It's been known to interfere with
downloads from Radio Reference's database.

Bill

From: TrunkPCR@...m [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Mike
Sent: Tuesday, February 20, 2007 9:29 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Web Import issues.

I am picking Canada, Ontario, Halton...I can select all three areas
but than nothing happens..

--- In TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com, "Jay"
<crazycalifornian@...> wrote:
>
> Hi Mike,
>
> If you select Canada for the Country and Ontario for the Province,
the
> County and System should both show ">>> Select <<<".
> If you click the System Dropdown, you should be able to select a few
> Province Agencies from there.
> If you click a County and the System Dropdown stays Greyed Out,
then there
> may not be any Trunking, Conventional or Agency systems to choose
from for
> that County.
> The Trunking, Conventional or Agency buttons will display as normal
if there
> is specific info there.
>
> What Province and County are you selecting???
>
> Jay
>
> ----- Original Message -----

> From: "Mike"
>
>
> > I was just wondering how this options works. I can log in and
select
> > Country, Province, and County but thats it. Nothing else happens.
> > Should the window fill up with info??
> > everyting else is greyed out...??
> >
> > Mike
>

_____ NOD32 2072 (20070220) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset. <http://www.eset.com> com

585. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-21 01:25:31 UTC
From: Bill Crocker
Topic: 557 Message: 585

I'm having difficulty also. However, I have not yet registered TrunkPCR, as I just started testing it this week. Does it have to be registered for this option to work? I am a paying member on RR, so that's not the issue. I can also use WEB import from RR with Uniden, and GRE (Radio Shack) scanners.

TrunkPCR let's me go though all the login, and selections, then when it should actually start to import, it goes out to lunch! :)

Any ideas?

Thanks,
Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn
Sent: Tuesday, February 20, 2007 8:12 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

I am wondering a few things here. Normally I don't need a service like this however it is nice to have.

1. Does any internet options need to be changed?

2. My 2WIRE gateway firewall?

3. Does my version of .net framework good? (I think that .xml needs .net)

4. Any type of security settings? (I have no software firewall except windows XP and it is disabled)

This problem is the same with UNITRUNKER import. Under Unitrunker you can select a system download but it does not work either.

I know it has something to do with windows settings.

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of vince48
Sent: Tuesday, February 20, 2007 6:51 PM
To: TrunkPCR@yahoogroups.com

Subject: RE: [TrunkPCR] Re: Web Import issues.

Glenn

I also use AVAST and have no problems using the import. My connection and downloads are without any problems.

vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn
Sent: Tuesday, February 20, 2007 2:37 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

Avast is my antivirus. However since I have a gateway (two wire) I am wondering if the gateway's firewall is the problem? I get through all the options but cant get past that.

Glenn Blum

kd5dga

http://home. <http://home.earthlink.net/~kd5dga/> earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Bill Crocker
Sent: Tuesday, February 20, 2007 9:02 AM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: Web Import issues.

Are you running Norton Anti-Virus? It's been known to interfere with downloads from Radio Reference's database.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Mike
Sent: Tuesday, February 20, 2007 9:29 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Web Import issues.

I am picking Canada, Ontario, Halton...I can select all three areas but than nothing happens..

--- In TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Mike,

>
> If you select Canada for the Country and Ontario for the Province,
the
> County and System should both show ">>> Select <<<".
> If you click the System Dropdown, you should be able to select a few
> Province Agencies from there.
> If you click a County and the System Dropdown stays Greyed Out,
then there
> may not be any Trunking, Conventional or Agency systems to choose
from for
> that County.
> The Trunking, Conventional or Agency buttons will display as normal
if there
> is specific info there.
>
> What Province and County are you selecting???
>
> Jay
>
> ----- Original Message -----
> From: "Mike"
>
>
> > I was just wondering how this options works. I can log in and
select
> > Country, Province, and County but thats it. Nothing else happens.
> > Should the window fill up with info??
> > everyting else is greyed out...??
> >
> > Mike
>

_____ NOD32 2072 (20070220) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset. <http://www.eset.com> com

586. Re: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-21 11:17:26 UTC
From: Jay
Topic: 557 Message: 586

Hi Bill,

For the Web Import, you don't need to be a donating user of TrunkPCR to use it.

I Think it's a problem with XML's internal way of transferring the data to/from the internet.
I have also noticed that XML stores previously retrieved data instead of retrieving fresh data.
I'll make a change to use another way to communicate with RR.com...

Regards,
Jay

----- Original Message -----
From: Bill Crocker

I'm having difficulty also. However, I have not yet registered TrunkPCR, as I just started testing it this week. Does it have to be registered for this option to work? I am a paying member on RR, so that's not the issue. I can also use WEB import from RR with Uniden, and GRE (Radio Shack) scanners.

TrunkPCR let's me go though all the login, and selections, then when it should actually start to import, it goes out to lunch! :)

Any ideas?

Thanks,
Bill

587. RE: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-21 13:47:30 UTC
From: Bill Crocker
Topic: 557 Message: 587

Thanks Jay! Once that function is working for me, you have me as a donating customer.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Wednesday, February 21, 2007 6:17 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: Web Import issues.

Hi Bill,

For the Web Import, you don't need to be a donating user of TrunkPCR to use it.

I Think it's a problem with XML's internal way of transferring the data to/from the internet.
I have also noticed that XML stores previously retrieved data instead of retrieving fresh data.
I'll make a change to use another way to communicate with RR.com...

Regards,
Jay

----- Original Message -----

From: Bill Crocker <mailto:wcrocker007@...>

I'm having difficulty also. However, I have not yet registered TrunkPCR, as I just started testing it this week. Does it have to be registered for this option to work? I am a paying member on RR, so that's not the issue. I can also use WEB import from RR with Uniden, and GRE (Radio Shack) scanners.

TrunkPCR let's me go though all the login, and selections, then when it should actually start to import, it goes out to lunch! :)

Any ideas?

Thanks,
Bill

588. Re: [TrunkPCR] Re: Web Import issues.

Yahoo group: TrunkPCR
Date: 2007-02-21 17:29:13 UTC
From: Jason Hitesman
Topic: 557 Message: 588
Attachments: 2 described; binary payloads are missing from this source WARC

```
[ Attachment content not displayed ]
```

589. trunking

Yahoo group: TrunkPCR
Date: 2007-02-23 01:44:01 UTC
From: learn54now
Topic: 589 Message: 589

I want information on channeling

590. TrunkPCR version 0.84.215 Now Available

Yahoo group: TrunkPCR
Date: 2007-02-23 20:08:42 UTC
From: Jay
Topic: 590 Message: 590

TrunkPCR version 0.84.215 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few changes
Feb 23,2006 - -----: Changed RadioReference.com Web Import XML Data
Retrieval.
Feb 23,2006 - Fixed: BandScope Limit Picture was blank from past problem.
Feb 23,2006 - Added: Windows Volume/Mixer Settings now can be accessed
from Options Menu.
Version 0.84.215 Released 02/23/2007

Regards,
Jay

591. RE: [TrunkPCR] TrunkPCR version 0.84.215 Now Available

Yahoo group: TrunkPCR
Date: 2007-02-23 20:18:07 UTC
From: Bill Crocker
Topic: 590 Message: 591

Excellent! I'll check out the RR import feature immediately.

Thanks,
Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, February 23, 2007 3:09 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR version 0.84.215 Now Available

TrunkPCR version 0.84.215 Now Available for Downloading from homepage:
http://members. <http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html>
cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few changes
Feb 23,2006 - -----: Changed RadioReference.com Web Import XML Data Retrieval.
Feb 23,2006 - Fixed: BandScope Limit Picture was blank from past problem.
Feb 23,2006 - Added: Windows Volume/Mixer Settings now can be accessed from Options Menu.
Version 0.84.215 Released 02/23/2007

Regards,
Jay

592. RE: [TrunkPCR] TrunkPCR version 0.84.215 Now Available

Yahoo group: TrunkPCR
Date: 2007-02-23 20:48:34 UTC
From: Bill Crocker
Topic: 590 Message: 592
Attachments: 1 described; binary payloads are missing from this source WARC

Hi Jay:

Unfortunately is seems to behave exactly the same as the previous version. I can login to Radio Reference, select Country, State, County, then a few choices within the county, then click Import, and that's it. I never get the option to click on Finished.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, February 23, 2007 3:09 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR version 0.84.215 Now Available

TrunkPCR version 0.84.215 Now Available for Downloading from homepage:
http://members. <http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html>
cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few changes
Feb 23,2006 - -----: Changed RadioReference.com Web Import XML Data Retrieval.
Feb 23,2006 - Fixed: BandScope Limit Picture was blank from past problem.
Feb 23,2006 - Added: Windows Volume/Mixer Settings now can be accessed from Options Menu.
Version 0.84.215 Released 02/23/2007

Regards,
Jay

593. Re: Web Import Finish Button Greyed Out

Yahoo group: TrunkPCR
Date: 2007-02-23 23:54:09 UTC
From: Jay
Topic: 593 Message: 593

Hi Bill,

In order to import the Channels or TalkGroups when the Finish Button is Greyed Out, you need to edit the descriptions that are over 60 characters. When you click on an item in the List, the description will be copied to the textbox for you to edit. The textbox is wide enough to display 60 characters in it's normal view. After you update a description, the list will be updated and if there are any more descriptions that exceed 60 characters, they will be visible in the list...

The descriptions that have the "..." in the right side of the description, needs to be edited first...

Regards,
Jay
----- Original Message -----
From: Bill Crocker

Hi Jay:

Unfortunately is seems to behave exactly the same as the previous version. I can login to Radio Reference, select Country, State, County, then a few choices within the county, then click Import, and that's it. I never get the option to click on Finished.

Bill

594. RE: [TrunkPCR] Re: Web Import Finish Button Greyed Out

Yahoo group: TrunkPCR
Date: 2007-02-24 00:05:17 UTC
From: Bill Crocker
Topic: 593 Message: 594

My bad! Thanks, I'll give that a try. Sorry.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, February 23, 2007 6:54 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Web Import Finish Button Greyed Out

Hi Bill,

In order to import the Channels or TalkGroups when the Finish Button is Greyed Out, you need to edit the descriptions that are over 60 characters. When you click on an item in the List, the description will be copied to the textbox for you to edit. The textbox is wide enough to display 60 characters in it's normal view. After you update a description, the list will be updated and if there are any more descriptions that exceed 60 characters, they will be visible in the list...

The descriptions that have the "..." in the right side of the description, needs to be edited first...

Regards,
Jay

----- Original Message -----
From: Bill Crocker <mailto:wcrocker007@...>

Hi Jay:

Unfortunately is seems to behave exactly the same as the previous version. I can login to Radio Reference, select Country, State, County, then a few choices within the county, then click Import, and that's it. I never get the option to click on Finished.

Bill

595. RE: [TrunkPCR] TrunkPCR version 0.84.215 Now Available

Yahoo group: TrunkPCR
Date: 2007-02-24 02:17:55 UTC
From: Glenn
Topic: 590 Message: 595
Attachments: 2 described; binary payloads are missing from this source WARC

That's cool. I cant get that far. I guess you have to pay. Which I am going to do shortly. Their webservice is something I wanted to try out. Heck for 7.50 for three months I can gather a lot of info.

Glenn

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Bill Crocker
Sent: Friday, February 23, 2007 2:49 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] TrunkPCR version 0.84.215 Now Available

Hi Jay:

Unfortunately is seems to behave exactly the same as the previous version. I can login to Radio Reference, select Country, State, County, then a few choices within the county, then click Import, and that's it. I never get the option to click on Finished.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, February 23, 2007 3:09 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR version 0.84.215 Now Available

TrunkPCR version 0.84.215 Now Available for Downloading from homepage:
http://members. <http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html>
cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few changes
Feb 23,2006 - -----: Changed RadioReference.com Web Import XML Data Retrieval.
Feb 23,2006 - Fixed: BandScope Limit Picture was blank from past problem.
Feb 23,2006 - Added: Windows Volume/Mixer Settings now can be accessed from Options Menu.
Version 0.84.215 Released 02/23/2007

Regards,
Jay

596. RE: [TrunkPCR] Re: Web Import Finish Button Greyed Out

Yahoo group: TrunkPCR
Date: 2007-02-24 01:53:14 UTC
From: Bill Crocker
Topic: 593 Message: 596

OK that worked! I have sent you a $50.00 donation via PayPal. How do I register/activate the program? Also, am I limited to installing it on just one of "my" computers, and can I install it on two? I have one dedicated to radios, and then my regular computer that I occasionally use for radios when the other one is tied up.

Thanks,
Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, February 23, 2007 6:54 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Web Import Finish Button Greyed Out

Hi Bill,

In order to import the Channels or TalkGroups when the Finish Button is Greyed Out, you need to edit the descriptions that are over 60 characters. When you click on an item in the List, the description will be copied to the textbox for you to edit. The textbox is wide enough to display 60 characters in it's normal view. After you update a description, the list will be updated and if there are any more descriptions that exceed 60 characters, they will be visible in the list...

The descriptions that have the "..." in the right side of the description, needs to be edited first...

Regards,
Jay

----- Original Message -----
From: Bill Crocker <mailto:wcrocker007@...>

Hi Jay:

Unfortunately is seems to behave exactly the same as the previous version. I can login to Radio Reference, select Country, State, County, then a few choices within the county, then click Import, and that's it. I never get the option to click on Finished.

Bill

597. Re: [TrunkPCR] Re: Web Import Finish Button Greyed Out

Yahoo group: TrunkPCR
Date: 2007-02-24 03:04:56 UTC
From: Jay
Topic: 593 Message: 597

Hey Bill,

The keyfile is on it's way...

I allow up to (3) Three keys per user to use on their own pc's.
Just send the registration info for the other two pc's and I'll create and send the keyfiles for those :)

Regards,
Jay
----- Original Message -----
From: Bill Crocker

OK that worked! I have sent you a $50.00 donation via PayPal. How do I register/activate the program? Also, am I limited to installing it on just one of "my" computers, and can I install it on two? I have one dedicated to radios, and then my regular computer that I occasionally use for radios when the other one is tied up.

Thanks,
Bill

598. RE: [TrunkPCR] Re: Web Import Finish Button Greyed Out

Yahoo group: TrunkPCR
Date: 2007-02-24 03:13:38 UTC
From: Bill Crocker
Topic: 593 Message: 598

Super! Keep up the great work, it's appreciated.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, February 23, 2007 10:05 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: Web Import Finish Button Greyed Out

Hey Bill,

The keyfile is on it's way...

I allow up to (3) Three keys per user to use on their own pc's.
Just send the registration info for the other two pc's and I'll create and send the keyfiles for those :)

Regards,
Jay

----- Original Message -----
From: Bill Crocker <mailto:wcrocker007@...>

OK that worked! I have sent you a $50.00 donation via PayPal. How do I register/activate the program? Also, am I limited to installing it on just one of "my" computers, and can I install it on two? I have one dedicated to radios, and then my regular computer that I occasionally use for radios when the other one is tied up.

Thanks,
Bill

599. EEprom Backup/Verify

Yahoo group: TrunkPCR
Date: 2007-02-24 18:49:47 UTC
From: saturn9547
Topic: 599 Message: 599

It might be me but I did a EEprom Backup/Verify after seeing Glenn's post and I ran into a problem. Got Error message saying that the Radio & Backup do not match. My radio has the country code of EUR/AUS as I imported it from Europe. After running the EEprom check the Backup shows EUR/AUS BUT the radio comes back as Japan. How could this happen? I ran two other programs for the EEprom backup and they showed that the Backup and Radio Matched. EUR/AUS on both and all is well with my radio. Jay, is it possible that there is a glitch in you EEprom Backup/Verify check? Anyone else having a problem ??

Thanks for the Great software Jay.

73's de KA2RJA Jim

600. RE: [TrunkPCR] EEprom Backup/Verify

Yahoo group: TrunkPCR
Date: 2007-02-25 00:07:33 UTC
From: Glenn
Topic: 599 Message: 600

I first verified mine through TRUNKPCR then through TALKPCR to see the same problem then also through PCRPRO1K. I then I used the programs back up utility to restore the data. I checked the restored data with all programs I mentioned. They all confirmed that the data was ok.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of saturn9547
Sent: Saturday, February 24, 2007 12:50 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] EEprom Backup/Verify

It might be me but I did a EEprom Backup/Verify after seeing Glenn's post and I ran into a problem. Got Error message saying that the Radio & Backup do not match. My radio has the country code of EUR/AUS as I imported it from Europe. After running the EEprom check the Backup shows EUR/AUS BUT the radio comes back as Japan. How could this happen? I ran two other programs for the EEprom backup and they showed that the Backup and Radio Matched. EUR/AUS on both and all is well with my radio. Jay, is it possible that there is a glitch in you EEprom Backup/Verify check? Anyone else having a problem ??

Thanks for the Great software Jay.

73's de KA2RJA Jim

601. Re: EEprom Backup/Verify

Yahoo group: TrunkPCR
Date: 2007-02-25 00:47:33 UTC
From: saturn9547
Topic: 599 Message: 601

Glenn I also checked my EEprom with TalkPCR and all was OK I only saw
a DO NOT MATCH error message in TrunkPCR....

de Jim KA2RJA

--- In TrunkPCR@yahoogroups.com, "Glenn" <kd5dga@...> wrote:
>
> I first verified mine through TRUNKPCR then through TALKPCR to see
the same
> problem then also through PCRPRO1K. I then I used the programs back
up
> utility to restore the data. I checked the restored data with all
programs I
> mentioned. They all confirmed that the data was ok.
>
>
>
> Glenn Blum
>
> kd5dga
>
> http://home.earthlink.net/~kd5dga/
>
> -----Original Message-----
> From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf
> Of saturn9547
> Sent: Saturday, February 24, 2007 12:50 PM
> To: TrunkPCR@yahoogroups.com
> Subject: [TrunkPCR] EEprom Backup/Verify
>
>
>
> It might be me but I did a EEprom Backup/Verify after seeing
Glenn's
> post and I ran into a problem. Got Error message saying that the
Radio
> & Backup do not match. My radio has the country code of EUR/AUS as
I
> imported it from Europe. After running the EEprom check the Backup
> shows EUR/AUS BUT the radio comes back as Japan. How could this
happen?
> I ran two other programs for the EEprom backup and they showed that
the
> Backup and Radio Matched. EUR/AUS on both and all is well with my

radio.
> Jay, is it possible that there is a glitch in you EEprom
Backup/Verify
> check? Anyone else having a problem ??
>
> Thanks for the Great software Jay.
>
> 73's de KA2RJA Jim
>

602. Re: [TrunkPCR] Re: EEprom Backup/Verify

Yahoo group: TrunkPCR
Date: 2007-02-25 01:03:55 UTC
From: Jay
Topic: 599 Message: 602

DO NOT USE THE EEPROM BACKUP UNTIL FURTHER NOTICE!!!

I just ran it myself, and have verified that the eeprom verify did NOT read correctly from what I have stored in my eebackup file...

It works in PcrPro, but something has changed in TrunkPcr returning false data...
I'll have an update later on tonight to FIX this...

DO NOT USE THE EEPROM BACKUP UNTIL FURTHER NOTICE!!!

Regards,
Jay

----- Original Message -----
From: "saturn9547"

> Glenn I also checked my EEprom with TalkPCR and all was OK I only saw
> a DO NOT MATCH error message in TrunkPCR....
>
> de Jim KA2RJA

603. TrunkPCR version 0.84.216 Now Available

Yahoo group: TrunkPCR
Date: 2007-02-25 03:13:20 UTC
From: Jay
Topic: 603 Message: 603

TrunkPCR version 0.84.216 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

!!!!!!!!! IMPORTANT INFO FOR PCR-1000 & PCR-100 USERS !!!!!!!!!
! IF YOU SAVED A BACKUP OF YOUR EEPROM SINCE AUGUST 20, 2006 !
! YOU NEED TO SAVE A NEW BACKUP! !
! THE EeBackup.dat File that was written has false data in it !
! and needs to be replaced as soon as possible... !
!!

This update has a few changes

Feb 24,2006 - Fixed: Reading EEprom Data Values.
Feb 24,2006 - -----: You can now Verify the EEprom Data after first
Backup.
Version 0.84.216 Released 02/24/2007

Regards,
Jay

604. Re: [TrunkPCR] TrunkPCR version 0.84.216 Now Available

Yahoo group: TrunkPCR
Date: 2007-02-25 04:04:17 UTC
From: scosgt@aol.com
Topic: 603 Message: 604

I notice that in this version the picture stays up until another transmission is received. Is this by design or accident?

****
AOL now offers free email to everyone. Find out more about what's free from AOL at http://www.aol.com.

605. Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-02-25 04:06:31 UTC
From: wa7pka
Topic: 605 Message: 605

Hello Jay,
Long time since we talked and have greatly appreciated the updated material.
How ever I am having difficulty when I go to File and select Web Import my scanning display has diagonal lines thru it and the system locks up and closes itself.
If I re-install 84_214 and activate the same request the system works fine with one exception I have not paid the required monies yet to continue with the import of frequencies.
So, do you have any idea's as to what may be going on or should I just stay with version 214?
Thanks,
Jack
73's

606. EEprom Error

Yahoo group: TrunkPCR
Date: 2007-02-25 11:56:47 UTC
From: saturn9547
Topic: 606 Message: 606

Thanks Jay for the quick response. In my observation I only saw the error message when using TrunkPCR as all other softwares reported all ok with my EEprom. I really don't see that their was a corruption problem. Just my opinion.

Thanks again

de Jim KA2RJA

607. Re: [TrunkPCR] Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-02-25 13:37:36 UTC
From: Jay
Topic: 605 Message: 607

Hi Jack,

Did you use the update or installer? If you didn't have the MS WinInet control already loaded in your system and you used the update zip, then that would be the problem...
Just run the 216 installer and you should be ok...

Regards,
Jay

----- Original Message -----
From: "wa7pka"

> Hello Jay,
> Long time since we talked and have greatly appreciated the updated material.
> How ever I am having difficulty when I go to File and select Web
> Import my scanning display has diagonal lines thru it and the system
> locks up and closes itself.
> If I re-install 84_214 and activate the same request the system
> works fine with one exception I have not paid the required monies yet
> to continue with the import of frequencies.
> So, do you have any idea's as to what may be going on or should I
> just stay with version 214?
> Thanks,
> Jack
> 73's

608. Re: [TrunkPCR] EEprom Error

Yahoo group: TrunkPCR
Date: 2007-02-25 13:49:29 UTC
From: Jay
Topic: 606 Message: 608

Hey Jim,

Yep, it wasn't an eeprom corruption, just a problem in reading it properly. After I updated my PCR routines to include support for the 1500 & 2500, I had a typo error that only read half of the hexidecimal value returned for the eeprom data...

Thanks for checking it out...

Jay

----- Original Message -----
From: "saturn9547"

> Thanks Jay for the quick response. In my observation I only saw the
> error message when using TrunkPCR as all other softwares reported all
> ok with my EEprom. I really don't see that their was a corruption
> problem. Just my opinion.
>
> Thanks again
>
> de Jim KA2RJA

609. Re: [TrunkPCR] TrunkPCR version 0.84.216 Now Available

Yahoo group: TrunkPCR
Date: 2007-02-25 16:34:25 UTC
From: Jay
Topic: 603 Message: 609

Hey Bruce,

It's working ok for me using Single and Dual modes...

I think you've got gremlins?
There hasn't been a change in that part of the code in awhile...
Do you have the Filter on 50khz? That would throw off the squelch...

Jay

----- Original Message -----
From: scosgt@...

I notice that in this version the picture stays up until another transmission is received.
Is this by design or accident?

610. dual radio trunking

Yahoo group: TrunkPCR
Date: 2007-02-25 17:17:01 UTC
From: Glenn
Topic: 550 Message: 610

The dual radio trunking option is nice. I have been listening to Fort Hood dealing with a massive ground fire that has occurred at the western part of the base. Right now it is dry here in central Texas and the wind and warm weather does not help out any. Several square miles of open land has burnt away.The dual radio trunking helps out a lot with the continuation of calls.

Jay, you did a great job. I had to overwrite my backup since the one I had was corrupted.

Glenn Blum

kd5dga

http://home.earthlink.net/~kd5dga/

611. Re: [TrunkPCR] TrunkPCR version 0.84.216 Now Available

Yahoo group: TrunkPCR
Date: 2007-02-25 17:24:05 UTC
From: scosgt@aol.com
Topic: 603 Message: 611

In a message dated 2/25/2007 11:35:35 AM Eastern Standard Time,
crazycalifornian@... writes:

> It's working ok for me using Single and Dual modes...
>
> I think you've got gremlins?
> There hasn't been a change in that part of the code in awhile...
> Do you have the Filter on 50khz? That would throw off the squelch...
>
>

This is on my desktop which was still running one of the earlier versions
with see who's talking. All the other problems I reported were with my laptop
versions.
I find that the radio will go back and search properly, just that the picture
"sticks", that is it stays up until there is another transmission. Strange.
If I click "search", it goes away.

****
AOL
now offers free email to everyone. Find out more about what's free from AOL at
http://www.aol.com.

612. Re: [TrunkPCR] Sticky Pics

Yahoo group: TrunkPCR
Date: 2007-02-25 18:26:29 UTC
From: Jay
Topic: 612 Message: 612

Hey Bruce,

You mean that you are running an older version that has the problem of "Sticky" pics???
Have you upgraded lately???

Yep, clicking search will make the picture disappear... That is meant to do that...

Jay

----- Original Message -----
This is on my desktop which was still running one of the earlier versions with see who's talking. All the other problems I reported were with my laptop versions.
I find that the radio will go back and search properly, just that the picture "sticks", that is it stays up until there is another transmission. Strange. If I click "search", it goes away.

613. Re: [TrunkPCR] Sticky Pics

Yahoo group: TrunkPCR
Date: 2007-02-25 20:29:39 UTC
From: scosgt@aol.com
Topic: 612 Message: 613

In a message dated 2/25/2007 1:28:37 PM Eastern Standard Time,
crazycalifornian@... writes:

> Hey Bruce,
>
> You mean that you are running an older version that has the problem of
> "Sticky" pics??? Have you upgraded lately???
>
>
>
>

No, I mean I was using an older version of Trunk, which did have the pics,
and when I did the upgrade to the latest version .6, now the pics stay until a
new transmission is received! Before they disappeared as soon as the
transmission ended, now it takes a new transmission to make them go away

****
AOL now offers free email to everyone. Find out more
about what's free from AOL at http://www.aol.com.

614. Re: [TrunkPCR] trunking

Yahoo group: TrunkPCR
Date: 2007-02-26 23:29:37 UTC
From: Jay
Topic: 589 Message: 614

What kind of information are you looking for?

----- Original Message -----
From: "learn54now"

> I want information on channeling

615. Re: [TrunkPCR] Sticky Pics

Yahoo group: TrunkPCR
Date: 2007-02-27 01:10:27 UTC
From: Jay
Topic: 612 Message: 615

Ok, gotcha...

I made an adjustment that makes an check to see if it's viewable before returning to monitor the control channel. And the user picture is now viewable when Tracking an ID...

Next update will be out in a few days...

Jay
----- Original Message -----
No, I mean I was using an older version of Trunk, which did have the pics, and when I did the upgrade to the latest version .6, now the pics stay until a new transmission is received! Before they disappeared as soon as the transmission ended, now it takes a new transmission to make them go away

616. Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-02-27 02:15:16 UTC
From: wa7pka
Topic: 605 Message: 616

Hello Jay,
Sorry to report your suggestion to use the install zip file to resolve the problem of the program just shutting down and having to go back to version 84_214 to log in to Radio Reference.com, which I am now a member of.
I get as far as selection which group to import and when I get to import I get a window that shows the 243 agencies using this one trunked group, at the base of the window is highlighted "Finish", when you select finish then you have another choice to replace what you have by saying yes or generating a new bank by selecting no. I have selected "no" and tried to use the new bank but nothing happens and I get a radion station (am broadcast) that is associated with the frequency listed in the PCR display.
For some unknown reason 84_215 and 84_216 have the same issues that will not allow me to us the web import function.
Where do I find the spot that allows pictures when a certain radio is being used. I have looked in the upper tool bar and been unable to locate it or is it just for the newer pcr's?
Also when starting up the trunking I get large print "Watching" then it goes away after decting the first received signal. What is that all about.
Has your description of how everything works been updated (I beleive is whats on your home page)?

73'3
Jack

617. Re: [TrunkPCR] Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-02-27 04:16:24 UTC
From: Jay
Topic: 605 Message: 617

Hey Jack,

You're back on my mailing list. Your info got dumped somehow, but luckily I had an old backup, so you're now ok :)

For the Web Import, let me get this straight.
1) You Log-In, select a Country, State, County & Trunk System.
2) You Select 243 Talk Groups.
3) You click the Import Button.
4) You Select "[No]" when asked to Create a New Bank.
5) The Verify Talk Groups window opens.
6) After verifying that all descriptions are 60 characters or less, you click the "Finish" Button.
7) Newly imported TalkGroups/Group ID's can be seen when you click the Edit Trunk ID's under the Trunk Menu of the Main Program?

Which step isn't working???

The User Pictures are shown when the "See Who's Talking" button is pushed in the Trunk Settings.
Individual User Pictures are selectable when you Edit a Group ID or Radio ID.

The Group & Radio Descriptions *Font* and *Color* in the Main Display are now editable. When Scanning/Searching/Tracking in Trunk Mode, The display uses the Last Group and Radio Font/Color settings when displaying "Scanning.....", "Searching....." and "Tracking.....",...

Sorry, the Help Page has only a few new additions. There have been two users who were working on creating a help file, but I think they got overwhelmed and stopped... I'll get to it one of these years :)

Regards,
Jay

----- Original Message -----
From: "wa7pka"

> Hello Jay,
> Sorry to report your suggestion to use the install zip file to
> resolve the problem of the program just shutting down and having to go
> back to version 84_214 to log in to Radio Reference.com, which I am now
> a member of.
> I get as far as selection which group to import and when I get to
> import I get a window that shows the 243 agencies using this one
> trunked group, at the base of the window is highlighted "Finish", when
> you select finish then you have another choice to replace what you have

> by saying yes or generating a new bank by selecting no. I have
> selected "no" and tried to use the new bank but nothing happens and I
> get a radion station (am broadcast) that is associated with the
> frequency listed in the PCR display.
> For some unknown reason 84_215 and 84_216 have the same issues that
> will not allow me to us the web import function.
> Where do I find the spot that allows pictures when a certain radio
> is being used. I have looked in the upper tool bar and been unable to
> locate it or is it just for the newer pcr's?
> Also when starting up the trunking I get large print "Watching"
> then it goes away after decting the first received signal. What is that
> all about.
> Has your description of how everything works been updated (I
> beleive is whats on your home page)?
>
> 73'3
> Jack

618. Re: [TrunkPCR] Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-02-27 21:25:49 UTC
From: jack goetz
Topic: 605 Message: 618

Jay,
I owe you an appology for not taking the time to look at what you created first and checking it out before saying something, I am truly sorry.
As for the Web Import the step I did not do was assure that all in step 6 were at least 60 characters. Step 5 didn't come up or at least I do not remember seeing it. It went from step 4 to step 6.
I will check out step 6 and go from there to see if or what happens next.
If ok I will keep you advised.
I need to print out your home page to get all the facts to set me straight. Again sorry for jumping the gun.

73's Jack

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, February 26, 2007 8:16 PM
Subject: Re: [TrunkPCR] Web Import Problem

Hey Jack,

You're back on my mailing list. Your info got dumped somehow, but luckily I had an old backup, so you're now ok :)

For the Web Import, let me get this straight.
1) You Log-In, select a Country, State, County & Trunk System.
2) You Select 243 Talk Groups.
3) You click the Import Button.
4) You Select "[No]" when asked to Create a New Bank.
5) The Verify Talk Groups window opens.
6) After verifying that all descriptions are 60 characters or less, you click the "Finish" Button.
7) Newly imported TalkGroups/Group ID's can be seen when you click the Edit Trunk ID's under the Trunk Menu of the Main Program?

Which step isn't working???

The User Pictures are shown when the "See Who's Talking" button is pushed in the Trunk Settings.
Individual User Pictures are selectable when you Edit a Group ID or Radio ID.

The Group & Radio Descriptions *Font* and *Color* in the Main Display are now editable. When Scanning/Searching/Tracking in Trunk Mode, The display uses the Last Group and Radio Font/Color settings when displaying "Scanning.....", "Searching....." and "Tracking.....",...

Sorry, the Help Page has only a few new additions. There have been two users who were working on creating a help file, but I think they got overwhelmed and stopped... I'll get to it one of these years :)

Regards,
Jay

----- Original Message -----
From: "wa7pka"

> Hello Jay,
> Sorry to report your suggestion to use the install zip file to
> resolve the problem of the program just shutting down and having to go
> back to version 84_214 to log in to Radio Reference.com, which I am now
> a member of.
> I get as far as selection which group to import and when I get to
> import I get a window that shows the 243 agencies using this one
> trunked group, at the base of the window is highlighted "Finish", when
> you select finish then you have another choice to replace what you have
> by saying yes or generating a new bank by selecting no. I have
> selected "no" and tried to use the new bank but nothing happens and I
> get a radion station (am broadcast) that is associated with the
> frequency listed in the PCR display.
> For some unknown reason 84_215 and 84_216 have the same issues that
> will not allow me to us the web import function.
> Where do I find the spot that allows pictures when a certain radio
> is being used. I have looked in the upper tool bar and been unable to
> locate it or is it just for the newer pcr's?
> Also when starting up the trunking I get large print "Watching"
> then it goes away after decting the first received signal. What is that
> all about.
> Has your description of how everything works been updated (I
> beleive is whats on your home page)?
>
> 73'3
> Jack

619. Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-02-27 22:14:46 UTC
From: wa7pka
Topic: 605 Message: 619

Jay,
In the Verify Talk Group, I selected one of the units to edit its length, I then get "Update" and after updating I still have "Abort" as my only selection.
Am I still doing something wrong? I have taken pictures of the displays and can send them to you, just need an address to send it to.
Jack

620. Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-02-27 22:42:58 UTC
From: wa7pka
Topic: 605 Message: 620

--- In TrunkPCR@yahoogroups.com, "wa7pka" <jackgoetz@...> wrote:
>
> Jay,
> In the Verify Talk Group, I selected one of the units to edit its
> length, I then get "Update" and after updating I still have "Abort"
as
> my only selection.
> Am I still doing something wrong? I have taken pictures of the
> displays and can send them to you, just need an address to send it to.
> Jack
>
Jay,
Disregard this message, I finally figured it out. One has to go
through all of the selected talk or channel groups (edit) and update
and when all done one gets the "Finish".
I found this by choosing a talk group that had a small group (9)and
edited all nine names and when done the "Finish" was high lighted and
created a bank for the nine.

I just need to spend more time with this before I complain about
difficulties.
Thanks for listening and your assistance I am still only using verision
214.

jack

621. one simple question

Yahoo group: TrunkPCR
Date: 2007-02-28 00:51:19 UTC
From: Glenn
Topic: 621 Message: 621

Sorry to ask this,
In order to get the web import function to work you have to be a paid member of radioreference.com?

Glenn

622. Re: [TrunkPCR] one simple question

Yahoo group: TrunkPCR
Date: 2007-02-28 01:41:22 UTC
From: Jay
Topic: 621 Message: 622

Hey Glenn,

Sorry if I left that out... But yep, you do need to be a donating member of Radio Reference.com to use their Web Import feature. But at $7.50, you can download all you need for awhile...

Jay

----- Original Message -----
Sorry to ask this,
In order to get the web import function to work you have to be a paid member of radioreference.com?

Glenn

623. Re: [TrunkPCR] Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-02-28 01:38:00 UTC
From: Jay
Topic: 605 Message: 623

Hey Jack,

Glad to hear you figured it out :)
No problemo... Always willing to help out...

Jay

----- Original Message -----
From: "wa7pka"
> Jay,
> Disregard this message, I finally figured it out. One has to go
> through all of the selected talk or channel groups (edit) and update
> and when all done one gets the "Finish".
> I found this by choosing a talk group that had a small group (9)and
> edited all nine names and when done the "Finish" was high lighted and
> created a bank for the nine.
>
> I just need to spend more time with this before I complain about
> difficulties.
> Thanks for listening and your assistance I am still only using verision
> 214.
>
> jack

624. RE: [TrunkPCR] one simple question

Yahoo group: TrunkPCR
Date: 2007-02-28 01:51:13 UTC
From: Bill Crocker
Topic: 621 Message: 624

Yes you do, but it can be as little as $7.50, which will cover you for three months.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn
Sent: Tuesday, February 27, 2007 7:51 PM
To: TRUNKPCR
Subject: [TrunkPCR] one simple question

Sorry to ask this,
In order to get the web import function to work you have to be a paid member of radioreference.com?

Glenn

625. Re: [TrunkPCR] one simple question

Yahoo group: TrunkPCR
Date: 2007-02-28 02:34:29 UTC
From: jack goetz
Topic: 621 Message: 625

Glenn,
That is correct, I bought the $7.50 for use of 90 days.
Jack
----- Original Message -----
From: Glenn
To: TRUNKPCR
Sent: Tuesday, February 27, 2007 4:51 PM
Subject: [TrunkPCR] one simple question

Sorry to ask this,
In order to get the web import function to work you have to be a paid member of radioreference.com?

Glenn

626. Re: [TrunkPCR] one simple question

Yahoo group: TrunkPCR
Date: 2007-02-28 03:16:17 UTC
From: Glenn
Topic: 621 Message: 626

I am going to give it a try.
----- Original Message -----
From: jack goetz
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, February 27, 2007 8:34 PM
Subject: Re: [TrunkPCR] one simple question

Glenn,
That is correct, I bought the $7.50 for use of 90 days.
Jack
----- Original Message -----
From: Glenn
To: TRUNKPCR
Sent: Tuesday, February 27, 2007 4:51 PM
Subject: [TrunkPCR] one simple question

Sorry to ask this,
In order to get the web import function to work you have to be a paid member of radioreference.com?

Glenn

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.446 / Virus Database: 268.18.4/705 - Release Date: 2/27/2007 3:24 PM

627. RE: [TrunkPCR] one simple question

Yahoo group: TrunkPCR
Date: 2007-02-28 03:30:03 UTC
From: vince48
Topic: 621 Message: 627

Glenn

It is worth it.

vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Glenn
Sent: Tuesday, February 27, 2007 7:16 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] one simple question

I am going to give it a try.

----- Original Message -----

From: jack goetz <mailto:jackgoetz@...>

To: TrunkPCR@yahoogroup <mailto:TrunkPCR@yahoogroups.com> s.com

Sent: Tuesday, February 27, 2007 8:34 PM

Subject: Re: [TrunkPCR] one simple question

Glenn,

That is correct, I bought the $7.50 for use of 90 days.

Jack

----- Original Message -----

From: Glenn <mailto:kd5dga@...>

To: TRUNKPCR <mailto:TrunkPCR@yahoogroups.com>

Sent: Tuesday, February 27, 2007 4:51 PM

Subject: [TrunkPCR] one simple question

Sorry to ask this,

In order to get the web import function to work you have to be a paid member
of radioreference.com?

Glenn

---

size=2 width="100%" align=center>

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.446 / Virus Database: 268.18.4/705 - Release Date: 2/27/2007
3:24 PM

_____ NOD32 2083 (20070227) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

628. Matching PCR packet output to soundcard

Yahoo group: TrunkPCR
Date: 2007-02-28 04:05:08 UTC
From: greg_ella53
Topic: 628 Message: 628

Hello all, I'm new to the group, and a new R2500 owner. I've been checking out the packet output with an oscilloscope, and I noticed that it really gets distorted when it is loaded down with a sound card. I found that in my case, a 22K Ohm series resistor greatly reduced the distortion and still left enough signal for the sound card to process. This improved the signal quality as reported by the Unitrunker program.

I have read most of the posts in this group, and it sounds like some people were having sound card problems. I would be interested in any feedback from experienced TrunkPCR users trying this series resistor.

629. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2007-02-28 20:42:21 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 629

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /Info/Antenna.doc
Uploaded by : mike_motor_bike <mike_rhein@...>
Description : Homemade Yagi antenna info

You can access this file at the URL:
http://groups.yahoo.com/group/TrunkPCR/files/Info/Antenna.doc

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/help/us/groups/files

Regards,

mike_motor_bike <mike_rhein@...>
```

630. Re: [TrunkPCR] New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2007-02-28 23:27:00 UTC
From: Louis Cashmer
Topic: 42 Message: 630
Attachments: 2 described; binary payloads are missing from this source WARC

```
[ Attachment content not displayed ]
```

631. P25 problems

Yahoo group: TrunkPCR
Date: 2007-03-01 01:57:10 UTC
From: Jeff Griffin
Topic: 631 Message: 631

I had my 2500 working with analog stations. A few days ago I received my P25 . I installed it and now it appears all I can decode are analog signals. On the sig's I decode I see a NFM indicator on the third line in main display. When I try to receive what I think is a digital sig, indicated by a P25 on the third line, I hear nothing. The station ID that I see displayed is only about 5 miles away and I'm seeing it as an S-9 sig. I have the P25 installed the right position. Anyone have any ideas?

Jeff

632. Re: P25 problems

Yahoo group: TrunkPCR
Date: 2007-03-01 15:25:07 UTC
From: Jay
Topic: 631 Message: 632

Hi Jeff,

With the P25 card installed, the Digital ID Range has to be set properly in the Trunk Settings to hear the digital comms...
The Digital ID Range specifies the Lowest Group ID to Highest Group ID that are Digital Groups. If you're not sure, let me know which system you need help with and I'll check it out...

Regards,
Jay

--- In TrunkPCR@yahoogroups.com, "Jeff Griffin" <kb2m@...> wrote:
>
> I had my 2500 working with analog stations. A few days ago I received my P25 . I installed it and now it appears all I can decode are analog signals. On the sig's I decode I see a NFM indicator on the third line in main display. When I try to receive what I think is a digital sig, indicated by a P25 on the third line, I hear nothing. The station ID that I see displayed is only about 5 miles away and I'm seeing it as an S-9 sig. I have the P25 installed the right position. Anyone have any ideas?
>
> Jeff
>

633. pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 05:04:30 UTC
From: faxon2002
Topic: 633 Message: 633

Hi all, new user and I am not sure what I am doing. No I have no idea what I'm doing but so far it has been fun. I have done the discrim tap on the pcr100 and I'm not sure if I boofed something or if I am attempting to trunk with the wrong settings. Is there a way to verify that the tap worked?
Assuming it is okay when I press the trunk button on the control channel for the Phoenix wireless pd system (867.962500) I get 1s = 0% what is going on her any ideas?
Thanks in advance,
Scott

634. pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 05:05:26 UTC
From: faxon2002
Topic: 633 Message: 634

Hi all, new user and I am not sure what I am doing. No I have no idea what I'm doing but so far it has been fun. I have done the discrim tap on the pcr100 and I'm not sure if I boofed something or if I am attempting to trunk with the wrong settings. Is there a way to verify that the tap worked?
Assuming it is okay when I press the trunk button on the control channel for the Phoenix wireless pd system (867.962500) I get 1s = 0% what is going on her any ideas?
Thanks in advance,
Scott

635. Re: [TrunkPCR] pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 11:38:10 UTC
From: Glenn
Topic: 633 Message: 635

reverse the polarity on the soundcard settings.
----- Original Message -----
From: faxon2002
To: TrunkPCR@yahoogroups.com
Sent: Thursday, March 01, 2007 11:04 PM
Subject: [TrunkPCR] pcr100 new user

Hi all, new user and I am not sure what I am doing. No I have no idea
what I'm doing but so far it has been fun. I have done the discrim tap
on the pcr100 and I'm not sure if I boofed something or if I am
attempting to trunk with the wrong settings. Is there a way to verify
that the tap worked?
Assuming it is okay when I press the trunk button on the control
channel for the Phoenix wireless pd system (867.962500) I get 1s = 0%
what is going on her any ideas?
Thanks in advance,
Scott

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.446 / Virus Database: 268.18.5/707 - Release Date: 3/1/2007 2:43 PM

636. Re: [TrunkPCR] pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 15:06:18 UTC
From: Jay
Topic: 633 Message: 636

Hi Scott,

If you are only seeing the 1's at 0%, then your not getting any audio to the program.
Check your sound card mixer settings... Are you using Mic-input or Line-In?
Can you hear any sound from your PCR-100's new descriminator tap with a headphone?

Jay

----- Original Message -----
From: "faxon2002"
> Hi all, new user and I am not sure what I am doing. No I have no idea
> what I'm doing but so far it has been fun. I have done the discrim tap
> on the pcr100 and I'm not sure if I boofed something or if I am
> attempting to trunk with the wrong settings. Is there a way to verify
> that the tap worked?
> Assuming it is okay when I press the trunk button on the control
> channel for the Phoenix wireless pd system (867.962500) I get 1s = 0%
> what is going on her any ideas?
> Thanks in advance,
> Scott

637. Re: pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 15:46:05 UTC
From: faxon2002
Topic: 633 Message: 637

Okay, the problem is the tap. No sound. Here is what I did; soldered a wire into the hole next to the 8 pin, ran that to a .22uf polyester film capacitor, it does not specifically state that it is non-polar but I was told poly caps are all non-polar?. Then went from the cap to the center of the rca jack. Do I need to solder a ground to the jack? Can I check the connections prior to the cap somehow?
Thanks in advance,
Scott

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Scott,
>
> If you are only seeing the 1's at 0%, then your not getting any audio to
> the program.
> Check your sound card mixer settings... Are you using Mic-input or Line-In?
> Can you hear any sound from your PCR-100's new descriminator tap with a
> headphone?
>
> Jay
>
> ----- Original Message -----
> From: "faxon2002"
> > Hi all, new user and I am not sure what I am doing. No I have no idea
> > what I'm doing but so far it has been fun. I have done the discrim tap
> > on the pcr100 and I'm not sure if I boofed something or if I am
> > attempting to trunk with the wrong settings. Is there a way to verify
> > that the tap worked?
> > Assuming it is okay when I press the trunk button on the control
> > channel for the Phoenix wireless pd system (867.962500) I get 1s = 0%
> > what is going on her any ideas?
> > Thanks in advance,
> > Scott
>

638. Re: [TrunkPCR] Re: pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 18:38:51 UTC
From: scosgt@aol.com
Topic: 633 Message: 638

In a message dated 3/2/2007 11:09:14 AM Eastern Standard Time,
faxon2002@... writes:

> o I need to solder a
> ground to the jack?

I don't know about the rest, but for sure you need a ground.

****
AOL now offers free email to everyone. Find out more
about what's free from AOL at http://www.aol.com.

639. Re: [TrunkPCR] Re: pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 18:04:33 UTC
From: Jay
Topic: 633 Message: 639

Is the rca jack grounded to the rear of the radio or did you mount it on the side? if the RCA jack isn't grounded, then you would need to ground it...
Do you have an inductive amplifier by chance? I used one with a probe to test my connections.
Are you sure your solder connections from the board to the cap are good?

Jay

----- Original Message -----
From: "faxon2002"
> Okay, the problem is the tap. No sound. Here is what I did; soldered
> a wire into the hole next to the 8 pin, ran that to a .22uf
> polyester film capacitor, it does not specifically state that it is
> non-polar but I was told poly caps are all non-polar?. Then went
> from the cap to the center of the rca jack. Do I need to solder a
> ground to the jack? Can I check the connections prior to the cap
> somehow?
> Thanks in advance,
> Scott

640. Re: [TrunkPCR] Re: pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 19:38:16 UTC
From: Jason Hitesman
Topic: 633 Message: 640

It could be an issue with the tap. According to one source the generally available info on the discriminator tap may have an error in it's write up and pin 8 should be pin 9:

http://lists.hpsdr.org/pipermail/hpsdr-hpsdr.org/2007-February/003479.html

I personally can't confirm or deny this information. I did use it to do a 10.7Mhz tap so I could use the PCR-100 to feed a SoftRock giving me SSB/CW and a full time bandscope. But I haven't gotten around to trying the discriminator tap yet.

Jason Hitesman
N8INJ

641. Re: pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 19:53:16 UTC
From: faxon2002
Topic: 633 Message: 641

Yes the connections from the via pad to the cap was no good. It must have had more enamel in the hole than I thought. Anyway I am getting 45 to 50% 1s now but 0% recovery, suppose this is a wrong setting on the trunk screen? I'm trying to trunk Phoenix PD on the Phoenix wirelees system. Anymore suggestions.
Again thanks in advance,
Scott

-- In TrunkPCR@...m, "Jay" <crazycalifornian@...> wrote:
>
> Is the rca jack grounded to the rear of the radio or did you mount it on the
> side? if the RCA jack isn't grounded, then you would need to ground it...
> Do you have an inductive amplifier by chance? I used one with a probe to
> test my connections.
> Are you sure your solder connections from the board to the cap are good?
>
> Jay
>
> ----- Original Message -----
> From: "faxon2002"
> > Okay, the problem is the tap. No sound. Here is what I did; soldered
> > a wire into the hole next to the 8 pin, ran that to a .22uf
> > polyester film capacitor, it does not specifically state that it is
> > non-polar but I was told poly caps are all non-polar?. Then went
> > from the cap to the center of the rca jack. Do I need to solder a
> > ground to the jack? Can I check the connections prior to the cap
> > somehow?
> > Thanks in advance,
> > Scott
>

642. Re: [TrunkPCR] Re: pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 20:39:56 UTC
From: Patrick Bigelbach
Topic: 633 Message: 642

Have you tried reverse polarity in the trunk settings?

-=Patrick=-

faxon2002 wrote:
>
> Yes the connections from the via pad to the cap was no good. It must
> have had more enamel in the hole than I thought. Anyway I am getting
> 45 to 50% 1s now but 0% recovery, suppose this is a wrong setting on
> the trunk screen? I'm trying to trunk Phoenix PD on the Phoenix
> wirelees system. Anymore suggestions.
> Again thanks in advance,
> Scott
>
> -- In TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>,
> "Jay" <crazycalifornian@...> wrote:
> >
> > Is the rca jack grounded to the rear of the radio or did you mount
> it on the
> > side? if the RCA jack isn't grounded, then you would need to
> ground it...
> > Do you have an inductive amplifier by chance? I used one with a
> probe to
> > test my connections.
> > Are you sure your solder connections from the board to the cap are
> good?
> >
> > Jay
> >
> > ----- Original Message -----
> > From: "faxon2002"
> > > Okay, the problem is the tap. No sound. Here is what I did;
> soldered
> > > a wire into the hole next to the 8 pin, ran that to a .22uf
> > > polyester film capacitor, it does not specifically state that it
> is
> > > non-polar but I was told poly caps are all non-polar?. Then went
> > > from the cap to the center of the rca jack. Do I need to solder a
> > > ground to the jack? Can I check the connections prior to the cap
> > > somehow?
> > > Thanks in advance,
> > > Scott
> >
>
>

643. TrunkPCR version 0.84.217 Now Available

Yahoo group: TrunkPCR
Date: 2007-03-03 01:25:34 UTC
From: Jay
Topic: 643 Message: 643

TrunkPCR version 0.84.217 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few changes

Feb 26,2006 - -----: User Picture now usable when Tracking.
Feb 26,2006 - -----: User Picture now Invisible when Tuned back to
Control Channel.
Feb 26,2006 - Fixed: Entering a Frequency by double-clicking on Frequency
Text in Main Display.
Feb 27,2006 - Fixed: If Web Import is open, program won't crash when
Donation Pop-up is Displayed.
Feb 28,2006 - -----: Web Import will now allow Log-In with "Remember Me"
UnChecked.
Feb 28,2006 - Fixed: Setting Initial Baud Rate for Moto Systems in Web
Import.
Feb 28,2006 - Added: Importing Icom PCR-1500/PCR-2500 Memory Channels.
Feb 28,2006 - Fixed: Load Profile is now working...
Version 0.84.217 Released 03/02/2007

Regards,
Jay

644. Re: [TrunkPCR] Re: pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-02 21:40:45 UTC
From: Jay
Topic: 633 Message: 644

Hey Scott,

Now it's time to give Glenn's response a try.

In the Trunk Settings, click the "Reverse Polarity" checkbox. If you start on the control channel, you should now be seeing the Recovery Rate at a decent reading...

Jay

----- Original Message -----
From: "faxon2002"

> Yes the connections from the via pad to the cap was no good. It must
> have had more enamel in the hole than I thought. Anyway I am getting
> 45 to 50% 1s now but 0% recovery, suppose this is a wrong setting on
> the trunk screen? I'm trying to trunk Phoenix PD on the Phoenix
> wirelees system. Anymore suggestions.
> Again thanks in advance,
> Scott

645. Re: pcr100 new user

Yahoo group: TrunkPCR
Date: 2007-03-03 04:20:27 UTC
From: faxon2002
Topic: 633 Message: 645

Thanks. I have changed that setting a couple of times, to no avail.
I think I may have the frequencies plugged in incorrectly. Is there
a discusion somewhere that explains the correct sequence of trunk
channels and how they should be setup on the radio. Also looking at
the info on radio refrence how can I determine if the systems I am
interested in are apco-25, moto1 or moto2 or anything else?
Sorry for the newby type questions, but if the shoe fits..
Thanks again,
Scott

-- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Scott,
>
> Now it's time to give Glenn's response a try.
>
> In the Trunk Settings, click the "Reverse Polarity" checkbox. If
you start
> on the control channel, you should now be seeing the Recovery Rate
at a
> decent reading...
>
> Jay
>
> ----- Original Message -----
> From: "faxon2002"
>
>
> > Yes the connections from the via pad to the cap was no good. It
must
> > have had more enamel in the hole than I thought. Anyway I am
getting
> > 45 to 50% 1s now but 0% recovery, suppose this is a wrong
setting on
> > the trunk screen? I'm trying to trunk Phoenix PD on the Phoenix
> > wirelees system. Anymore suggestions.
> > Again thanks in advance,
> > Scott
>

646. pcr100 off the shelf again

Yahoo group: TrunkPCR
Date: 2007-03-03 15:03:58 UTC
From: Robin K Fry
Topic: 633 Message: 646

Hi All:

I've just found & joined this group. I did so because I'm looking for a computer controlled trunking scanner. After starting through your back messages I was surprised to find that the program can also be used with a pcr100. I got one a few years back but have not done much with it because I did not like the software which comes with it & also it is serial and does not like USB to serial converters.
My laptop is now a Panasonic toughbook which has a serial port and with your program shall pull the pcr100 out again check out the mod it required & try getting it back in service.

Regards
Robin
VE7FFP/VY0

647. Printing and Clearing Hits

Yahoo group: TrunkPCR
Date: 2007-03-03 21:26:57 UTC
From: wa7pka
Topic: 647 Message: 647

I like to suggest adding to the "Print Group Info" that a choice of what to print-out be available.
Now one has to select each page to print more that one page. Like to have the choice of printing group "A" or be able to select by holding down the CTRL key just a few of the listed.

On the "Clear Hits", this feature would be nice to have options here as well. Like "Clear all", or "Clear Group" such as group A or B etc. thus using the CTRL key.

I have gone through and cleared all the hits that have been recorded since 2005 and has taken awhile.

I also am getting talk groups that have no associated group or ID that one can put an agency to. These are not even listed in the Radio Reference for the trunking system I use.

73's and tnx
jack

648. Reloading PC

Yahoo group: TrunkPCR
Date: 2007-03-05 01:21:52 UTC
From: Jay
Topic: 648 Message: 648

Hi All,

The main hard drive crashed on this pc yesterday morning and I had to replace it due to too many bad sectors. My programs are on a seperate hard drive, so there won't be a problem with those. But I still need to reload this pc with all my old stuff which will take awhile... I hope to have everthing back up and going by tomorrow night

I'll respond to program specific questions after then...

Regards,
Jay

649. Re: [TrunkPCR] Reloading PC

Yahoo group: TrunkPCR
Date: 2007-03-08 16:22:02 UTC
From: crazycalifornian
Topic: 648 Message: 649

Well, it looks like I have most of everything reloaded that I need for now
:)
Outlook Express gave me a weird problem, but it's not crashing now so
emailing is back up...

Jay

----- Original Message -----
From: "Jay"
> Hi All,
>
> The main hard drive crashed on this pc yesterday morning and I had to
> replace it due to too many bad sectors. My programs are on a seperate
hard
> drive, so there won't be a problem with those. But I still need to reload
> this pc with all my old stuff which will take awhile... I hope to have
> everthing back up and going by tomorrow night
>
> I'll respond to program specific questions after then...
>
> Regards,
> Jay

650. Re: [TrunkPCR] Printing and Clearing Hits

Yahoo group: TrunkPCR
Date: 2007-03-08 16:38:50 UTC
From: crazycalifornian
Topic: 647 Message: 650

Hi Jack,

Those are good ideas to add, I'll put them on the todo list :)

Some Group ID's are false ID's that get added when there is noise that gets decoded as a good OSW segment or when there is a missing OSW segment and the ID is actually part of a Patch ID or something else...

I do a routine check once a week to remove ID's that have less than 3 hits or haven't been seen/heard in over a year. Of course this only applies to ID's that haven't had a proper description given to them...

Thanks,
Jay

----- Original Message -----
From: "wa7pka"

> I like to suggest adding to the "Print Group Info" that a choice of
> what to print-out be available.
> Now one has to select each page to print more that one page. Like to
> have the choice of printing group "A" or be able to select by holding
> down the CTRL key just a few of the listed.
>
> On the "Clear Hits", this feature would be nice to have options here as
> well. Like "Clear all", or "Clear Group" such as group A or B etc.
> thus using the CTRL key.
>
> I have gone through and cleared all the hits that have been recorded
> since 2005 and has taken awhile.
>
> I also am getting talk groups that have no associated group or ID that
> one can put an agency to. These are not even listed in the Radio
> Reference for the trunking system I use.
>
> 73's and tnx
> jack

651. Re: [TrunkPCR] Printing and Clearing Hits

Yahoo group: TrunkPCR
Date: 2007-03-08 22:46:49 UTC
From: jack goetz
Topic: 647 Message: 651

Say Jay,
Good to hear things are getting for you now and your machine is back. Not having it is like loosing a hand.
Thanks for the information on the Group ID's and that is what I have is over a year items and they have less than two hits.
I was able to get the information (namming) trunk ID's from our local emergency comm. who has the 423 trunk listings, actually it is more than that it covers three counties of which one is in the state of Washington, so you can see I can get a great deal of radio Id's and group id's.
Thanks again
Jack
----- Original Message -----
From: crazycalifornian
To: TrunkPCR@yahoogroups.com
Sent: Thursday, March 08, 2007 8:38 AM
Subject: Re: [TrunkPCR] Printing and Clearing Hits

Hi Jack,

Those are good ideas to add, I'll put them on the todo list :)

Some Group ID's are false ID's that get added when there is noise that gets decoded as a good OSW segment or when there is a missing OSW segment and the ID is actually part of a Patch ID or something else...

I do a routine check once a week to remove ID's that have less than 3 hits or haven't been seen/heard in over a year. Of course this only applies to ID's that haven't had a proper description given to them...

Thanks,
Jay

----- Original Message -----
From: "wa7pka"

> I like to suggest adding to the "Print Group Info" that a choice of
> what to print-out be available.
> Now one has to select each page to print more that one page. Like to
> have the choice of printing group "A" or be able to select by holding
> down the CTRL key just a few of the listed.
>
> On the "Clear Hits", this feature would be nice to have options here as
> well. Like "Clear all", or "Clear Group" such as group A or B etc.
> thus using the CTRL key.
>
> I have gone through and cleared all the hits that have been recorded
> since 2005 and has taken awhile.

>
> I also am getting talk groups that have no associated group or ID that
> one can put an agency to. These are not even listed in the Radio
> Reference for the trunking system I use.
>
> 73's and tnx
> jack

652. HELP! Can't get % of ones up to acceptable level

Yahoo group: TrunkPCR
Date: 2007-03-12 13:08:36 UTC
From: Louis Cashmer
Topic: 652 Message: 652

Wow! I have been fighting this for weeks. I'm new to trunking so I wanted to make sure I've done everything I could before asking for help.

Currently, my % of ones fluctuates wildly and runs between 50% and 71%. I have simply not been able to get this to work. I have XP Pro SP2. NVIDIA sound card on board on MSI motherboard. Here is what I have tried so far:

3 Antennas (SW type J-POLE, Discone and a slinky long wire - all outside)
Built new audio cable between packet and line in afer not having success with prebuilt.
Saw note here about 220K resistor in audio line and added 150K in mine. I was out of 220K.
This morning I updated my PCR firmware and software to 2.01.

I seem to get the highest number of 1's when using the line in volume turmned all the way down in record settings.

I am using a bank file for Polk County Florida and one for Lakeland, Florida. One file I found here and one on radio reference.

Any suggestions at all?

Thanks,
Louis
KG4QPQ

653. Re: [TrunkPCR] HELP! Can't get % of ones up to acceptable level

Yahoo group: TrunkPCR
Date: 2007-03-12 22:57:01 UTC
From: Glenn
Topic: 652 Message: 653

try switching soundcard sample rates in the program.
KD5DGA
Glenn
http://home.earthlink.net/~kd5dga/
----- Original Message -----
From: Louis Cashmer
To: TrunkPCR@yahoogroups.com
Sent: Monday, March 12, 2007 8:08 AM
Subject: [TrunkPCR] HELP! Can't get % of ones up to acceptable level

Wow! I have been fighting this for weeks. I'm new to trunking so I
wanted to make sure I've done everything I could before asking for help.

Currently, my % of ones fluctuates wildly and runs between 50% and
71%. I have simply not been able to get this to work. I have XP Pro
SP2. NVIDIA sound card on board on MSI motherboard. Here is what I
have tried so far:

3 Antennas (SW type J-POLE, Discone and a slinky long wire - all outside)
Built new audio cable between packet and line in afer not having
success with prebuilt.
Saw note here about 220K resistor in audio line and added 150K in
mine. I was out of 220K.
This morning I updated my PCR firmware and software to 2.01.

I seem to get the highest number of 1's when using the line in volume
turmned all the way down in record settings.

I am using a bank file for Polk County Florida and one for Lakeland,
Florida. One file I found here and one on radio reference.

Any suggestions at all?

Thanks,
Louis
KG4QPQ

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.446 / Virus Database: 268.18.9/719 - Release Date: 3/12/2007 8:41 AM

654. Re: [TrunkPCR] HELP! Can't get % of ones up to acceptable level

Yahoo group: TrunkPCR
Date: 2007-03-13 12:41:03 UTC
From: Louis Cashmer
Topic: 652 Message: 654
Attachments: 2 described; binary payloads are missing from this source WARC

```
[ Attachment content not displayed ]
```

655. Re: [TrunkPCR] HELP! Can't get % of ones up to acceptable level

Yahoo group: TrunkPCR
Date: 2007-03-13 17:17:39 UTC
From: Jay
Topic: 652 Message: 655

Hi Louis,

Take a look at the help page and compare the oscilloscope picture to what you are seeing on your pc. Try to adjust the Line-In level slider on your Recorder Mixer to match it. You may have to switch the Reverse Polarity in the Trunk Settings...

If you are seeing a high amouont of 1's, then you are receiving a bunch of noise. Are you starting out on the control channel?

Try a plain audio cord from the Packet Out to the Line-In and see what difference you see.

The Icom PCR-1500/2500 software may have changed your "Default Sound Device" to the USB Audio Device. Go to the Control Panel and double-click the "Multimedia" icon and check the Preferred Device in the Recording section. If it has the USB Audio set as the Default devive, then change it to your NVIDIA device...

Regards,
Jay

----- Original Message -----
From: "Louis Cashmer"

> Wow! I have been fighting this for weeks. I'm new to trunking so I
> wanted to make sure I've done everything I could before asking for help.
>
> Currently, my % of ones fluctuates wildly and runs between 50% and
> 71%. I have simply not been able to get this to work. I have XP Pro
> SP2. NVIDIA sound card on board on MSI motherboard. Here is what I
> have tried so far:
>
> 3 Antennas (SW type J-POLE, Discone and a slinky long wire - all outside)
> Built new audio cable between packet and line in afer not having
> success with prebuilt.
> Saw note here about 220K resistor in audio line and added 150K in
> mine. I was out of 220K.
> This morning I updated my PCR firmware and software to 2.01.
>
> I seem to get the highest number of 1's when using the line in volume
> turmned all the way down in record settings.
>
> I am using a bank file for Polk County Florida and one for Lakeland,
> Florida. One file I found here and one on radio reference.
>
> Any suggestions at all?

>
> Thanks,
> Louis
> KG4QPQ

656. Re: [TrunkPCR] HELP! Can't get % of ones up to acceptable level

Yahoo group: TrunkPCR
Date: 2007-03-13 17:25:14 UTC
From: Jay
Topic: 652 Message: 656

Hi Louis,

Are you using the Single or Dual Mode? You should be hearing something if the Group/Radio ID's are displayed with a description. Otherwise if you are on a control channel and the signal fluctuates, then that would be ok...

What percentage "%" of Recovery do you see? (That's the reading in the box to the right of the 1's %...

Jay
----- Original Message -----
From: Louis Cashmer

Tahnks for the tip. That satbilizes the number of 1's to the point where I don't get the data loss on channel message, but it still runs 55 to 63 percent. In addition, while the system is searching, I see the s meter fluctuate, but I don't hear anything.

I'm really embarassed that I'm having this much trouble with this.

Thanks again,
Louis

657. Re: HELP! Can't get % of ones up to acceptable level

Yahoo group: TrunkPCR
Date: 2007-03-14 15:21:15 UTC
From: dragon85383
Topic: 652 Message: 657

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Louis,
>
> Are you using the Single or Dual Mode? You should be hearing
something if the Group/Radio ID's are displayed with a description.
Otherwise if you are on a control channel and the signal fluctuates,
then that would be ok...
>
> What percentage "%" of Recovery do you see? (That's the reading in
the box to the right of the 1's %...
>
> Jay
> ----- Original Message -----
> From: Louis Cashmer
>
> Tahnks for the tip. That satbilizes the number of 1's to the point
where I don't get the data loss on channel message, but it still runs
55 to 63 percent. In addition, while the system is searching, I see
the s meter fluctuate, but I don't hear anything.
>
> I'm really embarassed that I'm having this much trouble with this.
>
> Thanks again,
> Louis
>
I think i may have uncovered an issue with the PCR2500 and the use of
the P25 card. At my location my P25 frequencies are in the range above
860 mhz. In looking at the specs on the PCR2500 it stops at 859.899
and does not start again until 889.100. i have also read that for ICOM
to get FCC approval for the radio and to block cell phone frequencies
they blocked everything between 860 and 889. If anyone has the
PCR2500 working in a frequency range above 860 and below 889 please
let me know. I can not get trunking to work here in AZ.

the info on the blocked frequencies was from the PCR2500 yahoo group.

Thanks
Chris

658. Re: [TrunkPCR] Re: HELP! Can't get % of ones up to acceptable level

Yahoo group: TrunkPCR
Date: 2007-03-14 16:25:27 UTC
From: Louis Cashmer
Topic: 652 Message: 658
Attachments: 2 described; binary payloads are missing from this source WARC

```
[ Attachment content not displayed ]
```

659. Re: HELP! Can't get % of ones up to acceptable level

Yahoo group: TrunkPCR
Date: 2007-03-15 00:50:52 UTC
From: dragon85383
Topic: 652 Message: 659

--- In TrunkPCR@yahoogroups.com, "Louis Cashmer" <lcashmer@...> wrote:
>
> Interesting theory and certainly one I'll take a look at. Thanks to
Jay, I
> actually have one bank file working flawlessly. I will lokk at the
file I am
> still having trouble with and see what frequency range it falls
into. The
> one I have working is in the 850 range.
>
> If nobody has siad it today, hats off to Jay for all the support he
gives
> us!
>
> If you don't object Chris, I can email you a screen shot of all my
working
> settings.
>
> Even newbies to trunking like me.
>
> Louis
>
> On 3/14/07, dragon85383 <cbailey107@...> wrote:
> >
> > --- In TrunkPCR@yahoogroups.com <TrunkPCR%40yahoogroups.com>, "Jay"
> > <crazycalifornian@> wrote:
> > >
> > > Hi Louis,
> > >
> > > Are you using the Single or Dual Mode? You should be hearing
> > something if the Group/Radio ID's are displayed with a description.
> > Otherwise if you are on a control channel and the signal fluctuates,
> > then that would be ok...
> > >
> > > What percentage "%" of Recovery do you see? (That's the reading in
> > the box to the right of the 1's %...
> > >
> > > Jay
> > > ----- Original Message -----
> > > From: Louis Cashmer
> > >
> > > Tahnks for the tip. That satbilizes the number of 1's to the point
> > where I don't get the data loss on channel message, but it still runs
> > 55 to 63 percent. In addition, while the system is searching, I see
> > the s meter fluctuate, but I don't hear anything.

> > >
> > > I'm really embarassed that I'm having this much trouble with this.
> > >
> > > Thanks again,
> > > Louis
> > >
> > I think i may have uncovered an issue with the PCR2500 and the use of
> > the P25 card. At my location my P25 frequencies are in the range above
> > 860 mhz. In looking at the specs on the PCR2500 it stops at 859.899
> > and does not start again until 889.100. i have also read that for ICOM
> > to get FCC approval for the radio and to block cell phone frequencies
> > they blocked everything between 860 and 889. If anyone has the
> > PCR2500 working in a frequency range above 860 and below 889 please
> > let me know. I can not get trunking to work here in AZ.
> >
> > the info on the blocked frequencies was from the PCR2500 yahoo group.
> >
> > Thanks
> > Chris
> >
> >
> >
>
Louis,

That would be great - maybe you can put them in the files area and
that way anyone can see them.

Chris
cbailey107@...

660. Re: HELP! Can't get % of ones up to acceptable level

Yahoo group: TrunkPCR
Date: 2007-03-15 00:59:50 UTC
From: dragon85383
Topic: 652 Message: 660

--- In TrunkPCR@yahoogroups.com, "dragon85383" <cbailey107@...> wrote:
>
> --- In TrunkPCR@yahoogroups.com, "Louis Cashmer" <lcashmer@> wrote:
> >
> > Interesting theory and certainly one I'll take a look at. Thanks to
> Jay, I
> > actually have one bank file working flawlessly. I will lokk at the
> file I am
> > still having trouble with and see what frequency range it falls
> into. The
> > one I have working is in the 850 range.
> >
> > If nobody has siad it today, hats off to Jay for all the support he
> gives
> > us!
> >
> > If you don't object Chris, I can email you a screen shot of all my
> working
> > settings.
> >
> > Even newbies to trunking like me.
> >
> > Louis
> >
> > On 3/14/07, dragon85383 <cbailey107@> wrote:
> > >
> > > --- In TrunkPCR@yahoogroups.com <TrunkPCR%40yahoogroups.com>,
"Jay"
> > > <crazycalifornian@> wrote:
> > > >
> > > > Hi Louis,
> > > >
> > > > Are you using the Single or Dual Mode? You should be hearing
> > > something if the Group/Radio ID's are displayed with a description.
> > > Otherwise if you are on a control channel and the signal fluctuates,
> > > then that would be ok...
> > > >
> > > > What percentage "%" of Recovery do you see? (That's the reading in
> > > the box to the right of the 1's %...
> > > >
> > > > Jay
> > > > ----- Original Message -----
> > > > From: Louis Cashmer
> > > >
> > > > Tahnks for the tip. That satbilizes the number of 1's to the point

> > > where I don't get the data loss on channel message, but it still
runs
> > > 55 to 63 percent. In addition, while the system is searching, I see
> > > the s meter fluctuate, but I don't hear anything.
> > > >
> > > > I'm really embarassed that I'm having this much trouble with this.
> > > >
> > > > Thanks again,
> > > > Louis
> > > >
> > > I think i may have uncovered an issue with the PCR2500 and the
use of
> > > the P25 card. At my location my P25 frequencies are in the range
above
> > > 860 mhz. In looking at the specs on the PCR2500 it stops at 859.899
> > > and does not start again until 889.100. i have also read that
for ICOM
> > > to get FCC approval for the radio and to block cell phone
frequencies
> > > they blocked everything between 860 and 889. If anyone has the
> > > PCR2500 working in a frequency range above 860 and below 889 please
> > > let me know. I can not get trunking to work here in AZ.
> > >
> > > the info on the blocked frequencies was from the PCR2500 yahoo
group.
> > >
> > > Thanks
> > > Chris
> > >
> > >
> > >
> >
> Louis,
>
> That would be great - maybe you can put them in the files area and
> that way anyone can see them.
>
> Chris
> cbailey107@...
>

Here is the link to the info I mentioned earlier today about the
frequency issue with the PCR2500.

http://wiki.radioreference.com/index.php/APCO-25_Reception_Above_780_MHz

also the PCR1000 covers 849.00001 to 869.9999 where the PCR2500 ends
at 859.899 and does not start until 889.100.

Chris

661. PCR 100 Cable Question

Yahoo group: TrunkPCR
Date: 2007-03-15 01:50:08 UTC
From: Brian - KB9BVN
Topic: 661 Message: 661

I just got a PCR 100 used, and it didn't come with any cables. I have the power and antenna and speakers figured out...but the RS232 cable...it's a DB9M to DB9F but is it a straight through or a null modem?

Thanks

662. RE: [TrunkPCR] PCR 100 Cable Question

Yahoo group: TrunkPCR
Date: 2007-03-15 02:03:28 UTC
From: Bill Crocker
Topic: 661 Message: 662

Yes it's a standard DB9 male for the radio side, and DB9 female for the computer side. It is not a null-modem cable.

Bill

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Brian - KB9BVN
Sent: Wednesday, March 14, 2007 9:50 PM
To: trunkPCR@yahoogroups.com
Subject: [TrunkPCR] PCR 100 Cable Question

I just got a PCR 100 used, and it didn't come with any cables. I have the power and antenna and speakers figured out...but the RS232 cable...it's a DB9M to DB9F but is it a straight through or a null modem?

Thanks

663. Polk County Florida BNK file in files section

Yahoo group: TrunkPCR
Date: 2007-03-15 11:21:35 UTC
From: Louis Cashmer
Topic: 663 Message: 663
Attachments: 2 described; binary payloads are missing from this source WARC

```
[ Attachment content not displayed ]
```

664. TrunkPCR version 0.84.218 Now Available

Yahoo group: TrunkPCR
Date: 2007-03-17 04:09:45 UTC
From: Jay
Topic: 664 Message: 664

TrunkPCR version 0.84.218 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few changes

Mar 10,2007 - Fixed: Loading & Displaying User Definable Picture in
"Select Picture For User".
Mar 10,2007 - Fixed: Sweep Spectrum high frequency limit now usable to
3.3 ghz for Pcr1500/2500.
Mar 13,2007 - -----: Edacs Dotting "Number of Times to Hear" can now be
set up to 999.
Version 0.84.218 Released 03/16/2007

Regards,
Jay

665. Will TrunkPCR run on a 300Mhz computer??

Yahoo group: TrunkPCR
Date: 2007-03-18 02:01:45 UTC
From: icompcrbug
Topic: 665 Message: 665

I just would like to know how well TrunkPCR software would run on a 300Mhz computer running Win98SE?? Any input would be great.

I thank you for your time!

73 de PCRBUG

666. Re: [TrunkPCR] Will TrunkPCR run on a 300Mhz computer??

Yahoo group: TrunkPCR
Date: 2007-03-18 21:58:30 UTC
From: Jay
Topic: 665 Message: 666

Well, TrunkPCR is developed on a Windows 95 machine with a 233mhz Pentium-1
cpu and runs pretty smoothe.
On my TI laptop, it runs ok at 133mhz... Your 300mhz pc should do just
fine :)

Regards,
Jay

----- Original Message -----
From: "icompcrbug"
> I just would like to know how well TrunkPCR software would run on a
> 300Mhz computer running Win98SE?? Any input would be great.
>
>
> I thank you for your time!
>
> 73 de PCRBUG

667. NEW

Yahoo group: TrunkPCR
Date: 2007-03-25 00:43:57 UTC
From: Glenn
Topic: 667 Message: 667

Anything new out there?
I am running dual radio trunking with my PRO92 handheld scanner.I found that it is good to run a seperate trunk bank closed so the scanner does not hit on groups I had programmed in.This allows full trunking with two radios.
It is nice to have the continuation of calls and the priority with TRUNKPCR.

KD5DGA
Glenn
http://home.earthlink.net/~kd5dga/

668. CONTROL CHANNEL ACTIVITY SCREEN

Yahoo group: TrunkPCR
Date: 2007-03-27 01:39:15 UTC
From: Glenn
Topic: 668 Message: 668

This may seam stupid but I just discovered that watching the control channel screen that if a call comes through the channel that the call is on is highlighted in blue.
Pretty cool.

KD5DGA
Glenn
http://home.earthlink.net/~kd5dga/

669. Re: Will TrunkPCR run on a 300Mhz computer??

Yahoo group: TrunkPCR
Date: 2007-03-30 12:21:24 UTC
From: ve1bfx
Topic: 665 Message: 669

--- In TrunkPCR@yahoogroups.com, "icompcrbug" <icompcrbug@...> wrote:
>
> I just would like to know how well TrunkPCR software would run on a
> 300Mhz computer running Win98SE?? Any input would be great.
>
>
> I thank you for your time!
>
> 73 de PCRBUG
>
Hi
Yes it will run on just about any thing and run well. Just make sure
you have a second serial port to plug the pcr1000 /what ever into .
regards VE1BFX Bob

670. Re: Will TrunkPCR run on a 300Mhz computer??

Yahoo group: TrunkPCR
Date: 2007-03-30 12:21:39 UTC
From: ve1bfx
Topic: 665 Message: 670

--- In TrunkPCR@yahoogroups.com, "icompcrbug" <icompcrbug@...> wrote:
>
> I just would like to know how well TrunkPCR software would run on a
> 300Mhz computer running Win98SE?? Any input would be great.
>
>
> I thank you for your time!
>
> 73 de PCRBUG
>
Hi
Yes it will run on just about any thing and run well. Just make sure
you have a second serial port to plug the pcr1000 /what ever into .
regards VE1BFX Bob

671. Version 2.18 problem!

Yahoo group: TrunkPCR
Date: 2007-03-31 23:20:49 UTC
From: scosgt@aol.com
Topic: 671 Message: 671

Hi
I just got around to installing v2.18
The see who's talking does not work at all. The pics are stored already, when
I click the dialof appears, but when trunking, no pics!
Help!

****
See what's free at
http://www.aol.com.

672. RE: [TrunkPCR] Version 2.18 problem!

Yahoo group: TrunkPCR
Date: 2007-03-31 23:37:52 UTC
From: Matthew E. Engelbrecht
Topic: 671 Message: 672

I'm seeing the same issue.

-Matt

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Saturday, March 31, 2007 5:21 PM
To: TrunkPCR@yahoogroups.com
Cc: crazycalifornian@...
Subject: [TrunkPCR] Version 2.18 problem!

Hi
I just got around to installing v2.18
The see who's talking does not work at all. The pics are stored already, when I click the dialof appears, but when trunking, no pics!
Help!

****
See what's free at http://www.aol.com.

673. Re: [TrunkPCR] Version 2.18 problem!

Yahoo group: TrunkPCR
Date: 2007-03-31 23:41:50 UTC
From: scosgt@aol.com
Topic: 671 Message: 673

In a message dated 3/31/2007 6:38:22 PM Eastern Standard Time,
streamwisevorticity@... writes:

>
>
> I’m seeing the same issue.
>
>
>
> Nice to know I'm not crazy!
>
>

****
See what's free at http://www.aol.com.

674. Re: [TrunkPCR] Version 2.18 problem!

Yahoo group: TrunkPCR
Date: 2007-04-01 03:16:27 UTC
From: Jay
Topic: 671 Message: 674

Ok, who put that gremlin in there?
I tested 218 after the user definable picture problem and it worked fine...
Now I see it's not working...

Thanks,
Jay

----- Original Message -----
From: scosgt@...

Hi
I just got around to installing v2.18
The see who's talking does not work at all. The pics are stored already, when I click the dialof appears, but when trunking, no pics!
Help!

675. Re: [TrunkPCR] Version 2.18 problem!

Yahoo group: TrunkPCR
Date: 2007-04-01 02:35:46 UTC
From: scosgt@aol.com
Topic: 671 Message: 675

In a message dated 3/31/2007 9:17:45 PM Eastern Standard Time,
crazycalifornian@... writes:

> Ok, who put that gremlin in there?

We have to keep you working. FUBAR is the mother of invention.

****
See what's free at http://www.aol.com.

676. Re: [TrunkPCR] Version 2.18 problem!

Yahoo group: TrunkPCR
Date: 2007-04-01 03:48:20 UTC
From: Jay
Topic: 671 Message: 676

Ok, found the problem...
After I fixed the user definable picture, The 2.8khz filter text wasn't displaying properly so I changed the font. In order to do this I had to place the user picture "off screen" while I was selecting different fonts and that's where it stayed, off-screen...
The position of it is now where it should be.. I'll have an interim version out tomorrow...

Jay
----- Original Message -----
Ok, who put that gremlin in there?
I tested 218 after the user definable picture problem and it worked fine...
Now I see it's not working...

Thanks,
Jay

677. Re: [TrunkPCR] Version 2.18 problem!

Yahoo group: TrunkPCR
Date: 2007-04-01 02:53:41 UTC
From: scosgt@aol.com
Topic: 671 Message: 677

In a message dated 3/31/2007 9:49:17 PM Eastern Standard Time,
crazycalifornian@... writes:

> properly so I changed the font. In order to do this I had to place the
> user picture "off screen" while I was selecting different fonts and that's where
> it stayed, off-screen...

And there is no way to adjust this in the ,ini or anything like that?

****
See what's free at http://www.aol.com.

678. Re: [TrunkPCR] Version 2.18 problem!

Yahoo group: TrunkPCR
Date: 2007-04-01 04:07:30 UTC
From: Jay
Topic: 671 Message: 678

Nope... It's either visible or not. There isn't any user definable setting for the position of the user picture.

Jay

----- Original Message -----
properly so I changed the font. In order to do this I had to place the user picture "off screen" while I was selecting different fonts and that's where it stayed, off-screen...

And there is no way to adjust this in the ,ini or anything like that?

679. TrunkPCR version 0.84.219 Now Available

Yahoo group: TrunkPCR
Date: 2007-04-01 17:11:22 UTC
From: Jay
Topic: 679 Message: 679

TrunkPCR version 0.84.219 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes

Mar 25,2007 - Fixed: Entering Numbers in Bank/Chan Description that was
also added to the frequency...
Mar 31,2007 - Fixed: User Picture now usable again, really...

Version 0.84.219 Released 04/01/2007

Regards,
Jay

680. Re: [TrunkPCR] TrunkPCR version 0.84.219 Now Available

Yahoo group: TrunkPCR
Date: 2007-04-01 17:48:02 UTC
From: scosgt@aol.com
Topic: 679 Message: 680

Actually, it says this page can not be displayed!!!!

****
See what's free at http://www.aol.com.

681. RE: [TrunkPCR] TrunkPCR version 0.84.219 Now Available

Yahoo group: TrunkPCR
Date: 2007-04-01 18:08:44 UTC
From: Matthew E. Engelbrecht
Topic: 679 Message: 681

The link is working fine on my end.

-Matt

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of scosgt@...
Sent: Sunday, April 01, 2007 11:48 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR version 0.84.219 Now Available

Actually, it says this page can not be displayed!!!!

****
See what's free at http://www.aol.com.

682. Re: [TrunkPCR] TrunkPCR version 0.84.219 Now Available

Yahoo group: TrunkPCR
Date: 2007-04-01 18:25:11 UTC
From: scosgt@aol.com
Topic: 679 Message: 682

The pics now work but we are back to that old EDACS problem. It hits the groups for a second, then goes right by. The PRO-96 next to it confirms it is not stopping on transmissions. CC is 100% (NY Port Authority, I am only two miles from the airport!)

****
See what's free at http://www.aol.com.

683. Re: [TrunkPCR] TrunkPCR version 0.84.219 Now Available

Yahoo group: TrunkPCR
Date: 2007-04-01 18:52:26 UTC
From: Jay
Topic: 679 Message: 683

Hey Bruce,

I don't know what kind of problem you keep having with Edacs...
I still haven't touched the edacs code in awhile, the signal is too weak to pull in lately so I haven't had a chance to do anything else with it...
It seems that sometimes it works good for you, then it doesn't, then repeats from your reports. In those times, the edacs code hasn't been touched in those versions...

Does the Control Channel list the same activity that the Pro-96 is receiving?

Jay
----- Original Message -----
From: scosgt@...

The pics now work but we are back to that old EDACS problem. It hits the groups for a second, then goes right by. The PRO-96 next to it confirms it is not stopping on transmissions. CC is 100% (NY Port Authority, I am only two miles from the airport!)

684. RE: [TrunkPCR] TrunkPCR version 0.84.219 Now Available

Yahoo group: TrunkPCR
Date: 2007-04-01 19:31:28 UTC
From: Matthew E. Engelbrecht
Topic: 679 Message: 684

I get the same thing here in Denver. Try increasing the "Switch to Control When Dotting Sequence Heard" in the Trunk->Settings menu to about 250. It seems like the program believes that it is receiving the dotting sequence at the beginning of the transmission when the "buzzsaw" data is audible and moves on to search for another talk group. Increasing this number will cause you to hear a few milliseconds more of the dotting sequence because it won't attack it as quickly, but it seems to have made the problem decrease in frequency of occurrence..for me, anyway.

-Matt

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Sunday, April 01, 2007 12:25 PM
To: TrunkPCR@yahoogroups.com
Cc: crazycalifornian@...
Subject: Re: [TrunkPCR] TrunkPCR version 0.84.219 Now Available

The pics now work but we are back to that old EDACS problem. It hits the groups for a second, then goes right by. The PRO-96 next to it confirms it is not stopping on transmissions. CC is 100% (NY Port Authority, I am only two miles from the airport!)

****
See what's free at http://www.aol.com.

685. Re: [TrunkPCR] TrunkPCR version 0.84.219 Now Available

Yahoo group: TrunkPCR
Date: 2007-04-01 20:44:29 UTC
From: scosgt@aol.com
Topic: 679 Message: 685

Thanks, I'm gonna try that. Jay does not believe that there is a problem - I was last using version 2.8, which works, apparently the bad code got back in someplace.

****
See what's free at
http://www.aol.com.

686. Re: Edacs Call Skipping

Yahoo group: TrunkPCR
Date: 2007-04-01 22:25:26 UTC
From: Jay
Topic: 686 Message: 686

Bruce,

That's just it, there isn't any bad code that appears in edacs, then disappears, then re-apprears..
I'm not making hidden changes in edacs, so it's not an issue with making changes the edacs code..

Matthew has been a help in tracking down a problem with part of the edacs reporting the wrong radio id in dual mode, but I haven't had time to hunt it down yet...

The "Call Skipping" is due to some other problem in the program settings or something else in the code, that I haven't seen yet on air... I'll find it when I can get a good edacs copy of the station 100 miles away when they are busy...
It may be an old bug that I just haven't found yet, why it works sometimes and sometimes not is weird..

> It hits the groups for a second, then goes right by.

Are you using the Scan Delay/Resume option on this edacs bank?

Thanks,
Jay
----- Original Message -----
From: scosgt@aol.com

Thanks, I'm gonna try that. Jay does not believe that there is a problem - I was last using version 2.8, which works, apparently the bad code got back in someplace.

687. Re: [TrunkPCR] Re: Edacs Call Skipping

Yahoo group: TrunkPCR
Date: 2007-04-01 22:31:44 UTC
From: scosgt@aol.com
Topic: 686 Message: 687

When I go back to 2.08 with no other changes, it works!

****
See what's free at http://www.aol.com.

688. Lake County Ohio

Yahoo group: TrunkPCR
Date: 2007-04-02 13:09:59 UTC
From: Neal
Topic: 688 Message: 688

Can anyone suggest the correct information to setup this on a trunked system in Lake County, Ohio?
Any help would be appreciated.

Tahnks in advance
Neal Linder

689. DTMF

Yahoo group: TrunkPCR
Date: 2007-04-04 01:25:09 UTC
From: Glenn
Topic: 689 Message: 689

I havent looked at it yet but does TRUNKPCR decode DTMF tones?

Glenn

690. IC-PCR100 Discriminator Tap Mod

Yahoo group: TrunkPCR
Date: 2007-04-04 16:21:50 UTC
From: joe_n3pkc
Topic: 690 Message: 690

I need to clear up some misconceptions about the Discriminator tap mod for the IC-PCR100 which is required to use the PCR100 with the TrunkPCR software. A discriminator tap on the PCR100 IS well worth doing. I have performed this mod on two of my own units and the throughput is much better at higher speeds than the IC-PCR1500's data plug came even close to when using soundcard decoding programs. However I must warn you to read this post before you perform the mod described on many web pages because doing one part differently makes life a whole lot easier. Some of these mod pages have you un-solder the antenna jack. Instead of doing this, you can just carefully heat the BNC connector itself (with a flame or torch), and the threadlock holding the nut on the connector will melt quickly. Unscrew this nut (while it's still hot) and the whole board will come in or out of the chassis easily. It's just not necessary WHATSOEVER to un-solder the antenna jack from the board. ALSO, and more importantly, I had no success with the .22 uf capacitor described in various web sites. I used a 10k resistor (as described in the below URL) after much trial and error with capacitors. The correct mod is listed on this site, with the exception of heating and removing the nut on the BNC jack.

http://nix.fulhack.nu/discriminator/

I'm Joe jhj5012@...

691. Re: [TrunkPCR] IC-PCR100 Discriminator Tap Mod

Yahoo group: TrunkPCR
Date: 2007-04-04 17:13:44 UTC
From: Jay
Topic: 690 Message: 691

Hi Joe,

Thanks for the input on the mod. I have used the .22uf Non-Polarized caps in my PCR-100 and Pro-2006 without any problems in decoding, plus the capacitor electrically isolates the integrated circuit in the scanner from your PC. Not having a capacitor in line CAN DAMAGE your Radio even if only using a 10k resistor as an isolator, since voltage can still pass through...

Also, the mod suggests removing the Ground Connector (Bad Idea)... I suggest using a 3.5mm connector mounted between the antenna and ground connectors, but higher in position on the rear metal plate..

Regards,
Jay

----- Original Message -----
From: "joe_n3pkc"

> I need to clear up some misconceptions about the Discriminator tap
> mod for the IC-PCR100 which is required to use the PCR100 with the
> TrunkPCR software. A discriminator tap on the PCR100 IS well worth
> doing. I have performed this mod on two of my own units and the
> throughput is much better at higher speeds than the IC-PCR1500's data
> plug came even close to when using soundcard decoding programs.
> However I must warn you to read this post before you perform the mod
> described on many web pages because doing one part differently makes
> life a whole lot easier. Some of these mod pages have you un-solder
> the antenna jack. Instead of doing this, you can just carefully heat
> the BNC connector itself (with a flame or torch), and the threadlock
> holding the nut on the connector will melt quickly. Unscrew this nut
> (while it's still hot) and the whole board will come in or out of the
> chassis easily. It's just not necessary WHATSOEVER to un-solder the
> antenna jack from the board. ALSO, and more importantly, I had no
> success with the .22 uf capacitor described in various web sites. I
> used a 10k resistor (as described in the below URL) after much trial
> and error with capacitors. The correct mod is listed on this site,
> with the exception of heating and removing the nut on the BNC jack.
>
> http://nix.fulhack.nu/discriminator/
>
> I'm Joe jhj5012@...

692. Re: [TrunkPCR] IC-PCR100 Discriminator Tap Mod

Yahoo group: TrunkPCR
Date: 2007-04-04 17:56:32 UTC
From: N3PKC
Topic: 690 Message: 692

I tried polarized and non-polarized .22 uf (and other valued) caps in a variety of configurations with very lousy results before going with the 10k resistor. Even running a wire direct to the pad worked better than the caps, but the data rates were still pathetic.

So we're on the same page, most 512 or 1200 bps transmissions were copied just fine from any tap, even using the regular audio jack. As the data rates got higher, the percent of errors increased dramatically until I could copy virtually nothing at 6400 bits per second. Using the 10k resistor from the pad to the correct kind of 3.5mm jack (a little higher than the ground screw to clear the board) was the only way I could even approach a 90%-100% error-free rates at 6400 bps. The IC-PCR1500's 'data' jack only worked 90%-100% at 3200bps.

As for damage, I don't believe it's an issue since I've been using them extensively in this configuration in a variety of unpleasant environments with no problems (staticky areas, in the shack with many transmitters in and out of the PC's common ground, on mobile and portable setups with lousy electrical feeds and grounds that left a lot to be desired.

Of course I only paid $50 each for several of these PCR100's, and would probably have a different attutude about protecting the Demodulator IC in the PCR1500 or other more expensive units.

I agree with you about keeping the grounding connecton. I had to do a little handywork with snips on the stainless steel piece to fit it back over the existing and new hole for the 2.5mm jack, but it felt good maintaining the integrity of the groundation.

Joe

693. Trunking Not working on PCR-2500 single mode

Yahoo group: TrunkPCR
Date: 2007-04-05 01:40:50 UTC
From: dragon85383
Topic: 693 Message: 693

I am still unable to get trunking working on my PCR-2500. I get 40-78% 1's but the 0.0% does not change no mater what i do. I can hear comms when i scroll through the channels but it will not do it on its own. When i have the control channel selected i see the word FREQUENCY in red being displayed.

Thanks

Chris B.
cbailey107@...

694. Re: [TrunkPCR] Trunking Not working on PCR-2500 single mode

Yahoo group: TrunkPCR
Date: 2007-04-05 02:09:31 UTC
From: Jay
Topic: 693 Message: 694

Hi Chris,

The "Red" [Frequency] text means that your PCR-2500 can Not Tune to that frequency...
A U.S. model will not tune in the 868 mhz area unless you have a diode removed to allow it.

Regards,
Jay

----- Original Message -----
From: "dragon85383"
>
> I am still unable to get trunking working on my PCR-2500. I get 40-78%
> 1's but the 0.0% does not change no mater what i do. I can hear comms
> when i scroll through the channels but it will not do it on its own.
> When i have the control channel selected i see the word FREQUENCY in
> red being displayed.
>
> Thanks
>
> Chris B.
> cbailey107@...

695. Re: [TrunkPCR] DTMF

Yahoo group: TrunkPCR
Date: 2007-04-05 02:12:32 UTC
From: Jay
Topic: 689 Message: 695

Hi Glenn,

A PCR-1000 will decode DTMF out of the box. The PCR-1500 & 2500 require an additional hardware module...
Otherwise a DTMF tone decoder is not built into TrunkPCR...

Regards,
Jay
----- Original Message -----
From: Glenn

I havent looked at it yet but does TRUNKPCR decode DTMF tones?

Glenn

696. Re: [TrunkPCR] Lake County Ohio

Yahoo group: TrunkPCR
Date: 2007-04-05 02:19:26 UTC
From: Jay
Topic: 688 Message: 696

Hi Neal,

Take a look at this page and let us know exactly what system you want to monitor:
http://www.radioreference.com/modules.php?name=RR&ctid=2082

Regards,
Jay

----- Original Message -----
From: "Neal"

> Can anyone suggest the correct information to setup this on a trunked
> system in Lake County, Ohio?
> Any help would be appreciated.
>
> Tahnks in advance
> Neal Linder

697. RE: [TrunkPCR] Lake County Ohio

Yahoo group: TrunkPCR
Date: 2007-04-05 06:21:15 UTC
From: Neal Linder
Topic: 688 Message: 697

Hi Jay,

Thanks for the response. The system is as follows:

System Name:

Lake County

Location:

Lake County, OH

County:

Lake

System Type:

Motorola Type II SmartZone

System Voice:

Analog and APCO-25 Common Air Interface

Sysid:

7e26

CT:

105.88

Last Updated:

<http://www.radioreference.com/modules.php?name=RR&sid=852&tab=history>
Changed talkgroups

Hits:

5099

I have modified my unit and removed the diode. I have been able to use the ICOM supplied software to decode the digital transmissions but it does not follow the trunking.

I have been trying to use your software and I get 95-99%
1's but the 0.0% does not change no mater what i do. I am sure it is something simple but I have not had any success in finding out what I am doing wrong.

I am also having difficulty in understanding the exact setup. I find myself drifting back to ICOM's software just because I can get it to work. Any advice would be appreciated.

I have enjoyed watching this web site. The support you are offering is worth every bit of the donation amount.

As soon as I can figure this out, you will have another faithful supporter. Please keep up the great work.

Thanks again,

Neal

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Wednesday, April 04, 2007 9:19 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Lake County Ohio

Hi Neal,

Take a look at this page and let us know exactly what system you want to monitor:
http://www.radioref
<http://www.radioreference.com/modules.php?name=RR&ctid=2082>
erence.com/modules.php?name=RR&ctid=2082

Regards,
Jay

----- Original Message -----
From: "Neal"

> Can anyone suggest the correct information to setup this on a trunked
> system in Lake County, Ohio?
> Any help would be appreciated.
>
> Tahnks in advance
> Neal Linder

698. Re: Lake County Ohio

Yahoo group: TrunkPCR
Date: 2007-04-05 06:40:23 UTC
From: Ken Bessler
Topic: 688 Message: 698

--- In TrunkPCR@yahoogroups.com, "Neal Linder" <akeala2@...> wrote:
>
> I have modified my unit and removed the diode.
> I have been able to use the ICOM supplied software
> to decode the digital transmissions but it does not
> follow the trunking.

What? Which diode? I googled and got nothing that would
show which diode to remove.

I have listened recently to *that area* of the RF spectrum
on another radio and found the band 100% DEAD.

Still, it aggrivates me that my PCR100 is restricted so
I'd like to open her up.

So, where can I find information on that?

Ken KG0WX

699. Re: Trunking Not working on PCR-2500 single mode

Yahoo group: TrunkPCR
Date: 2007-04-05 13:18:36 UTC
From: dragon85383
Topic: 693 Message: 699

Jay,

Ok - thanks - thats what i thought.

Chris

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Chris,
>
> The "Red" [Frequency] text means that your PCR-2500 can Not Tune to that
> frequency...
> A U.S. model will not tune in the 868 mhz area unless you have a diode
> removed to allow it.
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "dragon85383"
> >
> > I am still unable to get trunking working on my PCR-2500. I get 40-78%
> > 1's but the 0.0% does not change no mater what i do. I can hear comms
> > when i scroll through the channels but it will not do it on its own.
> > When i have the control channel selected i see the word FREQUENCY in
> > red being displayed.
> >
> > Thanks
> >
> > Chris B.
> > cbailey107@...
>

700. RE: [TrunkPCR] Re: Lake County Ohio

Yahoo group: TrunkPCR
Date: 2007-04-05 14:46:29 UTC
From: Neal Linder
Topic: 688 Message: 700

This Mod is for the IC-R2500. You may look around in this section of Radio Reference and see what is available for the PCR100

Here is the link:

http://wiki.radioreference.com/index.php/APCO-25_Reception_Above_780_MHz

It sounds a little intimidating and the diode is really small. A magnifying glass is real helpful.

I was able to take a jewelers screwdriver and just pry it upward. It popped out in a second. Total time was about 3 minutes for the entire mod. It took longer to remove the case screws.

Remember that this will void your warranty and picking the wrong one would be a nightmare.

I found it frustrating when I bought the IC-R2500 that the specifications page said Frequency coverage - (Guaranteed 0.495-3000MHz) and only had a disclaimer that says - "Some frequency bands are blocked in the U.S.A. version".

My local area uses the 800 MHz band for digital transmissions and it was blocked. I debated just returning the unit but found this mod. ICOM's software does not trunk as Jay has set up. I am eager to get this up and running under his software.

Good Luck

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Ken Bessler
Sent: Thursday, April 05, 2007 1:40 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Lake County Ohio

--- In TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com, "Neal Linder" <akeala2@...> wrote:
>
> I have modified my unit and removed the diode.
> I have been able to use the ICOM supplied software
> to decode the digital transmissions but it does not
> follow the trunking.

What? Which diode? I googled and got nothing that would show which diode to remove.

I have listened recently to *that area* of the RF spectrum
on another radio and found the band 100% DEAD.

Still, it aggrivates me that my PCR100 is restricted so
I'd like to open her up.

So, where can I find information on that?

Ken KG0WX

701. Re: [TrunkPCR] Lake County Ohio

Yahoo group: TrunkPCR
Date: 2007-04-05 21:01:10 UTC
From: Jay
Topic: 688 Message: 701

Hi Neal,

If you are seeing a high amouont of 1's, then you are receiving a bunch of noise. Are you starting out on the control channel?

Take a look at the help page and compare the oscilloscope picture to what you are seeing on your pc. Try to adjust the Line-In level slider on your Recorder Mixer to match it. You may have to switch the Reverse Polarity in the Trunk Settings... You also may not be using the correct Recording Device.

The Icom PCR-1500/2500 software may have changed your "Default Sound Device" to the USB Audio Device. Go to the Control Panel and double-click the "Multimedia" icon and check the Preferred Device in the Recording section. If it has the USB Audio set as the Default devive, then change it to your Sound Card device...

Regards,
Jay
----- Original Message -----
From: Neal Linder
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, April 04, 2007 11:21 PM
Subject: RE: [TrunkPCR] Lake County Ohio

Hi Jay,

Thanks for the response. The system is as follows:

System Name:
Lake County

Location:
Lake County, OH

County:
Lake

System Type:
Motorola Type II SmartZone

System Voice:
Analog and APCO-25 Common Air Interface

Sysid:
7e26

CT:
105.88

Last Updated:
Changed talkgroups

Hits:
5099

I have modified my unit and removed the diode. I have been able to use the ICOM supplied software to decode the digital transmissions but it does not follow the trunking.

I have been trying to use your software and I get 95-99%
1's but the 0.0% does not change no mater what i do. I am sure it is something simple but I have not had any success in finding out what I am doing wrong.

I am also having difficulty in understanding the exact setup. I find myself drifting back to ICOM's software just because I can get it to work. Any advice would be appreciated.

I have enjoyed watching this web site. The support you are offering is worth every bit of the donation amount.

As soon as I can figure this out, you will have another faithful supporter. Please keep up the great work.

Thanks again,

Neal

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Wednesday, April 04, 2007 9:19 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Lake County Ohio

Hi Neal,

Take a look at this page and let us know exactly what system you want to
monitor:
http://www.radioreference.com/modules.php?name=RR&ctid=2082

Regards,
Jay

----- Original Message -----
From: "Neal"

> Can anyone suggest the correct information to setup this on a trunked
> system in Lake County, Ohio?
> Any help would be appreciated.
>
> Tahnks in advance
> Neal Linder

702. Re: Trunking Not working on PCR-2500 single mode

Yahoo group: TrunkPCR
Date: 2007-04-07 23:02:26 UTC
From: Terry Breitenfeldt
Topic: 693 Message: 702

I wanted to clarify something. The U.S. version will not receive frequencies from 866.9999 - 868.9875 Mhz), which unfortunately is where many P25 Control frequencies are located. I can only assume it was an oversight by Icom, as my Radio Shack PRO-96 digital scanner covers 849.0000 - 868.9875 Mhz with no problems. There's no known fix to this problem that I've heard of.

The other P25 issue (with the UT-122 board installed) the U.S. version would not decode any digital signals above 780 Mhz at all. The fix to this is to remove a diode, as described on the RadioReference Web Site: http://wiki.radioreference.com/index.php/APCO-25_Reception_Above_780_MHz

The Colorado State digital system uses transmit frequencies 851.00625 - 868.9875 Mhz, thus I can decode transmit frequencies that are below the 866.9999 Mhz cut-off, but I can't use TrunkPCR to automaticaly trunk track the system, as I can't receive any of the control frequencies on the upper end. sucks...

You would think Icom would have researched this issue better before releasing a radio with P25 Digital capabilities.

Terry

703. RE: [TrunkPCR] Re: Trunking Not working on PCR-2500 single mode

Yahoo group: TrunkPCR
Date: 2007-04-08 03:40:20 UTC
From: Fred Flowers
Topic: 693 Message: 703

The way I handled it, was to buy a P2500 from the guy on eBay from Taiwan. No blocks & does P25. I don't know about above 780. 470 is as high as it gets around here.
Fred N4GER

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Terry Breitenfeldt
Sent: Saturday, April 07, 2007 6:02 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Trunking Not working on PCR-2500 single mode

I wanted to clarify something. The U.S. version will not receive frequencies from 866.9999 - 868.9875 Mhz), which unfortunately is where many P25 Control frequencies are located. I can only assume it was an oversight by Icom, as my Radio Shack PRO-96 digital scanner covers 849.0000 - 868.9875 Mhz with no problems. There's no known fix to this problem that I've heard of.

The other P25 issue (with the UT-122 board installed) the U.S. version would not decode any digital signals above 780 Mhz at all. The fix to this is to remove a diode, as described on the RadioReference Web Site: http://wiki.radioreference.com/index.php/APCO-25_Reception_Above_780_MHz

The Colorado State digital system uses transmit frequencies 851.00625 - 868.9875 Mhz, thus I can decode transmit frequencies that are below the 866.9999 Mhz cut-off, but I can't use TrunkPCR to automaticaly trunk track the system, as I can't receive any of the control frequencies on the upper end. sucks...

You would think Icom would have researched this issue better before releasing a radio with P25 Digital capabilities.

Terry

Yahoo! Groups Links

704. Fonts, and Colors in the display for Conventional/Analog

Yahoo group: TrunkPCR
Date: 2007-04-15 18:01:35 UTC
From: pcr1500monitor
Topic: 704 Message: 704

Is there a way to change the fonts, and colors in the display area for Analog/Conventional systems?

I'm thinking something like Veranda, or Arial.

Thanks,

Bill

705. Re: [TrunkPCR] Fonts, and Colors in the display for Conventional/Analog

Yahoo group: TrunkPCR
Date: 2007-04-23 23:34:03 UTC
From: Jay
Topic: 704 Message: 705

Hey Bill,

There isn't any way of changing those for Conventional Systems yet.
Are you thinking of just the Channel Descripton or what else?

Jay
----- Original Message -----
From: pcr1500monitor

Is there a way to change the fonts, and colors in the display area for Analog/Conventional systems?
I'm thinking something like Veranda, or Arial.

Thanks,

Bill

706. audio question

Yahoo group: TrunkPCR
Date: 2007-04-25 17:06:39 UTC
From: Chuck W1WFD & Matt KB1HDT
Topic: 706 Message: 706

I'm running a PCR1000 with WinXP, I can hear the audio from trunked stations only through the laptop when the mike input is not checked, on a Dell Inspiron 2650; I cannot hear out of the PCR1000 when in trunked mode. If I go conventional with this program or any other, I can hear the audio just fine throught the PCR. Any suggestions?

707. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-04-30 02:05:02 UTC
From: Jay
Topic: 706 Message: 707

Hi Chuck,

How do you have the "Packet Connector" connected to your laptop?
Is the Speaker Out from the PCR-1000 connected to the laptop also?

Jay

----- Original Message -----
From: "Chuck W1WFD

> I'm running a PCR1000 with WinXP, I can hear the audio from trunked
> stations only through the laptop when the mike input is not checked,
> on a Dell Inspiron 2650; I cannot hear out of the PCR1000 when in
> trunked mode. If I go conventional with this program or any other, I
> can hear the audio just fine throught the PCR. Any suggestions?

708. Question for the PCR-1500/2500 users

Yahoo group: TrunkPCR
Date: 2007-04-30 02:28:57 UTC
From: Jay
Topic: 708 Message: 708

Hi All,

The PCR-1500/2500's contain a feature that's limited in use in Icom's software, but I feel I can put it to better use in TrunkPCR. Icom calls this a "Pocket Beep" and they only use one tone out of it.

There are nine (9) tones available, including a volume setting (the sound comes out of the PCR Speaker)...

How would you suggest we put these tones to use? (They can be used anytime)

Examples of when to use a tone:
1. RF Signal detected.
2. Along with Busy indicator.
3. Frequency Error.
4. Trunking Call activation.
5. Trunking Call end-of-transmission.
or what would you suggest???

I'll add a "Test Feature" in the next update so you can hear these yourself...

Thanks,
Jay

709. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-04-30 10:14:32 UTC
From: chuck edmonson
Topic: 706 Message: 709

no, just the packet to the input of the laptop. If I use conventional scanning banks or any other scanning program, I can hear out of the pcr1000 just fine, only in trunk does it not come out, you hear trunking just throught the laptop.

>From: "Jay" <crazycalifornian@...>
>Reply-To: TrunkPCR@yahoogroups.com
>To: <TrunkPCR@yahoogroups.com>
>Subject: Re: [TrunkPCR] audio question
>Date: Sun, 29 Apr 2007 19:05:02 -0700
>
>Hi Chuck,
>
>How do you have the "Packet Connector" connected to your laptop?
>Is the Speaker Out from the PCR-1000 connected to the laptop also?
>
>Jay
>
>----- Original Message -----
>From: "Chuck W1WFD
>
> > I'm running a PCR1000 with WinXP, I can hear the audio from trunked
> > stations only through the laptop when the mike input is not checked,
> > on a Dell Inspiron 2650; I cannot hear out of the PCR1000 when in
> > trunked mode. If I go conventional with this program or any other, I
> > can hear the audio just fine throught the PCR. Any suggestions?
>
>

Don?t quit your job ? Take Classes Online and Earn your Degree in 1 year.
Start Today!
http://www.classesusa.com/clickcount.cfm?id=866146&goto=http%3A%2F%2Fwww.classesusa.com%2F
featuredschools%2Fonlinedegreesmp%2Fform-dyn1.html%3Fsplovr%3D866144

710. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-04-30 18:00:04 UTC
From: Jay
Topic: 706 Message: 710

Ok, then as long as you have a 3.5mm mono cable connected to the Mic-input
from the packet connector, your connection should be ok.
You should have the Mic-input muted on your mixer playback so you don't hear
the control channel data noise...

Otherwise the trunk conversations will come out of the main speaker.
You might have to turn the volume up to hear from the speaker.

Jay

----- Original Message -----
From: "chuck edmonson"
> no, just the packet to the input of the laptop. If I use conventional
> scanning banks or any other scanning program, I can hear out of the
pcr1000
> just fine, only in trunk does it not come out, you hear trunking just
> throught the laptop.
>
>
> >From: "Jay"> >
> >Hi Chuck,
> >
> >How do you have the "Packet Connector" connected to your laptop?
> >Is the Speaker Out from the PCR-1000 connected to the laptop also?
> >
> >Jay
> >
> >----- Original Message -----
> >From: "Chuck W1WFD
> > > I'm running a PCR1000 with WinXP, I can hear the audio from trunked
> > > stations only through the laptop when the mike input is not checked,
> > > on a Dell Inspiron 2650; I cannot hear out of the PCR1000 when in
> > > trunked mode. If I go conventional with this program or any other, I
> > > can hear the audio just fine throught the PCR. Any suggestions?

711. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-01 02:40:52 UTC
From: chuck edmonson
Topic: 706 Message: 711

When I check the mic to mute it, I cannot hear the trunked audio, not out of the laptop or the pcr1000; when in trunk mode. For me to hear audio out of the pcr1000, I have to be doing conventional bank scanning.

>From: "Jay" <crazycalifornian@...>
>Reply-To: TrunkPCR@yahoogroups.com
>To: <TrunkPCR@yahoogroups.com>
>Subject: Re: [TrunkPCR] audio question
>Date: Mon, 30 Apr 2007 11:00:04 -0700
>
>Ok, then as long as you have a 3.5mm mono cable connected to the Mic-input
>from the packet connector, your connection should be ok.
>You should have the Mic-input muted on your mixer playback so you don't
>hear
>the control channel data noise...
>
>Otherwise the trunk conversations will come out of the main speaker.
>You might have to turn the volume up to hear from the speaker.
>
>Jay
>
>----- Original Message -----
>From: "chuck edmonson"
> > no, just the packet to the input of the laptop. If I use conventional
> > scanning banks or any other scanning program, I can hear out of the
>pcr1000
> > just fine, only in trunk does it not come out, you hear trunking just
> > throught the laptop.
> >
> >
> > >From: "Jay"> >
> > >Hi Chuck,
> > >
> > >How do you have the "Packet Connector" connected to your laptop?
> > >Is the Speaker Out from the PCR-1000 connected to the laptop also?
> > >
> > >Jay
> > >
> > >----- Original Message -----
> > >From: "Chuck W1WFD
> > > > I'm running a PCR1000 with WinXP, I can hear the audio from trunked
> > > > stations only through the laptop when the mike input is not checked,
> > > > on a Dell Inspiron 2650; I cannot hear out of the PCR1000 when in
> > > > trunked mode. If I go conventional with this program or any other, I
> > > > can hear the audio just fine throught the PCR. Any suggestions?

>
>

_____
Download Messenger. Join the i?m Initiative. Help make a difference today.
http://im.live.com/messenger/im/home/?source=TAGHM_APR07

712. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-01 15:49:50 UTC
From: Jay
Topic: 706 Message: 712

Are you able to decode the control channel ok?
Did you follow the help page on setting up the program for trunking?

On a propper set-up, you should have the Line-In/Mic input muted on the playback mixer so you don't hear the control channel noise through your PC while trunking...
As in conventional scanning, you will hear the trunk conversations out of the PCR Speaker (If you don't have an external speaker plugged in)...

----- Original Message -----
From: "chuck edmonson"
> When I check the mic to mute it, I cannot hear the trunked audio, not out of
> the laptop or the pcr1000; when in trunk mode. For me to hear audio out of
> the pcr1000, I have to be doing conventional bank scanning.
>
> >From: "Jay"
> >
> >Ok, then as long as you have a 3.5mm mono cable connected to the Mic-input
> >from the packet connector, your connection should be ok.
> >You should have the Mic-input muted on your mixer playback so you don't
> >hear
> >the control channel data noise...
> >
> >Otherwise the trunk conversations will come out of the main speaker.
> >You might have to turn the volume up to hear from the speaker.
> >
> >Jay
> >
> >----- Original Message -----
> >From: "chuck edmonson"
> > > no, just the packet to the input of the laptop. If I use conventional
> > > scanning banks or any other scanning program, I can hear out of the
> >pcr1000
> > > just fine, only in trunk does it not come out, you hear trunking just
> > > throught the laptop.
> > >
> > >
> > > >From: "Jay"> >
> > > >Hi Chuck,
> > > >
> > > >How do you have the "Packet Connector" connected to your laptop?
> > > >Is the Speaker Out from the PCR-1000 connected to the laptop also?

> > > >
> > > >Jay
> > > >
> > > >----- Original Message -----
> > > >From: "Chuck W1WFD
> > > > > I'm running a PCR1000 with WinXP, I can hear the audio from
trunked
> > > > > stations only through the laptop when the mike input is not
checked,
> > > > > on a Dell Inspiron 2650; I cannot hear out of the PCR1000 when in
> > > > > trunked mode. If I go conventional with this program or any other,
I
> > > > > can hear the audio just fine throught the PCR. Any suggestions?
> >
> >
>
> _____
> Download Messenger. Join the i'm Initiative. Help make a difference today.
> http://im.live.com/messenger/im/home/?source=TAGHM_APR07
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

713. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-02 02:48:45 UTC
From: chuck edmonson
Topic: 706 Message: 713

conventional is no problem, I hear the audio out of the pcr1000, If I try
and trunk listen, the only way to hear the audio is to NOT check the mic, I
have to hear the control channel buzz, and the audio from the trunking ONLY
comes through the laptop, no audio comes out of the PCR1000 when in
trunking; I can turn the pcr audio up til I'm blue, and nothing; the audio
is out of the pc.

>From: "Jay" <crazycalifornian@...>
>Reply-To: TrunkPCR@yahoogroups.com
>To: <TrunkPCR@yahoogroups.com>
>Subject: Re: [TrunkPCR] audio question
>Date: Tue, 1 May 2007 08:49:50 -0700
>
>Are you able to decode the control channel ok?
>Did you follow the help page on setting up the program for trunking?
>
>On a propper set-up, you should have the Line-In/Mic input muted on the
>playback mixer so you don't hear the control channel noise through your PC
>while trunking...
>As in conventional scanning, you will hear the trunk conversations out of
>the PCR Speaker (If you don't have an external speaker plugged in)...
>
>
>----- Original Message -----
>From: "chuck edmonson"
> > When I check the mic to mute it, I cannot hear the trunked audio, not
>out
>of
> > the laptop or the pcr1000; when in trunk mode. For me to hear audio out
>of
> > the pcr1000, I have to be doing conventional bank scanning.
> >
> > >From: "Jay"
> > >
> > >Ok, then as long as you have a 3.5mm mono cable connected to the
>Mic-input
> > >from the packet connector, your connection should be ok.
> > >You should have the Mic-input muted on your mixer playback so you don't
> > >hear
> > >the control channel data noise...
> > >
> > >Otherwise the trunk conversations will come out of the main speaker.
> > >You might have to turn the volume up to hear from the speaker.
> > >
> > >Jay

> > >
> > >----- Original Message -----
> > >From: "chuck edmonson"
> > > > no, just the packet to the input of the laptop. If I use
>conventional
> > > > scanning banks or any other scanning program, I can hear out of the
> > >pcr1000
> > > > just fine, only in trunk does it not come out, you hear trunking
>just
> > > > throught the laptop.
> > > >
> > > >
> > > > >From: "Jay"> >
> > > > >Hi Chuck,
> > > > >
> > > > >How do you have the "Packet Connector" connected to your laptop?
> > > > >Is the Speaker Out from the PCR-1000 connected to the laptop also?
> > > > >
> > > > >Jay
> > > > >
> > > > >----- Original Message -----
> > > > >From: "Chuck W1WFD
> > > > > > I'm running a PCR1000 with WinXP, I can hear the audio from
>trunked
> > > > > > stations only through the laptop when the mike input is not
>checked,
> > > > > > on a Dell Inspiron 2650; I cannot hear out of the PCR1000 when
>in
> > > > > > trunked mode. If I go conventional with this program or any
>other,
>I
> > > > > > can hear the audio just fine throught the PCR. Any suggestions?
> > > >
> > >
> >
> > _____
> > Download Messenger. Join the i'm Initiative. Help make a difference
>today.
> > http://im.live.com/messenger/im/home/?source=TAGHM_APR07
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>

Get a FREE Web site, company branded e-mail and more from Microsoft Office
Live! http://clk.atdmt.com/MRT/go/mcrssaub0050001411mrt/direct/01/

714. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-02 02:50:36 UTC
From: chuck edmonson
Topic: 706 Message: 714

I followed the help page, you asked me that before, and the
only way to hear the audio in trunking is through the laptop with the
control buzz.

>From: "Jay" <crazycalifornian@...>
>Reply-To: TrunkPCR@yahoogroups.com
>To: <TrunkPCR@yahoogroups.com>
>Subject: Re: [TrunkPCR] audio question
>Date: Tue, 1 May 2007 08:49:50 -0700
>
>Are you able to decode the control channel ok?
>Did you follow the help page on setting up the program for trunking?
>
>On a propper set-up, you should have the Line-In/Mic input muted on the
>playback mixer so you don't hear the control channel noise through your PC
>while trunking...
>As in conventional scanning, you will hear the trunk conversations out of
>the PCR Speaker (If you don't have an external speaker plugged in)...
>
>
>----- Original Message -----
>From: "chuck edmonson"
> > When I check the mic to mute it, I cannot hear the trunked audio, not
>out
>of
> > the laptop or the pcr1000; when in trunk mode. For me to hear audio out
>of
> > the pcr1000, I have to be doing conventional bank scanning.
> >
> > >From: "Jay"
> > >
> > >Ok, then as long as you have a 3.5mm mono cable connected to the
>Mic-input
> > >from the packet connector, your connection should be ok.
> > >You should have the Mic-input muted on your mixer playback so you don't
> > >hear
> > >the control channel data noise...
> > >
> > >Otherwise the trunk conversations will come out of the main speaker.
> > >You might have to turn the volume up to hear from the speaker.
> > >
> > >Jay
> > >
> > >----- Original Message -----
> > >From: "chuck edmonson"

> > > > no, just the packet to the input of the laptop. If I use
>conventional
> > > > scanning banks or any other scanning program, I can hear out of the
> > >pcr1000
> > > > just fine, only in trunk does it not come out, you hear trunking
>just
> > > > throught the laptop.
> > > >
> > > >
> > > > >From: "Jay"> >
> > > > >Hi Chuck,
> > > > >
> > > > >How do you have the "Packet Connector" connected to your laptop?
> > > > >Is the Speaker Out from the PCR-1000 connected to the laptop also?
> > > > >
> > > > >Jay
> > > > >
> > > > >----- Original Message -----
> > > > >From: "Chuck W1WFD
> > > > > > I'm running a PCR1000 with WinXP, I can hear the audio from
>trunked
> > > > > > stations only through the laptop when the mike input is not
>checked,
> > > > > > on a Dell Inspiron 2650; I cannot hear out of the PCR1000 when
>in
> > > > > > trunked mode. If I go conventional with this program or any
>other,
>I
> > > > > > can hear the audio just fine throught the PCR. Any suggestions?
> > >
> > >
> >
> > _____
> > Download Messenger. Join the i'm Initiative. Help make a difference
>today.
> > http://im.live.com/messenger/im/home/?source=TAGHM_APR07
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>

_____
Don?t quit your job ? Take Classes Online and Earn your Degree in 1 year.
Start Today!

http://www.classesusa.com/clickcount.cfm?id=866146&goto=http%3A%2F%2Fwww.classesusa.com%2Ffeaturedschools%2Fonlinedegreesmp%2Fform-dyn1.html%3Fsplovr%3D866144

715. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-02 03:08:53 UTC
From: Glenn
Topic: 706 Message: 715

Try a external speaker on you PCR, IE. Cheep set of computer speakers.Make sure this is the only thing hooked to the speaker out of the PCR.I had put a mono plug on a set of cheep powered laptop speakers for my PCR since the audio from the stock speaker isnt good.
Is this a PCR1000?
Inside of the PCR1000 is a switch that will cut the audio level down so that the pcr can be hooked to a PC line-in or microphone without over driving the soundcard inputs.This may have been set to low output in your model, if it is a PCR1000. For the PCR 100 or 1500/2500 I have no knowledge that this switch exists.
I have mine set to low output since i like to decode ACARS and HFDL, thats the reason I use a set of powered pc speakers for audio out when i need it.
PACKET output needs to be hooked to the line-in of the soundcard.
Audio out to speakers.
I listen into the computer speakers when trunking for trouble shooting.
And your speaker can be unhooked as Jay may have indicated.
Glenn
kd5dga
http://home.earthlink.net/~kd5dga/

P.s. I see that you have a PCR1000 from the message below.

----- Original Message -----
From: "chuck edmonson" <no-spam-wanted@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Tuesday, May 01, 2007 9:50 PM
Subject: Re: [TrunkPCR] audio question

>I followed the help page, you asked me that before, and the
> only way to hear the audio in trunking is through the laptop with the
> control buzz.
>
>
>>From: "Jay" <crazycalifornian@...>
>>Reply-To: TrunkPCR@yahoogroups.com
>>To: <TrunkPCR@yahoogroups.com>
>>Subject: Re: [TrunkPCR] audio question
>>Date: Tue, 1 May 2007 08:49:50 -0700
>>
>>Are you able to decode the control channel ok?
>>Did you follow the help page on setting up the program for trunking?
>>
>>On a propper set-up, you should have the Line-In/Mic input muted on the
>>playback mixer so you don't hear the control channel noise through your
>>PC
>>while trunking...

>>As in conventional scanning, you will hear the trunk conversations out of
>>the PCR Speaker (If you don't have an external speaker plugged in)...
>>
>>
>>----- Original Message -----
>>From: "chuck edmonson"
>> > When I check the mic to mute it, I cannot hear the trunked audio, not
>>out
>>of
>> > the laptop or the pcr1000; when in trunk mode. For me to hear audio
>> > out
>>of
>> > the pcr1000, I have to be doing conventional bank scanning.
>> >
>> > >From: "Jay"
>> > >
>> > >Ok, then as long as you have a 3.5mm mono cable connected to the
>>Mic-input
>> > >from the packet connector, your connection should be ok.
>> > >You should have the Mic-input muted on your mixer playback so you
>> > >don't
>> > >hear
>> > >the control channel data noise...
>> > >
>> > >Otherwise the trunk conversations will come out of the main speaker.
>> > >You might have to turn the volume up to hear from the speaker.
>> > >
>> > >Jay
>> > >
>> > >----- Original Message -----
>> > >From: "chuck edmonson"
>> > > > no, just the packet to the input of the laptop. If I use
>>conventional
>> > > > scanning banks or any other scanning program, I can hear out of the
>> > >pcr1000
>> > > > just fine, only in trunk does it not come out, you hear trunking
>>just
>> > > > throught the laptop.
>> > > >
>> > > >
>> > > > >From: "Jay"> >
>> > > > >Hi Chuck,
>> > > > >
>> > > > >How do you have the "Packet Connector" connected to your laptop?
>> > > > >Is the Speaker Out from the PCR-1000 connected to the laptop also?
>> > > > >
>> > > > >Jay
>> > > > >
>> > > > >----- Original Message -----
>> > > > >From: "Chuck W1WFD

>> > > > > > I'm running a PCR1000 with WinXP, I can hear the audio from
>>trunked
>> > > > > > stations only through the laptop when the mike input is not
>>checked,
>> > > > > > on a Dell Inspiron 2650; I cannot hear out of the PCR1000 when
>>in
>> > > > > > trunked mode. If I go conventional with this program or any
>>other,
>>I
>> > > > > > can hear the audio just fine throught the PCR. Any suggestions?
>> > >
>> > >
>> >
>> > _____
>> > Download Messenger. Join the i'm Initiative. Help make a difference
>>today.
>> > http://im.live.com/messenger/im/home/?source=TAGHM_APR07
>> >
>> >
>> >
>> >
>> > Yahoo! Groups Links
>> >
>> >
>> >
>> >
>>
>
> _____
> Don't quit your job - Take Classes Online and Earn your Degree in 1 year.
> Start Today!
> http://www.classesusa.com/clickcount.cfm?id=866146&goto=http%3A%2F%2Fwww.classesusa.com%
2Ffeaturedschools%2Fonlinedegreesmp%2Fform-dyn1.html%3Fsplovr%3D866144
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
> --
> No virus found in this incoming message.
> Checked by AVG Free Edition.
> Version: 7.5.467 / Virus Database: 269.6.2/782 - Release Date: 5/1/2007
> 2:10 AM
>
>

716. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-02 19:17:31 UTC
From: chuck edmonson
Topic: 706 Message: 716

I can try the external speaker, but seeing that I get audio when listening to conventional scanning and with every other scanner program, scancat gold, probe, pcr1000 v2.2 and this one when in conventional ect, I would have to say it's something else. Trunking is the only audio that will not come out of the pcr1000. Trunking only comes through the laptop with the control channel buzz

>From: "Glenn" <kd5dga@...>
>Reply-To: TrunkPCR@yahoogroups.com
>To: <TrunkPCR@yahoogroups.com>
>Subject: Re: [TrunkPCR] audio question
>Date: Tue, 1 May 2007 22:08:53 -0500
>
>Try a external speaker on you PCR, IE. Cheep set of computer speakers.Make
>sure this is the only thing hooked to the speaker out of the PCR.I had put
>a
>mono plug on a set of cheep powered laptop speakers for my PCR since the
>audio from the stock speaker isnt good.
>Is this a PCR1000?
>Inside of the PCR1000 is a switch that will cut the audio level down so
>that
>the pcr can be hooked to a PC line-in or microphone without over driving
>the
>soundcard inputs.This may have been set to low output in your model, if it
>is a PCR1000. For the PCR 100 or 1500/2500 I have no knowledge that this
>switch exists.
>I have mine set to low output since i like to decode ACARS and HFDL, thats
>the reason I use a set of powered pc speakers for audio out when i need it.
>PACKET output needs to be hooked to the line-in of the soundcard.
>Audio out to speakers.
>I listen into the computer speakers when trunking for trouble shooting.
>And your speaker can be unhooked as Jay may have indicated.
>Glenn
>kd5dga
>http://home.earthlink.net/~kd5dga/
>
>P.s. I see that you have a PCR1000 from the message below.
>
>
>
>----- Original Message -----
>From: "chuck edmonson" <no-spam-wanted@...>
>To: <TrunkPCR@yahoogroups.com>
>Sent: Tuesday, May 01, 2007 9:50 PM
>Subject: Re: [TrunkPCR] audio question

>
>
> >I followed the help page, you asked me that before, and the
> > only way to hear the audio in trunking is through the laptop with the
> > control buzz.
> >
> >
> >>From: "Jay" <crazycalifornian@...>
> >>Reply-To: TrunkPCR@yahoogroups.com
> >>To: <TrunkPCR@yahoogroups.com>
> >>Subject: Re: [TrunkPCR] audio question
> >>Date: Tue, 1 May 2007 08:49:50 -0700
> >>
> >>Are you able to decode the control channel ok?
> >>Did you follow the help page on setting up the program for trunking?
> >>
> >>On a propper set-up, you should have the Line-In/Mic input muted on the
> >>playback mixer so you don't hear the control channel noise through your
> >>PC
> >>while trunking...
> >>As in conventional scanning, you will hear the trunk conversations out
>of
> >>the PCR Speaker (If you don't have an external speaker plugged in)...
> >>
> >>
> >>----- Original Message -----
> >>From: "chuck edmonson"
> >> > When I check the mic to mute it, I cannot hear the trunked audio, not
> >>out
> >>of
> >> > the laptop or the pcr1000; when in trunk mode. For me to hear audio
> >> > out
> >>of
> >> > the pcr1000, I have to be doing conventional bank scanning.
> >> >
> >> > >From: "Jay"
> >> > >
> >> > >Ok, then as long as you have a 3.5mm mono cable connected to the
> >>Mic-input
> >> > >from the packet connector, your connection should be ok.
> >> > >You should have the Mic-input muted on your mixer playback so you
> >> > >don't
> >> > >hear
> >> > >the control channel data noise...
> >> > >
> >> > >Otherwise the trunk conversations will come out of the main speaker.
> >> > >You might have to turn the volume up to hear from the speaker.
> >> > >
> >> > >Jay
> >> > >

> >> > >----- Original Message -----
> >> > >From: "chuck edmonson"
> >> > > > no, just the packet to the input of the laptop. If I use
> >>conventional
> >> > > > scanning banks or any other scanning program, I can hear out of
>the
> >> > >pcr1000
> >> > > > just fine, only in trunk does it not come out, you hear trunking
> >>just
> >> > > > throught the laptop.
> >> > > >
> >> > > >
> >> > > > >From: "Jay"> >
> >> > > > >Hi Chuck,
> >> > > > >
> >> > > > >How do you have the "Packet Connector" connected to your laptop?
> >> > > > >Is the Speaker Out from the PCR-1000 connected to the laptop
>also?
> >> > > > >
> >> > > > >Jay
> >> > > > >
> >> > > > >----- Original Message -----
> >> > > > >From: "Chuck W1WFD
> >> > > > > > I'm running a PCR1000 with WinXP, I can hear the audio from
> >>trunked
> >> > > > > > stations only through the laptop when the mike input is not
> >>checked,
> >> > > > > > on a Dell Inspiron 2650; I cannot hear out of the PCR1000
>when
> >>in
> >> > > > > > trunked mode. If I go conventional with this program or any
> >>other,
> >>I
> >> > > > > > can hear the audio just fine throught the PCR. Any
>suggestions?
> >> > >
> >> > >
> >> >
> >> > _____
> >> > Download Messenger. Join the i'm Initiative. Help make a difference
> >>today.
> >> > http://im.live.com/messenger/im/home/?source=TAGHM_APR07
> >> >
> >> >
> >> >
> >> >
> >> > Yahoo! Groups Links
> >> >
> >> >
> >> >

> >> >
> >>
> >
> > _____
> > Don't quit your job - Take Classes Online and Earn your Degree in 1
>year.
> > Start Today!
> >
>http://www.classesusa.com/clickcount.cfm?id=866146&goto=http%3A%2F%2Fwww.classesusa.com%2
Ffeaturedschools%2Fonlinedegreesmp%2Fform-dyn1.html%3Fsplovr%3D866144
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> > --
> > No virus found in this incoming message.
> > Checked by AVG Free Edition.
> > Version: 7.5.467 / Virus Database: 269.6.2/782 - Release Date: 5/1/2007
> > 2:10 AM
> >
> >
>

_____
Mortgage refinance is Hot. *Terms. Get a 5.375%* fix rate. Check savings
https://www2.nextag.com/goto.jsp?product=100000035&url=%2fst.jsp&tm=y&search=mortgage_text
_links_88_h2bbb&disc=y&vers=925&s=4056&p=5117

717. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-02 20:37:36 UTC
From: Jay
Topic: 706 Message: 717

That's strange... Because TrunkPCR sets the frequency, mode and filter the same way in conventional and trunking. If it works in conventional, it should be working in trunking...

What Mode and I.F. Filter is set in the channel for the control channels (before you click Trunk)?
They should be set to FM (FSK on a PCR-100/1000) and 15khz filter. Changing the Filter and Mode while trunking has no affect (right now).

What about the Volume and Squelch levels? where are they set at?

While trunking, click the "Control" Button. After you get a few channels showing activity, click on the LCN or Frequency of an active call to Direct Tune to a call...

Can you send a few pics, 1 of the main window, 1 of the Trunk Settings and 1 of the CC Activity Control List?

Thanks,
Jay

----- Original Message -----
From: "chuck edmonson"
> I can try the external speaker, but seeing that I get audio when listening
> to conventional scanning and with every other scanner program, scancat gold,
> probe, pcr1000 v2.2 and this one when in conventional ect, I would have to
> say it's something else. Trunking is the only audio that will not come out
> of the pcr1000. Trunking only comes through the laptop with the control
> channel buzz

718. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-03 01:07:40 UTC
From: jack goetz
Topic: 706 Message: 718

Jay,
What about the switch inside the pcr1000 that puts the speaker to exterior or interior?
Jack

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, May 02, 2007 1:37 PM
Subject: Re: [TrunkPCR] audio question

That's strange... Because TrunkPCR sets the frequency, mode and filter the
same way in conventional and trunking. If it works in conventional, it
should be working in trunking...

What Mode and I.F. Filter is set in the channel for the control channels
(before you click Trunk)?
They should be set to FM (FSK on a PCR-100/1000) and 15khz filter. Changing
the Filter and Mode while trunking has no affect (right now).

What about the Volume and Squelch levels? where are they set at?

While trunking, click the "Control" Button. After you get a few channels
showing activity, click on the LCN or Frequency of an active call to Direct
Tune to a call...

Can you send a few pics, 1 of the main window, 1 of the Trunk Settings and 1
of the CC Activity Control List?

Thanks,
Jay

----- Original Message -----
From: "chuck edmonson"
> I can try the external speaker, but seeing that I get audio when listening
> to conventional scanning and with every other scanner program, scancat
gold,
> probe, pcr1000 v2.2 and this one when in conventional ect, I would have to
> say it's something else. Trunking is the only audio that will not come out
> of the pcr1000. Trunking only comes through the laptop with the control
> channel buzz

719. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-03 02:12:46 UTC
From: Glenn
Topic: 706 Message: 719

it cuts the audio output of the PCR down for computer use. It also effects the speaker level too.
This switch does not effect the packet output levels.
Glenn
----- Original Message -----
From: jack goetz
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, May 02, 2007 8:07 PM
Subject: Re: [TrunkPCR] audio question

Jay,
What about the switch inside the pcr1000 that puts the speaker to exterior or interior?
Jack

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, May 02, 2007 1:37 PM
Subject: Re: [TrunkPCR] audio question

That's strange... Because TrunkPCR sets the frequency, mode and filter the same way in conventional and trunking. If it works in conventional, it should be working in trunking...

What Mode and I.F. Filter is set in the channel for the control channels (before you click Trunk)?
They should be set to FM (FSK on a PCR-100/1000) and 15khz filter. Changing the Filter and Mode while trunking has no affect (right now).

What about the Volume and Squelch levels? where are they set at?

While trunking, click the "Control" Button. After you get a few channels showing activity, click on the LCN or Frequency of an active call to Direct Tune to a call...

Can you send a few pics, 1 of the main window, 1 of the Trunk Settings and 1 of the CC Activity Control List?

Thanks,
Jay

----- Original Message -----
From: "chuck edmonson"
> I can try the external speaker, but seeing that I get audio when listening
> to conventional scanning and with every other scanner program, scancat gold,
> probe, pcr1000 v2.2 and this one when in conventional ect, I would have to

> say it's something else. Trunking is the only audio that will not come out
> of the pcr1000. Trunking only comes through the laptop with the control
> channel buzz

No virus found in this incoming message.
Checked by AVG Free Edition.
Version: 7.5.467 / Virus Database: 269.6.2/784 - Release Date: 5/1/2007 2:57 PM

720. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-03 02:14:33 UTC
From: chuck edmonson
Topic: 706 Message: 720

speaker works fine in conventional mode, never used an external speaker.

>From: "jack goetz" <jackgoetz@...>
>Reply-To: TrunkPCR@yahoogroups.com
>To: <TrunkPCR@yahoogroups.com>
>Subject: Re: [TrunkPCR] audio question
>Date: Wed, 2 May 2007 18:07:40 -0700
>
>Jay,
> What about the switch inside the pcr1000 that puts the speaker to
>exterior or interior?
>Jack
>
> ----- Original Message -----
> From: Jay
> To: TrunkPCR@yahoogroups.com
> Sent: Wednesday, May 02, 2007 1:37 PM
> Subject: Re: [TrunkPCR] audio question
>
>
> That's strange... Because TrunkPCR sets the frequency, mode and filter
>the
> same way in conventional and trunking. If it works in conventional, it
> should be working in trunking...
>
> What Mode and I.F. Filter is set in the channel for the control channels
> (before you click Trunk)?
> They should be set to FM (FSK on a PCR-100/1000) and 15khz filter.
>Changing
> the Filter and Mode while trunking has no affect (right now).
>
> What about the Volume and Squelch levels? where are they set at?
>
> While trunking, click the "Control" Button. After you get a few channels
> showing activity, click on the LCN or Frequency of an active call to
>Direct
> Tune to a call...
>
> Can you send a few pics, 1 of the main window, 1 of the Trunk Settings
>and 1
> of the CC Activity Control List?
>
> Thanks,
> Jay
>

> ----- Original Message -----
> From: "chuck edmonson"
> > I can try the external speaker, but seeing that I get audio when
>listening
> > to conventional scanning and with every other scanner program, scancat
> gold,
> > probe, pcr1000 v2.2 and this one when in conventional ect, I would
>have to
> > say it's something else. Trunking is the only audio that will not come
>out
> > of the pcr1000. Trunking only comes through the laptop with the
>control
> > channel buzz
>
>
>
>

_____
Download Messenger. Join the i?m Initiative. Help make a difference today.
http://im.live.com/messenger/im/home/?source=TAGHM_APR07

721. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-03 02:23:36 UTC
From: Jay
Topic: 706 Message: 721

If he had the internal switch set to "PHONES" instead of "SPEAKER", I wouldn't think that you could hear to well out of the internal speaker?

Chuck,
Do you have an old PCR-1000 that uses the Packet and Ext. Speaker as the same connector?
I had heard that some of the really early models did this by setting the internal switch?

----- Original Message -----
From: jack goetz

Jay,
What about the switch inside the pcr1000 that puts the speaker to exterior or interior?
Jack

----- Original Message -----
From: Jay

That's strange... Because TrunkPCR sets the frequency, mode and filter the same way in conventional and trunking. If it works in conventional, it should be working in trunking...

What Mode and I.F. Filter is set in the channel for the control channels (before you click Trunk)?
They should be set to FM (FSK on a PCR-100/1000) and 15khz filter. Changing the Filter and Mode while trunking has no affect (right now).

What about the Volume and Squelch levels? where are they set at?

While trunking, click the "Control" Button. After you get a few channels showing activity, click on the LCN or Frequency of an active call to Direct Tune to a call...

Can you send a few pics, 1 of the main window, 1 of the Trunk Settings and 1 of the CC Activity Control List?

Thanks,
Jay

----- Original Message -----
From: "chuck edmonson"
> I can try the external speaker, but seeing that I get audio when listening
> to conventional scanning and with every other scanner program, scancat gold,
> probe, pcr1000 v2.2 and this one when in conventional ect, I would have to
> say it's something else. Trunking is the only audio that will not come out
> of the pcr1000. Trunking only comes through the laptop with the control
> channel buzz

722. Re: [TrunkPCR] audio question

Yahoo group: TrunkPCR
Date: 2007-05-03 13:26:18 UTC
From: chuck edmonson
Topic: 706 Message: 722

no they are seperate on the rear

>From: "Jay" <crazycalifornian@...>
>Reply-To: TrunkPCR@yahoogroups.com
>To: <TrunkPCR@yahoogroups.com>
>Subject: Re: [TrunkPCR] audio question
>Date: Wed, 2 May 2007 19:23:36 -0700
>
>If he had the internal switch set to "PHONES" instead of "SPEAKER", I
>wouldn't think that you could hear to well out of the internal speaker?
>
>Chuck,
>Do you have an old PCR-1000 that uses the Packet and Ext. Speaker as the
>same connector?
>I had heard that some of the really early models did this by setting the
>internal switch?
>
> ----- Original Message -----
> From: jack goetz
>
> Jay,
> What about the switch inside the pcr1000 that puts the speaker to
>exterior or interior?
> Jack
>
> ----- Original Message -----
> From: Jay
>
> That's strange... Because TrunkPCR sets the frequency, mode and filter
>the
> same way in conventional and trunking. If it works in conventional, it
> should be working in trunking...
>
> What Mode and I.F. Filter is set in the channel for the control
>channels
> (before you click Trunk)?
> They should be set to FM (FSK on a PCR-100/1000) and 15khz filter.
>Changing
> the Filter and Mode while trunking has no affect (right now).
>
> What about the Volume and Squelch levels? where are they set at?
>
> While trunking, click the "Control" Button. After you get a few
>channels
> showing activity, click on the LCN or Frequency of an active call to

>Direct
> Tune to a call...
>
> Can you send a few pics, 1 of the main window, 1 of the Trunk Settings
>and 1
> of the CC Activity Control List?
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "chuck edmonson"
> > I can try the external speaker, but seeing that I get audio when
>listening
> > to conventional scanning and with every other scanner program,
>scancat
> gold,
> > probe, pcr1000 v2.2 and this one when in conventional ect, I would
>have to
> > say it's something else. Trunking is the only audio that will not
>come out
> > of the pcr1000. Trunking only comes through the laptop with the
>control
> > channel buzz
>
>
>

_____
Need a break? Find your escape route with Live Search Maps.
http://maps.live.com/default.aspx?ss=Restaurants~Hotels~Amusement%20Park&cp=33.832922~-117
.915659&style=r&lvl=13&tilt=-90&dir=0&alt=-1000&scene=1118863&encType=1&FORM=MGAC01

723. (1) question for Jay (2) Audio issues with new Dell

Yahoo group: TrunkPCR
Date: 2007-05-06 01:12:01 UTC
From: Steve Smith
Topic: 723 Message: 723

(1) Jay, did you receive my registration request (sent to your Hotmail account)?

(2) I've just purchased a new Dell Dimension e520 that uses the Sigmatel audio driver. For some reason, the manufacturer has decided to remove the 'mic' slider and mute from the audio panel. This means that I can't mute the trunking buzz (discriminator audio is sent to the mic input). I've done a bit of research and some people claim that some registry tweaks can be done but they haven't worked for me. Has anyone else encountered this problem?

Steve Smith, WA6SOC
Redwood City, CA

Need Mail bonding?
Go to the Yahoo! Mail Q&A for great tips from Yahoo! Answers users.
http://answers.yahoo.com/dir/?link=list&sid=396546091

724. Re: [TrunkPCR] (1) question for Jay (2) Audio issues with new Dell

Yahoo group: TrunkPCR
Date: 2007-05-06 01:36:25 UTC
From: scosgt@aol.com
Topic: 723 Message: 724

Send it to the line in instead.

****
See
what's free at http://www.aol.com.

725. Re: [TrunkPCR] (1) question for Jay (2) Audio issues with new Dell

Yahoo group: TrunkPCR
Date: 2007-05-06 02:21:15 UTC
From: Steve Smith
Topic: 723 Message: 725

This audio control panel only allows for the 'input monitor' to be muted, thus killing the audio from the mic and line in together.

> *Send it to the line in instead.*
>
>
> **********
> See what's free at http://www.aol.com.
>
>

726. Re: [TrunkPCR] (1) question for Jay (2) Audio issues with new Dell

Yahoo group: TrunkPCR
Date: 2007-05-06 02:23:26 UTC
From: scosgt@aol.com
Topic: 723 Message: 726

But when you mute that, all should work. Just use the radio speaker for audio

****
See what's free at http://www.aol.com.

727. Re: [TrunkPCR] (1) question for Jay (2) Audio issues with new Dell

Yahoo group: TrunkPCR
Date: 2007-05-06 02:46:07 UTC
From: Steve Smith
Topic: 723 Message: 727

You're right, but I prefer the audio through the computer. It looks like
I'll be buying another sound card.

> *But when you mute that, all should work. Just use the radio speaker
> for audio*
>
>
> **********
> See what's free at http://www.aol.com.
>
>

728. Re: (1) question for Jay (2) Audio issues with new Dell

Yahoo group: TrunkPCR
Date: 2007-05-06 02:59:14 UTC
From: Jay
Topic: 723 Message: 728

1) Just sent it... Sorry for the delay..

2) Sounds like a similar problem Chick has. Also a Dell. No fix as of yet...

Jay

--- In TrunkPCR@yahoogroups.com, Steve Smith <ssmith94132@...> wrote:
>
> (1) Jay, did you receive my registration request (sent to your Hotmail account)?
>
> (2) I've just purchased a new Dell Dimension e520 that uses the Sigmatel audio driver. For some reason, the manufacturer has decided to remove the 'mic' slider and mute from the audio panel. This means that I can't mute the trunking buzz (discriminator audio is sent to the mic input). I've done a bit of research and some people claim that some registry tweaks can be done but they haven't worked for me. Has anyone else encountered this problem?
>
> Steve Smith, WA6SOC
> Redwood City, CA

729. Re: [TrunkPCR] Re: (1) question for Jay (2) Audio issues with new Dell

Yahoo group: TrunkPCR
Date: 2007-05-06 03:09:31 UTC
From: Steve Smith
Topic: 723 Message: 729

Just a thought, but if the 'mute' button could be controlled through software, when the audio becomes active ('busy' indicator), the radio could be unmuted. I have no idea how much work that would be, however...

> 1) Just sent it... Sorry for the delay..
>
> 2) Sounds like a similar problem Chick has. Also a Dell. No fix as
> of yet...
>
> Jay
>
> --- In TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>,
> Steve Smith <ssmith94132@...> wrote:
> >
> > (1) Jay, did you receive my registration request (sent to your
> Hotmail account)?
> >
> > (2) I've just purchased a new Dell Dimension e520 that uses the
> Sigmatel audio driver. For some reason, the manufacturer has decided
> to remove the 'mic' slider and mute from the audio panel. This means
> that I can't mute the trunking buzz (discriminator audio is sent to
> the mic input). I've done a bit of research and some people claim
> that some registry tweaks can be done but they haven't worked for me.
> Has anyone else encountered this problem?
> >
> > Steve Smith, WA6SOC
> > Redwood City, CA
>
>

730. Re: [TrunkPCR] (1) question for Jay (2) Audio issues with new Dell

Yahoo group: TrunkPCR
Date: 2007-05-06 11:22:13 UTC
From: Jeff Griffin
Topic: 723 Message: 730

Try a program called QuickMix to adjust and save your soundcard settings...

http://www.ptpart.co.uk/quickmix/

First save your soundcard settings with QuickMix twice, then you can edit one of the saved QMX file with a text editor. Then save the renamed QMX file. I haven't had to do this but it looks like it will work, as it uses common names for the different soundcard settings. I have several computers in my shack, with multiple soundcards in 2 and this program is a soundcard setting life saver...

73 Jeff kb2m

----- Original Message -----
From: "Steve Smith" <ssmith94132@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Saturday, May 05, 2007 9:12 PM
Subject: [TrunkPCR] (1) question for Jay (2) Audio issues with new Dell

> (1) Jay, did you receive my registration request (sent to your Hotmail
> account)?
>
> (2) I've just purchased a new Dell Dimension e520 that uses the Sigmatel
> audio driver. For some reason, the manufacturer has decided to remove the
> 'mic' slider and mute from the audio panel. This means that I can't mute
> the trunking buzz (discriminator audio is sent to the mic input). I've
> done a bit of research and some people claim that some registry tweaks can
> be done but they haven't worked for me. Has anyone else encountered this
> problem?
>
> Steve Smith, WA6SOC
> Redwood City, CA

731. Need some help please

Yahoo group: TrunkPCR
Date: 2007-05-07 11:11:48 UTC
From: Rick
Topic: 731 Message: 731

Hi all, I have got my IC-R2500 and am trying to set it up to track my local GRN trunking system (Mot Type II UHF, Adelaide South Australia).

I am stuck on the very first step...

If your system is a Motorola VHF or UHF or Edacs, then Enter ALL Known Frequencies and their associated LCN (Code) using the Frequency Plan Editor.

How do I find out the LCN?

The details I have for the closest site are.

413.3375 Data Channel
413.0875 Backup Data Channel
415.3375
415.5875
415.8375
416.0875
416.3375
416.5875
416.8375
417.0875
417.3375
417.5875
417.8375

Base 1 = 412.475 Offset = 380 Step = 12.5KHz
Base 2 = 415.125 Offset = 460 Step = 12.5KHz

So I guess what I need to know is what goes where in the Frequency Plan Editor.

I understand you want me to put all the data and voice freq's in the Extended Editor, but what offset do I use, 380 or 460?

Do I put the base freq's in the Editor as well as the data and voice channels?

How do I determine the LCN?

Thanks for any help you can offer me with this,
Rick

732. Re: [TrunkPCR] Need some help please

Yahoo group: TrunkPCR
Date: 2007-05-07 15:07:40 UTC
From: Terry
Topic: 731 Message: 732

Rick

Can't answer all your questions. Just learning about TrunkPCR myself.

LCN=Logical Channel Number

~~~~~~

Base 1 = 412.475 Offset = 380 = Channel 380

412.475 + 0.0125 (12.5 KHz) = Channel 381

keep adding 12.5 KHz all the way up to Channel 459

~~~~~~

Base 2 = 415.125 Offset = 460 = Channel 460

415.125 + 0.0125 (12.5KHz) = Channel 461

etc., etc., up to Channel 758

413.3375 = Channel 449
413.0875 = Channel 429
415.3375 = Channel 477
415.5875 = Channel 497
415.8375 = Channel 517
416.0875 = Channel 537
416.3375 = Channel 557
416.5875 = Channel 577
416.8375 = Channel 597
417.0875 = Channel 617
417.3375 = Channel 637
417.5875 = Channel 657
417.8375 = Channel 677

Terry

733. Re: [TrunkPCR] Need some help please

Yahoo group: TrunkPCR
Date: 2007-05-07 18:12:06 UTC
From: Jay
Topic: 731 Message: 733

Hi Rick,

In the Trunk Settings, click on "Extended", then in the Freq Plan Editor, you would set up the tables as follows:

Base Offset Step LCN Low LCN High
1 412.475 380 12.5 380 459
2 415.125 460 12.5 460 759

The Checkbox in these two entries should be checked to mark them as "In-Use", others should be un-checked...

And just add 13 channels in your Bank and enter these freq in those channels (Mode = FM, Filter = 15Khz).
01 - 413.3375 Data Channel
02 - 413.0875 Backup Data Channel
03 - 415.3375
04 - 415.5875
05 - 415.8375
06 - 416.0875
07 - 416.3375
08 - 416.5875
09 - 416.8375
10 - 417.0875
11 - 417.3375
12 - 417.5875
13 - 417.8375

For it to decode, you may have to toggle the checkbox for Reverse Polarity in the Trunk Settings.

Regards,
Jay

----- Original Message -----
From: "Rick"

> Hi all, I have got my IC-R2500 and am trying to set it up to track my local
> GRN trunking system (Mot Type II UHF, Adelaide South Australia).
>
> The details I have for the closest site are.
>
> Base 1 = 412.475 Offset = 380 Step = 12.5KHz
> Base 2 = 415.125 Offset = 460 Step = 12.5KHz
>
> So I guess what I need to know is what goes where in the Frequency Plan

> Editor.
>
> Thanks for any help you can offer me with this,
> Rick

734. RE: [TrunkPCR] Need some help please

Yahoo group: TrunkPCR
Date: 2007-05-07 21:52:19 UTC
From: Tim Tapio
Topic: 731 Message: 734

How do you like the R2500? I'm thinking of buying one....

Tim T.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Rick
Sent: Monday, May 07, 2007 7:12 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Need some help please

Hi all, I have got my IC-R2500 and am trying to set it up to track my local GRN trunking system (Mot Type II UHF, Adelaide South Australia).

I am stuck on the very first step...

If your system is a Motorola VHF or UHF or Edacs, then Enter ALL Known Frequencies and their associated LCN (Code) using the Frequency Plan Editor.

How do I find out the LCN?

The details I have for the closest site are.

413.3375 Data Channel
413.0875 Backup Data Channel
415.3375
415.5875
415.8375
416.0875
416.3375
416.5875
416.8375
417.0875
417.3375
417.5875
417.8375

Base 1 = 412.475 Offset = 380 Step = 12.5KHz
Base 2 = 415.125 Offset = 460 Step = 12.5KHz

So I guess what I need to know is what goes where in the Frequency Plan Editor.

I understand you want me to put all the data and voice freq's in the Extended Editor, but what offset do I use, 380 or 460?

Do I put the base freq's in the Editor as well as the data and voice channels?

How do I determine the LCN?

Thanks for any help you can offer me with this,
Rick

735. RE: [TrunkPCR] Need some help please

Yahoo group: TrunkPCR
Date: 2007-05-08 01:00:55 UTC
From: Rick
Topic: 731 Message: 735

Thanks Jay,

It is all up and running, now to start adding TG ID's.

Thank you very much for your help and you will be getting a donation from me at the end of the week, great software to go with a great receiver.

Rick

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, 8 May 2007 3:42 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Need some help please

Hi Rick,

In the Trunk Settings, click on "Extended", then in the Freq Plan Editor, you would set up the tables as follows:

Base Offset Step LCN Low LCN High
1 412.475 380 12.5 380 459
2 415.125 460 12.5 460 759

The Checkbox in these two entries should be checked to mark them as "In-Use", others should be un-checked...

And just add 13 channels in your Bank and enter these freq in those channels (Mode = FM, Filter = 15Khz).
01 - 413.3375 Data Channel
02 - 413.0875 Backup Data Channel
03 - 415.3375
04 - 415.5875
05 - 415.8375
06 - 416.0875
07 - 416.3375
08 - 416.5875
09 - 416.8375
10 - 417.0875
11 - 417.3375
12 - 417.5875
13 - 417.8375

For it to decode, you may have to toggle the checkbox for Reverse Polarity in the Trunk Settings.

Regards,
Jay

----- Original Message -----
From: "Rick"

> Hi all, I have got my IC-R2500 and am trying to set it up to track my
local
> GRN trunking system (Mot Type II UHF, Adelaide South Australia).
>
> The details I have for the closest site are.
>
> Base 1 = 412.475 Offset = 380 Step = 12.5KHz
> Base 2 = 415.125 Offset = 460 Step = 12.5KHz
>
> So I guess what I need to know is what goes where in the Frequency Plan
> Editor.
>
> Thanks for any help you can offer me with this,
> Rick

_____ NOD32 2247 (20070507) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

736. RE: [TrunkPCR] Need some help please

Yahoo group: TrunkPCR
Date: 2007-05-08 01:20:46 UTC
From: Rick
Topic: 731 Message: 736

Hi Tim,

I have previously only owned Uniden scanners, 1 x 760, 2 x 780's and 1 x 996. Compared to the Unidens it is a bit of a learning curve to overcome but I think once I have got it sorted out this will become my most used and favourite scanner. To be honest I like my 780's but I wish I had bought the R2500 months ago instead of the 996, if you have the money and are in the market for a new scanner I think it would be hard to go past the R2500.

Rick

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Tim Tapio
Sent: Tuesday, 8 May 2007 7:22 AM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Need some help please

How do you like the R2500? I'm thinking of buying one....

Tim T.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Rick
Sent: Monday, May 07, 2007 7:12 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Need some help please

Hi all, I have got my IC-R2500 and am trying to set it up to track my local GRN trunking system (Mot Type II UHF, Adelaide South Australia).

I am stuck on the very first step...

If your system is a Motorola VHF or UHF or Edacs, then Enter ALL Known Frequencies and their associated LCN (Code) using the Frequency Plan Editor.

How do I find out the LCN?

The details I have for the closest site are.

413.3375 Data Channel
413.0875 Backup Data Channel
415.3375
415.5875
415.8375

416.0875
416.3375
416.5875
416.8375
417.0875
417.3375
417.5875
417.8375

Base 1 = 412.475 Offset = 380 Step = 12.5KHz
Base 2 = 415.125 Offset = 460 Step = 12.5KHz

So I guess what I need to know is what goes where in the Frequency Plan Editor.

I understand you want me to put all the data and voice freq's in the Extended Editor, but what offset do I use, 380 or 460?

Do I put the base freq's in the Editor as well as the data and voice channels?

How do I determine the LCN?

Thanks for any help you can offer me with this,
Rick

_____ NOD32 2248 (20070507) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

737. RE: [TrunkPCR] Need some help please

Yahoo group: TrunkPCR
Date: 2007-05-08 01:30:05 UTC
From: Tim Tapio
Topic: 731 Message: 737

Hi Rick,

It's between the 2500 and the 996....don't really need the HF...and the 996 does trunking without requiring the external software. You think the 2500 is that much better?

Thanks!

Tim T.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Rick
Sent: Monday, May 07, 2007 9:21 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Need some help please

Hi Tim,

I have previously only owned Uniden scanners, 1 x 760, 2 x 780's and 1 x 996. Compared to the Unidens it is a bit of a learning curve to overcome but I think once I have got it sorted out this will become my most used and favourite scanner. To be honest I like my 780's but I wish I had bought the R2500 months ago instead of the 996, if you have the money and are in the market for a new scanner I think it would be hard to go past the R2500.

Rick

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Tim Tapio
Sent: Tuesday, 8 May 2007 7:22 AM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Need some help please

How do you like the R2500? I'm thinking of buying one....

Tim T.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Rick
Sent: Monday, May 07, 2007 7:12 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Need some help please

Hi all, I have got my IC-R2500 and am trying to set it up to track my local GRN trunking system (Mot Type II UHF, Adelaide South Australia).

I am stuck on the very first step...

If your system is a Motorola VHF or UHF or Edacs, then Enter ALL Known Frequencies and their associated LCN (Code) using the Frequency Plan Editor.

How do I find out the LCN?

The details I have for the closest site are.

413.3375 Data Channel
413.0875 Backup Data Channel
415.3375
415.5875
415.8375
416.0875
416.3375
416.5875
416.8375
417.0875
417.3375
417.5875
417.8375

Base 1 = 412.475 Offset = 380 Step = 12.5KHz
Base 2 = 415.125 Offset = 460 Step = 12.5KHz

So I guess what I need to know is what goes where in the Frequency Plan Editor.

I understand you want me to put all the data and voice freq's in the Extended Editor, but what offset do I use, 380 or 460?

Do I put the base freq's in the Editor as well as the data and voice channels?

How do I determine the LCN?

Thanks for any help you can offer me with this,
Rick

_____ NOD32 2248 (20070507) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset. <http://www.eset.com> com

738. Re: Audio issues with new Dell

Yahoo group: TrunkPCR
Date: 2007-05-10 03:08:42 UTC
From: Steve Smith
Topic: 723 Message: 738

All,

Adding a second sound card did the trick! The audio control panel for the (added) Sound Blaster card has the 'mic' setting.

Try a program called QuickMix to adjust and save your soundcard settings...

http://www.ptpart.co.uk/quickmix/

First save your soundcard settings with QuickMix twice, then you can edit one of the saved QMX file with a text editor. Then save the renamed QMX file. I haven't had to do this but it looks like it will work, as it uses common names for the different soundcard settings. I have several computers in my shack, with multiple soundcards in 2 and this program is a soundcard setting life saver...

73 Jeff kb2m

----- Original Message -----
From: "Steve Smith" <ssmith94132@yahoo.com>
To: <TrunkPCR@yahoogroups.com>
Sent: Saturday, May 05, 2007 9:12 PM
Subject: [TrunkPCR] (1) question for Jay (2) Audio issues with new Dell

> (1) Jay, did you receive my registration request (sent to your Hotmail
> account)?
>
> (2) I've just purchased a new Dell Dimension e520 that uses the Sigmatel
> audio driver. For some reason, the manufacturer has decided to remove the
> 'mic' slider and mute from the audio panel. This means that I can't mute
> the trunking buzz (discriminator audio is sent to the mic input). I've
> done a bit of research and some people claim that some registry tweaks can
> be done but they haven't worked for me. Has anyone else encountered this
> problem?
>
> Steve Smith, WA6SOC
> Redwood City, CA

739. ? Trunked Radio Networks in south East UK

Yahoo group: TrunkPCR
Date: 2007-05-12 20:02:50 UTC
From: g7hup
Topic: 739 Message: 739

Can anyone advise of any remaining analogue Trunked Radio Networks in South East UK. My Location is Windsor, Berkshire UK

740. PCR2500

Yahoo group: TrunkPCR
Date: 2007-05-17 14:05:00 UTC
From: Dwayne T Walker
Topic: 740 Message: 740

hi all,
Well I am looking at getting a PCR-2500 and a big part of that is this software. as this is the only software I know of that allows trunking to work with the PCR. Not that I know that much about trunking but I figured I would try and make sure the scanner I got would be able to handle it as I am looking to learn.

One question I had (and this may not be the best place to ask this question) was about the DTMF decoding module for the PCR-2500. it appears that it can't be installed along with the d-star module. is there any reason for the DTMF Decoder? I may be silly but I would assume that is of little use on a receiver?

any comments? suggestions?

741. Re: [TrunkPCR] PCR2500

Yahoo group: TrunkPCR
Date: 2007-05-17 23:56:08 UTC
From: Greg Ella
Topic: 740 Message: 741

Dwayne T Walker wrote:

> hi all,
> Well I am looking at getting a PCR-2500 and a big part of that is this
> software. as this is the only software I know of that allows trunking
> to work with the PCR. Not that I know that much about trunking but I
> figured I would try and make sure the scanner I got would be able to
> handle it as I am looking to learn.
>
> One question I had (and this may not be the best place to ask this
> question) was about the DTMF decoding module for the PCR-2500. it
> appears that it can't be installed along with the d-star module. is
> there any reason for the DTMF Decoder? I may be silly but I would
> assume that is of little use on a receiver?
>
> any comments? suggestions?
>
>

Big chunks of the 800 MHz public safety band are unavailable in the
blocked version of
the PCR2500. If you are purchasing a blocked version, make sure it
covers all of the frequencies of the systems you are interested in first.

742. Bank Sorting...

Yahoo group: TrunkPCR
Date: 2007-05-18 03:16:49 UTC
From: jyams73
Topic: 742 Message: 742

When I chose "Edit" and "Organize Banks", then "Sort by Description" and "Save", the banks still appear as they were before sorting. They sort by description just fine, but then when save and close the sort window, the banks are still in their "unorganized" order. Any suggestions??

Ronc
Memphis

743. pcr2500 has 2 packet outputs

Yahoo group: TrunkPCR
Date: 2007-05-19 20:56:14 UTC
From: burchettetony
Topic: 743 Message: 743

```
the pcr2500 has a packet 1 and packet 2 output which one should i use
or should i get a y adapter and use both
```

744. Re: [TrunkPCR] pcr2500 has 2 packet outputs

Yahoo group: TrunkPCR
Date: 2007-05-20 01:39:12 UTC
From: Jay
Topic: 743 Message: 744

In Single Mode, use Main Receiver to Decode the Control Channel and Packet-1 going to your Line-In on your soundcard.
In Dual Mode, Use the Sub Receiver to Decode the Control Channel and Packet-2 going to your Line-In on your soundcard, The Main Receiver will be used to follow the voice communications...

A Y-cable isn't recommended. In the future, Both Packet-1 and Packet-2 will be used...

Jay.

----- Original Message -----
From: "burchettetony"

> the pcr2500 has a packet 1 and packet 2 output which one should i use
> or should i get a y adapter and use both

745. Re: [TrunkPCR] Bank Sorting...

Yahoo group: TrunkPCR
Date: 2007-05-20 01:49:48 UTC
From: Jay
Topic: 742 Message: 745

Hmmm, it seems that with-out using the mouse to "Drag-n-Drop" the arragement, the banks are not Saved...
I'll fix that tonight... And maybe have the next update out tomorrow. There are also a few more additions I've made in the past month ...

Thanks for the report,
Jay

----- Original Message -----
From: "jyams73"

> When I chose "Edit" and "Organize Banks", then "Sort by Description"
> and "Save", the banks still appear as they were before sorting. They
> sort by description just fine, but then when save and close the sort
> window, the banks are still in their "unorganized" order. Any
> suggestions??
>
> Ronc
> Memphis

747. TrunkPCR version 0.85.221 Now Available

Yahoo group: TrunkPCR
Date: 2007-05-23 21:12:02 UTC
From: Jay
Topic: 747 Message: 747

TrunkPCR version 0.85.221 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few Additions and fixes

Apr 17,2007 - Added: Column Widths in CC Activity Lists are now saved.
Apr 24,2007 - Added: CC Activity Window position now saved.
Apr 24,2007 - Added: User/Radio Messages now displayed in User Status Tab.
Apr 25,2007 - Added: User/Radio Messages can now be edited by clicking on "#" or "Description" item in List.
Apr 27,2007 - -----: Mode & I.F. Filter Buttons now usable while trunking.
May 03,2007 - Added: Moto VHF/UHF Calls can now determine if they are Astro or Analog.
May 05,2007 - -----: Font, Color & User Pic Applied to Radios from Group Affiliation now Selectable in Group ID Edit.
May 06,2007 - Fixed: User Status File name now changed when renaming a Bank Description.
May 06,2007 - Added: Pocket Beep test function for PCR-1500/2500 Radios.
May 19,2007 - Fixed: Saving Bank order when just using "Sort by Desc" in Bank Organizer.
May 19,2007 - Fixed: Selecting propper Bank when the above is completed.
May 19,2007 - -----: Splash Screen will now close 2 seconds after program is finished loading.
May 19,2007 - Added: You can now Set the Program Speed / CPU Usage.
May 20,2007 - -----: Made a small change in the decoder to catch when a Group changes frequency earlier.
May 23,2007 - -----: Boolean values saved in TrunkPcr.ini and Bank files now Read "True" or "False" for all Languages.

Version 0.85.221 Released 05/23/2007

Regards,
Jay

748. Re: [TrunkPCR] TrunkPCR version 0.85.221 Now Available

Yahoo group: TrunkPCR
Date: 2007-05-23 22:44:27 UTC
From: Roger Bailey
Topic: 747 Message: 748

Well I have looked and can't seem to find the new update. If it's on
this web site, Then I must be blind.
Thanks

N6ZOP
Roger Bailey
n6zop@...
RACES Digital officer
Sedgwick County SATERN Coordinator
Have a great day

Jay wrote:
> TrunkPCR version 0.85.221 Now Available for Downloading from homepage:
> http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html
>
> This update has a few Additions and fixes
>
> Apr 17,2007 - Added: Column Widths in CC Activity Lists are now saved.
> Apr 24,2007 - Added: CC Activity Window position now saved.
> Apr 24,2007 - Added: User/Radio Messages now displayed in User Status
> Tab.
> Apr 25,2007 - Added: User/Radio Messages can now be edited by clicking on
> "#" or "Description" item in List.
> Apr 27,2007 - -----: Mode & I.F. Filter Buttons now usable while
> trunking.
> May 03,2007 - Added: Moto VHF/UHF Calls can now determine if they are
> Astro or Analog.
> May 05,2007 - -----: Font, Color & User Pic Applied to Radios from Group
> Affiliation now Selectable in Group ID Edit.
> May 06,2007 - Fixed: User Status File name now changed when renaming a
> Bank Description.
> May 06,2007 - Added: Pocket Beep test function for PCR-1500/2500 Radios.
> May 19,2007 - Fixed: Saving Bank order when just using "Sort by Desc" in
> Bank Organizer.
> May 19,2007 - Fixed: Selecting propper Bank when the above is completed.
> May 19,2007 - -----: Splash Screen will now close 2 seconds after program
> is finished loading.
> May 19,2007 - Added: You can now Set the Program Speed / CPU Usage.
> May 20,2007 - -----: Made a small change in the decoder to catch when a
> Group changes frequency earlier.
> May 23,2007 - -----: Boolean values saved in TrunkPcr.ini and Bank files
> now Read "True" or "False" for all Languages.
>
> Version 0.85.221 Released 05/23/2007
>

> Regards,
> Jay
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

749. Re: [TrunkPCR] TrunkPCR version 0.85.221 Now Available

Yahoo group: TrunkPCR
Date: 2007-05-24 01:06:30 UTC
From: Jay
Topic: 747 Message: 749

The two links are right under the 2nd graphic...

Jay

----- Original Message -----
From: "Roger Bailey"
> Well I have looked and can't seem to find the new update. If it's on
> this web site, Then I must be blind.
> Thanks
>
> N6ZOP
> Roger Bailey
> n6zop@...
> RACES Digital officer
> Sedgwick County SATERN Coordinator
> Have a great day

750. Re: [TrunkPCR] TrunkPCR version 0.85.221 Now Available

Yahoo group: TrunkPCR
Date: 2007-05-24 01:22:07 UTC
From: Roger Bailey
Topic: 747 Message: 750

Hello Jay
The two links go nowhere. They still have the old version number. Plus
it said Not Found
The requested URL /fiftyone.50/TrunkPcr/TrunkPcr_0_84_219_Update.zip was
not found on this server.

N6ZOP
Roger Bailey
n6zop@...
RACES Digital officer
Sedgwick County SATERN Coordinator
Have a great day

Jay wrote:
> The two links are right under the 2nd graphic...
>
> Jay
>
> ----- Original Message -----
> From: "Roger Bailey"
>
>>Well I have looked and can't seem to find the new update. If it's on
>>this web site, Then I must be blind.
>>Thanks
>>
>>N6ZOP
>>Roger Bailey
>>n6zop@...
>>RACES Digital officer
>>Sedgwick County SATERN Coordinator
>>Have a great day
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

751. Re: [TrunkPCR] TrunkPCR version 0.85.221 Now Available

Yahoo group: TrunkPCR
Date: 2007-05-24 02:04:22 UTC
From: Jay
Topic: 747 Message: 751

Try Refreshing the page. You may still have the old html file in a cache...

Jay

----- Original Message -----
From: "Roger Bailey"
> Hello Jay
> The two links go nowhere. They still have the old version number. Plus
> it said Not Found
> The requested URL /fiftyone.50/TrunkPcr/TrunkPcr_0_84_219_Update.zip was
> not found on this server.
>
> N6ZOP
> Roger Bailey
>
> Jay wrote:
> > The two links are right under the 2nd graphic...
> >
> > Jay
> >
> > ----- Original Message -----
> > From: "Roger Bailey"
> >
> >>Well I have looked and can't seem to find the new update. If it's on
> >>this web site, Then I must be blind.
> >>Thanks
> >>
> >>N6ZOP
> >>Roger Bailey
> >>n6zop@...
> >>RACES Digital officer
> >>Sedgwick County SATERN Coordinator
> >>Have a great day
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >

>
>
>
> Yahoo! Groups Links
>
>
>
>

752. Re: [TrunkPCR] TrunkPCR version 0.85.221 Now Available

Yahoo group: TrunkPCR
Date: 2007-05-24 02:12:16 UTC
From: Roger Bailey
Topic: 747 Message: 752

Thanks Jay
Refreshing the screen did the job.
I have them now.
Thanks

N6ZOP
Roger Bailey
n6zop@...
RACES Digital officer
Sedgwick County SATERN Coordinator
Have a great day

Jay wrote:
> Try Refreshing the page. You may still have the old html file in a cache...
>
> Jay
>
> ----- Original Message -----
> From: "Roger Bailey"
>
>>Hello Jay
>>The two links go nowhere. They still have the old version number. Plus
>>it said Not Found
>>The requested URL /fiftyone.50/TrunkPcr/TrunkPcr_0_84_219_Update.zip was
>>not found on this server.
>>
>>N6ZOP
>>Roger Bailey
>>
>>Jay wrote:
>>
>>>The two links are right under the 2nd graphic...
>>>
>>>Jay
>>>
>>>----- Original Message -----
>>>From: "Roger Bailey"
>>>
>>>
>>>>Well I have looked and can't seem to find the new update. If it's on
>>>>this web site, Then I must be blind.
>>>>Thanks
>>>>
>>>>N6ZOP
>>>>Roger Bailey

>>>>n6zop@...
>>>>RACES Digital officer
>>>>Sedgwick County SATERN Coordinator
>>>>Have a great day
>>>
>>>
>>>
>>>
>>>
>>>
>>>Yahoo! Groups Links
>>>
>>>
>>>
>>>
>>>
>>
>>
>>
>>Yahoo! Groups Links
>>
>>
>>
>>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>

753. Reverse Polarity Problem

Yahoo group: TrunkPCR
Date: 2007-05-25 05:00:27 UTC
From: jyams73
Topic: 753 Message: 753

Jay, with the new version the "reverse polarity" check box in Trunk / Settings will not stay checked from one use of the software to the next. When you open up the software for the next monitoring session, you have to go back into the trunk settings and re-check the box for trunking to work properly. That's only started happening with the new version. Did not happen with the old. It happens on all of my trunking banks, of which i have about 4.

thanks,
RonC
Memphis

754. Re: [TrunkPCR] Reverse Polarity Problem

Yahoo group: TrunkPCR
Date: 2007-05-25 05:17:21 UTC
From: Jay
Topic: 753 Message: 754

Got it...

Thanks,
Jay

----- Original Message -----
From: "jyams73" <jyams73@...>
> Jay, with the new version the "reverse polarity" check box in Trunk /
> Settings will not stay checked from one use of the software to the
> next. When you open up the software for the next monitoring session,
> you have to go back into the trunk settings and re-check the box for
> trunking to work properly. That's only started happening with the new
> version. Did not happen with the old. It happens on all of my
> trunking banks, of which i have about 4.
>
> thanks,
> RonC
> Memphis

755. TrunkPCR version 0.85.222 Now Available

Yahoo group: TrunkPCR
Date: 2007-05-25 18:38:26 UTC
From: Jay
Topic: 755 Message: 755

TrunkPCR version 0.85.222 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has one fix.

May 25,2007 - Fixed: Reverse Polarity saved setting.
Version 0.85.222 Released 05/25/2007

Regards,
Jay

756. Priority settings?

Yahoo group: TrunkPCR
Date: 2007-05-25 21:20:22 UTC
From: Rick
Topic: 756 Message: 756

I am having problems setting talk group priorities, they change when I have the editor open, but as soon as I close it they revert back to 50.

Any idea what I am doing wrong? Or even what is the right way to go about changing them?

TG ID's are from a Mot Type II UHF system.

Thanks for any help offered,

Rick

757. Re: [TrunkPCR] Priority settings?

Yahoo group: TrunkPCR
Date: 2007-05-25 23:37:25 UTC
From: Jay
Topic: 756 Message: 757

Hi Rick,

Are you changing the Priority in the Trunk ID Editor or by clicking in the Priority Column in the CC Activity Control list?
Also, after entering a number, do you press the Return/Enter key on the keyboard?

Thanks,
Jay
----- Original Message -----
From: Rick

I am having problems setting talk group priorities, they change when I have the editor open, but as soon as I close it they revert back to 50.

Any idea what I am doing wrong? Or even what is the right way to go about changing them?

TG ID's are from a Mot Type II UHF system.

Thanks for any help offered,

Rick

758. will it work with vista

Yahoo group: TrunkPCR
Date: 2007-05-26 02:11:02 UTC
From: burchettetony
Topic: 758 Message: 758

```
will trunkpcr work with vista
```

759. RE: [TrunkPCR] Priority settings?

Yahoo group: TrunkPCR
Date: 2007-05-26 02:39:10 UTC
From: Rick
Topic: 756 Message: 759

Hi Jay,

I was using the ID Editor but I wasn't hitting Enter, now that I am it is working fine. Thanks for your help. It is much better now I can prioritize the fire service over the public transport.

Rick

_____

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, 26 May 2007 9:07 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Priority settings?

Hi Rick,

Are you changing the Priority in the Trunk ID Editor or by clicking in the Priority Column in the CC Activity Control list?

Also, after entering a number, do you press the Return/Enter key on the keyboard?

Thanks,

Jay

----- Original Message -----

From: Rick <mailto:rick@...>

I am having problems setting talk group priorities, they change when I have the editor open, but as soon as I close it they revert back to 50.

Any idea what I am doing wrong? Or even what is the right way to go about changing them?

TG ID's are from a Mot Type II UHF system.

Thanks for any help offered,

Rick

_____ NOD32 2292 (20070525) Information _____

This message was checked by NOD32 antivirus system.
http://www.eset.com

760. Re: [TrunkPCR] will it work with vista

Yahoo group: TrunkPCR
Date: 2007-05-26 16:53:02 UTC
From: Jay
Topic: 758 Message: 760

There are a few users who are running it on Vista...

Jay

----- Original Message -----
From: "burchettetony"

> will trunkpcr work with vista

761. RE: [TrunkPCR] will it work with vista

Yahoo group: TrunkPCR
Date: 2007-05-27 17:09:05 UTC
From: Mike Curtis (KC)
Topic: 758 Message: 761

Running it under Vista Business as we speak J

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of burchettetony
Sent: Friday, May 25, 2007 7:11 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] will it work with vista

will trunkpcr work with vista

762. TDMA Digital

Yahoo group: TrunkPCR
Date: 2007-06-04 13:31:09 UTC
From: w8azv
Topic: 762 Message: 762

Hello,
I am a new user and been having a blast with
the software. Actually got it working and understand what
I'm doing, I think. Anyway, ran across a system I don't
know anything about and am wondering if its something old repackaged
or what I need to do to copy it?
The Las Vegas Police are going to a system called:
OpenSky Standard
TDMA Digital
What needs to be done to copy this? if anything? my ignorance is
showing...
Thanks for the help and thanks for the package.

Frank
w8azv@...

763. Re: [TrunkPCR] TDMA Digital

Yahoo group: TrunkPCR
Date: 2007-06-07 04:46:58 UTC
From: Steve Smith
Topic: 762 Message: 763

Hi Frank,

Open Sky is VoIP over radio. Every radio has an IP address, just like on your computer. Hobby decoding is a *long* ways off.

For more info, see
http://mrtmag.com/mag/radio_voiceoverintranet_protocol_critical/ .

> Hello,
> I am a new user and been having a blast with
> the software. Actually got it working and understand what
> I'm doing, I think. Anyway, ran across a system I don't
> know anything about and am wondering if its something old repackaged
> or what I need to do to copy it?
> The Las Vegas Police are going to a system called:
> OpenSky Standard
> TDMA Digital
> What needs to be done to copy this? if anything? my ignorance is
> showing...
> Thanks for the help and thanks for the package.
>
> Frank
> w8azv@... <mailto:w8azv%40yahoo.com>
>
>

764. instructions

Yahoo group: TrunkPCR
Date: 2007-06-08 04:51:39 UTC
From: wroscoe2002
Topic: 764 Message: 764

Hi , I have had a quick look at the messages but cannot find any pinned posts or anything regarding setting this program up for the Icom R2500. I have got the P25 module fitted and would like to try and get the NSW Australia frequencies for the GRN , I have tried programming the settings downloaded from Radio Reference files for this area directly into the radio via Icom software and MCH files and have tried importing CSV files into TrunkPCR , can anyone point me in the right direction ?
thanks
Ross

765. instructions

Yahoo group: TrunkPCR
Date: 2007-06-08 12:34:48 UTC
From: burchettetony
Topic: 764 Message: 765

How do you program the freq. and lcn in

766. Re: [TrunkPCR] instructions

Yahoo group: TrunkPCR
Date: 2007-06-08 08:40:00 UTC
From: Terry
Topic: 764 Message: 766

Read the posts by Jay, since about 7 May.

>
>Hi , I have had a quick look at the messages but cannot find any
>pinned posts or anything regarding setting this program up for the
>Icom R2500. I have got the P25 module fitted and would like to try and
>get the NSW Australia frequencies for the GRN , I have tried
>programming the settings downloaded from Radio Reference files for
>this area directly into the radio via Icom software and MCH files and
>have tried importing CSV files into TrunkPCR , can anyone point me in
>the right direction ?
>thanks
>Ross
>

767. Re: [TrunkPCR] instructions

Yahoo group: TrunkPCR
Date: 2007-06-08 17:18:54 UTC
From: Jay
Topic: 764 Message: 767

Hi Tony,

It depends on what system you want to moniotor:

1. For Moto 800 and 900 mhz, you only need to select the configuration in the Trunk Settings.
You should have a channel entry for all frequencies used (order doesn't matter)...

2. For Moto VHF/UHF, you need to select either Custom or Extended Freq Plan. Custom, if you only need one entry to define your frequency range or Extended if you need multiple definitions.
You should have a channel entry for all frequencies used (order doesn't matter)...

3. For Edacs, just select Edacs for your system in the Trunk Settings, then use the Freq Plan Editor to enter the frequencies in LCN order with the associated frequency.
You should have a channel entry for all frequencies used (order should match that of the Freq Plan Editor, although the channel order doesn't really matter to the program)...

Regards,
Jay

----- Original Message -----
From: "burchettetony"

> How do you program the freq. and lcn in

768. EDACS

Yahoo group: TrunkPCR
Date: 2007-06-23 15:44:58 UTC
From: w8azv
Topic: 406 Message: 768

I am having a problem with hearing the audio on the Nevad Shared Radio System, its a EDACS Networked Standard Analog system. I am using a PCR-1000, and the audio is taken directly from the headset plug. The system works great with direct scan, and Motorola scans & trunks great and I can hear the audio. But when I try with EDACS everything seems to work ok. I get Trunk info: Groups 18, Radios 78. 1's 48-52%, 89-93%. But when it gets a hit I don't hear the station nor does it stop or show any indication of activity. I've tried switching around the options but nothing seems to work.
I think this has got to be something really simple and I'm missing it but HELP??? I'm climbing the walls trying to figure out whats going on?
Thanks
Frank w8azv...

769. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-23 19:07:42 UTC
From: scosgt@aol.com
Topic: 406 Message: 769

I have had ongoing problems of the same nature with EDACS. You may have to go back a few versions to find one that works.

****
See what's free at http://www.aol.com.

770. PCR-2500 update

Yahoo group: TrunkPCR
Date: 2007-06-24 17:57:39 UTC
From: dragon85383
Topic: 770 Message: 770

I just updated my PCR-2500 to V2.10 and now TrunkPCR can not find the com port (it does not show as an option). The Icom and TalkPCR programs work just fine. I have rebooted the PC and still no joy. Anyone else have this issue? I am running version 0.85.222 of TrunkPCR.

Thanks,
Chris
Peoria,AZ

771. Re: PCR-2500 update

Yahoo group: TrunkPCR
Date: 2007-06-24 18:14:44 UTC
From: Jay
Topic: 770 Message: 771

Hey Chris,

When you updated the Icom program, did the COM Port get changed to a port higher than 24? Can you check the COM Ports in your Control Panel and see if it is? You might have to change it to a lower number for TrunkPCR to see it...

Thanks,
Jay

--- In TrunkPCR@yahoogroups.com, "dragon85383" <cbailey107@...> wrote:
>
> I just updated my PCR-2500 to V2.10 and now TrunkPCR can not find the
> com port (it does not show as an option). The Icom and TalkPCR
> programs work just fine. I have rebooted the PC and still no joy.
> Anyone else have this issue? I am running version 0.85.222 of TrunkPCR.
>
>
> Thanks,
> Chris
> Peoria,AZ

772. Re: PCR-2500 update

Yahoo group: TrunkPCR
Date: 2007-06-24 19:56:51 UTC
From: dragon85383
Topic: 770 Message: 772

Jay,

A follow up to my last post, I disconnected the cable from the PCR1000 so the PC only has com3 configured and now TrunkPCR does not see any com ports.

Thanks,
Chris

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Chris,
>
> When you updated the Icom program, did the COM Port get changed to a
> port higher than 24? Can you check the COM Ports in your Control
> Panel and see if it is? You might have to change it to a lower
> number for TrunkPCR to see it...
>
> Thanks,
> Jay
>
> --- In TrunkPCR@yahoogroups.com, "dragon85383" <cbailey107@> wrote:
> >
> > I just updated my PCR-2500 to V2.10 and now TrunkPCR can not find
> the
> > com port (it does not show as an option). The Icom and TalkPCR
> > programs work just fine. I have rebooted the PC and still no joy.
> > Anyone else have this issue? I am running version 0.85.222 of
> TrunkPCR.
> >
> >
> > Thanks,
> > Chris
> > Peoria,AZ
>

773. Re: PCR-2500 update

Yahoo group: TrunkPCR
Date: 2007-06-24 19:52:26 UTC
From: dragon85383
Topic: 770 Message: 773

Jay,

It shows up as com3 which is what it was before the upgrade, TrunkPCR
only sees com4 for my PCR-1000 which i not even turned on at this time.

Thanks
Chris

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Chris,
>
> When you updated the Icom program, did the COM Port get changed to a
> port higher than 24? Can you check the COM Ports in your Control
> Panel and see if it is? You might have to change it to a lower
> number for TrunkPCR to see it...
>
> Thanks,
> Jay
>
> --- In TrunkPCR@yahoogroups.com, "dragon85383" <cbailey107@> wrote:
> >
> > I just updated my PCR-2500 to V2.10 and now TrunkPCR can not find
> the
> > com port (it does not show as an option). The Icom and TalkPCR
> > programs work just fine. I have rebooted the PC and still no joy.
> > Anyone else have this issue? I am running version 0.85.222 of
> TrunkPCR.
> >
> >
> > Thanks,
> > Chris
> > Peoria,AZ
>

774. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-24 21:49:39 UTC
From: Jay
Topic: 406 Message: 774

Hey Frank,

When you say "when it gets a hit", is the call being seen in the CC Activity's Control section? but not displayed in the main window?
Is the associated Trunk Bank "TB" Column, Active in the main display (If TB shows "?" is the [?] Trunk Bank in the main display Green or Blue?) The Trunk Bank should be ON (Green) to listen to those Groups in that Trunk Bank...

Jay

----- Original Message -----
From: "w8azv"
> I am having a problem with hearing the audio on the Nevad Shared Radio
> System, its a EDACS Networked Standard Analog system. I am using a PCR-
> 1000, and the audio is taken directly from the headset plug. The
> system works great with direct scan, and Motorola scans & trunks great
> and I can hear the audio. But when I try with EDACS everything seems to
> work ok. I get Trunk info: Groups 18, Radios 78. 1's 48-52%, 89-93%.
> But when it gets a hit I don't hear the station nor does it stop or
> show any indication of activity. I've tried switching around the
> options but nothing seems to work.
> I think this has got to be something really simple and I'm missing it
> but HELP??? I'm climbing the walls trying to figure out whats going on?
> Thanks
> Frank w8azv...

775. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-24 21:52:49 UTC
From: Jay
Topic: 406 Message: 775

I think I've found the reason for the Edacs call skipping and priority issue.
I've been looking at the Priority for Edacs, looks like a bit of rework to be done...
A vaiable I use to test when watching the voice calls for the Edacs Dotting
Sequence & Data Call Decode is also used in Moto calls to watch for Priority
changes in Dual Rcvr mode, so I need to add an additional setting or
something to take care of that... I think that is also the problem why you
get Call Skipping in Edacs...

Jay
----- Original Message -----
From: scosgt@...

I have had ongoing problems of the same nature with EDACS. You may have to go back a few
versions to find one that works.

776. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-24 21:55:21 UTC
From: scosgt@aol.com
Topic: 406 Message: 776

I had the same problems with some versions, remember!
Only with EDACS, not moto

****
See what's
free at http://www.aol.com.

777. Re: [TrunkPCR] Re: PCR-2500 update

Yahoo group: TrunkPCR
Date: 2007-06-24 23:46:19 UTC
From: Glenn
Topic: 770 Message: 777

Com port adapter or straight serial port?
I had this happen with a com port adapter a few versions ago. I was able to go into the com port adapter properties under the device manager and switch back to com-2.
----- Original Message -----
From: dragon85383
To: TrunkPCR@yahoogroups.com
Sent: Sunday, June 24, 2007 2:52 PM
Subject: [TrunkPCR] Re: PCR-2500 update

Jay,

It shows up as com3 which is what it was before the upgrade, TrunkPCR
only sees com4 for my PCR-1000 which i not even turned on at this time.

Thanks
Chris

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Chris,
>
> When you updated the Icom program, did the COM Port get changed to a
> port higher than 24? Can you check the COM Ports in your Control
> Panel and see if it is? You might have to change it to a lower
> number for TrunkPCR to see it...
>
> Thanks,
> Jay
>
> --- In TrunkPCR@yahoogroups.com, "dragon85383" <cbailey107@> wrote:
> >
> > I just updated my PCR-2500 to V2.10 and now TrunkPCR can not find
> the
> > com port (it does not show as an option). The Icom and TalkPCR
> > programs work just fine. I have rebooted the PC and still no joy.
> > Anyone else have this issue? I am running version 0.85.222 of
> TrunkPCR.
> >
> >
> > Thanks,
> > Chris
> > Peoria,AZ
>

778. TrunkPCR version 0.86.223 Now Available

Yahoo group: TrunkPCR
Date: 2007-06-25 03:44:45 UTC
From: Jay
Topic: 778 Message: 778

TrunkPCR version 0.86.223 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few Additions and fixes:

May 31,2007 - Fixed: Tune-to-Group when "Hunt on Data Loss" is selected in Single Rcvr Mode.
May 31,2007 - Fixed: Tune-to-Group now selects propper Mode for Digital Groups for PCR-2500 w/P25 Card.
June 04,2007 - Added: Display of Known Frequencies during Conventional Searching.
June 05,2007 - -----: Scan Speed Knob now usable in a Trunking Bank when Searching in Conventional mode.
June 06,2007 - Added: Report of New Found Frequencies during Conventional Searching (After Clicking HOLD).
June 07,2007 - Added: "Select All" Button on Search Results Display.
June 10,2007 - Fixed: RR Import of Edacs Frequency Plan (caused Program to crash).
June 11,2007 - Added: Compare GroupIDs with RR Import.
June 12,2007 - Fixed: Saving User Status and Radio Message files for Current Bank only
June 16,2007 - Fixed: Color Display of Edacs Private and Data calls in CC Activity.
June 17,2007 - Added: Display of Rejected Users in CC Activity for Edacs.
June 18,2007 - Added: Display of User Status in CC Activity for Edacs.
June 18,2007 - Added: Display of Adjacent Sites in CC Activity for Edacs.
June 19,2007 - Added: MessageBox is displayed when Export to Excel has been completed.
June 20,2007 - -----: Increased size of Trunk ID Editor.
June 20,2007 - Added: DTMF functions for PCR-2500's Dual Receiver.
June 22,2007 - Fixed: Scan/Search starting when Editing Bank/Channel Descriptions.
June 24,2007 - -----: Selected COM Port is now closed after initial check if radio wasn't previously on.
June 24,2007 - Fixed: Changed ToolTips for Strero, WX Alert and Frequency Error indicators.

Version 0.86.223 Released 06/24/2007

Regards,
Jay

779. Re: [TrunkPCR] Re: PCR-2500 update

Yahoo group: TrunkPCR
Date: 2007-06-24 21:31:22 UTC
From: Jay
Topic: 770 Message: 779

Hey Chris,

Ok, I think I have a work-around for you.
1) Click on the Bank label to bring up the Debug Window.
2) If the [Open] button is depressed, click the Close Button.
3) Open the COM Port Selector and verify COM3 isn't greyed out.
4) You should now be able to power on the PCR...

Looks like I need to redo that part (I think the port is being left open
after testing for valid COM Ports)...

Jay

----- Original Message -----
From: "dragon85383"
> Jay,
>
> A follow up to my last post, I disconnected the cable from the PCR1000
> so the PC only has com3 configured and now TrunkPCR does not see any
> com ports.
>
> Thanks,
> Chris

780. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-25 16:18:19 UTC
From: Frank Franzoi
Topic: 406 Message: 780

Jay, When I watch the control function (control channel activity) I see all the various stations coming on line. Or transmitting according to the log. The "?" is green and I see a message in red "Call" on the screen. So there are stations active however the screen just keeps on searching. I t doesn't stop and recieve the transmitting station. I did run it in conventional mode and when I do I hear all of the transmitting stations solidly so they are transmitting ok.
Very strange. Hope this helps. Frank

Jay <crazycalifornian@...> wrote:
Hey Frank,

When you say "when it gets a hit", is the call being seen in the CC Activity's Control section? but not displayed in the main window?
Is the associated Trunk Bank "TB" Column, Active in the main display (If TB shows "?" is the [?] Trunk Bank in the main display Green or Blue?) The Trunk Bank should be ON (Green) to listen to those Groups in that Trunk Bank...

Jay

----- Original Message -----
From: "w8azv"
> I am having a problem with hearing the audio on the Nevad Shared Radio
> System, its a EDACS Networked Standard Analog system. I am using a PCR-
> 1000, and the audio is taken directly from the headset plug. The
> system works great with direct scan, and Motorola scans & trunks great
> and I can hear the audio. But when I try with EDACS everything seems to
> work ok. I get Trunk info: Groups 18, Radios 78. 1's 48-52%, 89-93%.
> But when it gets a hit I don't hear the station nor does it stop or
> show any indication of activity. I've tried switching around the
> options but nothing seems to work.
> I think this has got to be something really simple and I'm missing it
> but HELP??? I'm climbing the walls trying to figure out whats going on?
> Thanks
> Frank w8azv...

Fussy? Opinionated? Impossible to please? Perfect. Join Yahoo!'s user panel and lay it on us.

781. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-26 04:17:00 UTC
From: Jay
Topic: 406 Message: 781

Hey Frank,

Is the red "Call" message in the place of the Group or Radio Description or some other place?

In the Control Channel List, try clicking on the LCN or Frequency of an active call. Does the "Tune to Group" work in that mode?

Open up the Debug Window and see if you see the "Scan: " Messages (top right window) when an Active call is made.

This shouldn't matter, but open the Trunk ID Editor and edit each group's "Scan" Flag; click on a Group in the list, then click the "Scan" button if it isn't already depressed.

Thanks,
Jay

----- Original Message -----
From: Frank Franzoi

Jay, When I watch the control function (control channel activity) I see all the various stations coming on line. Or transmitting according to the log. The "?" is green and I see a message in red "Call" on the screen. So there are stations active however the screen just keeps on searching. I t doesn't stop and recieve the transmitting station. I did run it in conventional mode and when I do I hear all of the transmitting stations solidly so they are transmitting ok.
Very strange. Hope this helps. Frank

Jay <crazycalifornian@...> wrote:
Hey Frank,

When you say "when it gets a hit", is the call being seen in the CC Activity's Control section? but not displayed in the main window?
Is the associated Trunk Bank "TB" Column, Active in the main display (If TB shows "?" is the [?] Trunk Bank in the main display Green or Blue?) The Trunk Bank should be ON (Green) to listen to those Groups in that Trunk Bank...

Jay

----- Original Message -----
From: "w8azv"
> I am having a problem with hearing the audio on the Nevad Shared Radio
> System, its a EDACS Networked Standard Analog system. I am using a PCR-
> 1000, and the audio is taken directly from the headset plug. The
> system works great with direct scan, and Motorola scans & trunks great
> and I can hear the audio. But when I try with EDACS everything seems to
> work ok. I get Trunk info: Groups 18, Radios 78. 1's 48-52%, 89-93%.

> But when it gets a hit I don't hear the station nor does it stop or
> show any indication of activity. I've tried switching around the
> options but nothing seems to work.
> I think this has got to be something really simple and I'm missing it
> but HELP??? I'm climbing the walls trying to figure out whats going on?
> Thanks
> Frank w8azv...

782. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-26 06:07:09 UTC
From: Jay
Topic: 406 Message: 782

Ah yes...

It only works if you start with no ID's saved? But after ID's are saved is when is stops follwing calls?

I found an issue that would affect Edacs systems and a user has a PCR-2500 with P25 card. If the Group ID's fall in the range of the Digital ID Range (normally used for moto), then it would set the mode to P25 instead of FM.

You can try this to see if it works:
Open up your Edacs Bank file (.Bnk) in notepad and add these settings under the [BankInfo] Section:
AstroLow=0
AstroHigh=0

Thanks,
Jay

----- Original Message -----
From: scosgt

I had the same problems with some versions, remember!
Only with EDACS, not moto

783. Re: PCR-2500 update

Yahoo group: TrunkPCR
Date: 2007-06-26 12:57:29 UTC
From: dragon85383
Topic: 770 Message: 783

Jay,

I installed the latest update and i am back in business all is working again, thanks again for the application.

Chris

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Chris,
>
> Ok, I think I have a work-around for you.
> 1) Click on the Bank label to bring up the Debug Window.
> 2) If the [Open] button is depressed, click the Close Button.
> 3) Open the COM Port Selector and verify COM3 isn't greyed out.
> 4) You should now be able to power on the PCR...
>
> Looks like I need to redo that part (I think the port is being left open
> after testing for valid COM Ports)...
>
> Jay
>
> ----- Original Message -----
> From: "dragon85383"
> > Jay,
> >
> > A follow up to my last post, I disconnected the cable from the PCR1000
> > so the PC only has com3 configured and now TrunkPCR does not see any
> > com ports.
> >
> > Thanks,
> > Chris
>

784. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-26 15:46:56 UTC
From: Frank Franzoi
Topic: 406 Message: 784

Jay, Still not working... Let me set up what I have,
1. I tried the Astrolow, AstroHigh No change.
2. The red call shows up under the U/V as:
! Call
3 When I go to the control channel and click on Lcn & Freq the following
shows up:
First of all when I first start up all that shows is the control Freq. and the
Scanning message moving across the screen. When I hit the LCN or Freq the following occurs:

ABCDEFGHIJKLMNOPQRSTUVWXYZ?
Group: 16400 0.0000 !-Call
Group#4010
Radio#0168
Radio: 3600 SRCH
When I hit LCN or Freq it pops the speaker and stays just like above until you click Trunk
again.

My Trunk Settings are as follows:
Allow listening - checked
Switched to control - checked
Number of times 1
Use ESK Mask A0 - Not Checked
Block data calls - checked
9600 Baud
41000 Sample
reversed Polarity Not Checked... Note if you check it you get no readings
Hunt on data loss enabled.

Note: even if I change any of the above no difference except the reverse polarity...
So thats the story. There is activity as it shows groups 50, radios 319
and there is all kind of activity when you monitor the Control.

Frank

Jay <crazycalifornian@...> wrote:
Ah yes...

It only works if you start with no ID's saved? But after ID's are saved is when is stops
follwing calls?

I found an issue that would affect Edacs systems and a user has a PCR-2500 with P25 card.
If the Group ID's fall in the range of the Digital ID Range (normally used for moto), then
it would set the mode to P25 instead of FM.

You can try this to see if it works:
Open up your Edacs Bank file (.Bnk) in notepad and add these settings under the [BankInfo]
Section:

AstroLow=0
AstroHigh=0

Thanks,
Jay

----- Original Message -----
From: scosgt

I had the same problems with some versions, remember!
Only with EDACS, not moto

Get the Yahoo! toolbar and be alerted to new email wherever you're surfing.

785. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-26 17:12:05 UTC
From: Jay
Topic: 406 Message: 785

Hmmmm, ok...

Have you entered the LCN's and Frequencies in the Freq Plan Editor?

Group 16400 (Decimal) is the ID I assign for "I-Calls" (Private).
The frequency is showing 0.0000, which is invalid and why it's not allowing you to listen to the calls.
For Edacs, the Frequencies need to be entered in the Freq Plan Editor, besides the channels.
I think you'll be in business after you do that...

I would also change the "Number of Times to Listen" to 100 for starters.

Regards,
Jay
----- Original Message -----
From: Frank Franzoi

Jay, Still not working... Let me set up what I have,
1. I tried the Astrolow, AstroHigh No change.
2. The red call shows up under the U/V as:
! Call
3 When I go to the control channel and click on Lcn & Freq the following shows up:
First of all when I first start up all that shows is the control Freq. and the Scanning message moving across the screen. When I hit the LCN or Freq the following occurs:

ABCDEFGHIJKLMNOPQRSTUVWXYZ?
Group: 16400 0.0000 !-Call
Group#4010
Radio#0168
Radio: 3600 SRCH
When I hit LCN or Freq it pops the speaker and stays just like above until you click Trunk again.

My Trunk Settings are as follows:
Allow listening - checked
Switched to control - checked
Number of times 1
Use ESK Mask A0 - Not Checked
Block data calls - checked
9600 Baud
41000 Sample
reversed Polarity Not Checked... Note if you check it you get no readings
Hunt on data loss enabled.

Note: even if I change any of the above no difference except the reverse polarity...
So thats the story. There is activity as it shows groups 50, radios 319
and there is all kind of activity when you monitor the Control.

Frank

Jay <crazycalifornian@...> wrote:
Ah yes...

It only works if you start with no ID's saved? But after ID's are saved is when is stops follwing calls?

I found an issue that would affect Edacs systems and a user has a PCR-2500 with P25 card. If the Group ID's fall in the range of the Digital ID Range (normally used for moto), then it would set the mode to P25 instead of FM.

You can try this to see if it works:
Open up your Edacs Bank file (.Bnk) in notepad and add these settings under the [BankInfo] Section:
AstroLow=0
AstroHigh=0

Thanks,
Jay

786. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-26 22:58:34 UTC
From: Frank Franzoi
Topic: 406 Message: 786

Jay, Success at last... The Freq plan editor did it. Never said I was the sharpest tool in the shed. Thanks for the help. Working like a charm.

Frank

Jay <crazycalifornian@...> wrote:
Hmmmm, ok...

Have you entered the LCN's and Frequencies in the Freq Plan Editor?

Group 16400 (Decimal) is the ID I assign for "I-Calls" (Private).
The frequency is showing 0.0000, which is invalid and why it's not allowing you to listen to the calls.
For Edacs, the Frequencies need to be entered in the Freq Plan Editor, besides the channels.
I think you'll be in business after you do that...

I would also change the "Number of Times to Listen" to 100 for starters.

Regards,
Jay
----- Original Message -----
From: Frank Franzoi

Jay, Still not working... Let me set up what I have,
1. I tried the Astrolow, AstroHigh No change.
2. The red call shows up under the U/V as:
! Call
3 When I go to the control channel and click on Lcn & Freq the following
shows up:
First of all when I first start up all that shows is the control Freq. and the
Scanning message moving across the screen. When I hit the LCN or Freq the following occurs:

ABCDEFGHIJKLMNOPQRSTUVWXYZ?
Group: 16400 0.0000 !-Call
Group#4010
Radio#0168
Radio: 3600 SRCH
When I hit LCN or Freq it pops the speaker and stays just like above until you click Trunk again.

My Trunk Settings are as follows:
Allow listening - checked
Switched to control - checked
Number of times 1
Use ESK Mask A0 - Not Checked
Block data calls - checked

9600 Baud
41000 Sample
reversed Polarity Not Checked... Note if you check it you get no readings
Hunt on data loss enabled.

Note: even if I change any of the above no difference except the reverse polarity...
So thats the story. There is activity as it shows groups 50, radios 319
and there is all kind of activity when you monitor the Control.

Frank

Jay <crazycalifornian@...> wrote:
Ah yes...

It only works if you start with no ID's saved? But after ID's are saved is when is stops
follwing calls?

I found an issue that would affect Edacs systems and a user has a PCR-2500 with P25 card.
If the Group ID's fall in the range of the Digital ID Range (normally used for moto), then
it would set the mode to P25 instead of FM.

You can try this to see if it works:
Open up your Edacs Bank file (.Bnk) in notepad and add these settings under the [BankInfo]
Section:
AstroLow=0
AstroHigh=0

Thanks,
Jay

Sucker-punch spam with award-winning protection.
Try the free Yahoo! Mail Beta.

787. Re: [TrunkPCR] Re: PCR-2500 update

Yahoo group: TrunkPCR
Date: 2007-06-27 02:20:36 UTC
From: Jay
Topic: 770 Message: 787

Hi Chris,

That's god news :)
Thanks for pointing out that bug...

Jay

----- Original Message -----
From: "dragon85383"
> Jay,
>
> I installed the latest update and i am back in business all is working
> again, thanks again for the application.
>
> Chris
>
> --- In TrunkPCR@yahoogroups.com, "Jay" wrote:
> >
> > Hey Chris,
> >
> > Ok, I think I have a work-around for you.
> > 1) Click on the Bank label to bring up the Debug Window.
> > 2) If the [Open] button is depressed, click the Close Button.
> > 3) Open the COM Port Selector and verify COM3 isn't greyed out.
> > 4) You should now be able to power on the PCR...
> >
> > Looks like I need to redo that part (I think the port is being left open
> > after testing for valid COM Ports)...
> >
> > Jay

788. Re: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-27 02:16:50 UTC
From: Jay
Topic: 406 Message: 788

Hey Frank,

Glad to hear it...
I've got to get myself going on that help file :) or at least update the help page with more info on setting up trunking systems and adding banks/channels...

Jay
----- Original Message -----
From: Frank Franzoi

Jay, Success at last... The Freq plan editor did it. Never said I was the sharpest tool in the shed. Thanks for the help. Working like a charm.

Frank

Jay <crazycalifornian@...> wrote:
Hmmmm, ok...

Have you entered the LCN's and Frequencies in the Freq Plan Editor?

Group 16400 (Decimal) is the ID I assign for "I-Calls" (Private).
The frequency is showing 0.0000, which is invalid and why it's not allowing you to listen to the calls.
For Edacs, the Frequencies need to be entered in the Freq Plan Editor, besides the channels.
I think you'll be in business after you do that...

I would also change the "Number of Times to Listen" to 100 for starters.

Regards,
Jay

789. RE: [TrunkPCR] EDACS

Yahoo group: TrunkPCR
Date: 2007-06-27 07:07:47 UTC
From: Neal Linder
Topic: 406 Message: 789

I would really like to see this happen. I am still trying to get everything wet up right. I have learned a lot from the group but I still do not have it set up 100%. It is very clear that you are extremely willing to help everyone and do a wonderful job. I work a swing shift and get to play with the system for a few hours once a month. I have had success but I find that after being away for a month at a time that I have forgotten what I need to do. A more detailed help file would be my dream come true.

Thanks for all of the support that you offer. You have a wonderful program and it is fun to watch it continue to develop. Nice job with it Jay!

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, June 26, 2007 9:17 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] EDACS

Hey Frank,

Glad to hear it...

I've got to get myself going on that help file :) or at least update the help page with more info on setting up trunking systems and adding banks/channels...

Jay

----- Original Message -----

From: Frank Franzoi <mailto:w8azv@...>

Jay, Success at last... The Freq plan editor did it. Never said I was the sharpest tool in the shed. Thanks for the help. Working like a charm.

Frank

Jay <crazycalifornian@ <mailto:crazycalifornian@...> hotmail.com> wrote:

Hmmmm, ok...

Have you entered the LCN's and Frequencies in the Freq Plan Editor?

Group 16400 (Decimal) is the ID I assign for "I-Calls" (Private).

The frequency is showing 0.0000, which is invalid and why it's not allowing you to listen to the calls.

For Edacs, the Frequencies need to be entered in the Freq Plan Editor, besides the channels.

I think you'll be in business after you do that...

I would also change the "Number of Times to Listen" to 100 for starters.

Regards,

Jay

790. REBANDING

Yahoo group: TrunkPCR
Date: 2007-06-28 13:48:07 UTC
From: burchettetony
Topic: 790 Message: 790

```
does rebanding mean that 866-869 will be changed to some other freq
that pcr2500 owners can recive
```

791. Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-06-28 18:22:25 UTC
From: louisvanlandingham
Topic: 605 Message: 791

After editing Talk Group Descriptions the Finish button is active. When I click it I get a message "Importing CSV File, with an hourglass. After a few seconds the entire program exits and there is no file that I can find. Anyone have any suggestions?

792. Re: [TrunkPCR] Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-06-28 22:07:40 UTC
From: Jay
Topic: 605 Message: 792

Which system are you trying import?

----- Original Message -----
From: "louisvanlandingham"
> After editing Talk Group Descriptions the Finish button is active.
> When I click it I get a message "Importing CSV File, with an
> hourglass. After a few seconds the entire program exits and there is
> no file that I can find. Anyone have any suggestions?

793. RE: [TrunkPCR] Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-06-29 16:52:30 UTC
From: Louis H. VanLandingham
Topic: 605 Message: 793

The City of Tulsa/Oklahoma Smartzone system

Louis H. VanLandingham
7397 E 24th ST
TULSA, OK 74129-2203
918-628-0854

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, June 28, 2007 5:08 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Web Import Problem

Which system are you trying import?

----- Original Message -----
From: "louisvanlandingham"
> After editing Talk Group Descriptions the Finish button is active.
> When I click it I get a message "Importing CSV File, with an
> hourglass. After a few seconds the entire program exits and there is
> no file that I can find. Anyone have any suggestions?

794. Re: [TrunkPCR] Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-06-29 19:20:44 UTC
From: Jay
Topic: 605 Message: 794

Hey Louis,

Found the problem. The Bank Description is derived from the System Drop-Down List and Tulsa City has a "\" (Back-Slash) character in it, resulting in creating an invalid filename for the new bank. I have added a function to strip out all invalid characters for a filename, previously I was only checing for a few of the invalid characters...

Thanks,
Jay
----- Original Message -----
From: Louis

The City of Tulsa/Oklahoma Smartzone system

Louis H. VanLandingham

From: Jay
Which system are you trying import?

----- Original Message -----
From: "louisvanlandingham"
> After editing Talk Group Descriptions the Finish button is active.
> When I click it I get a message "Importing CSV File, with an
> hourglass. After a few seconds the entire program exits and there is
> no file that I can find. Anyone have any suggestions?

795. RE: [TrunkPCR] Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-06-30 16:25:29 UTC
From: Louis H. VanLandingham
Topic: 605 Message: 795

Jay,

Thanks very much! I thought I had lost my ability to follow directions.

Louis H. VanLandingham
7397 E 24th ST
TULSA, OK 74129-2203
918-628-0854

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Friday, June 29, 2007 2:21 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Web Import Problem

Hey Louis,

Found the problem. The Bank Description is derived from the System
Drop-Down List and Tulsa City has a "\" (Back-Slash) character in it,
resulting in creating an invalid filename for the new bank. I have added a
function to strip out all invalid characters for a filename, previously I
was only checing for a few of the invalid characters...

Thanks,
Jay

----- Original Message -----
From: Louis

The City of Tulsa/Oklahoma Smartzone system

Louis H. VanLandingham

From: Jay
Which system are you trying import?

----- Original Message -----
From: "louisvanlandingham"
> After editing Talk Group Descriptions the Finish button is active.
> When I click it I get a message "Importing CSV File, with an
> hourglass. After a few seconds the entire program exits and there is
> no file that I can find. Anyone have any suggestions?

796. TrunkPCR version 0.86.224 Now Available

Yahoo group: TrunkPCR
Date: 2007-07-01 01:41:03 UTC
From: Jay
Topic: 796 Message: 796

TrunkPCR version 0.86.224 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes:

June 25,2007 - Fixed: OverFlow Error on some Win98SE2's MouseWheel
Initializing.
June 25,2007 - Fixed: PCR-2500 with P25 Card not selected by Edacs.
June 28,2007 - Fixed: RR Web Import - Accumulated GroupID's if more than
one Trunk System was downloaded.
June 29,2007 - Fixed: RR Web Import - Validating Bank Descriptions used
for Bank Filenames.
Version 0.86.224 Released 06/30/2007

Regards,
Jay

797. MPT1327 Support

Yahoo group: TrunkPCR
Date: 2007-07-02 15:42:09 UTC
From: a_w_smith
Topic: 797 Message: 797

Hi All,

I notice from previous posts that MPT1327 was under development, what is the current status, does it work?

Thanks,
Andy.

798. Re: [TrunkPCR] MPT1327 Support

Yahoo group: TrunkPCR
Date: 2007-07-02 17:43:37 UTC
From: Jay
Topic: 797 Message: 798

Hey Andy,

Not yet! I still have to redo the sound decoder part.
Guess I should hide it util it does work...

Jay

----- Original Message -----
From: "a_w_smith"

> Hi All,
>
> I notice from previous posts that MPT1327 was under development, what
> is the current status, does it work?
>
> Thanks,
> Andy.

799. RE: [TrunkPCR] MPT1327 Support

Yahoo group: TrunkPCR
Date: 2007-07-02 18:03:42 UTC
From: Andy
Topic: 797 Message: 799

Hi Jay,

Look forward to trying it in the future then...

Andy.

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Monday, July 02, 2007 6:44 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] MPT1327 Support

Hey Andy,

Not yet! I still have to redo the sound decoder part.
Guess I should hide it util it does work...

Jay

----- Original Message -----
From: "a_w_smith"

> Hi All,
>
> I notice from previous posts that MPT1327 was under development, what
> is the current status, does it work?
>
> Thanks,
> Andy.

800. How to save excel files to .bnk format

Yahoo group: TrunkPCR
Date: 2007-07-05 03:24:57 UTC
From: Neal
Topic: 800 Message: 800

Hi,
I am wondering if anyone has found a way to save Microsoft Excel files to the required format for .bnk files?

I have an Optoelectronics Digital Scout frequency counter. I have captured active frequencies for my area and dumped them into Excel. What is the best way to upload this into TrunkPCR?

Any suggestions would be appreciated.

Thanks in advance, Neal

801. Re: [TrunkPCR] How to save excel files to .bnk format

Yahoo group: TrunkPCR
Date: 2007-07-05 20:11:38 UTC
From: Jay
Topic: 800 Message: 801

Hey Neal,

What program do you use to save your Opto Scout's frequencies to Excel? And is that in .xls or .csv format?
I could easily add a Import Function that would read a CSV file format...

Otherwise, you would have to find a tool that would convert it to an Icom Mch file or TalkPcr .Fql file, then use the Import Function to read those...

Jay

----- Original Message -----
From: "Neal"
> Hi,
> I am wondering if anyone has found a way to save Microsoft Excel files
> to the required format for .bnk files?
>
> I have an Optoelectronics Digital Scout frequency counter. I have
> captured active frequencies for my area and dumped them into Excel.
> What is the best way to upload this into TrunkPCR?
>
> Any suggestions would be appreciated.
>
> Thanks in advance, Neal

802. RE: [TrunkPCR] How to save excel files to .bnk format

Yahoo group: TrunkPCR
Date: 2007-07-05 23:08:02 UTC
From: Neal Linder
Topic: 800 Message: 802

Hi Jay,

The program is CBTI Optosuite lite digital scout utility. It is a new program that saves the captured frequencies in CSV format.

An option to read CSV format would be great.

Thanks again for all the support.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, July 05, 2007 3:12 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] How to save excel files to .bnk format

Hey Neal,

What program do you use to save your Opto Scout's frequencies to Excel? And is that in .xls or .csv format?
I could easily add a Import Function that would read a CSV file format...

Otherwise, you would have to find a tool that would convert it to an Icom Mch file or TalkPcr .Fql file, then use the Import Function to read those...

Jay

----- Original Message -----
From: "Neal"
> Hi,
> I am wondering if anyone has found a way to save Microsoft Excel files
> to the required format for .bnk files?
>
> I have an Optoelectronics Digital Scout frequency counter. I have
> captured active frequencies for my area and dumped them into Excel.
> What is the best way to upload this into TrunkPCR?
>
> Any suggestions would be appreciated.
>
> Thanks in advance, Neal

803. Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-07-11 03:36:18 UTC
From: wildhairgamer
Topic: 605 Message: 803

Hello Jay,

I'm new to the group and new to trunking/scanning. I have gotten Trunk PCR version 0.86.224 to work with a modified PCR100. I have input the 20 trunking freq's used in my area and can hear various communications after pressing the trunking button as the program searches. I'm very impressed with this program! However, I cannot get the Web Import function to work. After I log on to Radio Reference using the Web Import pop-up window I choose the following:

Country: United States
State: Kansas
County: Sedgwick

But then nothing else seems to happen. The Trunking, Conventional, Agencies, and Import buttons remain greyed out and the large white window that covers the majority of this pop-up remains blank. What am I doing wrong?

Since the web import function did not work I decided to input the data using the Trunk ID Edit dialog. This seems to work great. However, the Radio ID's are auto-populated in the following format: Wichita Police -- South<-Radio#11B0. Since a single radio operator seems to opperate on more than one Group/Trunk ID, the Trunk PCR display window often shows a different group for the Radio ID than the actual group they are talking on. To fix this I decided to delete the group information from all of the Radio ID's manually. But they keep getting re-populated! Radio ID's that I have previously edited/shortened to just the radio identification (hex tag) now show the group information also. How can I stop this from happening?

One more thing I have noticed that might be a bug. I have assigned each Trunk ID (that I can identify and add a description to) to a Bank (A for police stuff). But, as time goes on, more and more of the Banks are illuminating as orange when they are active. For example, I have assigned the Trunk ID, Wichita Police -- South, to Bank A in the Edit Trunk ID list. However, when that Trunk ID is active, both Bank A and Bank H (hospital) are colored orange. I'm so confused... is this the way it is supposed to work... if so, can I control this behavior?

One last question. Can I edit the Bank Descriptions? I see that Edit Freq Plan is greyed out.

P.S. I have had the program up and running as I have been typing this and have noticed something else. The two blue lines on the dispay... I assumed the top was the Group description, and the bottom the Radio description. Somtimes I see a "<-Radio#HEX" on the top line. I looked

through the list of Group ID's and none have this as part of the description. Now I'm really confused!! Please HELP!!

804. Re: [TrunkPCR] Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-07-11 22:22:19 UTC
From: Jay
Topic: 605 Message: 804

```
----- Original Message -----
From: "wildhairgamer"
> Hello Jay,
> I'm new to the group and new to trunking/scanning. I have gotten Trunk
> PCR version 0.86.224 to work with a modified PCR100. I have input the
> 20 trunking freq's used in my area and can hear various communications
> after pressing the trunking button as the program searches. I'm very
> impressed with this program! However, I cannot get the Web Import
> function to work. After I log on to Radio Reference using the Web
> Import pop-up window I choose the following:
>
> Country: United States
> State: Kansas
> County: Sedgwick
>
> But then nothing else seems to happen. The Trunking, Conventional,
> Agencies, and Import buttons remain greyed out and the large white
> window that covers the majority of this pop-up remains blank. What am
> I doing wrong?

Hmmm, after you select Sedgwick, does the mouse change to the hourglass,
than back to normal after a few seconds?
Click the File Menu and select View XML and see what's there. You should
see some elements under the "county_result".
(I am able to see all the systems for Sedgewick on my end...)

> Since the web import function did not work I decided to input the data
> using the Trunk ID Edit dialog. This seems to work great. However,
> the Radio ID's are auto-populated in the following format: Wichita
> Police -- South<-Radio#11B0. Since a single radio operator seems to
> opperate on more than one Group/Trunk ID, the Trunk PCR display window
> often shows a different group for the Radio ID than the actual group
> they are talking on. To fix this I decided to delete the group
> information from all of the Radio ID's manually. But they keep getting
> re-populated! Radio ID's that I have previously edited/shortened to
> just the radio identification (hex tag) now show the group information
> also. How can I stop this from happening?

You can't stop that. The program is helping you to determine who the user
is...
After you listen to a few calls from this user and watch the Affiliation's,
you'll be able to give that user a better description...

> One more thing I have noticed that might be a bug. I have assigned
> each Trunk ID (that I can identify and add a description to) to a Bank
> (A for police stuff). But, as time goes on, more and more of the Banks
```

> are illuminating as orange when they are active. For example, I have
> assigned the Trunk ID, Wichita Police -- South, to Bank A in the Edit
> Trunk ID list. However, when that Trunk ID is active, both Bank A and
> Bank H (hospital) are colored orange. I'm so confused... is this the
> way it is supposed to work... if so, can I control this behavior?

Is this on a Edacs or Motorola system? I haven't seen this oddity yet...

> One last question. Can I edit the Bank Descriptions? I see that Edit
> Freq Plan is greyed out.

To edit the Bank Descriptions, double-click on the description and type in a new one.
The "Edit Freq Plan" doesn't change the description. It's used when you select a Moto Custom or Extended Freq plan or an Edacs system...

> P.S. I have had the program up and running as I have been typing this
> and have noticed something else. The two blue lines on the dispay... I
> assumed the top was the Group description, and the bottom the Radio
> description. Somtimes I see a "<-Radio#HEX" on the top line. I looked
> through the list of Group ID's and none have this as part of the
> description. Now I'm really confused!! Please HELP!!

When you see a Radio Description on the Top Line, that's a Privcate or I-Call showing both users who are talking...

Jay

805. Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-07-12 03:57:43 UTC
From: wildhairgamer
Topic: 605 Message: 805

Jay,

Thanks for the quick response! After I select Sedgwick I do not get an hour-glass. I do however get a host of things in the View XML Tree window. The stid, state_name, and state_code fields all have assigned values. There are many county listings complete with sub fields. The first one is:

country
ctid = 884
name = Allen
type = 0

Just a note, I am running this under Vista... for what it's worth.

I have the Motorola tab selected under the Trunk Settings window. In that windows I have Allow Listening of Continuation Calls checked, 800 Mhz selected, Block Astro Digital checked, 32768 to 65520 checked under Digital Group Range, 3600 checked under Baud Rate, 44100 checked under a grayed out Sampling Rate in Hz, Reverse Polarity checked, Search selected under Start Mode, Decimal selected under Dispaly ID's As, Heard selected under Save New ID's When: and Count Hits When:, all 0's under Watch These Group ID's, and Hunt On Data Loss selected. Whew... thats a mouthfull.

Not sure if all that will help, but I watched the program as it was trunking tonight and saw it highlight several banks orange for a single radio call. It does seem to be fine upon initial start-up and then begins to do it more and more often the longer I let it trunk. It starts by highlighting just one bank orange, then after 10-15 mins or so it highlights two banks orange, after another 10 mins or so it highlights three banks orange, then four... and so on. I could send you a screen capture or two if you like.

Just to be clear, under the Radio ID's tab of the Trunk ID Edit window. After I change the description manually, is it normal operation for the progam to automatically change the description to something else? For example, when it changes the description to the format "Wichita Police -- North<-Radio#7BF3", I change it to "Radio#7BF3", and eventually it changes it back or changes it to something different.

Thanks again for all the help. You've done a great job with the progam and I'm learning alot using it.

P.S. Tonight I took, and passed, my Technician and General class ham radio exams in Salina, KS. Hurray! Now on to Extra.

806. Re: [TrunkPCR] Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-07-13 01:26:09 UTC
From: Jay
Topic: 605 Message: 806

Hey Mike,

----- Original Message -----
From: "wildhairgamer"
> Jay,
> Thanks for the quick response! After I select Sedgwick I do not get
> an hour-glass. I do however get a host of things in the View XML
> Tree window. The stid, state_name, and state_code fields all have
> assigned values. There are many county listings complete with sub
> fields. The first one is:
>
> country
> ctid = 884
> name = Allen
> type = 0
>
> Just a note, I am running this under Vista... for what it's worth.

Ok, so it's downloading the Counties ok, but after you click on sedgwick, the downloading seems to have a major delay. Wait a minute or two, then re-select Sedgwick again or try another County, then back to Sedgwick and see what that gets you...

> I have the Motorola tab selected under the Trunk Settings window. In
> that windows I have Allow Listening of Continuation Calls checked,
> 800 Mhz selected, Block Astro Digital checked, 32768 to 65520 checked
> under Digital Group Range, 3600 checked under Baud Rate, 44100
> checked under a grayed out Sampling Rate in Hz, Reverse Polarity
> checked, Search selected under Start Mode, Decimal selected under
> Dispaly ID's As, Heard selected under Save New ID's When: and Count
> Hits When:, all 0's under Watch These Group ID's, and Hunt On Data
> Loss selected. Whew... thats a mouthfull.

Those settings should be fine...

> Not sure if all that will help, but I watched the program as it was
> trunking tonight and saw it highlight several banks orange for a
> single radio call. It does seem to be fine upon initial start-up and
> then begins to do it more and more often the longer I let it trunk.
> It starts by highlighting just one bank orange, then after 10-15 mins
> or so it highlights two banks orange, after another 10 mins or so it
> highlights three banks orange, then four... and so on. I could send
> you a screen capture or two if you like.

You didn't say before, but is this happening in Single Receiver Mode or Dual? Still trying to find a reason for that to happen.

> Just to be clear, under the Radio ID's tab of the Trunk ID Edit
> window. After I change the description manually, is it normal
> operation for the progam to automatically change the description to
> something else? For example, when it changes the description to the
> format "Wichita Police -- North<-Radio#7BF3", I change it
> to "Radio#7BF3", and eventually it changes it back or changes it to
> something different.

The default description for a user when first seen / heard is "Radio#DEAD"
or "Astro#BEEF" as an example.
The program will pre-append a Talk Group's description when a user
affiliates or talks on a group for the first time the program sees it.
I compare the 5th and 6th characters of the radio description for "o#", if
a match is found, then I add the Group Description to it... When you
identify a user and change "Radio#7BF3" to "Patrol Car 54" (or other), then
it will remain that way...

> Thanks again for all the help. You've done a great job with the
> progam and I'm learning alot using it.
>
> P.S. Tonight I took, and passed, my Technician and General class ham
> radio exams in Salina, KS. Hurray! Now on to Extra.

Congrats on your new ticket! I've taken the tests online and passed those,
but still need to take the real thing...

Thanks again,
Jay

807. Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-07-13 03:07:24 UTC
From: wildhairgamer
Topic: 605 Message: 807

Jay,

I selected Sedgwick, waited 10 mins, then selected Seward, waited 2 mins, and then selected Sedgwick again. I still do not get an hourglass during any of that process and never saw any data show up in the lower window.

The Rcvr Type is Sngl. Dual is greyed out. I'm guessing that is because I am using a IC-PCR100.

I sent a donation to your Paypal account last night and a registration email to your email address. What is the next step?

Mike.

808. Re: [TrunkPCR] Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-07-13 04:34:30 UTC
From: Jay
Topic: 605 Message: 808

Hey Mike,

Ok, I'll add some more debugging info to aid in that. Do you get any error message?

The Dual Button is enabled just after the radio has been powered up successfully.
The only time it's disabled is when the program first starts or when a PCR-2500 user selects diversity, so for it to be disabled after the radio is on is really odd...

I sent your keyfile to you last night. Either netzero blocked it or it's in a spam folder or something.
Email me directly with an alternate email address and I'll resend it there...

Thanks again,
Jay

----- Original Message -----
From: "wildhairgamer"
> Jay,
>
> I selected Sedgwick, waited 10 mins, then selected Seward, waited 2
> mins, and then selected Sedgwick again. I still do not get an
> hourglass during any of that process and never saw any data show up in
> the lower window.
>
> The Rcvr Type is Sngl. Dual is greyed out. I'm guessing that is
> because I am using a IC-PCR100.
>
> I sent a donation to your Paypal account last night and a registration
> email to your email address. What is the next step?
>
> Mike.

809. Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-07-13 05:24:47 UTC
From: wildhairgamer
Topic: 605 Message: 809

Jay,

I don't get any error messages from the program.

You nailed it, when I asked about the Sngl vs Dual switch the radio was off. With the radio on I can select Dual. It asks me to tune the 2nd reciever to the active control channel. I'm guessing this is an option for people that have two PCR100's or equivalent connected to thier computer because I cannot find a way to tune the second reciever.

I recieved the key via email and sent you a response. The program can see the key file now. Thanks!

Mike.

810. Re: [TrunkPCR] Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-07-13 06:25:22 UTC
From: Terry
Topic: 605 Message: 810

Mike.

Just to clarify a point, but are you a paid up subscriber to Radio Reference, or just a Registered User? It is my understanding that you have to be a paid up subscriber to use the web import feature.

Terry

811. Project 25?

Yahoo group: TrunkPCR
Date: 2007-07-13 19:18:52 UTC
From: wildhairgamer
Topic: 811 Message: 811

Hi,

Can the Trunk PCR program listen to the Project 25 Standard?

http://en.wikipedia.org/wiki/Project_25

812. Re: [TrunkPCR] Project 25?

Yahoo group: TrunkPCR
Date: 2007-07-14 00:34:06 UTC
From: Jay
Topic: 811 Message: 812

Only if you have a ARD-P25 card or a PCR-2500 w/P25 in conventional scan mode.
TrunkPCR does not decode the 9600 Baud P25 control channel or P25 Audio...

Jay

----- Original Message -----
From: "wildhairgamer"
> Hi,
>
> Can the Trunk PCR program listen to the Project 25 Standard?
>
> http://en.wikipedia.org/wiki/Project_25

813. Sort by Frequency

Yahoo group: TrunkPCR
Date: 2007-07-14 03:44:17 UTC
From: wildhairgamer
Topic: 813 Message: 813

Hi,

Using the Organize Channels window I tried to sort 16 AM and FM radio frequencies contained in a bank and got the following result:

1 101.3
2 102.1
3 103.7
4 1.07
5 107.3
6 1.24
7 1.33
8 1.41
9 1.48
10 88.3
11 89.1
12 0.9
13 90.1
14 91.1
15 95.1
16 97.9

Is this correct? It seems to be using an alphabetic sort function insetead of numeric.

Mike.

814. Re: [TrunkPCR] Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-07-14 05:05:47 UTC
From: Jay
Topic: 605 Message: 814

Hey Mike,

Are you a Paid Subscriber on RR.com?
If not, that would be the problem...
But we still need your answer on this...

Thanks,
Jay

----- Original Message -----
From: "Terry"
> Mike.
>
> Just to clarify a point, but are you a paid up subscriber to Radio
> Reference, or just a Registered User? It is my understanding that
> you have to be a paid up subscriber to use the web import feature.
>
> Terry

815. Re: [TrunkPCR] Sort by Frequency

Yahoo group: TrunkPCR
Date: 2007-07-14 05:14:02 UTC
From: Jay
Topic: 813 Message: 815

Yep, you're right...
You can always use the Drag-n-Drop function to clean that up for now...
(Click on an item in the list, while holding the mouse button down, move the mouse to the position desired and release the button)

Thanks,
Jay

----- Original Message -----
From: "wildhairgamer"
> Hi,
> Using the Organize Channels window I tried to sort 16 AM and FM radio
> frequencies contained in a bank and got the following result:
>
> 1 101.3
> 2 102.1
> 3 103.7
> 4 1.07
> 5 107.3
> 6 1.24
> 7 1.33
> 8 1.41
> 9 1.48
> 10 88.3
> 11 89.1
> 12 0.9
> 13 90.1
> 14 91.1
> 15 95.1
> 16 97.9
>
> Is this correct? It seems to be using an alphabetic sort function
> insetead of numeric.
>
> Mike.

816. New user ___ Key question

Yahoo group: TrunkPCR
Date: 2007-07-27 20:55:25 UTC
From: John Beatty
Topic: 816 Message: 816

I am a neophyte here.
I have been able to get the program running decoding etc.
I just recieved two keys yesterday 7/26 (thanks for the fast turn around).
I added TrunkPCR_1.key to the file that had the
Banks folder &
Pictures folder
added as a "key doc."
Didn't work
so I changed the "save as type" to "all files"
which then had:
Banks folder
Pictures folder
reg info
spectrum .dll
ST6UNST
Trunk PCR
Trunk PCR
Trunk PCR.dll
and TrunkPCR_1

Still no go. I then tried the second key both ways.
Also tried same with computer # 2 // Same results.
What am I doing wrong? Any Ideas?
Thanks
J.B.
P.S. How did you get my picture in the see who's talking?

817. Re: [TrunkPCR] New user ___ Key question

Yahoo group: TrunkPCR
Date: 2007-07-27 21:53:28 UTC
From: Jay
Topic: 816 Message: 817

Which picture? Smiley?

A old friend clipped it out of some magazine long ago. It had sections torn out of it, so I scanned it into my pc and fixed the bad parts with the windows 95 paint program and later saved it as a jpeg...

Jay

----- Original Message -----
>From: "John Beatty"
> P.S. How did you get my picture in the see who's talking?

818. Re: [TrunkPCR] New user ___ Key question

Yahoo group: TrunkPCR
Date: 2007-07-27 21:43:36 UTC
From: Jay
Topic: 816 Message: 818

Hey John,

1. I see that you did copy the attached file to the folder where TrunkPCR is installed.
2. I see that the file doesn't show the ".key" extension, Rename it ("TrunkPCR_1") to TrunkPCR and you will set...

Your Windows settings currently don't allow you to see the file extension ".key"...

Regards,
Jay

----- Original Message -----
From: "John Beatty"

> I am a neophyte here.
> I have been able to get the program running decoding etc.
> I just recieved two keys yesterday 7/26 (thanks for the fast turn
> around).
> I added TrunkPCR_1.key to the file that had the
> Banks folder &
> Pictures folder
> added as a "key doc."
> Didn't work
> so I changed the "save as type" to "all files"
> which then had:
> Banks folder
> Pictures folder
> reg info
> spectrum .dll
> ST6UNST
> Trunk PCR
> Trunk PCR
> Trunk PCR.dll
> and TrunkPCR_1
>
> Still no go. I then tried the second key both ways.
> Also tried same with computer # 2 // Same results.
> What am I doing wrong? Any Ideas?
> Thanks
> J.B.
> P.S. How did you get my picture in the see who's talking?

819. New Bug Found & Corrected

Yahoo group: TrunkPCR
Date: 2007-08-06 01:58:07 UTC
From: Jay
Topic: 819 Message: 819

Hey All,

Just to let you know that I found a new bug that causes the program to crash under the right conditions.

I've been banging my head trying to find a problem with the latest revision that I was hoping to release last week I was testing the updates made in Edacs when this bug appeared and thought it had something to do with the new updates, because Moto didn't crash... I ended up reverting back to 0.86.224's code and found that the bug exists there and older versions as well...

The Bug:
While monitoring the Edacs station 80 miles away with a PCR-100, I get a signal reading of "0" (Zero), but the squelch is constantly closing and re-opening when the squelch level is set to 64. The program was reacting as if a Trunking Call had just ended (when it didn't) and continued to follow through with the logic as if a call did end...
This caused un-nessasary code to be executed and created a bottle neck from the rapid changing of the squelch condition.

I have added a simple switch to check if an actual call has just ended or not.
This check was being made later in the logic, but it needed it to be done a lot sooner...

It's been running smooth now for the past two hours, so I think it's ok...

I'll switch back to the 0.87.225 code and add the fix to it.
Hopefully I'll have this new version out next weekend, I still need to verify the Edacs I-Call, Phone and Data changes are now working. These are currently disabled while I was checking the new bug...

The new release has a "Radio Watch" feature that will allow you to monitor and log all activity of 8 Radios at the same time...

Regards,
Jay

820. Re: [TrunkPCR] New Bug Found & Corrected

Yahoo group: TrunkPCR
Date: 2007-08-06 03:21:46 UTC
From: Leigh Sedgwick
Topic: 819 Message: 820

You're the man! Great job as always. Thanks for all that you do with this great software!

Mike
Mercer Island, WA

----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Sunday, August 05, 2007 6:58 PM
Subject: [TrunkPCR] New Bug Found & Corrected

> Hey All,
>
> Just to let you know that I found a new bug that causes the program to
> crash
> under the right conditions.
>
> I've been banging my head trying to find a problem with the latest
> revision
> that I was hoping to release last week I was testing the updates made in
> Edacs when this bug appeared and thought it had something to do with the
> new
> updates, because Moto didn't crash... I ended up reverting back to
> 0.86.224's code and found that the bug exists there and older versions as
> well...
>
> The Bug:
> While monitoring the Edacs station 80 miles away with a PCR-100, I get a
> signal reading of "0" (Zero), but the squelch is constantly closing and
> re-opening when the squelch level is set to 64. The program was reacting
> as
> if a Trunking Call had just ended (when it didn't) and continued to follow
> through with the logic as if a call did end...
> This caused un-nessasary code to be executed and created a bottle neck
> from
> the rapid changing of the squelch condition.
>
> I have added a simple switch to check if an actual call has just ended or
> not.
> This check was being made later in the logic, but it needed it to be done
> a
> lot sooner...
>
> It's been running smooth now for the past two hours, so I think it's ok...
>

> I'll switch back to the 0.87.225 code and add the fix to it.
> Hopefully I'll have this new version out next weekend, I still need to
> verify the Edacs I-Call, Phone and Data changes are now working. These
> are
> currently disabled while I was checking the new bug...
>
> The new release has a "Radio Watch" feature that will allow you to monitor
> and log all activity of 8 Radios at the same time...
>
> Regards,
> Jay
>
>
>

821. TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 04:21:24 UTC
From: Jay
Topic: 821 Message: 821

TrunkPCR version 0.87.225 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes, changes and additionss:

July 03,2007 - -----: PCR Type Selection Menu is back in use (Mainly for Debugging).
July 07,2007 - Fixed: RR Web Import - Comparing Group ID's when a different Bank is Selected.
July 10,2007 - Added: Importing CSV files from Optoelectronics Digital Scout.
July 13,2007 - Fixed: Sort by Frequency in Channel Organizer.
July 14,2007 - -----: 9600 Baud Selection now Disabled for Moto.
July 16,2007 - Fixed: Displaying Active Trunk Banks and resetting Last Active one.
July 17,2007 - -----: Removed Moto "Digital ID Range" selection. Some systems have multiple ranges.
July 17,2007 - -----: Group ID's now have a flag for Digital or Analog and saved in ".Tnk" file.
July 19,2007 - Fixed: Blocking Astro Calls.
July 28,2007 - Added: Radio Watch - Up to 8 different Radios' activity can now be monitored/logged.
Aug 04,2007 - Fixed: Volume, Squelch & I.F Shift values saved if only these were changed.
Aug 05,2007 - Fixed: Old Bug when Squelch Condition constantly changes, while monitoring the Control Channel.
Aug 05,2007 - Fixed: Direct Entry of Frequencies using keypad/keyboard when Freq Button Depressed.
Aug 05,2007 - -----: Removed SQ LED. Background of Squelch Label now changed to display Squelch Status.
Aug 05,2007 - Fixed: Using Up/Down keys on keyboard to change Frequency when Freq Button Depressed.
Aug 06,2007 - -----: When Freq Button is Depressed, you can now change Frequency by double-clicking Frequency Text.
Aug 06,2007 - -----: Loaded BandScopeSpan value now makes sure it's atleast 4 higher than the BandScopeStep value.
Aug 08,2007 - -----: Restructured Edacs code and removed un-needed code.
Aug 08,2007 - -----: Edacs now reports Alternate/Neighbor Sites.
Aug 09,2007 - Added: Diagnostic/Test Messages now shown in a separate display list in System Info.
Aug 10,2007 - -----: Added more error checking to Sound Recorder
Version 0.86.225 Released 08/10/2007

Regards,
Jay

822. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 17:41:51 UTC
From: vince48
Topic: 821 Message: 822

Hi Jay
downloaded the new version, now I have no sound? it's trucking bit no audio. the settings are correct. was working great last night with the previous version.

Vincent

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, August 10, 2007 9:21 PM
Subject: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

TrunkPCR version 0.87.225 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes, changes and additionss:

July 03,2007 - -----: PCR Type Selection Menu is back in use (Mainly for Debugging).
July 07,2007 - Fixed: RR Web Import - Comparing Group ID's when a different Bank is Selected.
July 10,2007 - Added: Importing CSV files from Optoelectronics Digital Scout.
July 13,2007 - Fixed: Sort by Frequency in Channel Organizer.
July 14,2007 - -----: 9600 Baud Selection now Disabled for Moto.
July 16,2007 - Fixed: Displaying Active Trunk Banks and resetting Last Active one.
July 17,2007 - -----: Removed Moto "Digital ID Range" selection. Some systems have multiple ranges.
July 17,2007 - -----: Group ID's now have a flag for Digital or Analog and saved in ".Tnk" file.
July 19,2007 - Fixed: Blocking Astro Calls.
July 28,2007 - Added: Radio Watch - Up to 8 different Radios' activity can now be monitored/logged.
Aug 04,2007 - Fixed: Volume, Squelch & I.F Shift values saved if only these were changed.
Aug 05,2007 - Fixed: Old Bug when Squelch Condition constantly changes, while monitoring the Control Channel.
Aug 05,2007 - Fixed: Direct Entry of Frequencies using keypad/keyboard when Freq Button Depressed.
Aug 05,2007 - -----: Removed SQ LED. Background of Squelch Label now changed to display Squelch Status.
Aug 05,2007 - Fixed: Using Up/Down keys on keyboard to change Frequency when Freq Button Depressed.
Aug 06,2007 - -----: When Freq Button is Depressed, you can now change Frequency by double-clicking Frequency Text.

Aug 06,2007 - -----: Loaded BandScopeSpan value now makes sure it's atleast 4 higher than the BandScopeStep value.
Aug 08,2007 - -----: Restructured Edacs code and removed un-needed code.
Aug 08,2007 - -----: Edacs now reports Alternate/Neighbor Sites.
Aug 09,2007 - Added: Diagnostic/Test Messages now shown in a separate display list in System Info.
Aug 10,2007 - -----: Added more error checking to Sound Recorder
Version 0.86.225 Released 08/10/2007

Regards,
Jay

823. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 18:35:49 UTC
From: Jay
Topic: 821 Message: 823

Hey Vincent,

It could be that with this new update, the Digital/Analog Flag for each talkgroup isn't set?

Now when a call is made that has a Radio ID, the program should recognise what kind of call this is and set the propper flag.
In the Trunk ID Editor, you can check to see which Groups have been already set, but you can set this flag manually by clicking on a Group and then click the [A]/[D] buttons to set the right flag. "A" being Analog and "D" for Digital...

Let me know how this works after you check...

Regards,
Jay

----- Original Message -----
From: vince48

Hi Jay
downloaded the new version, now I have no sound? it's trucking but no audio. the settings are correct. was working great last night with the previous version.

Vincent

825. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 21:08:30 UTC
From: vince48
Topic: 821 Message: 825

jay
didn't work. all of the switches were at ?, I switched them to A (all 216 groups) still no sound. I can hear the control channel, but no calls?

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, August 11, 2007 11:35 AM
Subject: Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Hey Vincent,

It could be that with this new update, the Digital/Analog Flag for each talkgroup isn't set?

Now when a call is made that has a Radio ID, the program should recognise what kind of call this is and set the propper flag.
In the Trunk ID Editor, you can check to see which Groups have been already set, but you can set this flag manually by clicking on a Group and then click the [A]/[D] buttons to set the right flag. "A" being Analog and "D" for Digital...

Let me know how this works after you check...

Regards,
Jay

----- Original Message -----
From: vince48

Hi Jay
downloaded the new version, now I have no sound? it's trucking but no audio. the settings are correct. was working great last night with the previous version.

Vincent

827. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 21:36:28 UTC
From: Jay
Topic: 821 Message: 827

Hmmm ok...

Are the FM and P25 buttons being selected backwards by the program?
I think I just found the reason why... In my early stage, I had Analog=0 and Digital=1 in the settings, but later switched to Analog=1 And Digital=2 with 0 (Zero) being undetermined. Now I see that in the one procedure I was setting the P25 if the value was 1.

You can verify this by changing the switching the flag. Set a couple groups to "Digital" and they should be decoded as Analog in the PCR2500...

I'll recompile and send you an update to test...

Thanks for the help as always :-)
Jay
----- Original Message -----
From: vince48

jay
didn't work. all of the switches were at ?, I switched them to A (all 216 groups) still no sound. I can hear the control channel, but no calls?

----- Original Message -----
From: Jay

Hey Vincent,

It could be that with this new update, the Digital/Analog Flag for each talkgroup isn't set?

Now when a call is made that has a Radio ID, the program should recognise what kind of call this is and set the propper flag.
In the Trunk ID Editor, you can check to see which Groups have been already set, but you can set this flag manually by clicking on a Group and then click the [A]/[D] buttons to set the right flag. "A" being Analog and "D" for Digital...

Let me know how this works after you check...

Regards,
Jay
----- Original Message -----
From: vince48

Hi Jay
downloaded the new version, now I have no sound? it's trucking but no audio. the settings are correct. was working great last night with the previous version.

Vincent

828. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 21:53:23 UTC
From: vince48
Topic: 821 Message: 828

Jay
that's it.

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, August 11, 2007 2:36 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Hmmm ok...

Are the FM and P25 buttons being selected backwards by the program?
I think I just found the reason why... In my early stage, I had Analog=0 and Digital=1 in the settings, but later switched to Analog=1 And Digital=2 with 0 (Zero) being undetermined. Now I see that in the one procedure I was setting the P25 if the value was 1.

You can verify this by changing the switching the flag. Set a couple groups to "Digital" and they should be decoded as Analog in the PCR2500...

I'll recompile and send you an update to test...

Thanks for the help as always :-)
Jay
----- Original Message -----
From: vince48

jay
didn't work. all of the switches were at ?, I switched them to A (all 216 groups) still no sound. I can hear the control channel, but no calls?

----- Original Message -----
From: Jay

Hey Vincent,

It could be that with this new update, the Digital/Analog Flag for each talkgroup isn't set?

Now when a call is made that has a Radio ID, the program should recognise what kind of call this is and set the propper flag.
In the Trunk ID Editor, you can check to see which Groups have been already set, but you can set this flag manually by clicking on a Group and then click the [A]/[D] buttons to set the right flag. "A" being Analog and "D" for Digital...

Let me know how this works after you check...

Regards,
Jay

----- Original Message -----
From: vince48

Hi Jay
downloaded the new version, now I have no sound? it's trucking but no audio. the settings are correct. was working great last night with the previous version.

Vincent

829. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 22:13:17 UTC
From: vince48
Topic: 821 Message: 829

jay
is it possible to write a utility to make group changes. changing the flag individually is a bit time consuming.
----- Original Message -----
From: vince48
To: TrunkPCR@yahoogroups.com
Sent: Saturday, August 11, 2007 2:53 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Jay
that's it.

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, August 11, 2007 2:36 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Hmmm ok...

Are the FM and P25 buttons being selected backwards by the program?
I think I just found the reason why... In my early stage, I had Analog=0 and Digital=1 in the settings, but later switched to Analog=1 And Digital=2 with 0 (Zero) being undetermined. Now I see that in the one procedure I was setting the P25 if the value was 1.

You can verify this by changing the switching the flag. Set a couple groups to "Digital" and they should be decoded as Analog in the PCR2500...

I'll recompile and send you an update to test...

Thanks for the help as always :-)
Jay
----- Original Message -----
From: vince48

jay
didn't work. all of the switches were at ?, I switched them to A (all 216 groups) still no sound. I can hear the control channel, but no calls?

----- Original Message -----
From: Jay

Hey Vincent,

It could be that with this new update, the Digital/Analog Flag for each talkgroup isn't set?

Now when a call is made that has a Radio ID, the program should recognise what kind of call this is and set the propper flag.
In the Trunk ID Editor, you can check to see which Groups have been already set, but you can set this flag manually by clicking on a Group and then click the [A]/[D] buttons to set the right flag. "A" being Analog and "D" for Digital...

Let me know how this works after you check...

Regards,
Jay
----- Original Message -----
From: vince48

Hi Jay
downloaded the new version, now I have no sound? it's trucking but no audio. the settings are correct. was working great last night with the previous version.

Vincent

830. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 22:05:29 UTC
From: Jay
Topic: 821 Message: 830

Yep, ok...

I'll have the updated posted in an hour or so :-)

Thanks again,
Jay
----- Original Message -----
From: vince48

Jay
that's it.

----- Original Message -----
From: Jay

Hmmm ok...

Are the FM and P25 buttons being selected backwards by the program?
I think I just found the reason why... In my early stage, I had Analog=0 and Digital=1 in the settings, but later switched to Analog=1 And Digital=2 with 0 (Zero) being undetermined. Now I see that in the one procedure I was setting the P25 if the value was 1.

You can verify this by changing the switching the flag. Set a couple groups to "Digital" and they should be decoded as Analog in the PCR2500...

I'll recompile and send you an update to test...

Thanks for the help as always :-)
Jay
----- Original Message -----
From: vince48

jay
didn't work. all of the switches were at ?, I switched them to A (all 216 groups) still no sound. I can hear the control channel, but no calls?

----- Original Message -----
From: Jay

Hey Vincent,

It could be that with this new update, the Digital/Analog Flag for each talkgroup isn't set?

Now when a call is made that has a Radio ID, the program should recognise what kind of call this is and set the propper flag.
In the Trunk ID Editor, you can check to see which Groups have been already set, but you can set this flag manually by clicking on a Group and then click the [A]/[D] buttons to set

the right flag. "A" being Analog and "D" for Digital...

Let me know how this works after you check...

Regards,
Jay
----- Original Message -----
From: vince48

Hi Jay
downloaded the new version, now I have no sound? it's trucking but no audio. the settings are correct. was working great last night with the previous version.

Vincent

831. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 22:49:06 UTC
From: vince48
Topic: 821 Message: 831

You the MAN Jay. Thank you Sir!

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, August 11, 2007 3:05 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yep, ok...

I'll have the updated posted in an hour or so :-)

Thanks again,
Jay
----- Original Message -----
From: vince48

Jay
that's it.

----- Original Message -----
From: Jay

Hmmm ok...

Are the FM and P25 buttons being selected backwards by the program?
I think I just found the reason why... In my early stage, I had Analog=0 and Digital=1 in the settings, but later switched to Analog=1 And Digital=2 with 0 (Zero) being undetermined. Now I see that in the one procedure I was setting the P25 if the value was 1.

You can verify this by changing the switching the flag. Set a couple groups to "Digital" and they should be decoded as Analog in the PCR2500...

I'll recompile and send you an update to test...

Thanks for the help as always :-)
Jay
----- Original Message -----
From: vince48

jay
didn't work. all of the switches were at ?, I switched them to A (all 216 groups) still no sound. I can hear the control channel, but no calls?

----- Original Message -----
From: Jay

Hey Vincent,

It could be that with this new update, the Digital/Analog Flag for each talkgroup isn't set?

Now when a call is made that has a Radio ID, the program should recognise what kind of call this is and set the propper flag.
In the Trunk ID Editor, you can check to see which Groups have been already set, but you can set this flag manually by clicking on a Group and then click the [A]/[D] buttons to set the right flag. "A" being Analog and "D" for Digital...

Let me know how this works after you check...

Regards,
Jay
----- Original Message -----
From: vince48

Hi Jay
downloaded the new version, now I have no sound? it's trucking but no audio. the settings are correct. was working great last night with the previous version.

Vincent

832. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-11 23:03:05 UTC
From: Jay
Topic: 821 Message: 832

Yep I know it would be a pain in the.....

Do you have a backup of the ".Tnk" file that you can use with the updated fix?

I can add a "Reset" function for all groups for now, or an option to flag all as Analog or Digital... making a stand alone program to do that would take longer to make, than it would be to change them manually...

Jay
----- Original Message -----
From: vince48

jay
is it possible to write a utility to make group changes. changing the flag individually is a bit time consuming.

833. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 00:05:40 UTC
From: vince48
Topic: 821 Message: 833

jay, may have a backup, but in Vista, boy things are a lot different. not sure if I do or find. maybe plan on people having XP. if I have to go individual, I go individual. no biggie

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, August 11, 2007 4:03 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yep I know it would be a pain in the.....
.
Do you have a backup of the ".Tnk" file that you can use with the updated fix?

I can add a "Reset" function for all groups for now, or an option to flag all as Analog or Digital... making a stand alone program to do that would take longer to make, than it would be to change them manually...

Jay
----- Original Message -----
From: vince48

jay
is it possible to write a utility to make group changes. changing the flag individually is a bit time consuming.

834. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 02:45:39 UTC
From: Glenn
Topic: 821 Message: 834

SO far the new version is working excellent on my PCR1000.I like the Radio watch and System diagnostic screens.
You wrote a great program.....

Glenn
kd5dga

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, August 11, 2007 6:03 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yep I know it would be a pain in the.....
.
Do you have a backup of the ".Tnk" file that you can use with the updated fix?

I can add a "Reset" function for all groups for now, or an option to flag all as Analog or Digital... making a stand alone program to do that would take longer to make, than it would be to change them manually...

Jay
----- Original Message -----
From: vince48

jay
is it possible to write a utility to make group changes. changing the flag individually is a bit time consuming.

836. Re: [TrunkPCR] TrunkPCR version 0.87.225 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 03:10:45 UTC
From: Jay
Topic: 821 Message: 836

Thanks Glenn,

You always seem to be the satisfied user :-)

Take care,
Jay
----- Original Message -----
From: Glenn

SO far the new version is working excellent on my PCR1000.I like the Radio watch and System diagnostic screens.
You wrote a great program.....

Glenn
kd5dga

----- Original Message -----
From: Jay

Yep I know it would be a pain in the.....
.
Do you have a backup of the ".Tnk" file that you can use with the updated fix?

I can add a "Reset" function for all groups for now, or an option to flag all as Analog or Digital... making a stand alone program to do that would take longer to make, than it would be to change them manually...

Jay
----- Original Message -----
From: vince48

jay
is it possible to write a utility to make group changes. changing the flag individually is a bit time consuming.

837. TrunkPCR version 0.87.226 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 07:16:34 UTC
From: Jay
Topic: 837 Message: 837

TrunkPCR version 0.87.226 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has 1 fix and 1 addition:

Aug 11,2007 - Fixed: Propper selection of P25 for PCR2500 again :)
Aug 11,2007 - Added: Multi-Select to Group & Radio Lists in TrunkID Editor.
Version 0.86.226 Released 08/11/2007

Regards,
Jay

838. Re: [TrunkPCR] TrunkPCR version 0.87.226 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 13:47:49 UTC
From: Glenn
Topic: 837 Message: 838

Working good Here.

Glenn

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Sunday, August 12, 2007 2:16 AM
Subject: [TrunkPCR] TrunkPCR version 0.87.226 Now Available

TrunkPCR version 0.87.226 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has 1 fix and 1 addition:

Aug 11,2007 - Fixed: Propper selection of P25 for PCR2500 again :)
Aug 11,2007 - Added: Multi-Select to Group & Radio Lists in TrunkID
Editor.
Version 0.86.226 Released 08/11/2007

Regards,
Jay

839. Re: TrunkPCR version 0.87.226 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 18:21:24 UTC
From: dragon85383
Topic: 837 Message: 839

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
>
> TrunkPCR version 0.87.226 Now Available for Downloading from homepage:
> http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html
>
> This update has 1 fix and 1 addition:
>
> Aug 11,2007 - Fixed: Propper selection of P25 for PCR2500 again :)
> Aug 11,2007 - Added: Multi-Select to Group & Radio Lists in TrunkID
> Editor.
> Version 0.86.226 Released 08/11/2007
>
> Regards,
> Jay
>

Jay,

Just updated to this version and I am having problems with the record function. When i start it i get these 2 messages, "Couldn't get wavein meter and Couldn't get waveout meter" Then the record panel pops up but no meter movement. This did not work in the last version as well. Also i have just started using this feature.

Thanks,
Chris
Peoria, AZ

840. Re: [TrunkPCR] Re: TrunkPCR version 0.87.226 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 19:38:52 UTC
From: Jay
Topic: 837 Message: 840

Hey Chris,

You won't get any meter movement if you get a message "Couldn't get _____
meter".
This means that your sound card doesn't support this feature...

Regards,
Jay

----- Original Message -----
From: "dragon85383"
>
> Jay,
>
> Just updated to this version and I am having problems with the record
> function. When i start it i get these 2 messages, "Couldn't get wavein
> meter and Couldn't get waveout meter" Then the record panel pops up
> but no meter movement. This did not work in the last version as well.
> Also i have just started using this feature.
>
> Thanks,
> Chris
> Peoria, AZ

841. Re: TrunkPCR version 0.87.226 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 20:49:18 UTC
From: dragon85383
Topic: 837 Message: 841

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Chris,
>
> You won't get any meter movement if you get a message "Couldn't get
------
> meter".
> This means that your sound card doesn't support this feature...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "dragon85383"
> >
> > Jay,
> >
> > Just updated to this version and I am having problems with the record
> > function. When i start it i get these 2 messages, "Couldn't get wavein
> > meter and Couldn't get waveout meter" Then the record panel pops up
> > but no meter movement. This did not work in the last version as well.
> > Also i have just started using this feature.
> >
> > Thanks,
> > Chris
> > Peoria, AZ
>

Jay,

ok - that seams strange because if i run another scanner program for
my BCD996T and turn on its recording function, i get the audio from
TrunkPCR recorded from the PCR2500. I know this because i have the
2500 audio connected to the PC and not the BCD996T.

Chris
Peoria,AZ

842. Re: [TrunkPCR] Re: TrunkPCR version 0.87.226 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 21:36:57 UTC
From: Jay
Topic: 837 Message: 842

What I mean is that your sound card may not have the "Meter level output feature", not that it won't record...

Otherwise, if it's not recording in TrunkPcr, then either the Sound Recorder Settings need to be changed or there's another problem.
I've tested the recorder on a couple pc's here and they works ok. I just picked up an IBM ThinkPad 380 laptop at the thrift store for $20, so I'll check it out on that and see if it has a problem there...

Regards,
Jay

----- Original Message -----
From: "dragon85383"

> > Hey Chris,
> >
> > You won't get any meter movement if you get a message "Couldn't get
> ------
> > meter".
> > This means that your sound card doesn't support this feature...
> >
> > Regards,
> > Jay

> Jay,
>
> ok - that seams strange because if i run another scanner program for
> my BCD996T and turn on its recording function, i get the audio from
> TrunkPCR recorded from the PCR2500. I know this because i have the
> 2500 audio connected to the PC and not the BCD996T.
>
> Chris
> Peoria,AZ

843. Re: TrunkPCR version 0.87.226 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-12 22:40:49 UTC
From: dragon85383
Topic: 837 Message: 843

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> What I mean is that your sound card may not have the "Meter level output
> feature", not that it won't record...
>
> Otherwise, if it's not recording in TrunkPcr, then either the Sound
Recorder
> Settings need to be changed or there's another problem.
> I've tested the recorder on a couple pc's here and they works ok. I
just
> picked up an IBM ThinkPad 380 laptop at the thrift store for $20, so
I'll
> check it out on that and see if it has a problem there...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "dragon85383"
>

Ok - Thanks Jay
I will give it another try

Chris
> > > Hey Chris,
> > >
> > > You won't get any meter movement if you get a message "Couldn't get
> > ______
> > > meter".
> > > This means that your sound card doesn't support this feature...
> > >
> > > Regards,
> > > Jay
>
> > Jay,
> >
> > ok - that seams strange because if i run another scanner program for
> > my BCD996T and turn on its recording function, i get the audio from
> > TrunkPCR recorded from the PCR2500. I know this because i have the
> > 2500 audio connected to the PC and not the BCD996T.
> >
> > Chris
> > Peoria,AZ
>

844. Re: TrunkPCR version 0.87.226 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-13 00:42:05 UTC
From: dragon85383
Topic: 837 Message: 844

Jay,

It is recording

Thanks
Chris

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> What I mean is that your sound card may not have the "Meter level output
> feature", not that it won't record...
>
> Otherwise, if it's not recording in TrunkPcr, then either the Sound
Recorder
> Settings need to be changed or there's another problem.
> I've tested the recorder on a couple pc's here and they works ok. I
just
> picked up an IBM ThinkPad 380 laptop at the thrift store for $20, so
I'll
> check it out on that and see if it has a problem there...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "dragon85383"
>
> > > Hey Chris,
> > >
> > > You won't get any meter movement if you get a message "Couldn't get
> > ------
> > > meter".
> > > This means that your sound card doesn't support this feature...
> > >
> > > Regards,
> > > Jay
>
> > Jay,
> >
> > ok - that seams strange because if i run another scanner program for
> > my BCD996T and turn on its recording function, i get the audio from
> > TrunkPCR recorded from the PCR2500. I know this because i have the
> > 2500 audio connected to the PC and not the BCD996T.
> >
> > Chris
> > Peoria,AZ

>

845. RADIO WATCH FUNCTION SCREEN

Yahoo group: TrunkPCR
Date: 2007-08-13 02:02:53 UTC
From: Glenn
Topic: 845 Message: 845

I found that the radio watch is a very powerful tool when also used with the group watch. I am able to follow calls closely by following the data that the screens provide.

Glenn

846. Upgrade causes PC lock up

Yahoo group: TrunkPCR
Date: 2007-08-14 01:46:20 UTC
From: jyams73
Topic: 846 Message: 846

Anyone else experiencing your computer locking up since installing the latest upgrade? I installed the update yesterday and now, everytime I run TrunkPCR, my PC locks up. No problems on previous version. But I still LOVE the software!!

Jyams73
PCR 1500
Running Version 0.87.225

847. Re: [TrunkPCR] Upgrade causes PC lock up

Yahoo group: TrunkPCR
Date: 2007-08-14 02:02:04 UTC
From: Jay
Topic: 846 Message: 847

Hi Ron,

Is this during Trunking? Moto or Edacs? or is this in a conventional bank while listening or scanning?

Thanks,
Jay

----- Original Message -----
From: "jyams73" <jyams73@...>

> Anyone else experiencing your computer locking up since installing the
> latest upgrade? I installed the update yesterday and now, everytime I
> run TrunkPCR, my PC locks up. No problems on previous version. But I
> still LOVE the software!!
>
> Jyams73
> PCR 1500
> Running Version 0.87.225

848. Re: [TrunkPCR] Upgrade causes PC lock up

Yahoo group: TrunkPCR
Date: 2007-08-14 13:38:28 UTC
From: Frank Franzoi
Topic: 846 Message: 848

Jay,

The software seems to run ok once I got it installed. My lock up happened when I went to install the software. It began the install then totally stopped the computer right after beginning the file upgrades. I could not cancel or even use reboot. I had to hit the on/off button, once I did that with out holding it, it unlocked and continued to a successful install. Thought I was dreaming so I did it again with the same lock up. Using a 2.00 ghz hp
pavillion with 768 memory using Windows xp, Pcr 1000 and have not experienced this before. Soooo it may be related or it maybe just me but once the software installed everything is working just fine in all modes here.
Frank w8azv@...

Jay <crazycalifornian@...> wrote:
Hi Ron,

Is this during Trunking? Moto or Edacs? or is this in a conventional bank
while listening or scanning?

Thanks,
Jay

----- Original Message -----
From: "jyams73" <jyams73@...>

> Anyone else experiencing your computer locking up since installing the
> latest upgrade? I installed the update yesterday and now, everytime I
> run TrunkPCR, my PC locks up. No problems on previous version. But I
> still LOVE the software!!
>
> Jyams73
> PCR 1500
> Running Version 0.87.225

Got a little couch potato?
Check out fun summer activities for kids.

849. Re: [TrunkPCR] Upgrade causes PC lock up

Yahoo group: TrunkPCR
Date: 2007-08-14 20:55:21 UTC
From: Jay
Topic: 846 Message: 849

Hey Frank,

Thanks for the feedback...
I've been using the installer that comes with Visual Studio 6. The current install exe has some files removed from the last 2 updates, but those files were only used if a compiled help ".chm" file was going to be used. I was doing some testing with a help file (not made yet for the program), and the install maker included the necessary files for the help support.
I may have to switch to another install maker like Install Shield, if continued problems occur...

Jay

----- Original Message -----
From: Frank Franzoi

Jay,

The software seems to run ok once I got it installed. My lock up happened when I went to install the software. It began the install then totally stopped the computer right after beginning the file upgrades. I could not cancel or even use reboot. I had to hit the on/off button, once I did that with out holding it, it unlocked and continued to a successful install. Thought I was dreaming so I did it again with the same lock up. Using a 2.00 ghz hp
pavillion with 768 memory using Windows xp, Pcr 1000 and have not experienced this before. Soooo it may be related or it maybe just me but once the software installed everything is working just fine in all modes here.
Frank w8azv@yahoo.com

850. Re: Upgrade causes PC lock up

Yahoo group: TrunkPCR
Date: 2007-08-15 01:57:36 UTC
From: jyams73
Topic: 846 Message: 850

Jay, it is during Moto Trunking. Conventional scanning does fine.

thanks,
Ron

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Ron,
>
> Is this during Trunking? Moto or Edacs? or is this in a
conventional bank
> while listening or scanning?
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "jyams73" <jyams73@...>
>
> > Anyone else experiencing your computer locking up since
installing the
> > latest upgrade? I installed the update yesterday and now,
everytime I
> > run TrunkPCR, my PC locks up. No problems on previous version.
But I
> > still LOVE the software!!
> >
> > Jyams73
> > PCR 1500
> > Running Version 0.87.225
>

851. Re: [TrunkPCR] Re: Upgrade causes PC lock up

Yahoo group: TrunkPCR
Date: 2007-08-15 03:07:00 UTC
From: Jay
Topic: 846 Message: 851

Any kind of error message? or have you looked at the debug windows (click the Bank label to view) to see what is shown there?

Thanks,
Jay

----- Original Message -----
From: "jyams73" <jyams73@...>
> Jay, it is during Moto Trunking. Conventional scanning does fine.
>
> thanks,
> Ron
>
> --- "Jay" <crazycalifornian@...> wrote:
> >
> > Hi Ron,
> >
> > Is this during Trunking? Moto or Edacs? or is this in a
> conventional bank
> > while listening or scanning?
> >
> > Thanks,
> > Jay
> >
> > ----- Original Message -----
> > From: "jyams73" <jyams73@...>
> >
> > > Anyone else experiencing your computer locking up since
> installing the
> > > latest upgrade? I installed the update yesterday and now,
> everytime I
> > > run TrunkPCR, my PC locks up. No problems on previous version.
> But I
> > > still LOVE the software!!
> > >
> > > Jyams73
> > > PCR 1500
> > > Running Version 0.87.225

852. No radio ID shown on Ontario Fleetnet system?

Yahoo group: TrunkPCR
Date: 2007-08-16 20:59:07 UTC
From: nandromijn
Topic: 852 Message: 852

Hi,

When listening to the Ontario Fleetnet Motorola type II SmartZone system, everything seems to work well except that the radio ID does not show up in the bottom left corner of the "display" for any of the received transmissions.
Two local single site Motorola type II trunking systems around here do show the radio ID on each received transmission.

Is there a reason why this should not be the same for the Fleetnet system?

Thanks, Nand VA3TN.

853. Re: [TrunkPCR] No radio ID shown on Ontario Fleetnet system?

Yahoo group: TrunkPCR
Date: 2007-08-17 02:08:07 UTC
From: Jay
Topic: 852 Message: 853

Hey Nand,

That could be due to the program is only seeeing a continuation call that only has a Group ID...
Could you send me a 30 minute, zipped Dump File of the data from the Control Channel Activity Dump list?
I'll take a look at the data and see why the Call Grant (that has a Radio ID) isn't being processed...

Thanks,
Jay

----- Original Message -----
From: "nandromijn"
> Hi,
>
> When listening to the Ontario Fleetnet Motorola type II SmartZone
> system, everything seems to work well except that the radio ID does
> not show up in the bottom left corner of the "display" for any of the
> received transmissions.
> Two local single site Motorola type II trunking systems around here do
> show the radio ID on each received transmission.
>
> Is there a reason why this should not be the same for the Fleetnet system?
>
> Thanks, Nand VA3TN.

854. TrunkPCR version 0.87.229 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-23 08:10:13 UTC
From: Jay
Topic: 854 Message: 854

TrunkPCR version 0.87.229 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes, changes and additions

Aug 15,2007 - -----: Replaced Timer routines in PCR Control with Timer controls to test Freeze bug.
Aug 16,2007 - Fixed: Program crashing with PCR1500 and Moto Trunking.
Aug 16,2007 - Fixed: Moto VHF Call Grants.
Aug 17,2007 - -----: Removed RING Picture from COM Status.
Aug 17,2007 - Added: RxData Picture to display status of Received Data from PCR when COM Status is Active.
Aug 19,2007 - -----: COM Status Menu disabled when Spectrum Sweep enabled.
Aug 19,2007 - Fixed: COM Status Menu set to Saved State when TrunkPcr starts.
Aug 22,2007 - Fixed: Moto Status/Text Message Ack Responses.
Aug 22,2007 - -----: Selecting MPT1327 in Trunk Settings now Set as Conventional (until MPT is fixed).
Version 0.86.229 Released 08/23/2007

Regards,
Jay

855. RE: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-23 13:33:39 UTC
From: Carlos Tomasio
Topic: 854 Message: 855

Any here about TETRA or TECRA new system?

Please help me

Regards

Carlos

De: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] En nombre de Jay
Enviado el: Jueves, 23 de Agosto de 2007 03:10 a.m.
Para: TrunkPCR@yahoogroups.com
Asunto: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

TrunkPCR version 0.87.229 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes, changes and additions

Aug 15,2007 - -----: Replaced Timer routines in PCR Control with Timer controls to test Freeze bug.
Aug 16,2007 - Fixed: Program crashing with PCR1500 and Moto Trunking.
Aug 16,2007 - Fixed: Moto VHF Call Grants.
Aug 17,2007 - -----: Removed RING Picture from COM Status.
Aug 17,2007 - Added: RxData Picture to display status of Received Data from PCR when COM Status is Active.
Aug 19,2007 - -----: COM Status Menu disabled when Spectrum Sweep enabled.
Aug 19,2007 - Fixed: COM Status Menu set to Saved State when TrunkPcr starts.
Aug 22,2007 - Fixed: Moto Status/Text Message Ack Responses.
Aug 22,2007 - -----: Selecting MPT1327 in Trunk Settings now Set as Conventional (until MPT is fixed).
Version 0.86.229 Released 08/23/2007

Regards,
Jay

856. Re: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-24 04:28:20 UTC
From: Mark Colborn
Topic: 854 Message: 856

Installed newer version 229 in seperate folder earlier today. With 225 it would immediately scan the four control channels for the active control channel and the radio would start purring until the TRUNK key was hit and it would begin decoding the talkgroups. The newer version just sits there on the first channel to come up, will not scan for the control channel, and after Trunk is hit, it slowly scans through each channel but will not stop on the active control channel. "Monitoring" in the lower right hand corner displays until channel switches and then says "Data Loss on Channel." Recovery rate stays at zero even when it cycles through the control channel. Switched back to the older version and it runs just as it should. At first I thought I had a cable or sound card issue until I switched back to the older version.

Mark

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Thursday, August 23, 2007 3:10 AM
Subject: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

TrunkPCR version 0.87.229 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes, changes and additions

Aug 15,2007 - -----: Replaced Timer routines in PCR Control with Timer controls to test Freeze bug.
Aug 16,2007 - Fixed: Program crashing with PCR1500 and Moto Trunking.
Aug 16,2007 - Fixed: Moto VHF Call Grants.
Aug 17,2007 - -----: Removed RING Picture from COM Status.
Aug 17,2007 - Added: RxData Picture to display status of Received Data from PCR when COM Status is Active.
Aug 19,2007 - -----: COM Status Menu disabled when Spectrum Sweep enabled.
Aug 19,2007 - Fixed: COM Status Menu set to Saved State when TrunkPcr starts.
Aug 22,2007 - Fixed: Moto Status/Text Message Ack Responses.
Aug 22,2007 - -----: Selecting MPT1327 in Trunk Settings now Set as Conventional (until MPT is fixed).
Version 0.86.229 Released 08/23/2007

Regards,
Jay

857. Re: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-24 01:36:35 UTC
From: Glenn
Topic: 854 Message: 857

So Far good here.No problems.However I trunk mostly EDACS.

Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Thursday, August 23, 2007 3:10 AM
Subject: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

TrunkPCR version 0.87.229 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes, changes and additions

Aug 15,2007 - -----: Replaced Timer routines in PCR Control with Timer controls to test Freeze bug.
Aug 16,2007 - Fixed: Program crashing with PCR1500 and Moto Trunking.
Aug 16,2007 - Fixed: Moto VHF Call Grants.
Aug 17,2007 - -----: Removed RING Picture from COM Status.
Aug 17,2007 - Added: RxData Picture to display status of Received Data from PCR when COM Status is Active.
Aug 19,2007 - -----: COM Status Menu disabled when Spectrum Sweep enabled.
Aug 19,2007 - Fixed: COM Status Menu set to Saved State when TrunkPcr starts.
Aug 22,2007 - Fixed: Moto Status/Text Message Ack Responses.
Aug 22,2007 - -----: Selecting MPT1327 in Trunk Settings now Set as Conventional (until MPT is fixed).
Version 0.86.229 Released 08/23/2007

Regards,
Jay

858. Re: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-24 05:00:55 UTC
From: Jay
Topic: 854 Message: 858

Hi Mark,

For the way I have it set up, first you set the Bank to the Trunking System you want to monitor, then hit the Trunk Button, if the "Hunt on Data Loss" Button is depressed, the radio will hunt for the control channel, otherwise you would have to set the channel manually to the Control Channel. If the Reverse Polarity is set right, it should stop on the Control Channel when found. Also, if the squelch is set to a value less than 64 (Staying Open), then it would just sit there...

Are your Trunk Settings and Squelch the same for each installation?

If it still doesn't work after trying the above, let me know...

Thanks,
Jay
----- Original Message -----
From: Mark Colborn

Installed newer version 229 in seperate folder earlier today. With 225 it would immediately scan the four control channels for the active control channel and the radio would start purring until the TRUNK key was hit and it would begin decoding the talkgroups. The newer version just sits there on the first channel to come up, will not scan for the control channel, and after Trunk is hit, it slowly scans through each channel but will not stop on the active control channel. "Monitoring" in the lower right hand corner displays until channel switches and then says "Data Loss on Channel." Recovery rate stays at zero even when it cycles through the control channel. Switched back to the older version and it runs just as it should. At first I thought I had a cable or sound card issue until I switched back to the older version.

Mark

859. Re: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-24 06:42:28 UTC
From: Mark Colborn
Topic: 854 Message: 859

OK, took me several hours to figure it out, including a few uninstalls and re-installs and running the program directly from an Unzip folder. Under the Options tab, Sound Card Setup, the program had switched to "Wave Mapper" from my "Sigma Tel Audio" card? Another problem I've been having since the beginning is that the sound card inadvertently switches to the USB Audio CODEC installed with the PCR-1500 software. Sorry for the confusion, once again a problem with settings. Thanks Jay.

Mark

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, August 24, 2007 12:00 AM
Subject: Re: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

Hi Mark,

For the way I have it set up, first you set the Bank to the Trunking System you want to monitor, then hit the Trunk Button, if the "Hunt on Data Loss" Button is depressed, the radio will hunt for the control channel, otherwise you would have to set the channel manually to the Control Channel. If the Reverse Polarity is set right, it should stop on the Control Channel when found. Also, if the squelch is set to a value less than 64 (Staying Open), then it would just sit there...

Are your Trunk Settings and Squelch the same for each installation?

If it still doesn't work after trying the above, let me know...

Thanks,
Jay
----- Original Message -----
From: Mark Colborn

Installed newer version 229 in seperate folder earlier today. With 225 it would immediately scan the four control channels for the active control channel and the radio would start purring until the TRUNK key was hit and it would begin decoding the talkgroups. The newer version just sits there on the first channel to come up, will not scan for the control channel, and after Trunk is hit, it slowly scans through each channel but will not stop on the active control channel. "Monitoring" in the lower right hand corner displays until channel switches and then says "Data Loss on Channel." Recovery rate stays at zero even when it cycles through the control channel. Switched back to the older version and it runs just as it should. At first I thought I had a cable or sound card issue until I switched back to the older version.

Mark

860. Re: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-24 07:08:53 UTC
From: Jay
Topic: 854 Message: 860

Hey Mark,

The reason for the sound card inadvertently switching to the USB Audio CODEC, is due to Icom's program. Looks like they maybe modifying the windows registry setting directly, for the Preferred Audio Device, when one chooses the USB Audio Option in Icom's program.

I'll take a look to see why TrunkPcr is switching to the "Wave Mapper" option...

Thanks for the report,
Jay
----- Original Message -----
From: Mark Colborn

OK, took me several hours to figure it out, including a few uninstalls and re-installs and running the program directly from an Unzip folder. Under the Options tab, Sound Card Setup, the program had switched to "Wave Mapper" from my "Sigma Tel Audio" card? Another problem I've been having since the beginning is that the sound card inadvertently switches to the USB Audio CODEC installed with the PCR-1500 software. Sorry for the confusion, once again a problem with settings. Thanks Jay.

Mark

----- Original Message -----
From: Jay
Hi Mark,

For the way I have it set up, first you set the Bank to the Trunking System you want to monitor, then hit the Trunk Button, if the "Hunt on Data Loss" Button is depressed, the radio will hunt for the control channel, otherwise you would have to set the channel manually to the Control Channel. If the Reverse Polarity is set right, it should stop on the Control Channel when found. Also, if the squelch is set to a value less than 64 (Staying Open), then it would just sit there...

Are your Trunk Settings and Squelch the same for each installation?

If it still doesn't work after trying the above, let me know...

Thanks,
Jay
----- Original Message -----
From: Mark Colborn

Installed newer version 229 in seperate folder earlier today. With 225 it would immediately scan the four control channels for the active control channel and the radio would start purring until the TRUNK key was hit and it would begin decoding the talkgroups. The newer version just sits there on the first channel to come up, will not scan for the control channel, and after Trunk is hit, it slowly scans through each channel but will not stop on the active control channel. "Monitoring" in the lower right hand corner displays until

channel switches and then says "Data Loss on Channel." Recovery rate stays at zero even when it cycles through the control channel. Switched back to the older version and it runs just as it should. At first I thought I had a cable or sound card issue until I switched back to the older version.

Mark

861. Re: [TrunkPCR] TrunkPCR version 0.87.229 Now Available

Yahoo group: TrunkPCR
Date: 2007-08-24 07:57:28 UTC
From: Jay
Topic: 854 Message: 861

Follow Up...

When TrunkPcr first runs from a new installation or is installed in an alternate folder, it creates a new ".ini" config file. The default values for your sound card will be "Wave Mapper", the only time they will be changed is if a user selects a new option from the Sound Card Settings. So if you were expecting the 2nd install to use the same values as in the first, then that would be why. This is so a user can run multiple copies of TrunkPcr to monitor different system simultaneously...

Regards,
Jay
----- Original Message -----
From: Jay

Hey Mark,

The reason for the sound card inadvertently switching to the USB Audio CODEC, is due to Icom's program. Looks like they maybe modifying the windows registry setting directly, for the Preferred Audio Device, when one chooses the USB Audio Option in Icom's program.

I'll take a look to see why TrunkPcr is switching to the "Wave Mapper" option...

Thanks for the report,
Jay
----- Original Message -----
From: Mark Colborn

OK, took me several hours to figure it out, including a few uninstalls and re-installs and running the program directly from an Unzip folder. Under the Options tab, Sound Card Setup, the program had switched to "Wave Mapper" from my "Sigma Tel Audio" card? Another problem I've been having since the beginning is that the sound card inadvertently switches to the USB Audio CODEC installed with the PCR-1500 software. Sorry for the confusion, once again a problem with settings. Thanks Jay.

Mark

862. MCH File format

Yahoo group: TrunkPCR
Date: 2007-08-24 16:37:17 UTC
From: Rick
Topic: 862 Message: 862

Does anyone have an explanation of the MCH file format?

I'm trying to follow what's going on in the file itself.

I see some questions on conversion and etc. and I'd like to see if I can make a utility to do the conversions.

Or alternatively if you could point me to a document (Google isn't helping much here).

Rick

863. Re: [TrunkPCR] MCH File format

Yahoo group: TrunkPCR
Date: 2007-08-24 18:15:37 UTC
From: Jay
Topic: 862 Message: 863

The MCH file format is different from the PCR-1000/100's and PCR1500/2500's.
The PCR1500/2500 format shows the common CSV Header Format, followed by the
channel info.

PCR-100/1000:
[BANK00]
00=NONAME,,453.375,FM,15k,OFF,20kHz,OFF,OFF,OFF

Example:
Name,???,Frequency,Mode,Filter,???,Step,???,???,???

PCR-1500/2500:
02,KSWB INC,KSWB
I,800.000000,OFF,0.000000,WFM,50k,OFF,50kHz,OFF,OFF,OFF,88.5Hz,023,Normal,No
ne

Example:
CH No,Name,Sub
Name,Frequency,Dup,Offset,Mode,Filter,ATT,TS,SEL,SKIP,TONE,TSQL
Frequency,DTCS Code,DTCS Polarity,Remark

Jay

----- Original Message -----
From: "Rick" <rick2@...>
> Does anyone have an explanation of the MCH file format?
>
> I'm trying to follow what's going on in the file itself.
>
> I see some questions on conversion and etc. and I'd like to see if I
> can make a utility to do the conversions.
>
> Or alternatively if you could point me to a document (Google isn't
> helping much here).
>
> Rick

864. Re: [TrunkPCR] MCH File format

Yahoo group: TrunkPCR
Date: 2007-08-24 20:34:24 UTC
From: Rick Munday
Topic: 862 Message: 864

LOL! Lot's of ??? (undetermined) fields there. Must've been a Microsoft product! :)

ACTIVECH=00 I'll assume this means Active Channel? Or at least for the PCR-100...

Thanks Jay.

----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Friday, August 24, 2007 1:15 PM
Subject: Re: [TrunkPCR] MCH File format

> The MCH file format is different from the PCR-1000/100's and
> PCR1500/2500's.
> The PCR1500/2500 format shows the common CSV Header Format, followed by
> the
> channel info.
>
> PCR-100/1000:
> [BANK00]
> 00=NONAME,,453.375,FM,15k,OFF,20kHz,OFF,OFF,OFF
>
> Example:
> Name,???,Frequency,Mode,Filter,???,Step,???,???,???
>
> PCR-1500/2500:
> 02,KSWB INC,KSWB
> I,800.000000,OFF,0.000000,WFM,50k,OFF,50kHz,OFF,OFF,OFF,88.5Hz,023,Normal,No
> ne
>
> Example:
> CH No,Name,Sub
> Name,Frequency,Dup,Offset,Mode,Filter,ATT,TS,SEL,SKIP,TONE,TSQL
> Frequency,DTCS Code,DTCS Polarity,Remark
>
> Jay

--
I am using the free version of SPAMfighter for private users.
It has removed 5080 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

865. Re: [TrunkPCR] MCH File format

Yahoo group: TrunkPCR
Date: 2007-08-24 21:29:38 UTC
From: Jay
Topic: 862 Message: 865

LOL, actually those questionmarks are what I put in...

After doing a little more look at the 1000/100 format, it looks more like this:
Name,Remark,Frequency,Mode,Filter,ATT/Attenuate,TS/Step,SEL/Select Memory Scan,SKIP/LockOut,TSQ/ToneSquelch

Jay

----- Original Message -----
From: "Rick Munday"

> LOL! Lot's of ??? (undetermined) fields there. Must've been a Microsoft
> product! :)
>
> ACTIVECH=00 I'll assume this means Active Channel? Or at least for the
> PCR-100...
>
> Thanks Jay.
>
> ----- Original Message -----
> From: "Jay" <crazycalifornian@...>
>
> > The MCH file format is different from the PCR-1000/100's and
> > PCR1500/2500's.
> > The PCR1500/2500 format shows the common CSV Header Format, followed by
> > the
> > channel info.
> >
> > PCR-100/1000:
> > [BANK00]
> > 00=NONAME,,453.375,FM,15k,OFF,20kHz,OFF,OFF,OFF
> >
> > Example:
> > Name,???,Frequency,Mode,Filter,???,Step,???,???,???
> >
> > PCR-1500/2500:
> > 02,KSWB INC,KSWB
> >
I,800.000000,OFF,0.000000,WFM,50k,OFF,50kHz,OFF,OFF,OFF,88.5Hz,023,Normal,No
> > ne
> >
> > Example:
> > CH No,Name,Sub
> > Name,Frequency,Dup,Offset,Mode,Filter,ATT,TS,SEL,SKIP,TONE,TSQL
> > Frequency,DTCS Code,DTCS Polarity,Remark

> >
> > Jay

866. Re: [TrunkPCR] MCH File format

Yahoo group: TrunkPCR
Date: 2007-08-24 21:10:30 UTC
From: Rick Munday
Topic: 862 Message: 866

I wonder if I could get the full info from Icom? Anyone ever dealt with them from a developers point of view?

BTW - just started playing with TrunkPCR a few minutes ago (finally!), pretty slick for sure!

--
I am using the free version of SPAMfighter for private users.
It has removed 5080 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

867. Re: [TrunkPCR] MCH File format

Yahoo group: TrunkPCR
Date: 2007-08-24 21:56:09 UTC
From: Jay
Topic: 862 Message: 867

You can join Icom's developer network for $500, I'm not sure if it's for
All PCR's or if it's per PCR model...

Also, the ACTIVECH=00 is what I call the "Last Active/Used Channel"...

Jay

----- Original Message -----
From: "Rick Munday"

> I wonder if I could get the full info from Icom? Anyone ever dealt with
them
> from a developers point of view?
>
>
> BTW - just started playing with TrunkPCR a few minutes ago (finally!),
> pretty slick for sure!

868. Re: [TrunkPCR] MCH File format

Yahoo group: TrunkPCR
Date: 2007-08-24 23:43:15 UTC
From: Rick Munday
Topic: 862 Message: 868

> You can join Icom's developer network for $500, I'm not sure if it's for
> All PCR's or if it's per PCR model...

OUCH! :)

> Also, the ACTIVECH=00 is what I call the "Last Active/Used Channel"...

Very good. Thanks for the help!

--
I am using the free version of SPAMfighter for private users.
It has removed 5080 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

869. Re: [TrunkPCR] MCH File format

Yahoo group: TrunkPCR
Date: 2007-08-24 23:44:33 UTC
From: Rick Munday
Topic: 862 Message: 869

> LOL, actually those questionmarks are what I put in...

Heh, OK. I've seen some M$ developers do that for odd fields in SQL so it wouldn't surprise me one bit. ;)

> After doing a little more look at the 1000/100 format, it looks more like
> this:
> Name,Remark,Frequency,Mode,Filter,ATT/Attenuate,TS/Step,SEL/Select Memory
> Scan,SKIP/LockOut,TSQ/ToneSquelch

Awesome! That helps a bunch.

--
I am using the free version of SPAMfighter for private users.
It has removed 5080 spam emails to date.
Paying users do not have this message in their emails.
Get the free SPAMfighter here: http://www.spamfighter.com/len

870. Edacs System Info

Yahoo group: TrunkPCR
Date: 2007-08-26 23:21:30 UTC
From: shanepotito
Topic: 870 Message: 870

Hi All

I am trunking an edacs system and working very well but im not getting
any system info such as blocked radios etc.
Any ideas?

Regards Shane

871. Re: [TrunkPCR] Edacs System Info

Yahoo group: TrunkPCR
Date: 2007-08-27 02:14:13 UTC
From: Jay
Topic: 870 Message: 871

Hi Shane,

If there are Radios on the system that are denied use, then they would show up in the Blocked Radio List (I have two showing from the Riverside, CA. site).
The only Diagnostic Messages in Edacs will show up as "Test Call"...
Alternate / Neighbor Sites should give some info, if they exist. I haven't seen any locally... (This part is still in testing)

If you like, you could send me a zipped 30 minute or so Dump of the Control Channel Activity and I'll take a look at the data and see what exists...

Regards,
Jay

----- Original Message -----
From: "shanepotito"

> Hi All
>
> I am trunking an edacs system and working very well but im not getting
> any system info such as blocked radios etc.
> Any ideas?
>
> Regards Shane

872. HELP System Info TETRA

Yahoo group: TrunkPCR
Date: 2007-08-29 16:12:50 UTC
From: Carlos Tomasio
Topic: 870 Message: 872

Hello any ear about system TETRA.

Reagrds

Carlos

873. What happened?

Yahoo group: TrunkPCR
Date: 2007-08-30 11:55:34 UTC
From: htrboy1
Topic: 873 Message: 873

Hi,

I have been trying to get the software to work with my PCR1000. I did the initial setup according to the instructions on the TrunkPCR website, and for about 3 really cool minutes it was working great, decoding radio and group info, and generally blowing my mind with how geeky-cool this software is. Then the trunking stopped working, and I haven't been able to get it to successfully do trunk tracking since then. The frequency scanning works just fine.

Any thoughts on what I can try would be appreciated - I'll supply any details that would help troubleshoot the issue...

Best regards,
Scott

874. Re: [TrunkPCR] What happened?

Yahoo group: TrunkPCR
Date: 2007-08-30 17:20:26 UTC
From: Jay
Topic: 873 Message: 874

Hi Scott,

There could be a couple of things why it stopped.
1.) Audio cable from PCR to Sound Card maybe bad.
2.) The Control Channel switched to a different frequency/channel.

In the Trunk Settings, you can click the "Hunt Control Channel on Data Loss" button for the program to search for the control channel if it changes. Or change the channel manually until you find the new Control Channel...

Regards,
Jay

----- Original Message -----
From: "htrboy1"

> Hi,
>
> I have been trying to get the software to work with my PCR1000. I did
> the initial setup according to the instructions on the TrunkPCR
> website, and for about 3 really cool minutes it was working great,
> decoding radio and group info, and generally blowing my mind with how
> geeky-cool this software is. Then the trunking stopped working, and I
> haven't been able to get it to successfully do trunk tracking since
> then. The frequency scanning works just fine.
>
> Any thoughts on what I can try would be appreciated - I'll supply any
> details that would help troubleshoot the issue...
>
> Best regards,
> Scott

875. Re: What happened?

Yahoo group: TrunkPCR
Date: 2007-08-30 18:30:15 UTC
From: htrboy1
Topic: 873 Message: 875

Thanks for the reply,

I have tried letting the program search for the control channel, as well as searching manually, with no luck. I've tried switching my audio cable, as well as trying different inputs on my soundcard. I've tried stopping the program and restarting, nothing has allowed the trunking function to work again :(It's a little frustrating because it WORKED for a few minutes

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Scott,
>
> There could be a couple of things why it stopped.
> 1.) Audio cable from PCR to Sound Card maybe bad.
> 2.) The Control Channel switched to a different frequency/channel.
>
> In the Trunk Settings, you can click the "Hunt Control Channel on Data
> Loss" button for the program to search for the control channel if it
> changes. Or change the channel manually until you find the new Control
> Channel...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "htrboy1"
>
> > Hi,
> >
> > I have been trying to get the software to work with my PCR1000. I did
> > the initial setup according to the instructions on the TrunkPCR
> > website, and for about 3 really cool minutes it was working great,
> > decoding radio and group info, and generally blowing my mind with how
> > geeky-cool this software is. Then the trunking stopped working, and I
> > haven't been able to get it to successfully do trunk tracking since
> > then. The frequency scanning works just fine.
> >
> > Any thoughts on what I can try would be appreciated - I'll supply any
> > details that would help troubleshoot the issue...
> >
> > Best regards,
> > Scott
>

876. Re: [TrunkPCR] Re: What happened?

Yahoo group: TrunkPCR
Date: 2007-08-30 19:56:43 UTC
From: Jay
Topic: 873 Message: 876

Ok, lets try this:

In the Trunk Settings, change the "Hunt Control Channel on Data Loss" button so it's OFF (not depressed).
With the Trunk Button not depressed, change manually to the Control Channel where you'll hear the constant buzzing sound.
Now click the Trunk Button so it's ON, then under Optiopns Menu, click the "Show Oscilloscope" menu. Verify that you have a good waveform similar to the one shown on the Help Page.
If the waveform looks good, try changing the "Reverse Polarity" in the Trunk Settings.

Verify that you have the FM or FSK(PCR-1000/100) Mode selected and that the Filter is set to 15kHz.

With the right settings on your sound card mixer, you should see 1's=45% to 1's=55% showing down in the Status Bar, if that reading is below 40% or above 60% all of the time, then your settings could be wrong...

Jay

----- Original Message -----
From: "htrboy1"
> Thanks for the reply,
>
> I have tried letting the program search for the control channel, as
> well as searching manually, with no luck. I've tried switching my
> audio cable, as well as trying different inputs on my soundcard. I've
> tried stopping the program and restarting, nothing has allowed the
> trunking function to work again :(It's a little frustrating because
> it WORKED for a few minutes
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> >
> > Hi Scott,
> >
> > There could be a couple of things why it stopped.
> > 1.) Audio cable from PCR to Sound Card maybe bad.
> > 2.) The Control Channel switched to a different frequency/channel.
> >
> > In the Trunk Settings, you can click the "Hunt Control Channel on Data
> > Loss" button for the program to search for the control channel if it
> > changes. Or change the channel manually until you find the new Control
> > Channel...
> >
> > Regards,

> > Jay
> >
> > ----- Original Message -----
> > From: "htrboy1"
> >
> > > Hi,
> > >
> > > I have been trying to get the software to work with my PCR1000. I did

> > > the initial setup according to the instructions on the TrunkPCR
> > > website, and for about 3 really cool minutes it was working great,
> > > decoding radio and group info, and generally blowing my mind with how
> > > geeky-cool this software is. Then the trunking stopped working, and I
> > > haven't been able to get it to successfully do trunk tracking since
> > > then. The frequency scanning works just fine.
> > >
> > > Any thoughts on what I can try would be appreciated - I'll supply any
> > > details that would help troubleshoot the issue...
> > >
> > > Best regards,
> > > Scott

877. Re: What happened?

Yahoo group: TrunkPCR
Date: 2007-08-31 01:19:39 UTC
From: htrboy1
Topic: 873 Message: 877

Yee Haw!

I did as you said, and the first thing I discovered is I was not using my mic input as I thought, but the line1 input <red in face>. The next thing I discovered is - when I put it on what I thought was the control channel, it didn't look like the pic in the help file, but more like a PSK signal (helpful tool, that oscope!). I searched a little more, found another 'buzzing' channel, and it <was> like the pic., but still no joy. After waiting for a minute or so, I reversed the polarity, and within 5 sec. - TRUNKING!

Thank you very much for the help! Once I can tear myself away from the scanner, I'll be sending my donation.

Thanks again and best regards,
Scott

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Ok, lets try this:
>
> In the Trunk Settings, change the "Hunt Control Channel on Data Loss"
> button so it's OFF (not depressed).
> With the Trunk Button not depressed, change manually to the Control
Channel
> where you'll hear the constant buzzing sound.
> Now click the Trunk Button so it's ON, then under Optiopns Menu,
click the
> "Show Oscilloscope" menu. Verify that you have a good waveform
similar to
> the one shown on the Help Page.
> If the waveform looks good, try changing the "Reverse Polarity" in the
> Trunk Settings.
>
> Verify that you have the FM or FSK(PCR-1000/100) Mode selected and
that the
> Filter is set to 15kHz.
>
> With the right settings on your sound card mixer, you should see
1's=45% to
> 1's=55% showing down in the Status Bar, if that reading is below 40% or
> above 60% all of the time, then your settings could be wrong...
>
> Jay
>
> ----- Original Message -----

> From: "htrboy1"
> > Thanks for the reply,
> >
> > I have tried letting the program search for the control channel, as
> > well as searching manually, with no luck. I've tried switching my
> > audio cable, as well as trying different inputs on my soundcard. I've
> > tried stopping the program and restarting, nothing has allowed the
> > trunking function to work again :(It's a little frustrating because
> > it WORKED for a few minutes
> >
> > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > >
> > > Hi Scott,
> > >
> > > There could be a couple of things why it stopped.
> > > 1.) Audio cable from PCR to Sound Card maybe bad.
> > > 2.) The Control Channel switched to a different frequency/channel.
> > >
> > > In the Trunk Settings, you can click the "Hunt Control Channel
on Data
> > > Loss" button for the program to search for the control channel if it
> > > changes. Or change the channel manually until you find the new
Control
> > > Channel...
> > >
> > > Regards,
> > > Jay
> > >
> > > ----- Original Message -----
> > > From: "htrboy1"
> > >
> > > > Hi,
> > > >
> > > > I have been trying to get the software to work with my
PCR1000. I did
>
> > > > the initial setup according to the instructions on the TrunkPCR
> > > > website, and for about 3 really cool minutes it was working great,
> > > > decoding radio and group info, and generally blowing my mind
with how
> > > > geeky-cool this software is. Then the trunking stopped
working, and I
> > > > haven't been able to get it to successfully do trunk tracking
since
> > > > then. The frequency scanning works just fine.
> > > >
> > > > Any thoughts on what I can try would be appreciated - I'll
supply any
> > > > details that would help troubleshoot the issue...
> > > >

> > > > Best regards,
> > > > Scott
>

878. Re: What happened?

Yahoo group: TrunkPCR
Date: 2007-08-31 02:13:51 UTC
From: alphasxsignal
Topic: 873 Message: 878

What types of Trunk system can the PCR-1000 handle?
EDACS etc what other systems?

--- In TrunkPCR@yahoogroups.com, "htrboy1" <htrboy@...> wrote:
>
> Yee Haw!
>
> I did as you said, and the first thing I discovered is I was not
using
> my mic input as I thought, but the line1 input <red in face>. The
> next thing I discovered is - when I put it on what I thought was the
> control channel, it didn't look like the pic in the help file, but
> more like a PSK signal (helpful tool, that oscope!). I searched a
> little more, found another 'buzzing' channel, and it <was> like the
> pic., but still no joy. After waiting for a minute or so, I
reversed
> the polarity, and within 5 sec. - TRUNKING!
>
> Thank you very much for the help! Once I can tear myself away from
> the scanner, I'll be sending my donation.
>
> Thanks again and best regards,
> Scott
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> >
> > Ok, lets try this:
> >
> > In the Trunk Settings, change the "Hunt Control Channel on Data
Loss"
> > button so it's OFF (not depressed).
> > With the Trunk Button not depressed, change manually to the
Control
> Channel
> > where you'll hear the constant buzzing sound.
> > Now click the Trunk Button so it's ON, then under Optiopns Menu,
> click the
> > "Show Oscilloscope" menu. Verify that you have a good waveform
> similar to
> > the one shown on the Help Page.
> > If the waveform looks good, try changing the "Reverse Polarity"
in the
> > Trunk Settings.
> >
> > Verify that you have the FM or FSK(PCR-1000/100) Mode selected and

> that the
> > Filter is set to 15kHz.
> >
> > With the right settings on your sound card mixer, you should see
> 1's=45% to
> > 1's=55% showing down in the Status Bar, if that reading is below
40% or
> > above 60% all of the time, then your settings could be wrong...
> >
> > Jay
> >
> > ----- Original Message -----
> > From: "htrboy1"
> > > Thanks for the reply,
> > >
> > > I have tried letting the program search for the control
channel, as
> > > well as searching manually, with no luck. I've tried switching
my
> > > audio cable, as well as trying different inputs on my
soundcard. I've
> > > tried stopping the program and restarting, nothing has allowed
the
> > > trunking function to work again :(It's a little frustrating
because
> > > it WORKED for a few minutes
> > >
> > > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@>
wrote:
> > > >
> > > > Hi Scott,
> > > >
> > > > There could be a couple of things why it stopped.
> > > > 1.) Audio cable from PCR to Sound Card maybe bad.
> > > > 2.) The Control Channel switched to a different
frequency/channel.
> > > >
> > > > In the Trunk Settings, you can click the "Hunt Control
Channel
> on Data
> > > > Loss" button for the program to search for the control
channel if it
> > > > changes. Or change the channel manually until you find the
new
> Control
> > > > Channel...
> > > >
> > > > Regards,
> > > > Jay
> > > >

> > > > ----- Original Message -----
> > > > From: "htrboy1"
> > > >
> > > > > Hi,
> > > > >
> > > > > I have been trying to get the software to work with my
> PCR1000. I did
> >
> > > > > the initial setup according to the instructions on the
TrunkPCR
> > > > > website, and for about 3 really cool minutes it was working
great,
> > > > > decoding radio and group info, and generally blowing my mind
> with how
> > > > > geeky-cool this software is. Then the trunking stopped
> working, and I
> > > > > haven't been able to get it to successfully do trunk
tracking
> since
> > > > > then. The frequency scanning works just fine.
> > > > >
> > > > > Any thoughts on what I can try would be appreciated - I'll
> supply any
> > > > > details that would help troubleshoot the issue...
> > > > >
> > > > > Best regards,
> > > > > Scott
> >
>

879. Motorola type 1 system

Yahoo group: TrunkPCR
Date: 2007-09-02 01:38:25 UTC
From: Glenn
Topic: 879 Message: 879

Jay,
The control channel dump show system type I. Under system info says undetermined.
is this a bug?

Glenn

880. Re: [TrunkPCR] Motorola type 1 system

Yahoo group: TrunkPCR
Date: 2007-09-02 02:35:21 UTC
From: Jay
Topic: 879 Message: 880

Hey Glenn,

If it's a true type-1 system then yes it is...
I've never seen data from a Type-1 system, so that would be why...

Could you zip up and send me a 10 minute or so Dump Log so I can take a look at the info?.

Thanks,
Jay
----- Original Message -----
From: Glenn

Jay,
The control channel dump show system type I. Under system info says undetermined.
is this a bug?

Glenn

881. Re: [TrunkPCR] Motorola type 1 system

Yahoo group: TrunkPCR
Date: 2007-09-02 03:58:31 UTC
From: Glenn
Topic: 879 Message: 881

Jay,
Your server rejected my email
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, September 01, 2007 9:35 PM
Subject: Re: [TrunkPCR] Motorola type 1 system

Hey Glenn,

If it's a true type-1 system then yes it is...
I've never seen data from a Type-1 system, so that would be why...

Could you zip up and send me a 10 minute or so Dump Log so I can take a look at the info?.

Thanks,
Jay
----- Original Message -----
From: Glenn

Jay,
The control channel dump show system type I. Under system info says undetermined.
is this a bug?

Glenn

882. group watch not working with moto type1

Yahoo group: TrunkPCR
Date: 2007-09-04 23:18:19 UTC
From: Glenn
Topic: 882 Message: 882

Jay,
The Motorola system I have been listening to I decided to watch some groups.All the groups are numbers like 17xxx.I put them into the settings but nothing shows up.Is this turned off under Motorola type I ?
Its sististical data.
Glenn

883. Re: [TrunkPCR] group watch not working with moto type1

Yahoo group: TrunkPCR
Date: 2007-09-05 00:36:02 UTC
From: Jay
Topic: 882 Message: 883

Hi Glenn,

Moto Type 1 systems aren't fully supported yet.
The default Group Number that is in the display is 15-XXX (Just a space filler for Edacs Groups), is that what you see?
If the Group Number is 0 (Zero), then the Group Number in the display wouldn't get updated since I treat Group#0 as invalid.
That would be why you see the 15-XXX...

Can you send me a Control Channel Dump again (when you have calls being displayed) so I can see why it's doing that?

I thouhjt Type-1 systems were being phased out which is why it's not fully supported.
But since some sites are still going to use it, guess I will add support for it now with your help :)
And for helping me through this upgrade, I'll bump your limits to the next higher level :)
...

Thanks again,
Jay
----- Original Message -----
From: Glenn

Jay,
The Motorola system I have been listening to I decided to watch some groups.All the groups are numbers like 17xxx.I put them into the settings but nothing shows up.Is this turned off under Motorola type I ?
Its sististical data.
Glenn

884. Re: [TrunkPCR] group watch not working with moto type1

Yahoo group: TrunkPCR
Date: 2007-09-05 01:08:06 UTC
From: Glenn
Topic: 882 Message: 884

I have to sort something out!!!!! I just found out that there is a LTR system operating on the same 5 frequencies on the same tower location.But I only see one frequency trunking on the LTR system and that is 860.0125. The three frequencies used on the motorola system is 856.0125,858.0125 and 859.0125 even they are listed somethin g totally different.

HHHHMMMMMM!
I run a dump tomarrow.
Glenn
I
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, September 04, 2007 7:36 PM
Subject: Re: [TrunkPCR] group watch not working with moto type1

Hi Glenn,

Moto Type 1 systems aren't fully supported yet.
The default Group Number that is in the display is 15-XXX (Just a space filler for Edacs Groups), is that what you see?
If the Group Number is 0 (Zero), then the Group Number in the display wouldn't get updated since I treat Group#0 as invalid.
That would be why you see the 15-XXX...

Can you send me a Control Channel Dump again (when you have calls being displayed) so I can see why it's doing that?

I thouhjt Type-1 systems were being phased out which is why it's not fully supported.
But since some sites are still going to use it, guess I will add support for it now with your help :)
And for helping me through this upgrade, I'll bump your limits to the next higher level :)
...

Thanks again,
Jay
----- Original Message -----
From: Glenn

Jay,
The Motorola system I have been listening to I decided to watch some groups.All the groups are numbers like 17xxx.I put them into the settings but nothing shows up.Is this turned off under Motorola type I ?
Its sististical data.
Glenn

885. Re: [TrunkPCR] group watch not working with moto type1

Yahoo group: TrunkPCR
Date: 2007-09-05 18:52:53 UTC
From: Jay
Topic: 882 Message: 885

Hey Glenn,

Thanks, when you can get to them that would be great!

Jay
----- Original Message -----
From: Glenn

I have to sort something out!!!!! I just found out that there is a LTR system operating on the same 5 frequencies on the same tower location.But I only see one frequency trunking on the LTR system and that is 860.0125. The three frequencies used on the motorola system is 856.0125,858.0125 and 859.0125 even they are listed somethin g totally different.

HHHHMMMMMM!
I run a dump tomarrow.
Glenn
I
----- Original Message -----
From: Jay
Hi Glenn,

Moto Type 1 systems aren't fully supported yet.
The default Group Number that is in the display is 15-XXX (Just a space filler for Edacs Groups), is that what you see?
If the Group Number is 0 (Zero), then the Group Number in the display wouldn't get updated since I treat Group#0 as invalid.
That would be why you see the 15-XXX...

Can you send me a Control Channel Dump again (when you have calls being displayed) so I can see why it's doing that?

I thouhjt Type-1 systems were being phased out which is why it's not fully supported.
But since some sites are still going to use it, guess I will add support for it now with your help :)
And for helping me through this upgrade, I'll bump your limits to the next higher level :)
...

Thanks again,
Jay
----- Original Message -----
From: Glenn

Jay,
The Motorola system I have been listening to I decided to watch some groups.All the groups are numbers like 17xxx.I put them into the settings but nothing shows up.Is this turned off under Motorola type I ?
Its sististical data.

Glenn

886. Re: [TrunkPCR] group watch not working with moto type1

Yahoo group: TrunkPCR
Date: 2007-09-06 07:21:14 UTC
From: Mark Colborn
Topic: 882 Message: 886

Glenn,

Having an LTR system and Motorola system operating on the same frequencies on the same tower is highly unlikely. How did you determine this? Sounds like you have a five channel Type I Moto system (which is very common on older first generation Moto SMR systems that support a small number of users). Sounds like the freqs in the system are 856/857/858/859/860.0125 and the control channel will alternate between four of the five freqs each day. There could be an LTR system close by using some of those frequencies (supposed to be more than 40 miles, although the FCC seldom follows that rule in big cities) and you are hearing the data transmissions (a key-up every 8 to 10 seconds) on some of those frequencies. In the Dallas/Fort Worth area, LTR systems have moved almost exclusively to the 450/460 or 480 frequency band. There is only one 800 LTR system left in the area, and that will most likely disappear or move to UHF when re-banding goes into effect.

Mark

----- Original Message -----
From: Glenn
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, September 04, 2007 8:08 PM
Subject: Re: [TrunkPCR] group watch not working with moto type1

I have to sort something out!!!!! I just found out that there is a LTR system operating on the same 5 frequencies on the same tower location.But I only see one frequency trunking on the LTR system and that is 860.0125. The three frequencies used on the motorola system is 856.0125,858.0125 and 859.0125 even they are listed somethin g totally different.

HHHHMMMMMM!
I run a dump tomarrow.
Glenn
I
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, September 04, 2007 7:36 PM
Subject: Re: [TrunkPCR] group watch not working with moto type1

Hi Glenn,

Moto Type 1 systems aren't fully supported yet.
The default Group Number that is in the display is 15-XXX (Just a space filler for Edacs Groups), is that what you see?
If the Group Number is 0 (Zero), then the Group Number in the display wouldn't get updated since I treat Group#0 as invalid.
That would be why you see the 15-XXX...

Can you send me a Control Channel Dump again (when you have calls being displayed) so I can see why it's doing that?

I thouhjt Type-1 systems were being phased out which is why it's not fully supported.
But since some sites are still going to use it, guess I will add support for it now with your help :)
And for helping me through this upgrade, I'll bump your limits to the next higher level :)
...

Thanks again,
Jay
----- Original Message -----
From: Glenn

Jay,
The Motorola system I have been listening to I decided to watch some groups.All the groups are numbers like 17xxx.I put them into the settings but nothing shows up.Is this turned off under Motorola type I ?
Its sististical data.
Glenn

887. EDACS networked system id transfers

Yahoo group: TrunkPCR
Date: 2007-09-09 01:24:35 UTC
From: Glenn
Topic: 887 Message: 887

Jay and the group,
I listen into a Narrow band EDACS networked system and there is 5 sites I can listen into.Most of those sites are used by the same operators.I would like to take some of the trunkgroups that I have set for the primary site and expost them and the settings to the other trunkbanks that I have set for the other sites. Is this possible without alot of typing?

Thanks,
Glenn

888. Re: Sort by Frequency

Yahoo group: TrunkPCR
Date: 2007-09-09 02:56:06 UTC
From: wildhairgamer
Topic: 813 Message: 888

The version I upgraded to seem to fix this issue. Thanks for the
good work!!!

Mike.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Yep, you're right...
> You can always use the Drag-n-Drop function to clean that up for
now...
> (Click on an item in the list, while holding the mouse button down,
move the
> mouse to the position desired and release the button)
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "wildhairgamer"
> > Hi,
> > Using the Organize Channels window I tried to sort 16 AM and FM
radio
> > frequencies contained in a bank and got the following result:
> >
> > 1 101.3
> > 2 102.1
> > 3 103.7
> > 4 1.07
> > 5 107.3
> > 6 1.24
> > 7 1.33
> > 8 1.41
> > 9 1.48
> > 10 88.3
> > 11 89.1
> > 12 0.9
> > 13 90.1
> > 14 91.1
> > 15 95.1
> > 16 97.9
> >
> > Is this correct? It seems to be using an alphabetic sort function
> > insetead of numeric.
> >
> > Mike.

>

889. Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-09-09 02:51:08 UTC
From: wildhairgamer
Topic: 605 Message: 889

Hey guys,

Sorry for the long delay in the response. I've been alway on
buisness. I'm not a paid subscriber, so I guess that is the
problem. I'm going to research it a little more tonight.

Thanks for the help.

Mike.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Mike,
>
> Are you a Paid Subscriber on RR.com?
> If not, that would be the problem...
> But we still need your answer on this...
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "Terry"
> > Mike.
> >
> > Just to clarify a point, but are you a paid up subscriber to
Radio
> > Reference, or just a Registered User? It is my understanding that
> > you have to be a paid up subscriber to use the web import feature.
> >
> > Terry
>

890. Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-09 07:56:08 UTC
From: Mick
Topic: 890 Message: 890

Hi there iam a new member, My mane is Mick, iam from Tasmania Australia, iam new to this trunk pcr, i have it running and works fine,
Cheers Mick

891. Re: [TrunkPCR] Re: Web Import Problem

Yahoo group: TrunkPCR
Date: 2007-09-09 10:48:51 UTC
From: Glenn
Topic: 605 Message: 891

Yes you have to pay the dues.Once I did pay it worked great.
----- Original Message -----
From: wildhairgamer
To: TrunkPCR@yahoogroups.com
Sent: Saturday, September 08, 2007 9:51 PM
Subject: [TrunkPCR] Re: Web Import Problem

Hey guys,

Sorry for the long delay in the response. I've been alway on
buisness. I'm not a paid subscriber, so I guess that is the
problem. I'm going to research it a little more tonight.

Thanks for the help.

Mike.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Mike,
>
> Are you a Paid Subscriber on RR.com?
> If not, that would be the problem...
> But we still need your answer on this...
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "Terry"
> > Mike.
> >
> > Just to clarify a point, but are you a paid up subscriber to
Radio
> > Reference, or just a Registered User? It is my understanding that
> > you have to be a paid up subscriber to use the web import feature.
> >
> > Terry
>

892. Re: [TrunkPCR] EDACS networked system id transfers

Yahoo group: TrunkPCR
Date: 2007-09-09 18:40:08 UTC
From: Jay
Topic: 887 Message: 892

Hey Glenn,

One way to copy some groups to another site would be to use copy-n-paste using NotePad or WordPad.
Open up the Primary Site's ".Tnk" in one window of notepad and another site's ".Tnk" file in a separate notepad window.
Just highlite the whole line of the groups from the primary site you want to export, Copy to clipboard, then Paste the groups at the end of the list in the second notepad window...

The start of each line looks like this: Id0001=00D0,208,...
The value after the "=" equals is a hex value of the Group ID and the 2nd value is the Group ID in Decimal.
Don't worry about having duplicate "IdNNNN" entries...

Regards,
Jay

----- Original Message -----
From: Glenn

Jay and the group,
I listen into a Narrow band EDACS networked system and there is 5 sites I can listen into.Most of those sites are used by the same operators.I would like to take some of the trunkgroups that I have set for the primary site and expost them and the settings to the other trunkbanks that I have set for the other sites. Is this possible without alot of typing?

Thanks,
Glenn

893. Re: [TrunkPCR] EDACS networked system id transfers

Yahoo group: TrunkPCR
Date: 2007-09-09 19:00:55 UTC
From: Glenn
Topic: 887 Message: 893

OK COOL.
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Sunday, September 09, 2007 1:40 PM
Subject: Re: [TrunkPCR] EDACS networked system id transfers

Hey Glenn,

One way to copy some groups to another site would be to use copy-n-paste using NotePad or WordPad.
Open up the Primary Site's ".Tnk" in one window of notepad and another site's ".Tnk" file in a separate notepad window.
Just highlite the whole line of the groups from the primary site you want to export, Copy to clipboard, then Paste the groups at the end of the list in the second notepad window...

The start of each line looks like this: Id0001=00D0,208,...
The value after the "=" equals is a hex value of the Group ID and the 2nd value is the Group ID in Decimal.
Don't worry about having duplicate "IdNNNN" entries...

Regards,
Jay

----- Original Message -----
From: Glenn

Jay and the group,
I listen into a Narrow band EDACS networked system and there is 5 sites I can listen into.Most of those sites are used by the same operators.I would like to take some of the trunkgroups that I have set for the primary site and expost them and the settings to the other trunkbanks that I have set for the other sites. Is this possible without alot of typing?

Thanks,
Glenn

894. Re: [TrunkPCR] Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-11 03:52:56 UTC
From: Jay
Topic: 890 Message: 894

Hey Mick,

Welcome to the group :)
Glad you like the program, if you find that something doesn't work the way
you think it should, let me know...

Regards,
Jay

----- Original Message -----
From: "Mick"

> Hi there iam a new member, My mane is Mick, iam from Tasmania
> Australia, iam new to this trunk pcr, i have it running and works fine,
> Cheers Mick

895. Re: [TrunkPCR] What types of Trunk system can the PCR-1000 handle?

Yahoo group: TrunkPCR
Date: 2007-09-11 03:50:47 UTC
From: Jay
Topic: 895 Message: 895

Hi,

That would all depend on the software...
TrunkPCR supports Motorola 3600 Baud Type I, Type II and Edacs 4800 Baud, 9600 Baud systems.

Otherwise you can use LTR Trunk, Trunksniffer and Unitrunker for a few other modes...

Regards,
Jay

----- Original Message -----
From: "alphasxsignal"

>
> What types of Trunk system can the PCR-1000 handle?
> EDACS etc what other systems?

896. Re: [TrunkPCR] Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-11 07:20:30 UTC
From: Mick Ctcsss
Topic: 890 Message: 896

Hi Jay, i would like to make a donation to get rid of the pop up,,Iam in Australia is ther somehere i can pay by visa? dont have any thing to do with paypal,, Cheers Mick

Jay <crazycalifornian@...> wrote: Hey Mick,

Welcome to the group :)
Glad you like the program, if you find that something doesn't work the way
you think it should, let me know...

Regards,
Jay

----- Original Message -----
From: "Mick"

> Hi there iam a new member, My mane is Mick, iam from Tasmania
> Australia, iam new to this trunk pcr, i have it running and works fine,
> Cheers Mick

Sick of deleting your inbox? Yahoo!7 Mail has free unlimited storage. Get it now.

897. Re: [TrunkPCR] Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-11 11:52:12 UTC
From: Glenn
Topic: 890 Message: 897

What systems trunks down under?
----- Original Message -----
From: Mick Ctcsss
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, September 11, 2007 2:20 AM
Subject: Re: [TrunkPCR] Hi there new member

Hi Jay, i would like to make a donation to get rid of the pop up,,Iam in Australia is ther somehere i can pay by visa? dont have any thing to do with paypal,, Cheers Mick

Jay <crazycalifornian@...> wrote:

Hey Mick,

Welcome to the group :)
Glad you like the program, if you find that something doesn't work the way
you think it should, let me know...

Regards,
Jay

----- Original Message -----
From: "Mick"

> Hi there iam a new member, My mane is Mick, iam from Tasmania
> Australia, iam new to this trunk pcr, i have it running and works fine,
> Cheers Mick

Sick of deleting your inbox? Yahoo!7 Mail has free unlimited storage. Get it now.

898. Re: [TrunkPCR] What types of Trunk system can the PCR-1000 handle?

Yahoo group: TrunkPCR
Date: 2007-09-11 11:51:26 UTC
From: Glenn
Topic: 895 Message: 898

Any LTR trunking needs a modified dataslicer that has a highpass filter.
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, September 10, 2007 10:50 PM
Subject: Re: [TrunkPCR] What types of Trunk system can the PCR-1000 handle?

Hi,

That would all depend on the software...
TrunkPCR supports Motorola 3600 Baud Type I, Type II and Edacs 4800 Baud,
9600 Baud systems.

Otherwise you can use LTR Trunk, Trunksniffer and Unitrunker for a few other
modes...

Regards,
Jay

----- Original Message -----
From: "alphasxsignal"

>
> What types of Trunk system can the PCR-1000 handle?
> EDACS etc what other systems?

899. Re: [TrunkPCR] Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-11 17:14:20 UTC
From: Jay
Topic: 890 Message: 899

Hi Mick,

I don't have any direct way to accept credit card payments other than throuigh PayPal. You can either send a Money Order, Certified Cashiers Check, a personal check (will take longer to clear) or if you trust the mail system you can send cash using U.S. conversion rates.

Or if you have an old scanner or radio you want to get rid of, I may accept that instead...

Regards,
Jay
----- Original Message -----
From: Mick Ctcsss

Hi Jay, i would like to make a donation to get rid of the pop up,,Iam in Australia is ther somehere i can pay by visa? dont have any thing to do with paypal,, Cheers Mick

900. Re: [TrunkPCR] Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-11 20:14:36 UTC
From: Mick Ctcsss
Topic: 890 Message: 900

Hi there Glenn, We have in Tasmania have the EDACS narrow 865 MHz band, Ploice,Electricty company, Radio Techs, Cheers Mick

Glenn <kd5dga@...> wrote: What systems trunks down under?
----- Original Message -----
From: Mick Ctcsss
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, September 11, 2007 2:20 AM
Subject: Re: [TrunkPCR] Hi there new member

Hi Jay, i would like to make a donation to get rid of the pop up,,Iam in Australia is ther somehere i can pay by visa? dont have any thing to do with paypal,, Cheers Mick

Jay <crazycalifornian@...> wrote: Hey Mick,

Welcome to the group :)
Glad you like the program, if you find that something doesn't work the way
you think it should, let me know...

Regards,
Jay

----- Original Message -----
From: "Mick"

> Hi there iam a new member, My mane is Mick, iam from Tasmania
> Australia, iam new to this trunk pcr, i have it running and works fine,
> Cheers Mick

Sick of deleting your inbox? Yahoo!7 Mail has free unlimited storage. Get it now.

Sick of deleting your inbox? Yahoo!7 Mail has free unlimited storage. Get it now.

901. Re: [TrunkPCR] Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-11 20:18:35 UTC
From: Mick Ctcsss
Topic: 890 Message: 901

Hi jay,, Ok i send some sort of money order in us dollars to the address on the pop up, Thanks Mick

Jay <crazycalifornian@...> wrote: Hi Mick,

I don't have any direct way to accept credit card payments other than throuigh PayPal. You can either send a Money Order, Certified Cashiers Check, a personal check (will take longer to clear) or if you trust the mail system you can send cash using U.S. conversion rates.

Or if you have an old scanner or radio you want to get rid of, I may accept that instead...

Regards,
Jay
----- Original Message -----
From: Mick Ctcsss

Hi Jay, i would like to make a donation to get rid of the pop up,,Iam in Australia is ther somehere i can pay by visa? dont have any thing to do with paypal,, Cheers Mick

---
Sick of deleting your inbox? Yahoo!7 Mail has free unlimited storage. Get it now.

902. Re: [TrunkPCR] Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-12 02:27:01 UTC
From: Glenn
Topic: 890 Message: 902

Mick,
Glad to have you as a part of the group.You will find that TRUNKPCR is a excellent program for the Icom PCR line of radios.
Jay is excellent when it come to answering questions and support for TRUNKPCR.
I am sorry for the quick reply when I quoted "down under" but up here what do you expect.Heck I am a Yankee living in Texas.
Keep us posted on your findings in Tasmania.EDACS is big up here in the Central Part of Texas.

Glenn

----- Original Message -----
From: Mick Ctcsss
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, September 11, 2007 3:14 PM
Subject: Re: [TrunkPCR] Hi there new member

Hi there Glenn, We have in Tasmania have the EDACS narrow 865 MHz band, Ploice,Electricty company, Radio Techs, Cheers Mick

Glenn <kd5dga@...> wrote:

What systems trunks down under?
----- Original Message -----
From: Mick Ctcsss
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, September 11, 2007 2:20 AM
Subject: Re: [TrunkPCR] Hi there new member

Hi Jay, i would like to make a donation to get rid of the pop up,,Iam in Australia is ther somehere i can pay by visa? dont have any thing to do with paypal,, Cheers Mick

Jay <crazycalifornian@...> wrote:
Hey Mick,

Welcome to the group :)
Glad you like the program, if you find that something doesn't work the way
you think it should, let me know...

Regards,
Jay

----- Original Message -----
From: "Mick"

> Hi there iam a new member, My mane is Mick, iam from Tasmania
> Australia, iam new to this trunk pcr, i have it running and works fine,
> Cheers Mick

Sick of deleting your inbox? Yahoo!7 Mail has free unlimited storage. Get it now.

Sick of deleting your inbox? Yahoo!7 Mail has free unlimited storage. Get it now.

903. Weird Freq Range of PCR-1500

Yahoo group: TrunkPCR
Date: 2007-09-13 06:06:55 UTC
From: Mark Colborn
Topic: 903 Message: 903

Just ran into a minor problem. The City of Irving, Texas uses a MA/COM EDACs system with the majority of frequencies in the 868.0000 range. I just realized that the USA version of the PCR-1500 only goes up to 866.8875. Guess I will have to wait until re-banding before I can listen to them on this radio!

Mark

904. Scanning Trunk and Conventional

Yahoo group: TrunkPCR
Date: 2007-09-13 21:08:27 UTC
From: kb2uul
Topic: 904 Message: 904

Can you scan Trunk and conventional at same time?

Thanks Dany

905. Re: [TrunkPCR] Scanning Trunk and Conventional

Yahoo group: TrunkPCR
Date: 2007-09-14 00:45:41 UTC
From: Jay
Topic: 904 Message: 905

Hi Dany,

Not yet! But someday :)

Right now I have about 20 Trunking Banks here in San Diego and 3 of those have over 900 groups and 11,000 radios each, a few others have about half that ammount. I am still tryung to determine the best and fastest way to load them all in memory for quick access. Right now it takes about 6 seconds to unload 1 of the large systems and load another large one, too much time for switching between banks for now...

Jay

----- Original Message -----
From: "kb2uul"

> Can you scan Trunk and conventional at same time?
>
> Thanks Dany

906. Re: Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-13 19:37:40 UTC
From: mglass1646
Topic: 890 Message: 906

--- In TrunkPCR@yahoogroups.com, "Mick" <ctcsss@...> wrote:
>
> Hi there iam a new member, My mane is Mick, iam from Tasmania
> Australia, iam new to this trunk pcr, i have it running and works
fine,
> Cheers Mick
>

Hi Mick,

I am Mike from Indiana in the US. I just joined today. I know this is a long shot, but last year I sold some air springs on eBay to a Mick in Tazmania. There are probably lots of Micks in Tazmania.

Mike

907. Question about Web Import Feature

Yahoo group: TrunkPCR
Date: 2007-09-14 07:52:23 UTC
From: Mark Colborn
Topic: 907 Message: 907

Is the Web Import feature supposed to import the frequencies for a Trunked system also? The feature is only importing the talkgroups.

Also, is there any way to add trunked or conventional frequencies manually without having to do it by clicking on the frequency line in the black background screen?

The RR web import feature is awesome Jay, saves an incredible amount of time when setting up a new unit.

Mark

908. Re: [TrunkPCR] Question about Web Import Feature

Yahoo group: TrunkPCR
Date: 2007-09-14 10:15:04 UTC
From: Jay
Topic: 907 Message: 908

Hi Mark,

You should be able to import the frequencies...
After you select a Trunking System, click the [+] to expand the Sites List, then click the checkbox for the Site# you want to import (The Import Button will be enabled after you do). When the Import Button is enabled, click it. You should see a pop-up dialog that asks if you want to overwrite "ALL" channels in the current bank or create a new bank. Click NO to create a New Bank...
Another window will pop-up for you to verify the frequencies and edit the Channel Descriptions, click the Finish Button when done...
A New Bank will be created and filled with the Channels/Frequencies you selected...

If the above procedure isn't working, let me know where...

To enter frequencies/Channels, there are a few ways:
1) Click on the Keypad buttons to enter a Frequency, then press "Store" to Save.
2) Using the keypad on your keyboard, type in the frequency, then click the Enter/Return Button and then click the Store Button.
3) Using the Frequency Selector or VFO Tuning Dial, tune to a frequency, then press the "F5" Button to create a new Channel and fill in that frequency. It will be saved automatically this way...

Regards,
Jay
----- Original Message -----
From: Mark Colborn

Is the Web Import feature supposed to import the frequencies for a Trunked system also? The feature is only importing the talkgroups.

Also, is there any way to add trunked or conventional frequencies manually without having to do it by clicking on the frequency line in the black background screen?

The RR web import feature is awesome Jay, saves an incredible amount of time when setting up a new unit.

Mark

909. Re: [TrunkPCR] Question about Web Import Feature

Yahoo group: TrunkPCR
Date: 2007-09-14 23:36:24 UTC
From: Mark Colborn
Topic: 907 Message: 909

When I try to click the site box (which in the case of several EDACs and Moto trunked system I've been trying to import, there is only one site), I immediately get an error box stating: "Please select only one site." When I hit "OK" it clears the checkmark in the site box and will not import the frequencies. I can click on the Talkgroup box and it will import the talkgroups just fine. The Group ID's box shows the number of TGs available, but the Channels always show 0. I don't see anything else on the page that can be changed.

Correct me if I'm wrong: when creating a new trunked bank, it seems to run smoother if a new bank is created first (F2) followed by selecting the correct type of trunked system (F11) before trying to import anything into the bank? Otherwise if you import talkgroups before selecting the correct type of trunked system the talkgroups don't show up until you hit F11, select a type of system, then hit FINISH after get the error message: "Overwrite All Data in Current Bank, Verify TG Info".

Mark

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, September 14, 2007 5:15 AM
Subject: Re: [TrunkPCR] Question about Web Import Feature

Hi Mark,

You should be able to import the frequencies...
After you select a Trunking System, click the [+] to expand the Sites List, then click the checkbox for the Site# you want to import (The Import Button will be enabled after you do). When the Import Button is enabled, click it. You should see a pop-up dialog that asks if you want to overwrite "ALL" channels in the current bank or create a new bank. Click NO to create a New Bank...
Another window will pop-up for you to verify the frequencies and edit the Channel Descriptions, click the Finish Button when done...
A New Bank will be created and filled with the Channels/Frequencies you selected...

If the above procedure isn't working, let me know where...

To enter frequencies/Channels, there are a few ways:
1) Click on the Keypad buttons to enter a Frequency, then press "Store" to Save.
2) Using the keypad on your keyboard, type in the frequency, then click the Enter/Return Button and then click the Store Button.
3) Using the Frequency Selector or VFO Tuning Dial, tune to a frequency, then press the "F5" Button to create a new Channel and fill in that frequency. It will be saved automatically this way...

Regards,
Jay
----- Original Message -----

From: Mark Colborn

Is the Web Import feature supposed to import the frequencies for a Trunked system also? The feature is only importing the talkgroups.

Also, is there any way to add trunked or conventional frequencies manually without having to do it by clicking on the frequency line in the black background screen?

The RR web import feature is awesome Jay, saves an incredible amount of time when setting up a new unit.

Mark

910. Re: [TrunkPCR] Question about Web Import Feature

Yahoo group: TrunkPCR
Date: 2007-09-15 00:47:44 UTC
From: Jay
Topic: 907 Message: 910
Attachments: 1 described; binary payloads are missing from this source WARC

Hi Mark,

You need to place a checkmark in the box that says Site #1 then, I think you may be checking the Top Level of the SItes List.
I've attached an image showing what I mean...

Hmmm... Seems you found the problem I found and thought to be corrected before the last update. Guess the fix didn't get saved when I was doing some tests with the "Group Alert" function when the program crashed...

I'll fix that again and make sure it gets saved :)

Jay
----- Original Message -----
From: Mark Colborn

When I try to click the site box (which in the case of several EDACs and Moto trunked system I've been trying to import, there is only one site), I immediately get an error box stating: "Please select only one site." When I hit "OK" it clears the checkmark in the site box and will not import the frequencies. I can click on the Talkgroup box and it will import the talkgroups just fine. The Group ID's box shows the number of TGs available, but the Channels always show 0. I don't see anything else on the page that can be changed.

Correct me if I'm wrong: when creating a new trunked bank, it seems to run smoother if a new bank is created first (F2) followed by selecting the correct type of trunked system (F11) before trying to import anything into the bank? Otherwise if you import talkgroups before selecting the correct type of trunked system the talkgroups don't show up until you hit F11, select a type of system, then hit FINISH after get the error message: "Overwrite All Data in Current Bank, Verify TG Info".

Mark

----- Original Message -----
From: Jay

Hi Mark,

You should be able to import the frequencies...
After you select a Trunking System, click the [+] to expand the Sites List, then click the checkbox for the Site# you want to import (The Import Button will be enabled after you do).
When the Import Button is enabled, click it. You should see a pop-up dialog that asks if you want to overwrite "ALL" channels in the current bank or create a new bank. Click NO to create a New Bank...
Another window will pop-up for you to verify the frequencies and edit the Channel Descriptions, click the Finish Button when done...
A New Bank will be created and filled with the Channels/Frequencies you selected...

If the above procedure isn't working, let me know where...

To enter frequencies/Channels, there are a few ways:
1) Click on the Keypad buttons to enter a Frequency, then press "Store" to Save.
2) Using the keypad on your keyboard, type in the frequency, then click the Enter/Return Button and then click the Store Button.
3) Using the Frequency Selector or VFO Tuning Dial, tune to a frequency, then press the "F5" Button to create a new Channel and fill in that frequency. It will be saved automatically this way...

Regards,
Jay
----- Original Message -----
From: Mark Colborn

Is the Web Import feature supposed to import the frequencies for a Trunked system also? The feature is only importing the talkgroups.

Also, is there any way to add trunked or conventional frequencies manually without having to do it by clicking on the frequency line in the black background screen?

The RR web import feature is awesome Jay, saves an incredible amount of time when setting up a new unit.

Mark

911. Re: [TrunkPCR] Question about Web Import Feature

Yahoo group: TrunkPCR
Date: 2007-09-15 02:25:17 UTC
From: Jay
Topic: 907 Message: 911

It seems that the fix is only applied to Edacs in the current version.
I've changed it now so that Moto is fixed too...

Jay
----- Original Message -----
From: Jay

Hi Mark,

You need to place a checkmark in the box that says Site #1 then, I think you may be checking the Top Level of the SItes List.
I've attached an image showing what I mean...

Hmmm... Seems you found the problem I found and thought to be corrected before the last update. Guess the fix didn't get saved when I was doing some tests with the "Group Alert" function when the program crashed...

I'll fix that again and make sure it gets saved :)

Jay

912. Re: [TrunkPCR] Motorola type 1 system

Yahoo group: TrunkPCR
Date: 2007-09-15 03:25:23 UTC
From: Jay
Topic: 879 Message: 912

It looks like support for Type I and Type IIi (Hybrid) Moto systems will take a bit longer than anticipated.
Since their Group ID and Radio ID (When designated with a SizeCode other than "2") doesn't have a Decimal Number, I am going to have to do a bit of rework through out the program to accommodate this upgrade...

I may release an update that has some fixes and more additions before I finish the Type I / IIi support...

Jay

913. Re: [TrunkPCR] Re: Hi there new member

Yahoo group: TrunkPCR
Date: 2007-09-15 05:47:16 UTC
From: Mick Ctcsss
Topic: 890 Message: 913

Hi there Mike, Yes lots of Micks in Tasmania, Sorry I didnt but any Air springs , Cheers Mick

mglass1646 <mglass1646@...> wrote:
--- In TrunkPCR@yahoogroups.com, "Mick" <ctcsss@...> wrote:
>
> Hi there iam a new member, My mane is Mick, iam from Tasmania
> Australia, iam new to this trunk pcr, i have it running and works
fine,
> Cheers Mick
>

Hi Mick,

I am Mike from Indiana in the US. I just joined today. I know this is a long shot, but last year I sold some air springs on eBay to a Mick in Tazmania. There are probably lots of Micks in Tazmania.

Mike

Sick of deleting your inbox? Yahoo!7 Mail has free unlimited storage. Get it now.

914. Re: [TrunkPCR] Motorola type 1 system

Yahoo group: TrunkPCR
Date: 2007-09-15 14:00:10 UTC
From: Glenn
Topic: 879 Message: 914

Ok cool.
I appreciate it.

Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, September 14, 2007 10:25 PM
Subject: Re: [TrunkPCR] Motorola type 1 system

It looks like support for Type I and Type IIi (Hybrid) Moto systems will take a bit longer than anticipated.
Since their Group ID and Radio ID (When designated with a SizeCode other than "2") doesn't have a Decimal Number, I am going to have to do a bit of rework through out the program to accommodate this upgrade...

I may release an update that has some fixes and more additions before I finish the Type I / IIi support...

Jay

915. ICOM PCR-100 & PCR-1000

Yahoo group: TrunkPCR
Date: 2007-09-16 18:24:12 UTC
From: whfuhr
Topic: 915 Message: 915

I own both an ICOM PCR-100 and an ICOM PCR-1000 and am wondering how to use the two with what software for a high-performance trunk- and conventional-tracking system.

Are any special radio modifications needed to optimize system performance?

I live in the Minneapolis area of Minnesota, whose new ARMER System has all but shut me down!

916. RE: [TrunkPCR] ICOM PCR-100 & PCR-1000

Yahoo group: TrunkPCR
Date: 2007-09-16 22:02:03 UTC
From: Peter
Topic: 915 Message: 916

According to Radio Reference
http://www.radioreference.com/modules.php?name=RR&sid=3508
The ARMER system is an APCO-25 system...Which means your PCR-100 and 1000 won't be of any use ...since they can't decode APCO-25..I think you'll need a PCR2500? with the APCO decoder or one of the newer digital scanners..
I have been looking, but not finding, any software APCO decoders...
I don't know if this helps or not....

Peter Hughes
N7BMG

> -------- Original Message --------
> Subject: [TrunkPCR] ICOM PCR-100 & PCR-1000
> From: "whfuhr" <whfuhr@...>
> Date: Sun, September 16, 2007 2:24 pm
> To: TrunkPCR@yahoogroups.com
>
> I own both an ICOM PCR-100 and an ICOM PCR-1000 and am wondering how to
> use the two with what software for a high-performance trunk- and
> conventional-tracking system.
>
> Are any special radio modifications needed to optimize system
> performance?
>
> I live in the Minneapolis area of Minnesota, whose new ARMER System has
> all but shut me down!

917. Re: [TrunkPCR] ICOM PCR-100 & PCR-1000

Yahoo group: TrunkPCR
Date: 2007-09-17 05:52:27 UTC
From: Patrick Bigelbach
Topic: 915 Message: 917

Greetings:

I use a modified AOR ARD25 to decode the APCO-25 traffic on the San Diego RCS system coming from my trunkPCR system. The ARD25 is designed for a 10.7Mhz IF input which the PCR1000 does not have a factory output port for, so you either have to bring the 10.7 IF out of the PCR1000 or inject the packet-out of the PCR1000 into the FM detector chip on the ARD25 which is what I did.

Since APCO-25 is copyrighted you probably will not see a software decoder for it yet. I think they are only allowing it out in hardware.

If you were to setup your PCR100 to scan the control channel and the PCR1000 to be controlled by trunkPCR, and the ARD25 to decode the APCO-25 signals, then you should not be shut down.

I have two other scanners that are digital and decode APCO-25, but in my opinion , nothing matches the shear capabilities of trunkPCR especially on large trunked systems like the San Diego RCS!

Hope this helps!

-=Patrick Bigelbach=-

Peter wrote:
>
> According to Radio Reference
> http://www.radioreference.com/modules.php?name=RR&sid=3508
> <http://www.radioreference.com/modules.php?name=RR&sid=3508>
> The ARMER system is an APCO-25 system...Which means your PCR-100 and
> 1000 won't be of any use ...since they can't decode APCO-25..I think
> you'll need a PCR2500? with the APCO decoder or one of the newer
> digital scanners..
> I have been looking, but not finding, any software APCO decoders...
> I don't know if this helps or not....
>
> Peter Hughes
> N7BMG
>
> > -------- Original Message --------
> > Subject: [TrunkPCR] ICOM PCR-100 & PCR-1000
> > From: "whfuhr" <whfuhr@... <mailto:whfuhr%40umn.edu>>
> > Date: Sun, September 16, 2007 2:24 pm
> > To: TrunkPCR@yahoogroups.com <mailto:TrunkPCR%40yahoogroups.com>
> >
> > I own both an ICOM PCR-100 and an ICOM PCR-1000 and am wondering how to
> > use the two with what software for a high-performance trunk- and

> > conventional-tracking system.
> >
> > Are any special radio modifications needed to optimize system
> > performance?
> >
> > I live in the Minneapolis area of Minnesota, whose new ARMER System has
> > all but shut me down!
>
>

918. Might be a delay for the next week

Yahoo group: TrunkPCR
Date: 2007-09-25 23:42:18 UTC
From: Jay
Topic: 918 Message: 918

Hey gang,

I received a call from my Internet/Cable Provider today and they said that they will be doing required maintenance for the next week. It could be out for a few hours a day or even all day (some days). So if your emails to the group doesn't show up in awhile or if I don't get back to someone about a Registration Update or other questions, that would be why...

My Daughter and Grandson flew back to the east coast last night after a great week visit, so now I can catch up on the new updates and a bug fix.... I'll let ya know when the next update is avaailable...

Regards,
Jay

919. Just to say THANKS!

Yahoo group: TrunkPCR
Date: 2007-09-26 22:11:41 UTC
From: icompcrbug
Topic: 918 Message: 919

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey gang,
>
> I received a call from my Internet/Cable Provider today and they
said that
> they will be doing required maintenance for the next week. It could
be out
> for a few hours a day or even all day (some days). So if your
emails to the
> group doesn't show up in awhile or if I don't get back to someone
about a
> Registration Update or other questions, that would be why...
>
> My Daughter and Grandson flew back to the east coast last night after a
> great week visit, so now I can catch up on the new updates and a bug
> fix.... I'll let ya know when the next update is avaailable...
>
> Regards,
> Jay
>

Thanks Jay For The Heads Up!! Also, Thanks For All Your Time, And
The Great Software!!

73 >>>>>>> de ICOMPCRBUG

921. version 0.87.229

Yahoo group: TrunkPCR
Date: 2007-10-04 01:49:18 UTC
From: Glenn Blum
Topic: 921 Message: 921

Jay,
The abilities to double click on the control channel screen columns and select the options for the column is a nice feature.I just figured that out.
Glenn
kd5dga

922. Tracking Hits on Conventional??

Yahoo group: TrunkPCR
Date: 2007-10-04 20:42:59 UTC
From: kb2uul
Topic: 922 Message: 922

Any way to track hits on conventional banks like in trunking?? I'm trying to see what Mil Air freqs are in use in my area.

Thanks
Dany

923. Re: [TrunkPCR] Tracking Hits on Conventional??

Yahoo group: TrunkPCR
Date: 2007-10-04 21:39:20 UTC
From: Glenn Blum
Topic: 922 Message: 923

Dido here.
Glenn
kd5dga
----- Original Message -----
From: kb2uul
To: TrunkPCR@yahoogroups.com
Sent: Thursday, October 04, 2007 3:42 PM
Subject: [TrunkPCR] Tracking Hits on Conventional??

Any way to track hits on conventional banks like in trunking?? I'm trying to see what Mil Air freqs are in use in my area.

Thanks
Dany

924. Re: [TrunkPCR] Tracking Hits on Conventional??

Yahoo group: TrunkPCR
Date: 2007-10-04 22:30:37 UTC
From: Jay
Topic: 922 Message: 924

Consider it done :)

The new alert features seem to be stable now, so as soon as I finsih the Moto Type-1 support, I'll release 0.88.230...
Moto Type-1 support should only take a few more days, I figured out a way to save the Group & Radio ID's in a decimal format for easier storage/retrieval in the ID Files...

Jay
----- Original Message -----
From: Glenn Blum

Dido here.
Glenn
kd5dga
----- Original Message -----
From: kb2uul

Any way to track hits on conventional banks like in trunking?? I'm
trying to see what Mil Air freqs are in use in my area.

Thanks
Dany

925. Re: Tracking Hits on Conventional??

Yahoo group: TrunkPCR
Date: 2007-10-04 22:47:52 UTC
From: kb2uul
Topic: 922 Message: 925

LOL....fast response!!! Why it's the Best software for my 1000 !! future ideas...priority's for conventional..... and trunking and conventional scanning... :)

see Jay's internet up and running...

Dany
KB2UUL

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Consider it done :)
>
> The new alert features seem to be stable now, so as soon as I finsih the Moto Type-1 support, I'll release 0.88.230...
> Moto Type-1 support should only take a few more days, I figured out a way to save the Group & Radio ID's in a decimal format for easier storage/retrieval in the ID Files...
>
> Jay
> ----- Original Message -----
> From: Glenn Blum
>
> Dido here.
> Glenn
> kd5dga
> ----- Original Message -----
> From: kb2uul
>
> Any way to track hits on conventional banks like in trunking?? I'm
> trying to see what Mil Air freqs are in use in my area.
>
> Thanks
> Dany
>

926. Re: [TrunkPCR] Tracking Hits on Conventional??

Yahoo group: TrunkPCR
Date: 2007-10-04 22:55:09 UTC
From: Glenn Blum
Topic: 922 Message: 926

Cool. Thanks Jay!
Glenn
kd5dga
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Thursday, October 04, 2007 5:30 PM
Subject: Re: [TrunkPCR] Tracking Hits on Conventional??

Consider it done :)

The new alert features seem to be stable now, so as soon as I finsih the Moto Type-1 support, I'll release 0.88.230...
Moto Type-1 support should only take a few more days, I figured out a way to save the Group & Radio ID's in a decimal format for easier storage/retrieval in the ID Files...

Jay
----- Original Message -----
From: Glenn Blum

Dido here.
Glenn
kd5dga
----- Original Message -----
From: kb2uul

Any way to track hits on conventional banks like in trunking?? I'm trying to see what Mil Air freqs are in use in my area.

Thanks
Dany

927. Re: [TrunkPCR] Re: Tracking Hits on Conventional??

Yahoo group: TrunkPCR
Date: 2007-10-05 02:42:37 UTC
From: Jay
Topic: 922 Message: 927

Hmmmm....
Well, combined Conventional and Trunk Scanning is hopefull in the future...
In the past year, I've been making changes in the program to prepare for
just this upgrade.
I have quite a few trunking sites loaded in my banks and a few of those
sites have over 900 groups and 11,000 users. The current memory layout only
loads the Group / Radio data 1 bank at a time due to their size. To do
multiple trunk bank scanning, ALL of the Group / Radio files would have to
be loaded in memory for fast look-up and that would eat up some memory.
Once I can store all that in the program, then it will be feasable, but
not yet..

Priority for Conventional Scanning? Don't think so...
The PCR's can't monitor more than one channel at a time (two at a time with
a PCR-2500).
And to scan, say 50 channels while monitoring the signal on each frequency,
marking which ones are active, then going back to check those 50 channels
to see who has the highest priority and then to listen to a channel could
take 5 seconds or more. In that time the channel with the highest priority
may have stopped transmitting and you be listening to dead air...

Yep, the local cable company seems to be done now. They ended up doing most
of the work after 2 AM, so that helped :)

Regards,
Jay

----- Original Message -----
From: "kb2uul" <kb2uul@...>
>
> LOL....fast response!!! Why it's the Best software for my 1000 !!
> future ideas...priority's for conventional..... and trunking and
> conventional scanning... :)
>
> see Jay's internet up and running...
>
> Dany
> KB2UUL
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> >
> > Consider it done :)
> >
> > The new alert features seem to be stable now, so as soon as I
> finsih the Moto Type-1 support, I'll release 0.88.230...
> > Moto Type-1 support should only take a few more days, I figured out

> a way to save the Group & Radio ID's in a decimal format for easier
> storage/retrieval in the ID Files...
> >
> > Jay
> > ----- Original Message -----
> > From: Glenn Blum
> >
> > Dido here.
> > Glenn
> > kd5dga
> > ----- Original Message -----
> > From: kb2uul
> >
> > Any way to track hits on conventional banks like in trunking?? I'm
> > trying to see what Mil Air freqs are in use in my area.
> >
> > Thanks
> > Dany

928. TrunkPCR version 0.88.230 Now Available

Yahoo group: TrunkPCR
Date: 2007-10-13 03:23:58 UTC
From: Jay
Topic: 928 Message: 928

TrunkPCR version 0.88.230 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes, changes and additions
NOTE: Moto Type-I Support will be finished in the next update.
This version only has an installer since I'm using my PCRComm control in
this version...

Aug 25,2007 - Added: Editing Radio Description when clicking on any item
in Radio Watch List.
Aug 25,2007 - -----: Radio Watch Description updated when Editing Radio
Descriptions.
Aug 25,2007 - -----: Radio Watch List cleared when RadioID Changed.
Aug 28,2007 - Added: Group Alert. Alerts you when a Group Call is made.
Aug 28,2007 - Added: Radio Alert. Alerts you when a Radio makes a call
on any group.
Aug 30,2007 - -----: Added a Time Stamp to Emergency Alerts.
Sept 02,2007 - Added: Change Hit Count for Radios in Radio ID Editor.
Sept 04,2007 - Fixed: Selection of the [Freq] Button when a Search Bank is
Selected.
Sept 04,2007 - Added: Identify Known Frequecies to Search Banks.
Sept 11,2007 - Fixed: Reporting Emergency Messages in Edacs.
Sept 14,2007 - Fixed: Saving System Type after RR Import.
Sept 14,2007 - Fixed: Saving Edacs FreqPlan after RR Import.
Oct 01,2007 - Fixed: Blank entry of Group Description in the
GroupID/TrunkId Editors.
Oct 03,2007 - -----: Group Watch Description updated when Editing Group
Descriptions.
Oct 03,2007 - -----: Group Watch List cleared when GroupID Changed.
Oct 06,2007 - Added: Hit Counter to Conventional Channels. Increments
when the Squelch is Open on a channel.
Oct 07,2007 - Fixed: Clearing StatusBar Display and resetting Squelch
display when a SearchBank Tab is selected.
Version 0.88.230 Released 10/12/2007

Regards,
Jay

929. version .230

Yahoo group: TrunkPCR
Date: 2007-10-13 14:03:38 UTC
From: Glenn
Topic: 929 Message: 929

Working good here.I like the hits counter on conventional scanning.

Glenn

930. TrunkPCR Band Scope ? Ver 0.88.230

Yahoo group: TrunkPCR
Date: 2007-10-13 16:03:14 UTC
From: icompcrbug
Topic: 930 Message: 930

Hello Jay and to all in the group!!

It seems that the band scope has stop working. I use NWS in the 162mhz with the band scope to check for propagation on vhf and other bands as well. The band scope shows no signal or any signal even when 162.450Mhz is S9 to 10db RXed. The band scope has a glitch affect it tries to generate a signal and then drops out. If you have the same problem please let me know. All else seems to work well.

Thank You
73 de ICOMPCRBUG

931. Re: [TrunkPCR] TrunkPCR Band Scope ? Ver 0.88.230

Yahoo group: TrunkPCR
Date: 2007-10-13 18:14:13 UTC
From: Jay
Topic: 930 Message: 931

Hey Bug,

Thanks for pointing that out...
I'll have an update out in the next hour...

Thanks again,
Jay

----- Original Message -----
From: "icompcrbug"

> Hello Jay and to all in the group!!
>
> It seems that the band scope has stop working. I use NWS in the
> 162mhz with the band scope to check for propagation on vhf and other
> bands as well. The band scope shows no signal or any signal even when
> 162.450Mhz is S9 to 10db RXed. The band scope has a glitch affect it
> tries to generate a signal and then drops out. If you have the same
> problem please let me know. All else seems to work well.
>
>
> Thank You
> 73 de ICOMPCRBUG

932. TrunkPCR version 0.88.231 Now Available

Yahoo group: TrunkPCR
Date: 2007-10-13 18:59:51 UTC
From: Jay
Topic: 932 Message: 932

TrunkPCR version 0.88.231 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes, changes and additions
NOTE: Moto Type-I Support will be finished in the next update.
This version only has an installer since I'm using my PCRComm control in
this version...

Oct 13,2007 - Fixed: BandScope Display, was disabled for testing the
PcrComm Control.
Version 0.88.231 Released 10/13/2007

Regards,
Jay

933. Re: TrunkPCR Band Scope ? Ver 0.88.230

Yahoo group: TrunkPCR
Date: 2007-10-14 02:49:11 UTC
From: icompcrbug
Topic: 930 Message: 933

Thank You Jay,

Band Scope working well now with the ver. 0.88.231 update.

73 de ICOMPCRBUG

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Bug,
>
> Thanks for pointing that out...
> I'll have an update out in the next hour...
>
> Thanks again,
> Jay
>
> ----- Original Message -----
> From: "icompcrbug"
>
>
> > Hello Jay and to all in the group!!
> >
> > It seems that the band scope has stop working. I use NWS in the
> > 162mhz with the band scope to check for propagation on vhf and other
> > bands as well. The band scope shows no signal or any signal even when
> > 162.450Mhz is S9 to 10db RXed. The band scope has a glitch affect it
> > tries to generate a signal and then drops out. If you have the same
> > problem please let me know. All else seems to work well.
> >
> >
> > Thank You
> > 73 de ICOMPCRBUG
>

934. Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-18 16:13:18 UTC
From: s.techsolutions
Topic: 934 Message: 934

I am about to purchase the PCR2500 for the main purpose of scanning the spectrum (poor man's spectrum analyser)to detect the presence of interference on certain bands.

I would appreciate it if you can tell me if TRUNKPCR can be used to save the integrated spectrum (continuously sweeping and integrating) to disk, let's say every 5 min (and then clear the screen again). This way, if there is any interference, we can determine the time window in which it happened.

If there is a Hot Key one can press to save, I could also trigger the save action via a external Windows application.

I have downloaded TRUNKPCR but do not have my radio yet. I am not able to initiate the Spectrum Sweep screen and from the Online help sample it does not appear that the SAVE PICTURE button on the SWEEP screen is a hot button.

Can anyone help?

935. Re: [TrunkPCR] Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-18 19:23:50 UTC
From: Leigh Sedgwick
Topic: 934 Message: 935

TrunkPCR is a great program, and maybe it will do what you want, but I would recommend you look at the 2 RF Space receivers with SpectraVu (included software). It does exactly what you want to do.

http://www.rfspace.com/index.html

Happy Trails

Mike, K7PI

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Thursday, October 18, 2007 9:13 AM
Subject: [TrunkPCR] Spectrum Sweep Functions

I am about to purchase the PCR2500 for the main purpose of scanning the spectrum (poor man's spectrum analyser)to detect the presence of interference on certain bands.

I would appreciate it if you can tell me if TRUNKPCR can be used to save the integrated spectrum (continuously sweeping and integrating) to disk, let's say every 5 min (and then clear the screen again). This way, if there is any interference, we can determine the time window in which it happened.

If there is a Hot Key one can press to save, I could also trigger the save action via a external Windows application.

I have downloaded TRUNKPCR but do not have my radio yet. I am not able to initiate the Spectrum Sweep screen and from the Online help sample it does not appear that the SAVE PICTURE button on the SWEEP screen is a hot button.

Can anyone help?

936. Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-18 19:18:34 UTC
From: jorge
Topic: 934 Message: 936

Hi, i owmn a PCR2500 and you have the option to save the spectrum each times you want and the PCR2500 has 25 channels in order to verify and save whatever occurs only whnen there is an activity going on. It is a great product and you will enjoy it. You can download the manual and brochure in www.radioreference.com and there are many freq. files too.

Adrian

937. Re: [TrunkPCR] Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-19 01:52:42 UTC
From: Jay
Topic: 934 Message: 937

Hi,

TrunkPCR doesn't save the sweep results until after the sweep is finished
and you save it manually.
But that would be a nice feature and easy to implement that function...

The suggestion that Mike (K7PI) had is nice, but I think you would enjoy
the PCR-2500 much, much more IMHO...

I'll put your idea on the TODO List, thanks for the suggestion...

Regards,
Jay

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>

> I am about to purchase the PCR2500 for the main purpose of scanning
> the spectrum (poor man's spectrum analyser)to detect the presence of
> interference on certain bands.
>
> I would appreciate it if you can tell me if TRUNKPCR can be used to
> save the integrated spectrum (continuously sweeping and integrating)
> to disk, let's say every 5 min (and then clear the screen again). This
> way, if there is any interference, we can determine the time window in
> which it happened.
>
> If there is a Hot Key one can press to save, I could also trigger the
> save action via a external Windows application.
>
> I have downloaded TRUNKPCR but do not have my radio yet. I am not able
> to initiate the Spectrum Sweep screen and from the Online help sample
> it does not appear that the SAVE PICTURE button on the SWEEP screen is
> a hot button.
>
> Can anyone help?

938. Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-19 06:02:59 UTC
From: s.techsolutions
Topic: 934 Message: 938

Hi,

Thanks for the feedback.

I looked at the RF space receivers, but they only go up to 30MHz, while we work in the 800-1000MHz band. So the PCR looks to be the best option.

Jay, what is the possibility of making the save button a hot button fairly soon? I suppose the Start and Stop Buttons also needs to be hot? We need to start testing in about a week. Any chance of this being available before then?

Regards

Eon

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi,
>
> TrunkPCR doesn't save the sweep results until after the sweep is finished
> and you save it manually.
> But that would be a nice feature and easy to implement that function...
>
> The suggestion that Mike (K7PI) had is nice, but I think you would enjoy
> the PCR-2500 much, much more IMHO...
>
> I'll put your idea on the TODO List, thanks for the suggestion...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "s.techsolutions" <s.techsolutions@...>
>
> > I am about to purchase the PCR2500 for the main purpose of scanning
> > the spectrum (poor man's spectrum analyser)to detect the presence of
> > interference on certain bands.
> >
> > I would appreciate it if you can tell me if TRUNKPCR can be used to
> > save the integrated spectrum (continuously sweeping and integrating)
> > to disk, let's say every 5 min (and then clear the screen again). This
> > way, if there is any interference, we can determine the time window in

> > which it happened.
> >
> > If there is a Hot Key one can press to save, I could also trigger the
> > save action via a external Windows application.
> >
> > I have downloaded TRUNKPCR but do not have my radio yet. I am not able
> > to initiate the Spectrum Sweep screen and from the Online help sample
> > it does not appear that the SAVE PICTURE button on the SWEEP screen is
> > a hot button.
> >
> > Can anyone help?
>

939. Re: [TrunkPCR] Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-19 07:37:54 UTC
From: Jay
Topic: 934 Message: 939

What kind of "Hot Button" do you mean?

Thanks,
Jay

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>

> Hi,
>
> Thanks for the feedback.
>
> I looked at the RF space receivers, but they only go up to 30MHz,
> while we work in the 800-1000MHz band. So the PCR looks to be the best
> option.
>
> Jay, what is the possibility of making the save button a hot button
> fairly soon? I suppose the Start and Stop Buttons also needs to be
> hot? We need to start testing in about a week. Any chance of this
> being available before then?
>
> Regards
>
> Eon
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> >
> > Hi,
> >
> > TrunkPCR doesn't save the sweep results until after the sweep is
> finished
> > and you save it manually.
> > But that would be a nice feature and easy to implement that function...
> >
> > The suggestion that Mike (K7PI) had is nice, but I think you would
> enjoy
> > the PCR-2500 much, much more IMHO...
> >
> > I'll put your idea on the TODO List, thanks for the suggestion...
> >
> > Regards,
> > Jay
> >
> > ----- Original Message -----
> > From: "s.techsolutions" <s.techsolutions@...>
> >

> > > I am about to purchase the PCR2500 for the main purpose of scanning
> > > the spectrum (poor man's spectrum analyser)to detect the presence of
> > > interference on certain bands.
> > >
> > > I would appreciate it if you can tell me if TRUNKPCR can be used to
> > > save the integrated spectrum (continuously sweeping and integrating)
> > > to disk, let's say every 5 min (and then clear the screen again). This
> > > way, if there is any interference, we can determine the time window in
> > > which it happened.
> > >
> > > If there is a Hot Key one can press to save, I could also trigger the
> > > save action via a external Windows application.
> > >
> > > I have downloaded TRUNKPCR but do not have my radio yet. I am not able
> > > to initiate the Spectrum Sweep screen and from the Online help sample
> > > it does not appear that the SAVE PICTURE button on the SWEEP screen is
> > > a hot button.
> > >
> > > Can anyone help?

940. Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-19 12:05:40 UTC
From: s.techsolutions
Topic: 934 Message: 940

Hi Jay, I mean a shorcut key (such as SHIFT+S) for Save. So instead of clicking on it with a mouse, you use a keyboard sequence.

From an external application (such as DotNet)I can then send keystrokes to the TrunkPCR application (simulating a person pressing the button.) I see that TrunkPCR already has a number of shortcut keys, such as SHIFT+F2 for Load Profile. From the online manual, the Sweep function does not appear to have shortcut keys (but I cannot invoke it to check as I don't have a radio (yet)).

Maybe if I can invoke the Start Sweep, Stop Sweep, Save Sweep and Clear Sweep Screen (don't know which button clears the screen) buttons using keystrokes, I will be able to automate the function from outside TrunkPCR (saving you some time)?

So all that will be necessary is to add shotrcut key functionality to the relevant buttons.

(I presume that you use the normal windows file save method, so I can also add a unique filename during each file save of the Sweep Screen.)

Regards

Eon

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> What kind of "Hot Button" do you mean?
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "s.techsolutions" <s.techsolutions@...>
>
> > Hi,
> >
> > Thanks for the feedback.
> >
> > I looked at the RF space receivers, but they only go up to 30MHz,
> > while we work in the 800-1000MHz band. So the PCR looks to be the best
> > option.
> >
> > Jay, what is the possibility of making the save button a hot button
> > fairly soon? I suppose the Start and Stop Buttons also needs to be
> > hot? We need to start testing in about a week. Any chance of this
> > being available before then?

> >
> > Regards
> >
> > Eon
> >
> > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > >
> > > Hi,
> > >
> > > TrunkPCR doesn't save the sweep results until after the sweep is
> > finished
> > > and you save it manually.
> > > But that would be a nice feature and easy to implement that
function...
> > >
> > > The suggestion that Mike (K7PI) had is nice, but I think you would
> > enjoy
> > > the PCR-2500 much, much more IMHO...
> > >
> > > I'll put your idea on the TODO List, thanks for the suggestion...
> > >
> > > Regards,
> > > Jay
> > >
> > > ----- Original Message -----
> > > From: "s.techsolutions" <s.techsolutions@>
> > >
> > > > I am about to purchase the PCR2500 for the main purpose of
scanning
> > > > the spectrum (poor man's spectrum analyser)to detect the
presence of
> > > > interference on certain bands.
> > > >
> > > > I would appreciate it if you can tell me if TRUNKPCR can be
used to
> > > > save the integrated spectrum (continuously sweeping and
integrating)
> > > > to disk, let's say every 5 min (and then clear the screen
again). This
> > > > way, if there is any interference, we can determine the time
window in
> > > > which it happened.
> > > >
> > > > If there is a Hot Key one can press to save, I could also
trigger the
> > > > save action via a external Windows application.
> > > >
> > > > I have downloaded TRUNKPCR but do not have my radio yet. I am
not able
> > > > to initiate the Spectrum Sweep screen and from the Online help

sample
> > > > it does not appear that the SAVE PICTURE button on the SWEEP screen is
> > > > a hot button.
> > > >
> > > > Can anyone help?
>

941. Re: [TrunkPCR] Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-19 22:46:44 UTC
From: Jay
Topic: 934 Message: 941

Hi Eon,

Yep, ok... That can be done.
The Sweep Display is cleared after the Sweep Start Button has been pressed.

I'll add some code to control the Sweep Start/Stop and Sweep Save and Print
buttons using key strokes...
An interim update can be posted this weekend with the changes...

Regards,
Jay

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>

> Hi Jay, I mean a shorcut key (such as SHIFT+S) for Save. So instead of
> clicking on it with a mouse, you use a keyboard sequence.
>
> From an external application (such as DotNet)I can then send
> keystrokes to the TrunkPCR application (simulating a person pressing
> the button.) I see that TrunkPCR already has a number of shortcut
> keys, such as SHIFT+F2 for Load Profile. From the online manual, the
> Sweep function does not appear to have shortcut keys (but I cannot
> invoke it to check as I don't have a radio (yet)).
>
> Maybe if I can invoke the Start Sweep, Stop Sweep, Save Sweep and
> Clear Sweep Screen (don't know which button clears the screen) buttons
> using keystrokes, I will be able to automate the function from outside
> TrunkPCR (saving you some time)?
>
> So all that will be necessary is to add shotrcut key functionality to
> the relevant buttons.
>
> (I presume that you use the normal windows file save method, so I can
> also add a unique filename during each file save of the Sweep Screen.)
>
> Regards
>
> Eon
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> >
> > What kind of "Hot Button" do you mean?
> >
> > Thanks,
> > Jay

> >
> > ----- Original Message -----
> > From: "s.techsolutions" <s.techsolutions@...>
> >
> > > Hi,
> > >
> > > Thanks for the feedback.
> > >
> > > I looked at the RF space receivers, but they only go up to 30MHz,
> > > while we work in the 800-1000MHz band. So the PCR looks to be the best
> > > option.
> > >
> > > Jay, what is the possibility of making the save button a hot button
> > > fairly soon? I suppose the Start and Stop Buttons also needs to be
> > > hot? We need to start testing in about a week. Any chance of this
> > > being available before then?
> > >
> > > Regards
> > >
> > > Eon
> > >
> > > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > > >
> > > > Hi,
> > > >
> > > > TrunkPCR doesn't save the sweep results until after the sweep is
> > > finished
> > > > and you save it manually.
> > > > But that would be a nice feature and easy to implement that
> function...
> > > >
> > > > The suggestion that Mike (K7PI) had is nice, but I think you would
> > > enjoy
> > > > the PCR-2500 much, much more IMHO...
> > > >
> > > > I'll put your idea on the TODO List, thanks for the suggestion...
> > > >
> > > > Regards,
> > > > Jay
> > > >
> > > > ----- Original Message -----
> > > > From: "s.techsolutions" <s.techsolutions@>
> > > >
> > > > > I am about to purchase the PCR2500 for the main purpose of
> scanning
> > > > > the spectrum (poor man's spectrum analyser)to detect the
> presence of
> > > > > interference on certain bands.
> > > > >
> > > > > I would appreciate it if you can tell me if TRUNKPCR can be

> used to
> > > > > save the integrated spectrum (continuously sweeping and
> integrating)
> > > > > to disk, let's say every 5 min (and then clear the screen
> again). This
> > > > > way, if there is any interference, we can determine the time
> window in
> > > > > which it happened.
> > > > >
> > > > > If there is a Hot Key one can press to save, I could also
> trigger the
> > > > > save action via a external Windows application.
> > > > >
> > > > > I have downloaded TRUNKPCR but do not have my radio yet. I am
> not able
> > > > > to initiate the Spectrum Sweep screen and from the Online help
> sample
> > > > > it does not appear that the SAVE PICTURE button on the SWEEP
> screen is
> > > > > a hot button.
> > > > >
> > > > > Can anyone help?
> >
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

942. Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-20 07:36:25 UTC
From: s.techsolutions
Topic: 934 Message: 942

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Eon,
Thanks Jay, your a star

Another question: since the PCR2500 has two radios, is it possible to use both for sweeping at the same time? If one wants to scan different bands for example? So the one can sweep 200-300MHZ and the other 800-900MHz, for example?

Regards

Eon

>
> Yep, ok... That can be done.
> The Sweep Display is cleared after the Sweep Start Button has been pressed.
>
> I'll add some code to control the Sweep Start/Stop and Sweep Save and Print
> buttons using key strokes...
> An interim update can be posted this weekend with the changes...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "s.techsolutions" <s.techsolutions@...>
>
> > Hi Jay, I mean a shorcut key (such as SHIFT+S) for Save. So instead of
> > clicking on it with a mouse, you use a keyboard sequence.
> >
> > From an external application (such as DotNet)I can then send
> > keystrokes to the TrunkPCR application (simulating a person pressing
> > the button.) I see that TrunkPCR already has a number of shortcut
> > keys, such as SHIFT+F2 for Load Profile. From the online manual, the
> > Sweep function does not appear to have shortcut keys (but I cannot
> > invoke it to check as I don't have a radio (yet)).
> >
> > Maybe if I can invoke the Start Sweep, Stop Sweep, Save Sweep and
> > Clear Sweep Screen (don't know which button clears the screen) buttons
> > using keystrokes, I will be able to automate the function from outside
> > TrunkPCR (saving you some time)?
> >
> > So all that will be necessary is to add shotrcut key functionality to

> > the relevant buttons.
> >
> > (I presume that you use the normal windows file save method, so I can
> > also add a unique filename during each file save of the Sweep Screen.)
> >
> > Regards
> >
> > Eon
> >
> > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > >
> > > What kind of "Hot Button" do you mean?
> > >
> > > Thanks,
> > > Jay
> > >
> > > ----- Original Message -----
> > > From: "s.techsolutions" <s.techsolutions@>
> > >
> > > > Hi,
> > > >
> > > > Thanks for the feedback.
> > > >
> > > > I looked at the RF space receivers, but they only go up to 30MHz,
> > > > while we work in the 800-1000MHz band. So the PCR looks to be
the best
> > > > option.
> > > >
> > > > Jay, what is the possibility of making the save button a hot
button
> > > > fairly soon? I suppose the Start and Stop Buttons also needs to be
> > > > hot? We need to start testing in about a week. Any chance of this
> > > > being available before then?
> > > >
> > > > Regards
> > > >
> > > > Eon
> > > >
> > > > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > > > >
> > > > > Hi,
> > > > >
> > > > > TrunkPCR doesn't save the sweep results until after the sweep is
> > > > finished
> > > > > and you save it manually.
> > > > > But that would be a nice feature and easy to implement that
> > function...
> > > > >
> > > > > The suggestion that Mike (K7PI) had is nice, but I think
you would

> > > > enjoy
> > > > > the PCR-2500 much, much more IMHO...
> > > > >
> > > > > I'll put your idea on the TODO List, thanks for the
suggestion...
> > > > >
> > > > > Regards,
> > > > > Jay
> > > > >
> > > > > ----- Original Message -----
> > > > > From: "s.techsolutions" <s.techsolutions@>
> > > > >
> > > > > > I am about to purchase the PCR2500 for the main purpose of
> > scanning
> > > > > > the spectrum (poor man's spectrum analyser)to detect the
> > presence of
> > > > > > interference on certain bands.
> > > > > >
> > > > > > I would appreciate it if you can tell me if TRUNKPCR can be
> > used to
> > > > > > save the integrated spectrum (continuously sweeping and
> > integrating)
> > > > > > to disk, let's say every 5 min (and then clear the screen
> > again). This
> > > > > > way, if there is any interference, we can determine the time
> > window in
> > > > > > which it happened.
> > > > > >
> > > > > > If there is a Hot Key one can press to save, I could also
> > trigger the
> > > > > > save action via a external Windows application.
> > > > > >
> > > > > > I have downloaded TRUNKPCR but do not have my radio yet. I am
> > not able
> > > > > > to initiate the Spectrum Sweep screen and from the Online help
> > sample
> > > > > > it does not appear that the SAVE PICTURE button on the SWEEP
> > screen is
> > > > > > a hot button.
> > > > > >
> > > > > > Can anyone help?
> > >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >

> >
> >
>

943. Re: [TrunkPCR] Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-20 09:35:24 UTC
From: Jay
Topic: 934 Message: 943

Hey Eon,

TrunkPCR doesn't support a sweep function on the SUB Receiver yet! But is
on the TODO list for a future release...

Jay

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> >
> > Hi Eon,
> Thanks Jay, your a star
>
> Another question: since the PCR2500 has two radios, is it possible to
> use both for sweeping at the same time? If one wants to scan different
> bands for example? So the one can sweep 200-300MHZ and the other
> 800-900MHz, for example?
>
> Regards
>
> Eon
>
> >
> > Yep, ok... That can be done.
> > The Sweep Display is cleared after the Sweep Start Button has been
> pressed.
> >
> > I'll add some code to control the Sweep Start/Stop and Sweep Save
> and Print
> > buttons using key strokes...
> > An interim update can be posted this weekend with the changes...
> >
> > Regards,
> > Jay
> >
> > ----- Original Message -----
> > From: "s.techsolutions" <s.techsolutions@...>
> >
> > > Hi Jay, I mean a shorcut key (such as SHIFT+S) for Save. So instead of
> > > clicking on it with a mouse, you use a keyboard sequence.
> > >
> > > From an external application (such as DotNet)I can then send
> > > keystrokes to the TrunkPCR application (simulating a person pressing
> > > the button.) I see that TrunkPCR already has a number of shortcut
> > > keys, such as SHIFT+F2 for Load Profile. From the online manual, the

> > > Sweep function does not appear to have shortcut keys (but I cannot
> > > invoke it to check as I don't have a radio (yet)).
> > >
> > > Maybe if I can invoke the Start Sweep, Stop Sweep, Save Sweep and
> > > Clear Sweep Screen (don't know which button clears the screen) buttons
> > > using keystrokes, I will be able to automate the function from outside
> > > TrunkPCR (saving you some time)?
> > >
> > > So all that will be necessary is to add shotrcut key functionality to
> > > the relevant buttons.
> > >
> > > (I presume that you use the normal windows file save method, so I can
> > > also add a unique filename during each file save of the Sweep Screen.)
> > >
> > > Regards
> > >
> > > Eon
> > >
> > > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > > >
> > > > What kind of "Hot Button" do you mean?
> > > >
> > > > Thanks,
> > > > Jay
> > > >
> > > > ----- Original Message -----
> > > > From: "s.techsolutions" <s.techsolutions@>
> > > >
> > > > > Hi,
> > > > >
> > > > > Thanks for the feedback.
> > > > >
> > > > > I looked at the RF space receivers, but they only go up to 30MHz,
> > > > > while we work in the 800-1000MHz band. So the PCR looks to be
> the best
> > > > > option.
> > > > >
> > > > > Jay, what is the possibility of making the save button a hot
> button
> > > > > fairly soon? I suppose the Start and Stop Buttons also needs to be
> > > > > hot? We need to start testing in about a week. Any chance of this
> > > > > being available before then?
> > > > >
> > > > > Regards
> > > > >
> > > > > Eon
> > > > >
> > > > > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > > > > >
> > > > > > Hi,

> > > > > >
> > > > > > TrunkPCR doesn't save the sweep results until after the sweep is
> > > > > finished
> > > > > > and you save it manually.
> > > > > > But that would be a nice feature and easy to implement that
> > > function...
> > > > > >
> > > > > > The suggestion that Mike (K7PI) had is nice, but I think
> you would
> > > > > enjoy
> > > > > > the PCR-2500 much, much more IMHO...
> > > > > >
> > > > > > I'll put your idea on the TODO List, thanks for the
> suggestion...
> > > > > >
> > > > > > Regards,
> > > > > > Jay
> > > > > >
> > > > > > ----- Original Message -----
> > > > > > From: "s.techsolutions" <s.techsolutions@>
> > > > > >
> > > > > > > I am about to purchase the PCR2500 for the main purpose of
> > > scanning
> > > > > > > the spectrum (poor man's spectrum analyser)to detect the
> > > presence of
> > > > > > > interference on certain bands.
> > > > > > >
> > > > > > > I would appreciate it if you can tell me if TRUNKPCR can be
> > > used to
> > > > > > > save the integrated spectrum (continuously sweeping and
> > > integrating)
> > > > > > > to disk, let's say every 5 min (and then clear the screen
> > > again). This
> > > > > > > way, if there is any interference, we can determine the time
> > > window in
> > > > > > > which it happened.
> > > > > > >
> > > > > > > If there is a Hot Key one can press to save, I could also
> > > trigger the
> > > > > > > save action via a external Windows application.
> > > > > > >
> > > > > > > I have downloaded TRUNKPCR but do not have my radio yet. I am
> > > not able
> > > > > > > to initiate the Spectrum Sweep screen and from the Online help
> > > sample
> > > > > > > it does not appear that the SAVE PICTURE button on the SWEEP
> > > screen is
> > > > > > > a hot button.
> > > > > > >
> > > > > > > Can anyone help?

> > > >
> > >
> > >
> > >
> > >
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> >
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

944. Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-10-21 15:10:10 UTC
From: s.techsolutions
Topic: 934 Message: 944

Hi Jay

Thanks - looking forward to the interim update. It will solve a big
problem for me.

Regards

Eon

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Eon,
>
> TrunkPCR doesn't support a sweep function on the SUB Receiver yet!
But is
> on the TODO list for a future release...
>
> Jay
>
> ----- Original Message -----
> From: "s.techsolutions" <s.techsolutions@...>
> > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > >
> > > Hi Eon,
> > Thanks Jay, your a star
> >
> > Another question: since the PCR2500 has two radios, is it possible to
> > use both for sweeping at the same time? If one wants to scan different
> > bands for example? So the one can sweep 200-300MHZ and the other
> > 800-900MHz, for example?
> >
> > Regards
> >
> > Eon
> >
> > >
> > > Yep, ok... That can be done.
> > > The Sweep Display is cleared after the Sweep Start Button has been
> > pressed.
> > >
> > > I'll add some code to control the Sweep Start/Stop and Sweep Save
> > and Print
> > > buttons using key strokes...
> > > An interim update can be posted this weekend with the changes...
> > >
> > > Regards,

> > > Jay
> > >
> > > ----- Original Message -----
> > > From: "s.techsolutions" <s.techsolutions@>
> > >
> > > > Hi Jay, I mean a shorcut key (such as SHIFT+S) for Save. So
instead of
> > > > clicking on it with a mouse, you use a keyboard sequence.
> > > >
> > > > From an external application (such as DotNet)I can then send
> > > > keystrokes to the TrunkPCR application (simulating a person
pressing
> > > > the button.) I see that TrunkPCR already has a number of shortcut
> > > > keys, such as SHIFT+F2 for Load Profile. From the online
manual, the
> > > > Sweep function does not appear to have shortcut keys (but I cannot
> > > > invoke it to check as I don't have a radio (yet)).
> > > >
> > > > Maybe if I can invoke the Start Sweep, Stop Sweep, Save Sweep and
> > > > Clear Sweep Screen (don't know which button clears the screen)
buttons
> > > > using keystrokes, I will be able to automate the function from
outside
> > > > TrunkPCR (saving you some time)?
> > > >
> > > > So all that will be necessary is to add shotrcut key
functionality to
> > > > the relevant buttons.
> > > >
> > > > (I presume that you use the normal windows file save method,
so I can
> > > > also add a unique filename during each file save of the Sweep
Screen.)
> > > >
> > > > Regards
> > > >
> > > > Eon
> > > >
> > > > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > > > >
> > > > > What kind of "Hot Button" do you mean?
> > > > >
> > > > > Thanks,
> > > > > Jay
> > > > >
> > > > > ----- Original Message -----
> > > > > From: "s.techsolutions" <s.techsolutions@>
> > > > >
> > > > > > Hi,
> > > > > >

> > > > > > Thanks for the feedback.
> > > > > >
> > > > > > I looked at the RF space receivers, but they only go up to
30MHz,
> > > > > > while we work in the 800-1000MHz band. So the PCR looks to be
> > the best
> > > > > > option.
> > > > > >
> > > > > > Jay, what is the possibility of making the save button a hot
> > button
> > > > > > fairly soon? I suppose the Start and Stop Buttons also
needs to be
> > > > > > hot? We need to start testing in about a week. Any chance
of this
> > > > > > being available before then?
> > > > > >
> > > > > > Regards
> > > > > >
> > > > > > Eon
> > > > > >
> > > > > > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@>
wrote:
> > > > > > >
> > > > > > > Hi,
> > > > > > >
> > > > > > > TrunkPCR doesn't save the sweep results until after the
sweep is
> > > > > > finished
> > > > > > > and you save it manually.
> > > > > > > But that would be a nice feature and easy to implement that
> > > > function...
> > > > > > >
> > > > > > > The suggestion that Mike (K7PI) had is nice, but I think
> > you would
> > > > > > enjoy
> > > > > > > the PCR-2500 much, much more IMHO...
> > > > > > >
> > > > > > > I'll put your idea on the TODO List, thanks for the
> > suggestion...
> > > > > > >
> > > > > > > Regards,
> > > > > > > Jay
> > > > > > >
> > > > > > > ----- Original Message -----
> > > > > > > From: "s.techsolutions" <s.techsolutions@>
> > > > > > >
> > > > > > > I am about to purchase the PCR2500 for the main
purpose of
> > > > scanning
> > > > > > > the spectrum (poor man's spectrum analyser)to detect the

> > > > presence of
> > > > > > > > interference on certain bands.
> > > > > > > >
> > > > > > > > I would appreciate it if you can tell me if TRUNKPCR
can be
> > > > used to
> > > > > > > > save the integrated spectrum (continuously sweeping and
> > > > integrating)
> > > > > > > > to disk, let's say every 5 min (and then clear the screen
> > > > again). This
> > > > > > > > way, if there is any interference, we can determine
the time
> > > > window in
> > > > > > > > which it happened.
> > > > > > > >
> > > > > > > > If there is a Hot Key one can press to save, I could also
> > > > trigger the
> > > > > > > > save action via a external Windows application.
> > > > > > > >
> > > > > > > > I have downloaded TRUNKPCR but do not have my radio
yet. I am
> > > > not able
> > > > > > > > to initiate the Spectrum Sweep screen and from the
Online help
> > > > sample
> > > > > > > > it does not appear that the SAVE PICTURE button on the
SWEEP
> > > > screen is
> > > > > > > > a hot button.
> > > > > > > >
> > > > > > > > Can anyone help?
> > > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >

> >
> >
> >
>

945. San Diego's on Fire Again

Yahoo group: TrunkPCR
Date: 2007-10-22 20:43:09 UTC
From: Jay
Topic: 945 Message: 945

Hey All,

Due to the local fires, developemnet of my programs will be on HOLD...

I have all 3 PCR's and my Pro-96 scanning the local agencies monitoring the fire updates.
The last fire that came through 4 years ago, came close to this house and if the conditions worsen, we may have to evacuate depending on the wind direction and movement of the 7 fires...

I'll let ya know when the fire danger has passed and developement resumed...

Regards,
Jay

946. RE: [TrunkPCR] San Diego's on Fire Again

Yahoo group: TrunkPCR
Date: 2007-10-22 23:12:12 UTC
From: Roger D. Hamilton
Topic: 945 Message: 946

Best of luck, hope the wind blows the other way!

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, October 22, 2007 3:43 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] San Diego's on Fire Again

Hey All,

Due to the local fires, developemnet of my programs will be on HOLD...

I have all 3 PCR's and my Pro-96 scanning the local agencies monitoring the fire updates.
The last fire that came through 4 years ago, came close to this house and if the conditions worsen, we may have to evacuate depending on the wind direction and movement of the 7 fires...

I'll let ya know when the fire danger has passed and developement resumed...

Regards,
Jay

947. Re: [TrunkPCR] San Diego's on Fire Again

Yahoo group: TrunkPCR
Date: 2007-10-22 22:31:02 UTC
From: Rick Munday
Topic: 945 Message: 947

Good luck!

----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Monday, October 22, 2007 3:43 PM
Subject: [TrunkPCR] San Diego's on Fire Again

> Hey All,
>
> Due to the local fires, developemnet of my programs will be on HOLD...
>
> I have all 3 PCR's and my Pro-96 scanning the local agencies monitoring
> the
> fire updates.
> The last fire that came through 4 years ago, came close to this house and
> if
> the conditions worsen, we may have to evacuate depending on the wind
> direction and movement of the 7 fires...
>
> I'll let ya know when the fire danger has passed and developement
> resumed...
>
> Regards,
> Jay
>
>
>
>
>
> Yahoo! Groups Links
>
>
>

948. Re: [TrunkPCR] San Diego's on Fire Again

Yahoo group: TrunkPCR
Date: 2007-10-24 08:43:13 UTC
From: Mark Colborn
Topic: 945 Message: 948

Good luck Jay, we are all pulling for you guys out there in California. Stay safe and stay upwind.

Mark

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, October 22, 2007 3:43 PM
Subject: [TrunkPCR] San Diego's on Fire Again

Hey All,

Due to the local fires, developemnet of my programs will be on HOLD...

I have all 3 PCR's and my Pro-96 scanning the local agencies monitoring the fire updates.
The last fire that came through 4 years ago, came close to this house and if the conditions worsen, we may have to evacuate depending on the wind direction and movement of the 7 fires...

I'll let ya know when the fire danger has passed and developement resumed...

Regards,
Jay

949. I-CALLS

Yahoo group: TrunkPCR
Date: 2007-10-29 02:04:54 UTC
From: Glenn
Topic: 949 Message: 949

Jay and the group,
This may seam to be a stupid question but how can I determine what is a
I-CALL with TRUNKPCR and does TRUNKPCR show I-CALLS?
I have no idea what I-CALLS are.
The system is narrowband EDACS.
Thanks,
Glenn
kd5dga

950. Re: [TrunkPCR] I-CALLS

Yahoo group: TrunkPCR
Date: 2007-10-30 02:22:42 UTC
From: Jay
Topic: 949 Message: 950

Hey Glenn,

I-Calls are "Private" calls (Individual to Individual).
TrunkPcr will show these as "Private" and will display boths users in a
call...

Regards,
Jay

----- Original Message -----
>From: "Glenn"
>
> Jay and the group,
> This may seam to be a stupid question but how can I determine what is a
> I-CALL with TRUNKPCR and does TRUNKPCR show I-CALLS?
> I have no idea what I-CALLS are.
> The system is narrowband EDACS.
> Thanks,
> Glenn
> kd5dga

951. Re: [TrunkPCR] San Diego's on Fire Again

Yahoo group: TrunkPCR
Date: 2007-11-01 00:02:05 UTC
From: Jay
Topic: 945 Message: 951

Looks like we're in the clear now and the fires are pretty much contained.
I'll be resuming developement in the next couple of days..

Regards,
Jay

952. Re: San Diego's on Fire Again

Yahoo group: TrunkPCR
Date: 2007-11-02 07:12:23 UTC
From: s.techsolutions
Topic: 945 Message: 952

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Looks like we're in the clear now and the fires are pretty much
contained.
> I'll be resuming developement in the next couple of days..
>
> Regards,
> Jay
>
Good to know you are back, safe and sound.

Regards

Eon

953. Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-11-03 11:54:18 UTC
From: s.techsolutions
Topic: 934 Message: 953

Hi Jay

I have acquired my PCR 2500 and I am put it through its paces. Some questions on the sweep function:
1) Is there a way to increase the step size to 200kHz, 400kHz or 1MHz?
2) I am using the FAST setting on the sweep function, but it is still quite slow. I read somewhere that it should be possible to get 40 channels/second, but I am not getting near that. I suppose having bigger steps will also help.
3) Is there a way to change the scale from S to dbm?
4) A few years ago, I saw someone using the PCR1000 with a program called TalkPCR and I recall it having a sweep function which worked quite well. I don't suppose this will work with the PCR2500?

Regards

Eon

954. Re: [TrunkPCR] I-CALLS

Yahoo group: TrunkPCR
Date: 2007-11-03 19:22:45 UTC
From: Glenn
Topic: 949 Message: 954

Where will TRUNKPCR display this information?
----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Monday, October 29, 2007 9:22 PM
Subject: Re: [TrunkPCR] I-CALLS

> Hey Glenn,
>
> I-Calls are "Private" calls (Individual to Individual).
> TrunkPcr will show these as "Private" and will display boths users in a
> call...
>
> Regards,
> Jay
>
> ----- Original Message -----
>>From: "Glenn"
>>
>> Jay and the group,
>> This may seam to be a stupid question but how can I determine what is a
>> I-CALL with TRUNKPCR and does TRUNKPCR show I-CALLS?
>> I have no idea what I-CALLS are.
>> The system is narrowband EDACS.
>> Thanks,
>> Glenn
>> kd5dga
>
>
>

955. Re: [TrunkPCR] I-CALLS

Yahoo group: TrunkPCR
Date: 2007-11-03 22:33:25 UTC
From: Jay
Topic: 949 Message: 955

Hey Glenn,

Just like in Moto systems where you see the "Multi-Select", "Group Patch" and "Emergency" message in an orange color.
The "Private" message is shown in the main display window beneath the Trunk Banks ("R" to "?").
Also instead of showing a Group ID and Group Description, the calling Radio ID and Radio Description are shown...

Jay

----- Original Message -----
>From: "Glenn"
>
> Where will TRUNKPCR display this information?
> ----- Original Message -----
> From: "Jay"
>
> > Hey Glenn,
> >
> > I-Calls are "Private" calls (Individual to Individual).
> > TrunkPcr will show these as "Private" and will display boths users in a
> > call...
> >
> > Regards,
> > Jay

956. Re: [TrunkPCR] Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-11-03 19:12:39 UTC
From: Jay
Topic: 934 Message: 956

Hi Eon,

1). Currently the highest step rate for sweeping is 100khz.

2). I don't recall saying that on my help page or in past messages...
The Spectrum Sweep doesn't use the scan functions of the PCR, if it did, then it would take longer to sweep. To get a more accurate result of the signal strength of each frequency during the sweep, there is a slight pause after setting a frequency to allow the AGC to settle on the frequency. Otherwise without the delay, reading the signal strength may return the signal from a previous frequency that had a higher signal strength. If you had a strong signal like S9 +60, it would take a few seconds for the AGC to settle back down to "0" (Zero). In earlier versions, the sweep ran quite fast, but wasn't very accurate if you had some strong signals...

3). Nope, no dBm scale yet...

4). TalkPCR does have a sweep function also, but it's not written by me. It does have the problem as stated above giving you FALSE results since it doesn't allow for the AGC circuit to selltle down before reading the signal strength... You can verify this yourself and see the differences...

Regards,
Jay

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>

> Hi Jay
>
> I have acquired my PCR 2500 and I am put it through its paces. Some
> questions on the sweep function:
> 1) Is there a way to increase the step size to 200kHz, 400kHz or 1MHz?
> 2) I am using the FAST setting on the sweep function, but it is still
> quite slow. I read somewhere that it should be possible to get 40
> channels/second, but I am not getting near that. I suppose having
> bigger steps will also help.
> 3) Is there a way to change the scale from S to dbm?
> 4) A few years ago, I saw someone using the PCR1000 with a program
> called TalkPCR and I recall it having a sweep function which worked
> quite well. I don't suppose this will work with the PCR2500?
>
> Regards
>
> Eon

957. Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-11-04 10:47:40 UTC
From: s.techsolutions
Topic: 934 Message: 957

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Eon,
>
> 1). Currently the highest step rate for sweeping is 100khz.
>
> 2). I don't recall saying that on my help page or in past messages...
> The Spectrum Sweep doesn't use the scan functions of the PCR, if it did,
> then it would take longer to sweep. To get a more accurate result
of the
> signal strength of each frequency during the sweep, there is a
slight pause
> after setting a frequency to allow the AGC to settle on the frequency.
> Otherwise without the delay, reading the signal strength may return the
> signal from a previous frequency that had a higher signal strength.
If you
> had a strong signal like S9 +60, it would take a few seconds for
the AGC to
> settle back down to "0" (Zero). In earlier versions, the sweep ran
quite
> fast, but wasn't very accurate if you had some strong signals...
>
> 3). Nope, no dBm scale yet...
>
> 4). TalkPCR does have a sweep function also, but it's not written
by me.
> It does have the problem as stated above giving you FALSE results
since it
> doesn't allow for the AGC circuit to selltle down before reading the
signal
> strength... You can verify this yourself and see the differences...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "s.techsolutions" <s.techsolutions@...>
>
> > Hi Jay
> >
> > I have acquired my PCR 2500 and I am put it through its paces. Some
> > questions on the sweep function:
> > 1) Is there a way to increase the step size to 200kHz, 400kHz or 1MHz?
> > 2) I am using the FAST setting on the sweep function, but it is still
> > quite slow. I read somewhere that it should be possible to get 40

> > channels/second, but I am not getting near that. I suppose having
> > bigger steps will also help.
> > 3) Is there a way to change the scale from S to dbm?
> > 4) A few years ago, I saw someone using the PCR1000 with a program
> > called TalkPCR and I recall it having a sweep function which worked
> > quite well. I don't suppose this will work with the PCR2500?
> >
> > Regards
> >
> > Eon
>

Hi Jay, thanks for the clarification. We are scanning for interference, so speed is initially more important for us than accuracy. If we do find anything there, one can then do an accurate (slow) scan. Is possible to provide both options, say, by having an Extra Fast Mode?

Alternatively, can you advise where to obtain an earlier (fast) version?

Regards

Eon

958. Do you think it is saft to buy on ebay

Yahoo group: TrunkPCR
Date: 2007-11-04 15:48:48 UTC
From: sjinndoawi00
Topic: 958 Message: 958

Hi all I am new here but I really like I-coms and have been looking for one and this is how I found this site... I have Uniden scanners but want an I com like the 1500..So I have found one on ebay ...Is it a good site and are these people for real... And can this transaction be trusted...

959. Re: [TrunkPCR] Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-11-04 18:57:41 UTC
From: Jay
Topic: 934 Message: 959

Hi Eon,

Yep, I was thinking about doing that change last night...
I'll make a change to have the Fast Sweep, sweep fast again, slow as it is
and Medium in the middle...

There are some earlier versions in the File Section of this group.
After looking at my update notes, I see that I didn't make a note of when
it was changed.
You can try Version 0.8.200 and see if that works better...

Regards,
Jay

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>
>
> Hi Jay, thanks for the clarification. We are scanning for
> interference, so speed is initially more important for us than
> accuracy. If we do find anything there, one can then do an accurate
> (slow) scan. Is possible to provide both options, say, by having an
> Extra Fast Mode?
>
> Alternatively, can you advise where to obtain an earlier (fast) version?
>
> Regards
>
> Eon

960. Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-11-05 06:48:57 UTC
From: s.techsolutions
Topic: 934 Message: 960

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
Thanks, I will have a look. Anxiously awaiting your update.

I also downloaded the TalkPCR app, but for some reason it does not
pick up my PCR2500 via the USB mapping to COM10? Does anyone know if
the PCR2500 is supported?

Regards

Eon

>
> Hi Eon,
>
> Yep, I was thinking about doing that change last night...
> I'll make a change to have the Fast Sweep, sweep fast again, slow as
it is
> and Medium in the middle...
>
> There are some earlier versions in the File Section of this group.
> After looking at my update notes, I see that I didn't make a note
of when
> it was changed.
> You can try Version 0.8.200 and see if that works better...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "s.techsolutions" <s.techsolutions@...>
> >
> > Hi Jay, thanks for the clarification. We are scanning for
> > interference, so speed is initially more important for us than
> > accuracy. If we do find anything there, one can then do an accurate
> > (slow) scan. Is possible to provide both options, say, by having an
> > Extra Fast Mode?
> >
> > Alternatively, can you advise where to obtain an earlier (fast)
version?
> >
> > Regards
> >
> > Eon
>

961. Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-11-05 15:13:34 UTC
From: s.techsolutions
Topic: 934 Message: 961

--- In TrunkPCR@yahoogroups.com, "s.techsolutions"
<s.techsolutions@...> wrote:

Hi, I tired Version 0.8.200 but it does not pick up the radio . . .

>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> Thanks, I will have a look. Anxiously awaiting your update.
>
> I also downloaded the TalkPCR app, but for some reason it does not
> pick up my PCR2500 via the USB mapping to COM10? Does anyone know if
> the PCR2500 is supported?
>
> Regards
>
> Eon
>
> >
> > Hi Eon,
> >
> > Yep, I was thinking about doing that change last night...
> > I'll make a change to have the Fast Sweep, sweep fast again, slow as
> it is
> > and Medium in the middle...
> >
> > There are some earlier versions in the File Section of this group.
> > After looking at my update notes, I see that I didn't make a note
> of when
> > it was changed.
> > You can try Version 0.8.200 and see if that works better...
> >
> > Regards,
> > Jay
> >
> > ----- Original Message -----
> > From: "s.techsolutions" <s.techsolutions@>
> > >
> > > Hi Jay, thanks for the clarification. We are scanning for
> > > interference, so speed is initially more important for us than
> > > accuracy. If we do find anything there, one can then do an accurate
> > > (slow) scan. Is possible to provide both options, say, by having an
> > > Extra Fast Mode?
> > >
> > > Alternatively, can you advise where to obtain an earlier (fast)
> version?

> > >
> > > Regards
> > >
> > > Eon
> >
>

962. PCR-2500 Difficulties

Yahoo group: TrunkPCR
Date: 2007-11-07 23:21:05 UTC
From: Mark Colborn
Topic: 962 Message: 962

I can't get my PCR-2500 to decode a MOT trunked channel and it is driving me crazy. It worked when I first hooked up the new unit several weeks ago with version 229. It will scan conventional channels fine and otherwise works as advertised, so I know my sound card settings are correct and the computer is controlling the radio. I have the four control channels loaded in the memory. The unit powers up fine, and although it might come up on the control channel it shows a good signal on the S-meter but no sound. If I click on the Chan selector to move the channel one up and back, then I get the control channel sound. When I hit Trunk it begins searching but it doesn't decode anything, and the status bits at the bottom stays at 1's=0%. Unclick Trunk and again, no sound on the control channel. Just downloaded version 231 and I have the same problem. I have tried every setting imaginable and even tried other trunked systems no luck. The only thing I can think of is it might have something to do with the dual receiver? Any suggestions would be appreciated.

Mark

963. Re: PCR-2500 Difficulties

Yahoo group: TrunkPCR
Date: 2007-11-07 23:53:33 UTC
From: Mark Colborn
Topic: 962 Message: 963

Deeerrrrh, disregard. It helps when you have the data packet output from the radio hooked to the correct sound card input on the computer!!! Sorry.

For those of you who still have Trunked systems in the 867 and 868 freq range, the PCR-2500, like the 1500 will not receive this range. TrunkPCR will display the frequencies that pop up on the system but there will be no sound. It's making it difficult for me to evaluate the digital sound quality on the 2500 because the only digital TRS within my recieving range has most of their freqs in the 867/868 range!

Mark
----- Original Message -----
From: Mark Colborn
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, November 07, 2007 5:21 PM
Subject: PCR-2500 Difficulties

I can't get my PCR-2500 to decode a MOT trunked channel and it is driving me crazy. It worked when I first hooked up the new unit several weeks ago with version 229. It will scan conventional channels fine and otherwise works as advertised, so I know my sound card settings are correct and the computer is controlling the radio. I have the four control channels loaded in the memory. The unit powers up fine, and although it might come up on the control channel it shows a good signal on the S-meter but no sound. If I click on the Chan selector to move the channel one up and back, then I get the control channel sound. When I hit Trunk it begins searching but it doesn't decode anything, and the status bits at the bottom stays at 1's=0%. Unclick Trunk and again, no sound on the control channel. Just downloaded version 231 and I have the same problem. I have tried every setting imaginable and even tried other trunked systems no luck. The only thing I can think of is it might have something to do with the dual receiver? Any suggestions would be appreciated.

Mark

964. Re: [TrunkPCR] Re: Spectrum Sweep Functions

Yahoo group: TrunkPCR
Date: 2007-11-09 19:19:58 UTC
From: Jay
Topic: 934 Message: 964

Hi Eon,

The interim update should be posted tonight or tomorrow morning by the latest :)

As far as TalkPCR goes, there should be a version 3.0 in the file section of the TalkPcr yahoo group...

Jay

----- Original Message -----
From: "s.techsolutions"
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> Thanks, I will have a look. Anxiously awaiting your update.
>
> I also downloaded the TalkPCR app, but for some reason it does not
> pick up my PCR2500 via the USB mapping to COM10? Does anyone know if
> the PCR2500 is supported?
>
> Regards
>
> Eon

965. First time user in need of help!

Yahoo group: TrunkPCR
Date: 2007-11-10 05:00:19 UTC
From: dtmf13
Topic: 965 Message: 965

Hi all,

I did a lot of search on the web to understand that TrunkPCR is the best software for my PCR100. I was able to play in VFO mode but having dificulty to save frequencies in banks. I will try conventionnal first but mostly interested in trunking. I'm basically searching for the user manual or a step-by-step for this sw.

Also ,any new on when it will decode LTR's.

Regards, Marc

966. TrunkPCR version 0.88.231 Now Available

Yahoo group: TrunkPCR
Date: 2007-11-10 22:36:43 UTC
From: Jay
Topic: 932 Message: 966

TrunkPCR version 0.88.231 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes, changes and additions
NOTE: Moto Type-I Support will be finished in the next major update.

Nov 06,2007 - Added: HotKeys for Sweep Functions: Start = SHIFT-S,
Stop = SHIFT-F, Save = SHIFT-V, Print = SHIFT-P
and Export = SHIFT-X.
Nov 08,2007 - -----: Changed Sweep Speed to 6, 12 and 21 Freqs Per
Second.
Nov 09,2007 - Added: Time Stamp to Export to Excel file.
Nov 09,2007 - Added: Date and Time Stamp to Sweep Save Picture.
Nov 09,2007 - Fixed: Filename used in Sweep - Export to Excel file.
Nov 09,2007 - Fixed: Filename used in Frequency Search Results - Export
to Excel file.
Nov 10,2007 - Added: Check for Update in Help Menu.
Version 0.88.232 Released 11/10/2007

Regards,
Jay

967. Re: [TrunkPCR] First time user in need of help!

Yahoo group: TrunkPCR
Date: 2007-11-11 06:51:12 UTC
From: Jay
Topic: 965 Message: 967

Hi Marc,

There is a Help Page on TrunkPCR's web site, but no manual as of yet.
To save a Frequency on a new channel, just click the "Store" Button.
To Add a new Channel, press "F5" which is the same as clicking
Edit->Channels->Add Channel...

Regards,
Jay

----- Original Message -----
>From: "dtmf13"
>
> Hi all,
>
> I did a lot of search on the web to understand that TrunkPCR is the best
> software for my PCR100. I was able to play in VFO mode but having
> dificulty to save frequencies in banks. I will try conventionnal first
> but mostly interested in trunking. I'm basically searching for the user
> manual or a step-by-step for this sw.
>
> Also ,any new on when it will decode LTR's.
>
> Regards, Marc

968. Re: [TrunkPCR] When will it decode LTR's

Yahoo group: TrunkPCR
Date: 2007-11-11 07:31:03 UTC
From: Jay
Topic: 968 Message: 968

Nothing working in LTR yet!
But it will require a Low Pass Filter connected between the packet out of the PCR connected to your sound card's Line-Input... A modified LTR Slicer should work too...

I'll post more info when I have the test circuit and program working...

Regards,
Jay

----- Original Message -----
From: "dtmf13" <dtmf13@...>
>
> Hi all,
>
> Also ,any new on when it will decode LTR's.
>
>
>
> Regards, Marc

969. Re: First time user in need of help!

Yahoo group: TrunkPCR
Date: 2007-11-11 14:41:37 UTC
From: dtmf13
Topic: 965 Message: 969

Thanks Jay,

It helped, I also see that you have changed your website, great job!

Marc

970. ic-pcr1500 + Satellite + Doppler ???

Yahoo group: TrunkPCR
Date: 2007-11-12 02:40:40 UTC
From: raul romero
Topic: 970 Message: 970

Hello ask someone help me say that software
And as I run ek icom ic-pcr1500 to continue in the form and schedule
automatic satellites as their frequencies for the automatic doppler

Greetings

Raul
CE3SOC
CHILE

971. Bug in 0.88.231

Yahoo group: TrunkPCR
Date: 2007-11-13 03:02:39 UTC
From: dtmf13
Topic: 971 Message: 971

```
In the "edit freq plan", if the wrong LCN is entered and I click on
backspace to corrected, i get a "run time error 13, type mismatch".
Note that in version 0.8.200 it was ok.
```

972. Re: [TrunkPCR] Bug in 0.88.231

Yahoo group: TrunkPCR
Date: 2007-11-13 04:07:33 UTC
From: Jay
Topic: 971 Message: 972

Hey Marc,

Found the problem and fixed it :)

Thanks,
Jay

----- Original Message -----
From: "dtmf13"
>

> In the "edit freq plan", if the wrong LCN is entered and I click on
> backspace to corrected, i get a "run time error 13, type mismatch".
> Note that in version 0.8.200 it was ok.

973. See Who's Talking

Yahoo group: TrunkPCR
Date: 2007-11-13 04:07:32 UTC
From: letarotor
Topic: 973 Message: 973

Jay,

Check the two latest versions (88.231 & 232). Can't get the See Who's Talkin feature to display the pics even though the button is highlighted in the Trunk Settings.

Mark

974. Re: [TrunkPCR] See Who's Talking

Yahoo group: TrunkPCR
Date: 2007-11-13 04:13:11 UTC
From: Jay
Topic: 973 Message: 974

Hi Mark,

Yep, I see the problem. I moved it "off screen" when doing other test
again, arggggggg...

I'll have an update out in the next hour...

Thanks,
Jay

----- Original Message -----
From: "letarotor"
>

> Jay,
>
> Check the two latest versions (88.231 & 232). Can't get the See Who's
> Talkin feature to display the pics even though the button is
> highlighted in the Trunk Settings.
>
> Mark

975. Re: See Who's Talking

Yahoo group: TrunkPCR
Date: 2007-11-13 04:30:07 UTC
From: letarotor
Topic: 973 Message: 975

Thanks Jay, that is such a cool feature. For those on the list that haven't discovered this feature yet. Go to Trunk Settings and highlight the See Who's Talking bar. When any talkgroup on the system you are monitoring becomes active a picture will appear in the lower left-hand portion of the screen. The default pic is of a close-up of a chimp but numerous default photos are available to associate with individual talkgroups. Right click on an active talkgroup to bring up the Radio ID Edit screen and select a picture. Nice touch Jay.

Mark

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Mark,
>
> Yep, I see the problem. I moved it "off screen" when doing other test
> again, arggggggg...
>
> I'll have an update out in the next hour...
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "letarotor"
> >
>
> > Jay,
> >
> > Check the two latest versions (88.231 & 232). Can't get the See Who's
> > Talkin feature to display the pics even though the button is
> > highlighted in the Trunk Settings.
> >
> > Mark
>

976. TrunkPCR version 0.88.233 Now Available

Yahoo group: TrunkPCR
Date: 2007-11-13 05:45:12 UTC
From: Jay
Topic: 976 Message: 976

TrunkPCR version 0.88.233 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes...
NOTE: Moto Type-I Support will be finished in the next major update.

Nov 12,2007 - Fixed: Pressing [BackSpace] key causing a crash in Freq
Plan Editor.
Nov 12,2007 - Fixed: Display of User Picture (Moved off screen on prior
testing).
Nov 12,2007 - Fixed: Display of User Picture when "See Who's Talking" is
selected.
Version 0.88.233 Released 11/12/2007

Regards,
Jay

977. What am I doing wrong?

Yahoo group: TrunkPCR
Date: 2007-11-14 02:37:36 UTC
From: dtmf13
Topic: 977 Message: 977

Part1

I'm trying to setup a 5 freq Edacs system using ver. 0.88.231, Lcn's are:

1: 866.1875
2: 866.6875
3: 867.1875
4: 867.6875
5: 866.4375

I enter my first freq (control channel) in the first channel of a bank with FSK 15hkz and "store" it.
I then go to trunk, Edacs tab and choose "Hunt on data loss" then go to the freq plan editor and that's where I fail. I enter 1 and choose Add, then go back to the first Lcn and change the freq from 000.0000 to 866.1875 and so on for all 5 channel. Is this good so far?

Marc

978. Re: [TrunkPCR] What am I doing wrong?

Yahoo group: TrunkPCR
Date: 2007-11-14 03:02:36 UTC
From: Jay
Topic: 977 Message: 978

Hey Marc,

To save a step in entering/editing the LCN Freq, Enter a number in the LCN TextBox, then enter a frequency in the Freq TextBox, then click the Add Button.

So ar so good.
But you should also download version 0.88.233 to fix the problem you reported...

Regards,
Jay

----- Original Message -----
From: "dtmf13" <dtmf13@...>
> Part1
>
> I'm trying to setup a 5 freq Edacs system using ver. 0.88.231, Lcn's
> are:
>
> 1: 866.1875
> 2: 866.6875
> 3: 867.1875
> 4: 867.6875
> 5: 866.4375
>
> I enter my first freq (control channel) in the first channel of a
> bank with FSK 15hkz and "store" it.
> I then go to trunk, Edacs tab and choose "Hunt on data loss" then go
> to the freq plan editor and that's where I fail. I enter 1 and choose
> Add, then go back to the first Lcn and change the freq from 000.0000
> to 866.1875 and so on for all 5 channel. Is this good so far?
>
> Marc

979. Re: What am I doing wrong?

Yahoo group: TrunkPCR
Date: 2007-11-14 03:22:55 UTC
From: dtmf13
Topic: 977 Message: 979

Jay,

That was my first thought to enter the LCN and then the freq, but if
I put 1 next to the ADD box, I can't go in the freq box right away, I
need to click add and only then I can change the freq...

Marc

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Marc,
>
> To save a step in entering/editing the LCN Freq, Enter a number in
the LCN
> TextBox, then enter a frequency in the Freq TextBox, then click
the Add
> Button.
>
> So ar so good.
> But you should also download version 0.88.233 to fix the problem you
> reported...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "dtmf13" <dtmf13@...>
> > Part1
> >
> > I'm trying to setup a 5 freq Edacs system using ver. 0.88.231,
Lcn's
> > are:
> >
> > 1: 866.1875
> > 2: 866.6875
> > 3: 867.1875
> > 4: 867.6875
> > 5: 866.4375
> >
> > I enter my first freq (control channel) in the first channel of a
> > bank with FSK 15hkz and "store" it.
> > I then go to trunk, Edacs tab and choose "Hunt on data loss" then
go
> > to the freq plan editor and that's where I fail. I enter 1 and
choose
> > Add, then go back to the first Lcn and change the freq from

000.0000
> > to 866.1875 and so on for all 5 channel. Is this good so far?
> >
> > Marc
>

980. Re: [TrunkPCR] Re: What am I doing wrong?

Yahoo group: TrunkPCR
Date: 2007-11-14 08:39:56 UTC
From: Jay
Topic: 977 Message: 980

Hey Marc,

Yep your right, thought I changed that but I guess not.
Ok, then for now just enter the LCN, click add, then enter frequency and save...

Next part?

Regards,
Jay

----- Original Message -----
From: "dtmf13" <dtmf13@...>
>
> Jay,
>
> That was my first thought to enter the LCN and then the freq, but if
> I put 1 next to the ADD box, I can't go in the freq box right away, I
> need to click add and only then I can change the freq...
>
> Marc

981. AFS settings on EDACS

Yahoo group: TrunkPCR
Date: 2007-11-15 00:48:05 UTC
From: dtmf13
Topic: 981 Message: 981

Hi,

when I go in the Trunk ID edit screen and choose AFS as a display mode, I have to adjust the Trunk ID box so that I can read all 6 digits of the ID(xx-xxx). Is there a way to have these setting saved. I have to adjust these each time I go there even thought I choosed these seting in the EDACS settings. Ver. 0.88.233.

982. Noise on a system

Yahoo group: TrunkPCR
Date: 2007-11-15 00:59:25 UTC
From: dtmf13
Topic: 982 Message: 982

Hi again,

On a large networked EDACS system with none provoice coding in uses by certain users, is it normal to here data here and there. Is this what I should hear instead of the voice while the encryption is used. On a second note, if the above is true, is there a way to mute these data transmissions without locking out the ID's as they use the encoding on and off.

Again, Marc

983. Re: [TrunkPCR] AFS settings on EDACS

Yahoo group: TrunkPCR
Date: 2007-11-15 02:14:17 UTC
From: Jay
Topic: 981 Message: 983

Hi Marc,

Yep, you have to change it manually.
Not really a big deal, only takes a second to double-click the separator to have it self adjust...

Jay

----- Original Message -----
From: "dtmf13" <dtmf13@...>
>
> Hi,
>
> when I go in the Trunk ID edit screen and choose AFS as a display mode,
> I have to adjust the Trunk ID box so that I can read all 6 digits of the
> ID(xx-xxx). Is there a way to have these setting saved. I have to adjust
> these each time I go there even thought I choosed these seting in the
> EDACS settings. Ver. 0.88.233.

984. Re: [TrunkPCR] Noise on a system

Yahoo group: TrunkPCR
Date: 2007-11-15 02:21:58 UTC
From: Jay
Topic: 982 Message: 984

Hi Marc,

Do you have the "Block Data Calls" [Checked] in the Trunk Settings?
Do you also have the "Switch to Control When Dotting Heard" [Checked]???

There will be times when you hear data if the voice call ends before the squelch breaks and a data call is placed on the same channel rather quickly...

Jay

----- Original Message -----
From: "dtmf13" <dtmf13@...>
> Hi again,
>
> On a large networked EDACS system with none provoice coding in uses by
> certain users, is it normal to here data here and there. Is this what I
> should hear instead of the voice while the encryption is used. On a
> second note, if the above is true, is there a way to mute these data
> transmissions without locking out the ID's as they use the encoding on
> and off.
>
>
> Again, Marc

985. CTCSS and channels

Yahoo group: TrunkPCR
Date: 2007-11-16 04:18:04 UTC
From: dtmf13
Topic: 985 Message: 985

Hi,

Where do save the CTCSS tone on a channel?

Marc

986. Re: [TrunkPCR] CTCSS and channels

Yahoo group: TrunkPCR
Date: 2007-11-16 04:44:19 UTC
From: Jay
Topic: 985 Message: 986

Hey Marc,

Did you look under the Controls Menu?...
When you change the setting, it will be saved automatically when you close the program...

In the future, take a look around the Menus and check it all out... And I mean ALL of it :)
Play with all of the options to see what they all do, you'll learn more how it works that way.
And don't be affraid to try something, it shouldn't crash... But if it does, report your findings...

Jay

----- Original Message -----
From: "dtmf13" <dtmf13@...>
> Hi,
>
> Where do save the CTCSS tone on a channel?
>
>
> Marc

987. Re: CTCSS and channels

Yahoo group: TrunkPCR
Date: 2007-11-16 05:28:10 UTC
From: dtmf13
Topic: 985 Message: 987

Hey Jay,

What I meant, is that I want to save a specific tone per channel. IE;
Bank 1, CH1 459.66250 T103.5
Bank 1, CH2 465.1875 T118.8

and so on...

Marc

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Marc,
>
> Did you look under the Controls Menu?...
> When you change the setting, it will be saved automatically when
you close
> the program...
>
> In the future, take a look around the Menus and check it all
out... And I
> mean ALL of it :)
> Play with all of the options to see what they all do, you'll learn
more how
> it works that way.
> And don't be affraid to try something, it shouldn't crash... But
if it
> does, report your findings...
>
> Jay
>
> ----- Original Message -----
> From: "dtmf13" <dtmf13@...>
> > Hi,
> >
> > Where do save the CTCSS tone on a channel?
> >
> >
> > Marc
>

988. Re: [TrunkPCR] Re: CTCSS and channels

Yahoo group: TrunkPCR
Date: 2007-11-16 06:04:49 UTC
From: Jay
Topic: 985 Message: 988

Yep, from the Options Menu, click the CTCSS Tone Squelch to bring up that window.
Set the Tone for each channel you want.
Leaving the Tone Squelch window open is fine when changing channels...
When you change channels, you will see the saved setting down in the Status Bar...

Jay

----- Original Message -----
From: "dtmf13" <dtmf13@...>

> Hey Jay,
>
> What I meant, is that I want to save a specific tone per channel. IE;
> Bank 1, CH1 459.66250 T103.5
> Bank 1, CH2 465.1875 T118.8
>
> and so on...
>
>
> Marc

989. Fast Spectrum Sweep

Yahoo group: TrunkPCR
Date: 2007-11-18 15:25:45 UTC
From: s.techsolutions
Topic: 989 Message: 989

Hi Jay

Thanks for the faster spectrum sweep. Two issues though:
- there is a delay at the end of the continious sweep before starting the next one. Is there a way to remove this delay?
- when you mouse click on the spectrum display, it sometimes causes some spikes to be drawn on the screen although the sweep is off. These spikes look like signals and therefore could impact the measurement taken.

Regards

Eon

990. Re: [TrunkPCR] Fast Spectrum Sweep

Yahoo group: TrunkPCR
Date: 2007-11-18 20:30:18 UTC
From: Jay
Topic: 989 Message: 990

Hi Eon,

1). The delay will remain as is... As stated before, if the signal level on the last frequency swept is high, the next frequency swept (Even if it's starting over again) will still show a high signal level since the AGC hasn't settled down...

2). When clicking inside the sweep scope, the PCR is tuned to the frequency where clicked.
Those spikes are the signal level of that tuned frequency...

Are you using TrunkPCR in your work or buisness???

Regards,
Jay

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>

> Hi Jay
>
> Thanks for the faster spectrum sweep. Two issues though:
> - there is a delay at the end of the continious sweep before starting
> the next one. Is there a way to remove this delay?
> - when you mouse click on the spectrum display, it sometimes causes
> some spikes to be drawn on the screen although the sweep is off. These
> spikes look like signals and therefore could impact the measurement
> taken.
>
> Regards
>
> Eon

991. Re: Fast Spectrum Sweep

Yahoo group: TrunkPCR
Date: 2007-11-20 20:03:55 UTC
From: s.techsolutions
Topic: 989 Message: 991

Hi Jay

Thanks for the feedback and your efforts. We plan to use TrunkPCR with the PCR2500 for interference monitoring. We are checking to see if there are any transmitters (there should not be any) which should not be there in a certain band. We just need it to sit there and watch, while logging any signals found (hopefully none).

When using the current sweep function, we found that the following functions would be really helpful:
1) To scan without the delay - for our purpose the excact signal level is not that important. Once the signal is detected, we can scan accurately with medium or slow. Some of the band of interest to us is in the 915MHz frequency hopping band and with the delay we are missing some of the transmissions.
2) We normally use a continuous scan over a long period (8-24 hours) to see activity. It would be very helpful to be able to set a limit (say S4) like a squelch. This would make it possible to only log signals (frequency and time stamp) above the noise level.
3) An alternative would be for us to control the scan start and save actions via hot key sequences from an external application(as previously discussed)
4) A nice to have option is to be able to restart the scan. I find that when you see a signal pops up, you sometimes want to tune to it by clicking on it. But afterwards you want to keep the data while restarting. As it is now, the screen clears when you start again.

Regards

Eon

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Eon,
>
> 1). The delay will remain as is... As stated before, if the signal level
> on the last frequency swept is high, the next frequency swept (Even if it's
> starting over again) will still show a high signal level since the AGC
> hasn't settled down...
>
> 2). When clicking inside the sweep scope, the PCR is tuned to the frequency
> where clicked.
> Those spikes are the signal level of that tuned frequency...

>
> Are you using TrunkPCR in your work or buisness???
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "s.techsolutions" <s.techsolutions@...>
>
> > Hi Jay
> >
> > Thanks for the faster spectrum sweep. Two issues though:
> > - there is a delay at the end of the continious sweep before starting
> > the next one. Is there a way to remove this delay?
> > - when you mouse click on the spectrum display, it sometimes causes
> > some spikes to be drawn on the screen although the sweep is off. These
> > spikes look like signals and therefore could impact the measurement
> > taken.
> >
> > Regards
> >
> > Eon
>

992. Re: [TrunkPCR] Re: Fast Spectrum Sweep

Yahoo group: TrunkPCR
Date: 2007-11-21 02:49:04 UTC
From: Jay
Topic: 989 Message: 992

Hi Eon,

Well, if you or your company makes a Sizable Donation (at least Twice
the Maximum listed in the Donation Pop-up), I'd be
happy to compile a special custom build for you with those options
you ask :)

Regards,
Jay

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>
> Hi Jay
>
> Thanks for the feedback and your efforts. We plan to use TrunkPCR with
> the PCR2500 for interference monitoring. We are checking to see if
> there are any transmitters (there should not be any) which should not
> be there in a certain band. We just need it to sit there and watch,
> while logging any signals found (hopefully none).
>
> When using the current sweep function, we found that the following
> functions would be really helpful:
> 1) To scan without the delay - for our purpose the excact signal level
> is not that important. Once the signal is detected, we can scan
> accurately with medium or slow. Some of the band of interest to us is
> in the 915MHz frequency hopping band and with the delay we are missing
> some of the transmissions.
> 2) We normally use a continuous scan over a long period (8-24 hours)
> to see activity. It would be very helpful to be able to set a limit
> (say S4) like a squelch. This would make it possible to only log
> signals (frequency and time stamp) above the noise level.
> 3) An alternative would be for us to control the scan start and save
> actions via hot key sequences from an external application(as
> previously discussed)
> 4) A nice to have option is to be able to restart the scan. I find
> that when you see a signal pops up, you sometimes want to tune to it
> by clicking on it. But afterwards you want to keep the data while
> restarting. As it is now, the screen clears when you start again.
>
>
> Regards
>
> Eon

993. Re: Fast Spectrum Sweep

Yahoo group: TrunkPCR
Date: 2007-11-21 16:48:43 UTC
From: s.techsolutions
Topic: 989 Message: 993

Hi Jay

We are happy to make the requested USD100 contribution for your efforts. However, in addition to the 4 points mentioned, we would also require the following:
5) A full screen spectrum display (similar to TalkPCR)
6) The graphing units to be shown in dBm (Y-axis) and the frequency (X-axis) in MHz (currently in mHz)
7) The trigger level setting in (2) to be settable in dBm
8) Currently the format of the file saved is difficult to interpret: the date field is not recognisable by Excel and the signal level only relates to the last sweep. We propose the following file format:
(Header)
Date, Time, dBLevel, f1, f2, f3, ... fn
(Data)
Date1, Time1, dBLevel1, No of hits at f1, No of hits at f2, ..., no hits at fn
Date2, Time2, dBLevel1, No of hits at f1, No of hits at f2, ..., no hits at fn
.
.
.
Datan

- The no of hits for Date2 will be the hits between Date1 and Date2
- the dBLevel is the trigger level setting (2)above which the signal is counted as a hit.

9) We also need to be able to set the time each new line is saved to the file, from 1s to 3600 seconds.

Regards

Eon

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Eon,
>
> Well, if you or your company makes a Sizable Donation (at least Twice
> the Maximum listed in the Donation Pop-up), I'd be
> happy to compile a special custom build for you with those options
> you ask :)
>
> Regards,
> Jay

>
> ----- Original Message -----
> From: "s.techsolutions" <s.techsolutions@...>
> > Hi Jay
> >
> > Thanks for the feedback and your efforts. We plan to use TrunkPCR with
> > the PCR2500 for interference monitoring. We are checking to see if
> > there are any transmitters (there should not be any) which should not
> > be there in a certain band. We just need it to sit there and watch,
> > while logging any signals found (hopefully none).
> >
> > When using the current sweep function, we found that the following
> > functions would be really helpful:
> > 1) To scan without the delay - for our purpose the excact signal level
> > is not that important. Once the signal is detected, we can scan
> > accurately with medium or slow. Some of the band of interest to us is
> > in the 915MHz frequency hopping band and with the delay we are missing
> > some of the transmissions.
> > 2) We normally use a continuous scan over a long period (8-24 hours)
> > to see activity. It would be very helpful to be able to set a limit
> > (say S4) like a squelch. This would make it possible to only log
> > signals (frequency and time stamp) above the noise level.
> > 3) An alternative would be for us to control the scan start and save
> > actions via hot key sequences from an external application(as
> > previously discussed)
> > 4) A nice to have option is to be able to restart the scan. I find
> > that when you see a signal pops up, you sometimes want to tune to it
> > by clicking on it. But afterwards you want to keep the data while
> > restarting. As it is now, the screen clears when you start again.
> >
> >
> > Regards
> >
> > Eon
>

994. Re: [TrunkPCR] Re: Fast Spectrum Sweep

Yahoo group: TrunkPCR
Date: 2007-11-21 19:52:50 UTC
From: Jay
Topic: 989 Message: 994

Hey Eon,

All that for $100? nah, I don't think so.
Maybe like $500 or more for all of that....
I'll have to think about that, even if you agreed to the $500+...

You might also try Pieter Ibelings, Author of PCR-Scope.
n4ip@... was his last know email address...

Regards,
Jay

----- Original Message -----
From: "s.techsolutions" <s.techsolutions@...>
> Hi Jay
>
> We are happy to make the requested USD100 contribution for your
> efforts. However, in addition to the 4 points mentioned, we would also
> require the following:
> 5) A full screen spectrum display (similar to TalkPCR)
> 6) The graphing units to be shown in dBm (Y-axis) and the frequency
> (X-axis) in MHz (currently in mHz)
> 7) The trigger level setting in (2) to be settable in dBm
> 8) Currently the format of the file saved is difficult to interpret:
> the date field is not recognisable by Excel and the signal level only
> relates to the last sweep. We propose the following file format:
> (Header)
> Date, Time, dBLevel, f1, f2, f3, ... fn
> (Data)
> Date1, Time1, dBLevel1, No of hits at f1, No of hits at f2, ..., no
> hits at fn
> Date2, Time2, dBLevel1, No of hits at f1, No of hits at f2, ..., no
> hits at fn
> .
> .
> .
> Datan
>
> - The no of hits for Date2 will be the hits between Date1 and Date2
> - the dBLevel is the trigger level setting (2)above which the signal
> is counted as a hit.
>
> 9) We also need to be able to set the time each new line is saved to
> the file, from 1s to 3600 seconds.
>
> Regards

>
> Eon

995. Happy Thanksgiving

Yahoo group: TrunkPCR
Date: 2007-11-21 20:01:58 UTC
From: Jay
Topic: 995 Message: 995

Hey All,

Justy wanted to take a moment and wish you and yours a Happy Thanksgiving...
For those traveling, drive safe and watch out for those Crazy Californian
Drivers :-)

Jay

996. RE: [TrunkPCR] Happy Thanksgiving

Yahoo group: TrunkPCR
Date: 2007-11-22 14:04:12 UTC
From: Glenn Blum
Topic: 995 Message: 996

Back at you.

Glenn Blum
kd5dga
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Jay
Sent: Wednesday, November 21, 2007 2:02 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Happy Thanksgiving

Hey All,

Justy wanted to take a moment and wish you and yours a Happy
Thanksgiving...
For those traveling, drive safe and watch out for those Crazy
Californian
Drivers :-)

Jay

997. RE: [TrunkPCR] Happy Thanksgiving

Yahoo group: TrunkPCR
Date: 2007-11-22 01:40:41 UTC
From: vince48
Topic: 995 Message: 997

Jay you too have a pleasant Thanksgiving Holiday.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Wednesday, November 21, 2007 12:02 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Happy Thanksgiving

Hey All,

Justy wanted to take a moment and wish you and yours a Happy Thanksgiving... For those traveling, drive safe and watch out for those Crazy Californian Drivers :-)

Jay

998. Re: [TrunkPCR] Happy Thanksgiving

Yahoo group: TrunkPCR
Date: 2007-11-22 08:06:56 UTC
From: Mark Colborn
Topic: 995 Message: 998

Happy Thanksgiving to everyone also. You are probably right about those crazy California drivers Jay, however, they can't be any worst than our drivers here in Dallas. Dallas is second only to Boston where they have the worst drivers in the world! However, Boston being so much more liberal minded than Texans and not as gun toten because of their stiff gun control, your chances of getting gunned down on the freeway if you cut someone off and flip them off is much, much lower!!!:)))))).

Mark

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, November 21, 2007 2:01 PM
Subject: [TrunkPCR] Happy Thanksgiving

Hey All,

Justy wanted to take a moment and wish you and yours a Happy Thanksgiving...
For those traveling, drive safe and watch out for those Crazy Californian
Drivers :-)

Jay

999. Re: [TrunkPCR] Happy Thanksgiving

Yahoo group: TrunkPCR
Date: 2007-11-22 14:21:31 UTC
From: Frank Franzoi
Topic: 995 Message: 999

To all:
You folks haven't driven in Las Vegas lately. Anyway Happy Thanksgiving from the "Sin City" and hope you don't need to much "Pepto" when it's over.

Frank

Mark Colborn <kd5elf@...> wrote:
Happy Thanksgiving to everyone also. You are probably right about those crazy California drivers Jay, however, they can't be any worst than our drivers here in Dallas. Dallas is second only to Boston where they have the worst drivers in the world! However, Boston being so much more liberal minded than Texans and not as gun toten because of their stiff gun control, your chances of getting gunned down on the freeway if you cut someone off and flip them off is much, much lower!!!:)))))).

Mark

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, November 21, 2007 2:01 PM
Subject: [TrunkPCR] Happy Thanksgiving

Hey All,

Justy wanted to take a moment and wish you and yours a Happy Thanksgiving...
For those traveling, drive safe and watch out for those Crazy Californian
Drivers :-)

Jay

Be a better sports nut! Let your teams follow you with Yahoo Mobile. Try it now.

1000. TrunkPCR version 0.88.234 Now Available

Yahoo group: TrunkPCR
Date: 2007-11-24 19:58:42 UTC
From: Jay
Topic: 1000 Message: 1000

TrunkPCR version 0.88.234 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes and 1 addition...
NOTE: Moto Type-I Support will be finished in the next major update.

Nov 23,2007 - Added: Squelch Monitor Button - Opens Squelch/Disables
Voice Squelch when depressed.
Nov 23,2007 - Fixed: Display of PCR2500 Menu when PCR Type is selected.
Nov 23,2007 - Fixed: Tune-To-Group in CC Activity. Broke after giving
this it's own CallBack.
Version 0.88.234 Released 11/24/2007

Regards,
Jay

1001. TrunkPCR version 0.88.235 Now Available

Yahoo group: TrunkPCR
Date: 2007-12-11 03:39:23 UTC
From: Jay
Topic: 1001 Message: 1001

TrunkPCR version 0.88.235 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes...
NOTE: Moto Type-I Support will be finished in the next major update.

Dec 10,2007 - Fixed: Clear Hits for Group ID's. Was showing a "0" Zero in the wrong column.
Dec 10,2007 - Fixed: Clear Hits for Radio ID's. Was showing a "0" Zero in the wrong column.
Dec 10,2007 - -----: Added another error check for Group/Radio ID Fonts having a Font Not Used in system.
Dec 10,2007 - Fixed: Displaying a Non-Modal Window when a Modal is shown from Emergency Messages.

Version 0.88.235 Released 12/10/2007

Regards,
Jay

1002. Happy Holidays

Yahoo group: TrunkPCR
Date: 2007-12-24 21:15:45 UTC
From: Jay
Topic: 1002 Message: 1002

Just wanted to wish all members and their family a Merry Christmas, Happy Hanukah, Kwanza et al!

Regards,
Jay

1003. new christmas toys

Yahoo group: TrunkPCR
Date: 2007-12-29 20:39:39 UTC
From: Glenn Blum
Topic: 1003 Message: 1003

Hopefully everyone had a great Christmas. I picked up a new pro2055 to compliment my set-up.

Glenn Blum
kd5dga

1004. Happy New Year!!!

Yahoo group: TrunkPCR
Date: 2008-01-01 02:11:39 UTC
From: Jay
Topic: 1004 Message: 1004

Hope you all have a Happy New Year and may 2008 be better than the rest...

Jay

1005. RE: [TrunkPCR] Happy New Year!!!

Yahoo group: TrunkPCR
Date: 2008-01-01 02:25:57 UTC
From: vince48
Topic: 1004 Message: 1005

Jay

Happy New Year to you! Thanks for TrunkPCR. One damn great program!

vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Monday, December 31, 2007 6:12 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Happy New Year!!!

Hope you all have a Happy New Year and may 2008 be better than the rest...

Jay

1006. RE: [TrunkPCR] Happy New Year!!!

Yahoo group: TrunkPCR
Date: 2008-01-01 02:57:37 UTC
From: Glenn Blum
Topic: 1004 Message: 1006

3 more hours for us in Texas! Happy New Years to everyone in the group.

Glenn Blum
kd5dga
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Jay
Sent: Monday, December 31, 2007 8:12 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Happy New Year!!!

Hope you all have a Happy New Year and may 2008 be better than the
rest...

Jay

1007. TrunkPCR version 0.88.236 Now Available

Yahoo group: TrunkPCR
Date: 2008-01-04 07:39:16 UTC
From: Jay
Topic: 1007 Message: 1007

TrunkPCR version 0.88.236 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes...
NOTE: Moto Type-I Support will be finished in the next major update.

Dec 26,2007 - Fixed: Some Search Settings in Dual Receiver were using saved settings from Main Receiver.
Dec 26,2007 - Added: Support for 2 Sound Cards. (1st for Decoding CC, 2nd for Recording Conversations.
Dec 26,2007 - Fixed: Playing Back Recording on Propper Sound Card.
Dec 30,2007 - Fixed: PcrComm control, Signal Responses dumped after EEprom was Read.
Jan 01,2008 - Fixed: Last Channel Used in a Bank after Saving Updates in Channel Organizer.
Jan 02,2008 - Fixed: Another Registration Problem with Windows Vista.
Version 0.88.236 Released 01/03/2008

Regards,
Jay

1008. Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Yahoo group: TrunkPCR
Date: 2008-01-04 18:05:05 UTC
From: Frank Franzoi
Topic: 1007 Message: 1008

Jay,
I'm not sure you got my direct e-mail so anyway I am having a problem upgrading to 0.88.236 keep getting the following error message as it tries to load. "Main Error 'VB.User Control' " says it not compatible with the existing version... I am running 0.88.235 with no problems. Help.
Frank w8azv@...

Jay <crazycalifornian@...> wrote:
TrunkPCR version 0.88.236 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few fixes...
NOTE: Moto Type-I Support will be finished in the next major update.

Dec 26,2007 - Fixed: Some Search Settings in Dual Receiver were using saved settings from Main Receiver.
Dec 26,2007 - Added: Support for 2 Sound Cards. (1st for Decoding CC, 2nd for Recording Conversations.
Dec 26,2007 - Fixed: Playing Back Recording on Propper Sound Card.
Dec 30,2007 - Fixed: PcrComm control, Signal Responses dumped after EEprom was Read.
Jan 01,2008 - Fixed: Last Channel Used in a Bank after Saving Updates in Channel Organizer.
Jan 02,2008 - Fixed: Another Registration Problem with Windows Vista.
Version 0.88.236 Released 01/03/2008

Regards,
Jay

Never miss a thing. Make Yahoo your homepage.

1009. Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Yahoo group: TrunkPCR
Date: 2008-01-04 21:55:03 UTC
From: Jay
Topic: 1007 Message: 1009

Hi Frank,

Was there any messages shown when installing 0.88.236 ???

I just downloaded it to a fresh laptop and it installed ok and runs just fine...

Regards,
Jay
----- Original Message -----
From: Frank Franzoi

Jay,
I'm not sure you got my direct e-mail so anyway I am having a problem upgrading to 0.88.236 keep getting the following error message as it tries to load. "Main Error 'VB.User Control' " says it not compatible with the existing version... I am running 0.88.235 with no problems. Help.
Frank w8azv@...

1010. Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Yahoo group: TrunkPCR
Date: 2008-01-04 21:51:45 UTC
From: Leigh Sedgwick
Topic: 1007 Message: 1010

I get the same error here. Sent a direct e-mail to Jay and I'm sure there will be a fix coming soon.

----- Original Message -----
From: "Frank Franzoi" <w8azv@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Friday, January 04, 2008 10:05 AM
Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

> Jay,
> I'm not sure you got my direct e-mail so anyway I am having a problem
> upgrading to 0.88.236 keep getting the following error message as it tries
> to load. "Main Error 'VB.User Control' " says it not compatible with the
> existing version... I am running 0.88.235 with no problems. Help.
> Frank w8azv@...
>
> Jay <crazycalifornian@...> wrote:
> TrunkPCR version 0.88.236 Now Available for Downloading from
> homepage:
> http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html
>
> This update has a few fixes...
> NOTE: Moto Type-I Support will be finished in the next major update.
>
> Dec 26,2007 - Fixed: Some Search Settings in Dual Receiver were using
> saved settings from Main Receiver.
> Dec 26,2007 - Added: Support for 2 Sound Cards. (1st for Decoding CC,
> 2nd for Recording Conversations.
> Dec 26,2007 - Fixed: Playing Back Recording on Propper Sound Card.
> Dec 30,2007 - Fixed: PcrComm control, Signal Responses dumped after
> EEprom was Read.
> Jan 01,2008 - Fixed: Last Channel Used in a Bank after Saving Updates in
> Channel Organizer.
> Jan 02,2008 - Fixed: Another Registration Problem with Windows Vista.
> Version 0.88.236 Released 01/03/2008
>
> Regards,
> Jay
>
>
>
>
>
> ---
> Never miss a thing. Make Yahoo your homepage.

1011. Re: [TrunkPCR] TrunkPCR version 0.88.236 FIX

Yahoo group: TrunkPCR
Date: 2008-01-04 22:15:26 UTC
From: Jay
Topic: 1011 Message: 1011

To correct the error about the missing vb control, you will need to uninstall TrunkPCR
(Your banks and keyfile will not be deleted!)...
Then install the new version and you'll be ok...

I just installed it on my XP PC and had the same problem. It seems that XP did not replace
the PcrComm.ocx during the install.
After uninstalling, the installing the latest, it ran just fine :)

Regards,
Jay

1012. RE: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Yahoo group: TrunkPCR
Date: 2008-01-04 22:19:16 UTC
From: Rick
Topic: 1007 Message: 1012

Hi Jay, I am having the same problem after the latest update.

Everything appeared to install ok but when I go to start it I get the error.

I tried a clean install into a different directory and it said install successful but I got the same error when I went to start it.

If you need any more info feel free to email me.

IC-PCR2500

XP Pro SP2 fully updated.

3.0GHz P4

1GB Ram

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, 5 January 2008 8:25 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Hi Frank,

Was there any messages shown when installing 0.88.236 ???

I just downloaded it to a fresh laptop and it installed ok and runs just fine...

Regards,

Jay

----- Original Message -----

From: Frank Franzoi <mailto:w8azv@...>

Jay,

I'm not sure you got my direct e-mail so anyway I am having a problem upgrading to 0.88.236 keep getting the following error message as it tries to load. "Main Error 'VB.User Control' " says it not compatible with the existing version... I am running 0.88.235 with no problems. Help.

Frank w8azv@yahoo. <mailto:w8azv@...> com

1013. Re: [TrunkPCR] TrunkPCR version 0.88.236 FIX

Yahoo group: TrunkPCR
Date: 2008-01-04 22:45:52 UTC
From: Leigh Sedgwick
Topic: 1011 Message: 1013

Thank fixed it for me Jay....thank you for your usual great support!

Leigh

----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Friday, January 04, 2008 2:15 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 FIX

To correct the error about the missing vb control, you will need to
uninstall TrunkPCR (Your banks and keyfile will not be deleted!)...
Then install the new version and you'll be ok...

I just installed it on my XP PC and had the same problem. It seems that XP
did not replace the PcrComm.ocx during the install.
After uninstalling, the installing the latest, it ran just fine :)

Regards,
Jay

1014. RE: [TrunkPCR] TrunkPCR version 0.88.236 FIX

Yahoo group: TrunkPCR
Date: 2008-01-04 22:56:14 UTC
From: Rick
Topic: 1011 Message: 1014

Thanks Jay, that fixed it :-)

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, 5 January 2008 8:45 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 FIX

To correct the error about the missing vb control, you will need to uninstall TrunkPCR (Your banks and keyfile will not be deleted!)...

Then install the new version and you'll be ok...

I just installed it on my XP PC and had the same problem. It seems that XP did not replace the PcrComm.ocx during the install.

After uninstalling, the installing the latest, it ran just fine :)

Regards,

Jay

1015. Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Yahoo group: TrunkPCR
Date: 2008-01-05 06:09:00 UTC
From: Frank Franzoi
Topic: 1007 Message: 1015

Well I tried to delete all from Trunkpcr and still can't get the new version to run...
What I did was go to the control panel and deleted all versions of TrunkPcr. Ran the setup of the new version and still got the same error message... I guess I don't understand what you mean by uninstall ????
Please elaborate... What does unistall mean and how do we get there frome here??? I can delete all versions... and still get the same error messages??? Sorry I maybe a new guy but up until now everything has worked ok. Sooo what am I doing wrong???
Frank w8azv@...

Leigh Sedgwick <bipi@...> wrote:
I get the same error here. Sent a direct e-mail to Jay and I'm sure there
will be a fix coming soon.

----- Original Message -----
From: "Frank Franzoi" <w8azv@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Friday, January 04, 2008 10:05 AM
Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

> Jay,
> I'm not sure you got my direct e-mail so anyway I am having a problem
> upgrading to 0.88.236 keep getting the following error message as it tries
> to load. "Main Error 'VB.User Control' " says it not compatible with the
> existing version... I am running 0.88.235 with no problems. Help.
> Frank w8azv@...
>
> Jay <crazycalifornian@...> wrote:
> TrunkPCR version 0.88.236 Now Available for Downloading from
> homepage:
> http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html
>
> This update has a few fixes...
> NOTE: Moto Type-I Support will be finished in the next major update.
>
> Dec 26,2007 - Fixed: Some Search Settings in Dual Receiver were using
> saved settings from Main Receiver.
> Dec 26,2007 - Added: Support for 2 Sound Cards. (1st for Decoding CC,
> 2nd for Recording Conversations.
> Dec 26,2007 - Fixed: Playing Back Recording on Propper Sound Card.
> Dec 30,2007 - Fixed: PcrComm control, Signal Responses dumped after
> EEprom was Read.
> Jan 01,2008 - Fixed: Last Channel Used in a Bank after Saving Updates in
> Channel Organizer.
> Jan 02,2008 - Fixed: Another Registration Problem with Windows Vista.
> Version 0.88.236 Released 01/03/2008
>

> Regards,
> Jay
>
>
>
>
>
> ---
> Never miss a thing. Make Yahoo your homepage.

Never miss a thing. Make Yahoo your homepage.

1016. Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Yahoo group: TrunkPCR
Date: 2008-01-05 07:15:08 UTC
From: Jay
Topic: 1007 Message: 1016

Hey Franz,

UnInstalling a program is the reverse from Installing.
If you used the Add/Remove Programs in the Control Panel and Removed the program(s) from there, then that was the correct way.

After removing ALL instances of TrunkPCR, then the new fresh install should run as long as the removal was complete.
Take a look in C:\Windows\System\ or C:\Windows\System32\ and see if the file "PcrComm.ocx" is in that folder. If it is there, then the UnInstall didn't work right. If that is the case, then just delete the file "PcrComm.ocx" from the System folder and try installing again...

Regards,
Jay

----- Original Message -----
From: Frank Franzoi
To: TrunkPCR@yahoogroups.com
Sent: Friday, January 04, 2008 10:09 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Well I tried to delete all from Trunkpcr and still can't get the new version to run...
What I did was go to the control panel and deleted all versions of TrunkPcr. Ran the setup of the new version and still got the same error message... I guess I don't understand what you mean by uninstall ????
Please elaborate... What does unistall mean and how do we get there frome here??? I can delete all versions... and still get the same error messages??? Sorry I maybe a new guy but up until now everything has worked ok. Sooo what am I doing wrong???
Frank w8azv@...

Leigh Sedgwick <bipi@...> wrote:
I get the same error here. Sent a direct e-mail to Jay and I'm sure there
will be a fix coming soon.

----- Original Message -----
From: "Frank Franzoi" <w8azv@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Friday, January 04, 2008 10:05 AM
Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

> Jay,
> I'm not sure you got my direct e-mail so anyway I am having a problem
> upgrading to 0.88.236 keep getting the following error message as it tries
> to load. "Main Error 'VB.User Control' " says it not compatible with the
> existing version... I am running 0.88.235 with no problems. Help.
> Frank w8azv@...

>
> Jay <crazycalifornian@...> wrote:
> TrunkPCR version 0.88.236 Now Available for Downloading from
> homepage:
> http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html
>
> This update has a few fixes...
> NOTE: Moto Type-I Support will be finished in the next major update.
>
> Dec 26,2007 - Fixed: Some Search Settings in Dual Receiver were using
> saved settings from Main Receiver.
> Dec 26,2007 - Added: Support for 2 Sound Cards. (1st for Decoding CC,
> 2nd for Recording Conversations.
> Dec 26,2007 - Fixed: Playing Back Recording on Propper Sound Card.
> Dec 30,2007 - Fixed: PcrComm control, Signal Responses dumped after
> EEprom was Read.
> Jan 01,2008 - Fixed: Last Channel Used in a Bank after Saving Updates in
> Channel Organizer.
> Jan 02,2008 - Fixed: Another Registration Problem with Windows Vista.
> Version 0.88.236 Released 01/03/2008
>
> Regards,
> Jay
>
>
>
>
>
> ---
> Never miss a thing. Make Yahoo your homepage.

Never miss a thing. Make Yahoo your homepage.

1017. RE: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Yahoo group: TrunkPCR
Date: 2008-01-05 13:27:12 UTC
From: Rick
Topic: 1007 Message: 1017

I had trouble the first time I went to re-install it, I had to uninstall it again and then I installed it after a reboot and everything was fine.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, 5 January 2008 5:45 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Hey Franz,

UnInstalling a program is the reverse from Installing.

If you used the Add/Remove Programs in the Control Panel and Removed the program(s) from there, then that was the correct way.

After removing ALL instances of TrunkPCR, then the new fresh install should run as long as the removal was complete.

Take a look in C:\Windows\System\ or C:\Windows\System32\ and see if the file "PcrComm.ocx" is in that folder. If it is there, then the UnInstall didn't work right. If that is the case, then just delete the file "PcrComm.ocx" from the System folder and try installing again...

Regards,

Jay

----- Original Message -----

From: Frank Franzoi <mailto:w8azv@...>

To: TrunkPCR@yahoogroup <mailto:TrunkPCR@yahoogroups.com> s.com

Sent: Friday, January 04, 2008 10:09 PM

Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

Well I tried to delete all from Trunkpcr and still can't get the new version to run...

What I did was go to the control panel and deleted all versions of TrunkPcr. Ran the setup of the new version and still got the same error message... I guess I don't understand what you mean by uninstall ????

Please elaborate... What does unistall mean and how do we get there frome here??? I can delete all versions... and still get the same error

messages??? Sorry I maybe a new guy but up until now everything has worked
ok. Sooo what am I doing wrong???

Frank w8azv@...

Leigh Sedgwick <bipi@...> wrote:

I get the same error here. Sent a direct e-mail to Jay and I'm sure there
will be a fix coming soon.

----- Original Message -----
From: "Frank Franzoi" <w8azv@yahoo. <mailto:w8azv%40yahoo.com> com>
To: <TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com>
Sent: Friday, January 04, 2008 10:05 AM
Subject: Re: [TrunkPCR] TrunkPCR version 0.88.236 Now Available

> Jay,
> I'm not sure you got my direct e-mail so anyway I am having a problem
> upgrading to 0.88.236 keep getting the following error message as it tries

> to load. "Main Error 'VB.User Control' " says it not compatible with the
> existing version... I am running 0.88.235 with no problems. Help.
> Frank w8azv@yahoo. <mailto:w8azv%40yahoo.com> com
>
> Jay <crazycalifornian@ <mailto:crazycalifornian%40hotmail.com>
hotmail.com> wrote:
> TrunkPCR version 0.88.236 Now Available for Downloading from
> homepage:
> http://members.
<http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html>
cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html
>
> This update has a few fixes...
> NOTE: Moto Type-I Support will be finished in the next major update.
>
> Dec 26,2007 - Fixed: Some Search Settings in Dual Receiver were using
> saved settings from Main Receiver.
> Dec 26,2007 - Added: Support for 2 Sound Cards. (1st for Decoding CC,
> 2nd for Recording Conversations.
> Dec 26,2007 - Fixed: Playing Back Recording on Propper Sound Card.
> Dec 30,2007 - Fixed: PcrComm control, Signal Responses dumped after
> EEprom was Read.
> Jan 01,2008 - Fixed: Last Channel Used in a Bank after Saving Updates in
> Channel Organizer.
> Jan 02,2008 - Fixed: Another Registration Problem with Windows Vista.
> Version 0.88.236 Released 01/03/2008
>
> Regards,
> Jay
>
>
>

>
>
> ---
> Never miss a thing. Make Yahoo your homepage.

Never miss a thing. Make Yahoo
<http://us.rd.yahoo.com/evt=51438/*http:/www.yahoo.com/r/hs> your homepage.

1018. Mot TypeII 800 setup questions please

Yahoo group: TrunkPCR
Date: 2008-01-12 23:43:40 UTC
From: Rick
Topic: 887 Message: 1018

Hi Jay, I am having some trouble setting up a local Motorola 800MHz type II system.

1st of all, do I need to put in all the voice freq's or will TrunkPCR work on control channel only?

The issues I am having so far are:

I have put in the 5 known control channels and mostly it works but sometimes it gets stuck on a voice frequency. i.e. It still shows activity on the TrunkPCR screen and also it shows an active talkgroup on the Control Channel Activity window. Sometimes it will show searching in the TrunkPCR window but is still showing activity in the Control Channel window and sometimes the other way around. When it does this I have checked for activity on that frequency with my UBC996 and there is none.

It won't hunt for the control channel on data loss.

There are 3 sites and it is showing one of them as being a Mot Type I site and another as Undetermined in the System Info but I know that they are Type II. It shows them as being type II in the Control Channel Activity screen.

The three sites are all analogue and they all work fine on my UBC780 and UBC996 with control channel only so I assume it is something I am doing wrong with the software setup.

When I manually put it on the control channel I am seeing 1's = 48-50% and a 100% decode rate.

Thanks for any help you offer,

Rick

1019. Re: [TrunkPCR] Mot TypeII 800 setup questions please

Yahoo group: TrunkPCR
Date: 2008-01-13 05:26:11 UTC
From: Jay
Topic: 887 Message: 1019

Hey Rick,

For the frequencies, you only need to enter the ones that are used for the control channel. If you are not sure if other frequencies of the site you are trying to monitor are control channels, then use all channels...

To listen to a talk group, you need to have the associated Trunk Bank {A to Z or ?] enabled (Showing Green if activated, Blue if Not, Click the [A] to [Z] or [?] boxes to activate). Also, if you have a talk group "Locked-Out", you won't be able to hear them...

Hmmm, I just tested the "Hunt for Control Channel", as long as you have that button depressed, it should work.

When you see the "Undetermined", that's ok. It just hasn't seen any info yet telling which system it is.
If it's showing a type I, then it may be a type IIi. Type I and Type IIi support is still in the works.

For the problem of reporting the site as a Type 1, could you send me a Dump from the Dump Screen, say 15-30 minutes so I can see why the program is doing that. Be sure to Zip it before sending, thanks :)

Regards,
Jay
----- Original Message -----
From: Rick

Hi Jay, I am having some trouble setting up a local Motorola 800MHz type II system.

1st of all, do I need to put in all the voice freq's or will TrunkPCR work on control channel only?

The issues I am having so far are:

I have put in the 5 known control channels and mostly it works but sometimes it gets stuck on a voice frequency. i.e. It still shows activity on the TrunkPCR screen and also it shows an active talkgroup on the Control Channel Activity window. Sometimes it will show searching in the TrunkPCR window but is still showing activity in the Control Channel window and sometimes the other way around. When it does this I have checked for activity on that frequency with my UBC996 and there is none.

It won't hunt for the control channel on data loss.

There are 3 sites and it is showing one of them as being a Mot Type I site and another as Undetermined in the System Info but I know that they are Type II. It shows them as being type II in the Control Channel Activity screen.

The three sites are all analogue and they all work fine on my UBC780 and UBC996 with control channel only so I assume it is something I am doing wrong with the software setup.

When I manually put it on the control channel I am seeing 1's = 48-50% and a 100% decode rate.

Thanks for any help you offer,

Rick

1020. Help - EDACS

Yahoo group: TrunkPCR
Date: 2008-01-17 21:47:01 UTC
From: giller59
Topic: 1020 Message: 1020

I'm testing the TalkPCR with PCR-1500. I have problem with EDACS. In the "Frequency Plan" window, I must write the frequency:

1. 460.025
2. 460.200
3. 460.425
4. 460.600
5. 460.800
6. 461.025
7. 461.200
8. 461.425
9. 461.600
10. 461.825
11. 460.075
12. 460.275
13. 460.500
14. 460.675
15. 460.875
16. 461.100
17. 461.275
18. 461.475
19. 461.650
20. 461.875

How ever, I cant write the numbers afeter dot - there are showing onely zeros.
How to do this? Where did I made a mestake?

Wlodek Giller
Poland

1021. Re: [TrunkPCR] Help - EDACS

Yahoo group: TrunkPCR
Date: 2008-01-17 22:45:43 UTC
From: Jay
Topic: 1020 Message: 1021

Hi,

Depending on your PC's Regional Settings, you may have to use the Comma ","
as your Decimal Separator...

Regards,
Jay

----- Original Message -----
From: "giller59"
>
> I'm testing the TalkPCR with PCR-1500. I have problem with EDACS. In
> the "Frequency Plan" window, I must write the frequency:
>
> 1. 460.025
> 2. 460.200
> 3. 460.425
> 4. 460.600
> 5. 460.800
> 6. 461.025
> 7. 461.200
> 8. 461.425
> 9. 461.600
> 10. 461.825
> 11. 460.075
> 12. 460.275
> 13. 460.500
> 14. 460.675
> 15. 460.875
> 16. 461.100
> 17. 461.275
> 18. 461.475
> 19. 461.650
> 20. 461.875
>
> How ever, I cant write the numbers afeter dot - there are showing
> onely zeros.
> How to do this? Where did I made a mestake?
>
> Wlodek Giller
> Poland

1022. TrunkPCR Status Update

Yahoo group: TrunkPCR
Date: 2008-01-17 23:16:27 UTC
From: Jay
Topic: 1022 Message: 1022

Just to let you know what work is in progress...

Besides the Moto Type I and Type IIi support, I'm also adding support that will allow ALL Scan Banks, beit Trunking or Conventional to be scanned. Trunking Banks will have an additional setting so that you can control how many seconds a Control Channel will be monitored before moving along to the next bank set for scan...

I'm currently rewritting the Sound Recorder to incorporate Timed/Scheduled Recordings and to allow the PlayBack to be easier controlled, along with a time display of the recording/playback progress...

Priority Scan of Conventional channels may also be added in the next update :-)

Regards,
Jay

1023. Re: [TrunkPCR] TrunkPCR Status Update

Yahoo group: TrunkPCR
Date: 2008-01-17 23:57:30 UTC
From: Adam
Topic: 1022 Message: 1023

All sounds really good Jay, look forward to when you release them.

Keep up the excellent work!! :)

Cheers,
AJ.

At 10:16 AM 18/01/2008, you wrote:

>Just to let you know what work is in progress...
>
>Besides the Moto Type I and Type IIi support, I'm also adding support that
>will allow ALL Scan Banks, beit Trunking or Conventional to be scanned.
>Trunking Banks will have an additional setting so that you can control how
>many seconds a Control Channel will be monitored before moving along to the
>next bank set for scan...
>
>I'm currently rewritting the Sound Recorder to incorporate Timed/Scheduled
>Recordings and to allow the PlayBack to be easier controlled, along with a
>time display of the recording/playback progress...
>
>Priority Scan of Conventional channels may also be added in the next update
>:-)
>
>Regards,
>Jay

1024. RE: [TrunkPCR] TrunkPCR Status Update

Yahoo group: TrunkPCR
Date: 2008-01-18 00:37:23 UTC
From: Rick
Topic: 1022 Message: 1024

I'm also adding support that
will allow ALL Scan Banks, beit Trunking or Conventional to be scanned.

That sounds great Jay, can't wait for that one.

Will multiple trunk banks be able to utilise one TG list or will they still
have to be stored individually for each bank?

Thanks for all your effort in making a great program even better.

Rick

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Friday, 18 January 2008 9:46 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR Status Update

Just to let you know what work is in progress...

Besides the Moto Type I and Type IIi support, I'm also adding support that
will allow ALL Scan Banks, beit Trunking or Conventional to be scanned.
Trunking Banks will have an additional setting so that you can control how
many seconds a Control Channel will be monitored before moving along to the
next bank set for scan...

I'm currently rewritting the Sound Recorder to incorporate Timed/Scheduled
Recordings and to allow the PlayBack to be easier controlled, along with a
time display of the recording/playback progress...

Priority Scan of Conventional channels may also be added in the next update
:-)

Regards,
Jay

1025. RE: [TrunkPCR] TrunkPCR Status Update

Yahoo group: TrunkPCR
Date: 2008-01-18 00:54:05 UTC
From: vince48
Topic: 1022 Message: 1025

Super Jay. Can't wait!

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, January 17, 2008 3:16 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR Status Update

Just to let you know what work is in progress...

Besides the Moto Type I and Type IIi support, I'm also adding support that will allow ALL Scan Banks, beit Trunking or Conventional to be scanned. Trunking Banks will have an additional setting so that you can control how many seconds a Control Channel will be monitored before moving along to the next bank set for scan...

I'm currently rewritting the Sound Recorder to incorporate Timed/Scheduled Recordings and to allow the PlayBack to be easier controlled, along with a time display of the recording/playback progress...

Priority Scan of Conventional channels may also be added in the next update :-)

Regards,
Jay

1026. trunkpcr problems.

Yahoo group: TrunkPCR
Date: 2008-01-21 19:59:47 UTC
From: Glenn Blum
Topic: 1026 Message: 1026

Jay and the group,
I have not run trunkpcr in a while until today and found that the latest version will not trunk EDACS. So I had uninstalled version 0.88.236 and installed version 0.88.235 and works fine but every ten minutes or so the nag screen comes up prompting me to register. This also happens when TRUNKPCR is not running. The only thing I did was copy my registration data and banks folder over to the older version.

Glenn Blum
kd5dga

1027. Re: [TrunkPCR] trunkpcr problems.

Yahoo group: TrunkPCR
Date: 2008-01-22 00:54:14 UTC
From: Jay
Topic: 1026 Message: 1027

Hi Glenn,

As far as Edacs goes, there hasn't been any changes to the decoder since last October. Did you check your settings or reverse polarity? It should be a simple fix somewhere I think.

If you're getting the pop-up, then the keyfile either has the wrong filename or in the wrong folder?

I'll resend your key file, so hopefully that will fix that part.

Regards,
Jay
----- Original Message -----
From: Glenn Blum

Jay and the group,

I have not run trunkpcr in a while until today and found that the latest version will not trunk EDACS. So I had uninstalled version 0.88.236 and installed version 0.88.235 and works fine but every ten minutes or so the nag screen comes up prompting me to register. This also happens when TRUNKPCR is not running. The only thing I did was copy my registration data and banks folder over to the older version.

Glenn Blum

kd5dga

1028. RE: [TrunkPCR] trunkpcr problems.

Yahoo group: TrunkPCR
Date: 2008-01-22 00:42:08 UTC
From: Glenn Blum
Topic: 1026 Message: 1028

Ok, the nag screen is now gone. I rebooted and swept the registry out.

Glenn Blum
kd5dga
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn Blum
Sent: Monday, January 21, 2008 2:00 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] trunkpcr problems.

Jay and the group,
I have not run trunkpcr in a while until today and found that the latest version will not trunk EDACS. So I had uninstalled version 0.88.236 and installed version 0.88.235 and works fine but every ten minutes or so the nag screen comes up prompting me to register. This also happens when TRUNKPCR is not running. The only thing I did was copy my registration data and banks folder over to the older version.

Glenn Blum
kd5dga

1029. Program Status Update

Yahoo group: TrunkPCR
Date: 2008-01-30 22:25:15 UTC
From: Jay
Topic: 1029 Message: 1029

Hey All,

Just a further note on the status update.
I came down with the flu bug on the 18th and it's been kicking my butt.
The main symptoms have subsided 4 days ago, but I'm still getting dizzy standing up too long or trying to concentrate on reading what's on the monitor after 10 minutes or so.
I can get some work done now and then, but for the most part, it will be a slow process catching up...
I'll keep ya updated on when it's getting close to being released...

Regards,
Jay

1030. Re: [TrunkPCR] Program Status Update

Yahoo group: TrunkPCR
Date: 2008-01-30 23:52:30 UTC
From: Adam
Topic: 1029 Message: 1030

Hope your feeling better soon Jay.

Regards,
AJ.

At 09:25 AM 31/01/2008, you wrote:

>Hey All,
>
>Just a further note on the status update.
>I came down with the flu bug on the 18th and it's been kicking my butt.
>The main symptoms have subsided 4 days ago, but I'm still getting dizzy
>standing up too long or trying to concentrate on reading what's on the
>monitor after 10 minutes or so.
>I can get some work done now and then, but for the most part, it will be
>a slow process catching up...
>I'll keep ya updated on when it's getting close to being released...
>
>Regards,
>Jay

1031. RE: [TrunkPCR] Program Status Update

Yahoo group: TrunkPCR
Date: 2008-01-31 02:39:06 UTC
From: Glenn Blum
Topic: 1029 Message: 1031

Jay,
I spent two days off from work because of the exact sickness. I am feeling better but I still have the dizziness.
I hope that you feel better.

Glenn
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Wednesday, January 30, 2008 4:25 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Program Status Update

Hey All,

Just a further note on the status update.
I came down with the flu bug on the 18th and it's been kicking my butt.
The main symptoms have subsided 4 days ago, but I'm still getting dizzy standing up too long or trying to concentrate on reading what's on the monitor after 10 minutes or so.
I can get some work done now and then, but for the most part, it will be a slow process catching up...
I'll keep ya updated on when it's getting close to being released...

Regards,
Jay

1032. Re: [TrunkPCR] Program Status Update

Yahoo group: TrunkPCR
Date: 2008-01-31 21:08:09 UTC
From: Jay
Topic: 1029 Message: 1032

Hey Glenn,

Hope you get over it soon too :)

Jay
----- Original Message -----
From: Glenn Blum

Jay,

I spent two days off from work because of the exact sickness. I am feeling better but I still have the dizziness.

I hope that you feel better.

Glenn

1033. Source for the ICOM PCR-100 alignment software EX-2206

Yahoo group: TrunkPCR
Date: 2008-02-04 09:46:23 UTC
From: n4umj
Topic: 1033 Message: 1033

Hi Jay and all,

I am doing some repairs on several PCR100's and have a need for the ICOM alignment software EX-2206. Anyone ever seen it or used it?

I have a request in with ICOM on their website but from what I can gather it is intended only for the authorized ICOM service dealers which I am not.

The EX-2099 does not seem at all compatible since it is for the PCR1000 a very different although similar receiver.

I hope I don't have to break down and solve the HEX puzzle (probably very time consuming not to mention maybe impossible!) using BACKPCR on this receiver.

Any help would be appreciated!
Ed
N4UMJ

PS to Jay: A contribution has been sent via PayPal for the TrunkPCR that I've been using for quite some time. It's a great program!

1034. Re: [TrunkPCR] Source for the ICOM PCR-100 alignment software EX-2206

Yahoo group: TrunkPCR
Date: 2008-02-08 06:12:10 UTC
From: Jay
Topic: 1033 Message: 1034

Hi Ed,

You are not the only one looking for it :)
It seems that they won't sell it, from what I've heard...

All I've found is the service manual, but that doesn't give any software
clues...

Regards,
Jay

----- Original Message -----
From: "n4umj" <cbryant@...>

> Hi Jay and all,
>
> I am doing some repairs on several PCR100's and have a need for the
> ICOM alignment software EX-2206. Anyone ever seen it or used it?
>
> I have a request in with ICOM on their website but from what I can
> gather it is intended only for the authorized ICOM service dealers
> which I am not.
>
> The EX-2099 does not seem at all compatible since it is for the PCR1000
> a very different although similar receiver.
>
> I hope I don't have to break down and solve the HEX puzzle (probably
> very time consuming not to mention maybe impossible!) using BACKPCR on
> this receiver.
>
> Any help would be appreciated!
> Ed
> N4UMJ
>
> PS to Jay: A contribution has been sent via PayPal for the TrunkPCR
> that I've been using for quite some time. It's a great program!
>
>
>
>
>
>
> Yahoo! Groups Links
>
>

>
>

1035. RE: [TrunkPCR] Source for the ICOM PCR-100 alignment software EX-2206

Yahoo group: TrunkPCR
Date: 2008-02-09 01:40:10 UTC
From: Glenn Blum
Topic: 1033 Message: 1035

I think in one of the PCR1000 yahoo group's files section lies the files
for the program, I think?

Glenn
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Jay
Sent: Friday, February 08, 2008 12:12 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Source for the ICOM PCR-100 alignment software
EX-2206

Hi Ed,

You are not the only one looking for it :)
It seems that they won't sell it, from what I've heard...

All I've found is the service manual, but that doesn't give any software
clues...

Regards,
Jay

----- Original Message -----
From: "n4umj" <cbryant@carolina. <mailto:cbryant%40carolina.rr.com>
rr.com>

> Hi Jay and all,
>
> I am doing some repairs on several PCR100's and have a need for the
> ICOM alignment software EX-2206. Anyone ever seen it or used it?
>
> I have a request in with ICOM on their website but from what I can
> gather it is intended only for the authorized ICOM service dealers
> which I am not.
>
> The EX-2099 does not seem at all compatible since it is for the
PCR1000
> a very different although similar receiver.
>
> I hope I don't have to break down and solve the HEX puzzle (probably
> very time consuming not to mention maybe impossible!) using BACKPCR on
> this receiver.
>
> Any help would be appreciated!

> Ed
> N4UMJ
>
> PS to Jay: A contribution has been sent via PayPal for the TrunkPCR
> that I've been using for quite some time. It's a great program!
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

1036. RE: [TrunkPCR] Source for the ICOM PCR-100 alignment software EX-2206

Yahoo group: TrunkPCR
Date: 2008-02-09 03:29:10 UTC
From: Glenn Blum
Topic: 1033 Message: 1036

I could only find the program for the PCR1000.

Glenn
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Glenn Blum
Sent: Friday, February 08, 2008 7:40 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Source for the ICOM PCR-100 alignment software
EX-2206

I think in one of the PCR1000 yahoo group's files section lies the files
for the program, I think?

Glenn
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Jay
Sent: Friday, February 08, 2008 12:12 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Source for the ICOM PCR-100 alignment software
EX-2206

Hi Ed,

You are not the only one looking for it :)
It seems that they won't sell it, from what I've heard...

All I've found is the service manual, but that doesn't give any software
clues...

Regards,
Jay

----- Original Message -----
From: "n4umj" <cbryant@carolina. <mailto:cbryant%40carolina.rr.com>
rr.com>

> Hi Jay and all,
>
> I am doing some repairs on several PCR100's and have a need for the
> ICOM alignment software EX-2206. Anyone ever seen it or used it?
>
> I have a request in with ICOM on their website but from what I can
> gather it is intended only for the authorized ICOM service dealers
> which I am not.

>
> The EX-2099 does not seem at all compatible since it is for the
PCR1000
> a very different although similar receiver.
>
> I hope I don't have to break down and solve the HEX puzzle (probably
> very time consuming not to mention maybe impossible!) using BACKPCR on
> this receiver.
>
> Any help would be appreciated!
> Ed
> N4UMJ
>
> PS to Jay: A contribution has been sent via PayPal for the TrunkPCR
> that I've been using for quite some time. It's a great program!
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

1037. Re: [TrunkPCR] Source for the ICOM PCR-100 alignment software EX-2206

Yahoo group: TrunkPCR
Date: 2008-02-09 03:35:30 UTC
From: Jay
Topic: 1033 Message: 1037

Hi Glenn,

Yep, I checked 3 of the PCR1000 yahoo groups and they have the EX-2099 alignment program for the PCR1000, the one for the PCR100 is the EX-2206 software. The EX-2206 is a bit different from the EX-2099...

But thanks for the input :)

Jay

----- Original Message -----
From: Glenn Blum

I think in one of the PCR1000 yahoo group's files section lies the files for the program, I think?

Glenn

1038. hit counter reset

Yahoo group: TrunkPCR
Date: 2008-02-09 04:02:21 UTC
From: Glenn Blum
Topic: 1038 Message: 1038

Jay,
How can I reset the hit counter?

Glenn

1039. Re: [TrunkPCR] hit counter reset

Yahoo group: TrunkPCR
Date: 2008-02-09 05:09:31 UTC
From: Jay
Topic: 1038 Message: 1039

Hey Glenn,

Guess it's something I didn't add in the ReadMe file.

To clear the Channel Hits, Click on the Channel Number Label in the Main Display.
It show as "Channel Indicator" when you place the mouse over it...

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Jay,

How can I reset the hit counter?

Glenn

1040. How can the program make the difference.

Yahoo group: TrunkPCR
Date: 2008-02-18 15:57:40 UTC
From: Glenn Blum
Topic: 1040 Message: 1040

I have a question, How does the program make the difference in the scanning sensitivity of the radio? I would think it should not.
I had tried two other programs with my PCR1000 and noticed that both PCRPRO and TRUNKPCR show more hits in conventional scanning mode. While Scanstar spectrum dominator (15 day trial) and an older copy of SCANCAT did NOT show much performance.

Glenn

1041. Re: [TrunkPCR] How can the program make the difference.

Yahoo group: TrunkPCR
Date: 2008-02-18 21:34:55 UTC
From: scosgt@aol.com
Topic: 1040 Message: 1041

Probably has to do with the squelch level, which may not be reflected
accurately in the software

****
Ideas to please picky eaters. Watch video on
AOL Living.

(http://living.aol.com/video/how-to-please-your-picky-eater/rachel-campos-duffy/2050827?NCID=aolcmp00300000002598)

1042. Re: [TrunkPCR] How can the program make the difference.

Yahoo group: TrunkPCR
Date: 2008-02-18 22:32:15 UTC
From: Jay
Topic: 1040 Message: 1042

Hi Glenn,

There is one setting for the squelch used in scanning, that might have something to do with it.
A developer can use Edge Sense or Level Sense for the squelch sensitivity.
I beleive Edge Sense is triggered on the Rising Edge of the squelch gate circuitry, while Level Sense waits for a certain time (in miliseconds) for the same signal to be active before alerting an "Open Squelch" condition...

Basicly, Edge Sense alerts quicker than Level Sense.
In my programs I use Level Sense...

Regards,
Jay

----- Original Message -----
From: Glenn Blum

I have a question, How does the program make the difference in the scanning sensitivity of the radio? I would think it should not.

I had tried two other programs with my PCR1000 and noticed that both PCRPRO and TRUNKPCR show more hits in conventional scanning mode. While Scanstar spectrum dominator (15 day trial) and an older copy of SCANCAT did NOT show much performance.

Glenn

1043. RE: [TrunkPCR] How can the program make the difference.

Yahoo group: TrunkPCR
Date: 2008-02-19 00:18:27 UTC
From: Glenn Blum
Topic: 1040 Message: 1043

Thanks for the reply. However Judging from two programs one which costs
$160.00 USD. that for that amount I would like some performance.
I had uninstalled the scanstar program. Its nice but not worth the money
for the performance with the PCR1000.

Glenn
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Jay
Sent: Monday, February 18, 2008 4:32 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] How can the program make the difference.

Hi Glenn,

There is one setting for the squelch used in scanning, that might have
something to do with it.
A developer can use Edge Sense or Level Sense for the squelch
sensitivity.
I beleive Edge Sense is triggered on the Rising Edge of the squelch gate
circuitry, while Level Sense waits for a certain time (in miliseconds)
for the same signal to be active before alerting an "Open Squelch"
condition...

Basicly, Edge Sense alerts quicker than Level Sense.
In my programs I use Level Sense...

Regards,
Jay

----- Original Message -----
From: Glenn Blum <mailto:kd5dga@...>

I have a question, How does the program make the difference in the
scanning sensitivity of the radio? I would think it should not.
I had tried two other programs with my PCR1000 and noticed that both
PCRPRO and TRUNKPCR show more hits in conventional scanning mode. While
Scanstar spectrum dominator (15 day trial) and an older copy of SCANCAT
did NOT show much performance.

Glenn

1044. Invitation to join Radio Communications-themed Yahoo Group

Yahoo group: TrunkPCR
Date: 2008-02-22 04:37:27 UTC
From: Dave
Topic: 1044 Message: 1044

Hello,

Members of this Yahoo Group, you are invited to check out and join these groups:

PCR2500 Yahoo Group
http://groups.yahoo.com/group/pcr2500/
The PCR2500 Yahoo Group is your place to discuss and trade information about the new iCOM IC-R2500 and IC-PCR2500 dualwatch, digital mode, diversity, computer controlled or stand-alone scanning receiver (with optional APCO P25 and DStar digital decode).

PCR1500 Yahoo Group
http://groups.yahoo.com/group/pcr1500/
The PCR1500 Yahoo Group is your place to discuss and trade information about the iCOM IC-R1500 and IC-PCR1500 computer controlled scanning receiver.

Radio Gear Yahoo Group (radiogear)
http://groups.yahoo.com/group/radiogear/
The Radio Gear Yahoo Group is your place to discuss radio communications gear, accessories, and other radio communications equipment. Some items of discussion may be antennas, software, meters, audio attachments, microphones, speakers, headsets, modules, filters, GPS, etc. This includes gear for ham radio, scanners, receivers, GMRS/FRS, business radio, marine radio, aircraft radio (AM), etc.

Thank you for your continued support of this Yahoo Group and thank you for checking out the above Yahoo Groups.

PCR2500/PCR1500/RadioGear Group Moderator

Note: this is not intended to be spam, rather an invitation to like-minded radio communications and scanner enthusiasts to share the experience. Thank you.

1046. RE: [TrunkPCR] Invitation to join Radio Communications-themed Yahoo Group

Yahoo group: TrunkPCR
Date: 2008-02-22 06:27:31 UTC
From: johnstark
Topic: 1044 Message: 1046

Enough already... once was enough.... 4 is overkill and people will avoid the ;ists as they don't want to get flooded with email.

John
\

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of Dave
Sent: Thursday, February 21, 2008 11:37 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Invitation to join Radio Communications-themed Yahoo Group

Hello,

Members of this Yahoo Group, you are invited to check out and join these groups:

PCR2500 Yahoo Group
http://groups.yahoo.com/group/pcr2500/
The PCR2500 Yahoo Group is your place to discuss and trade information about the new iCOM IC-R2500 and IC-PCR2500 dualwatch, digital mode, diversity, computer controlled or stand-alone scanning receiver (with optional APCO P25 and DStar digital decode).

PCR1500 Yahoo Group
http://groups.yahoo.com/group/pcr1500/
The PCR1500 Yahoo Group is your place to discuss and trade information about the iCOM IC-R1500 and IC-PCR1500 computer controlled scanning receiver.

Radio Gear Yahoo Group (radiogear)
http://groups.yahoo.com/group/radiogear/
The Radio Gear Yahoo Group is your place to discuss radio communications gear, accessories, and other radio communications equipment. Some items of discussion may be antennas, software, meters, audio attachments, microphones, speakers, headsets, modules, filters, GPS, etc. This includes gear for ham radio, scanners, receivers, GMRS/FRS, business radio, marine radio, aircraft radio (AM), etc.

Thank you for your continued support of this Yahoo Group and thank you for checking out the above Yahoo Groups.

PCR2500/PCR1500/RadioGear Group Moderator

Note: this is not intended to be spam, rather an invitation to like-minded radio communications and scanner enthusiasts to share the experience. Thank you.

1047. Dump

Yahoo group: TrunkPCR
Date: 2008-03-11 09:23:56 UTC
From: shanepotito
Topic: 1047 Message: 1047

Hi All

Im decoding an edacs system and was wondering what all the codes etc.
mean when decoding the dump.
Any help would be appreciated.

Shane

1048. Re: [TrunkPCR] Dump

Yahoo group: TrunkPCR
Date: 2008-03-16 09:50:49 UTC
From: Jay
Topic: 1047 Message: 1048

Hi Shane,

To get a full grasp of the meaning of the codes, you would have to purchace
the protocol info from G.E.
Or you can read up on the Edacs Patents if you don't mind a headache :)

Bascially, it's all info sent from the Control Console advising Radios of
certain functions or responses on different requests of a Radio user...

Was there anything specific in mind?

Regards,
Jay

----- Original Message -----
From: "shanepotito"
Sent: Tuesday, March 11, 2008 1:23 AM

> Hi All
>
> Im decoding an edacs system and was wondering what all the codes etc.
> mean when decoding the dump.
> Any help would be appreciated.
>
>
> Shane

1049. ICOM Boob

Yahoo group: TrunkPCR
Date: 2008-03-24 08:56:42 UTC
From: weekend_bobz
Topic: 1049 Message: 1049

Hi Groupe. I purchased an ICOM IC PCR1500 as I liked the idea of the remote head, but I soon found out that it had no way of mounting it in a car unless you use blu-tack or double side tape, not what I would call a good job and if you mount the main reciver in the boot/trunk then you need to run an extension speaker lead to the front of the car in order to be able to hear the radio, also if you want to remove the remote head then you have to unplug it from the radio end of the lead, I thought it would have made sense to be able to unplug the head and remove it from you car rather than leave it in full view IE stuck to the dash with blue-tack. I got in touch with ICOM but they seemed less than interested. So think before you purchase this radio ...I would be pleased to read from any PCR1500 owners as to how they may have sorted this problem.
Bob

1050. Re: [TrunkPCR] ICOM Boob

Yahoo group: TrunkPCR
Date: 2008-03-24 17:26:49 UTC
From: N7BEF@comcast.net
Topic: 1049 Message: 1050

Bob,

Take a look at the mounting bracket for the IC-2720. The control heads are about the same. The part number is MB84.

Steve
---------- Original message ----------
From: "weekend_bobz" <weekend_bobz@...>
> Hi Groupe. I purchased an ICOM IC PCR1500 as I liked the idea of the
> remote head, but I soon found out that it had no way of mounting it in
> a car unless you use blu-tack or double side tape, not what I would
> call a good job and if you mount the main reciver in the boot/trunk
> then you need to run an extension speaker lead to the front of the car
> in order to be able to hear the radio, also if you want to remove the
> remote head then you have to unplug it from the radio end of the lead,
> I thought it would have made sense to be able to unplug the head and
> remove it from you car rather than leave it in full view IE stuck to
> the dash with blue-tack. I got in touch with ICOM but they seemed less
> than interested. So think before you purchase this radio ...I would be
> pleased to read from any PCR1500 owners as to how they may have sorted
> this problem.
> Bob
>
>
>

1051. Re: ICOM Boob

Yahoo group: TrunkPCR
Date: 2008-03-24 15:31:10 UTC
From: greg_ella53
Topic: 1049 Message: 1051

For car audio, get one of those small plug in FM transmitters like they sell for iPods and other MP3 players. Some only have a couple of channels, but the CCRANE company sells one that is digital tuned and covers entire FM broadcast band. Plug it into rec out and listen to the audio on your vehicle radio.

You should be able to find a detachable bracket at the hardware store that will work for the remote head, maybe something meant for GPS or a palm pilot. I like to hold the remote head in my hand anyway, more ergonomic for me (When I'm not driving, of course)!

You should be able to find an extension cable and coupler for the remote head cable that will allow you to disconnect inside the cab of your vehicle. Otherwise, cut the cable a couple of feet from the head and find a male/female connector of your choice with enough pins.

--- In TrunkPCR@yahoogroups.com, "weekend_bobz" <weekend_bobz@...> wrote:
>
> Hi Groupe. I purchased an ICOM IC PCR1500 as I liked the idea of the
> remote head, but I soon found out that it had no way of mounting it in
> a car unless you use blu-tack or double side tape, not what I would
> call a good job and if you mount the main reciver in the boot/trunk
> then you need to run an extension speaker lead to the front of the car
> in order to be able to hear the radio, also if you want to remove the
> remote head then you have to unplug it from the radio end of the lead,
> I thought it would have made sense to be able to unplug the head and
> remove it from you car rather than leave it in full view IE stuck to
> the dash with blue-tack. I got in touch with ICOM but they seemed less
> than interested. So think before you purchase this radio ...I would be
> pleased to read from any PCR1500 owners as to how they may have sorted
> this problem.
> Bob
>

1052. LTR Scanning/Decoding

Yahoo group: TrunkPCR
Date: 2008-03-24 23:09:34 UTC
From: Jay
Topic: 1052 Message: 1052

Good news everyone,

I T ' S A L I V E ! ! !

The progress in LTR Decoding is coming along just great! and is working now :)

My LTR decoding routines came alive this morning at 4:30. It wasn't checking the CRC correctly, but it showed that all of the values were correctly being decoded. The CRC routine was working at 5:30 and at 6:00, I had the raw data displaying nicely in the Dump View...

Now, I just need to show some description of the OSW's that I currently understand.
I'll have basic support for LTR PassPort systems added in the next day too :)

One problem at the moment: It decodes better with my Pro-2006's discriminator tap than with the PCR's Packet Out data. I should have this corrected in the next few days.

I'll let ya know when I have something ready for you to play with :)

Regards,
Jay

1053. RE: [TrunkPCR] LTR Scanning/Decoding

Yahoo group: TrunkPCR
Date: 2008-03-24 23:58:16 UTC
From: vince48
Topic: 1052 Message: 1053

Jay

This is great news! I can't wait to use it. We have plenty of LTR and one passport system here in the bay area. Great effort!

vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, March 24, 2008 4:10 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] LTR Scanning/Decoding

Good news everyone,

I T ' S A L I V E ! ! !

The progress in LTR Decoding is coming along just great! and is working now :)

My LTR decoding routines came alive this morning at 4:30. It wasn't checking the CRC correctly, but it showed that all of the values were correctly being decoded. The CRC routine was working at 5:30 and at 6:00, I had the raw data displaying nicely in the Dump View...

Now, I just need to show some description of the OSW's that I currently understand.
I'll have basic support for LTR PassPort systems added in the next day too :)

One problem at the moment: It decodes better with my Pro-2006's discriminator tap than with the PCR's Packet Out data. I should have this corrected in the next few days.

I'll let ya know when I have something ready for you to play with :)

Regards,
Jay

_____ Information from ESET NOD32 Antivirus, version of virus signature database 2968 (20080324) _____

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

1054. RE: [TrunkPCR] LTR Scanning/Decoding

Yahoo group: TrunkPCR
Date: 2008-03-25 00:12:25 UTC
From: Glenn Blum
Topic: 1052 Message: 1054

Cool dude. I saw your post on Radioreference looking for some
information.
That's great We mainly have EDACS and LTR in my area except one moto
type 1.

Glenn
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Jay
Sent: Monday, March 24, 2008 6:10 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] LTR Scanning/Decoding

Good news everyone,

I T ' S A L I V E ! ! !

The progress in LTR Decoding is coming along just great! and is working
now
:)

My LTR decoding routines came alive this morning at 4:30. It wasn't
checking the CRC correctly, but it showed that all of the values were
correctly being decoded. The CRC routine was working at 5:30 and at
6:00,
I had the raw data displaying nicely in the Dump View...

Now, I just need to show some description of the OSW's that I currently
understand.
I'll have basic support for LTR PassPort systems added in the next day
too
:)

One problem at the moment: It decodes better with my Pro-2006's
discriminator tap than with the PCR's Packet Out data. I should have
this
corrected in the next few days.

I'll let ya know when I have something ready for you to play with :)

Regards,
Jay

1055. RE: [TrunkPCR] LTR Scanning/Decoding

Yahoo group: TrunkPCR
Date: 2008-03-25 00:47:01 UTC
From: vince48
Topic: 1052 Message: 1055

Jay

Something I meant to ask earlier. I monitor the SF public safety system. It is mixed systems of P25 encrypt, apco25 and analog. How should I set this up in setup menu? I just monitor the control channels and do not have all 22 frequencies programmed. Should I P25 the control channels or will the "edit trunk id's" analog/digital do the job?

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, March 24, 2008 4:10 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] LTR Scanning/Decoding

Good news everyone,

I T ' S A L I V E ! ! !

The progress in LTR Decoding is coming along just great! and is working now :)

My LTR decoding routines came alive this morning at 4:30. It wasn't checking the CRC correctly, but it showed that all of the values were correctly being decoded. The CRC routine was working at 5:30 and at 6:00, I had the raw data displaying nicely in the Dump View...

Now, I just need to show some description of the OSW's that I currently understand.
I'll have basic support for LTR PassPort systems added in the next day too :)

One problem at the moment: It decodes better with my Pro-2006's discriminator tap than with the PCR's Packet Out data. I should have this corrected in the next few days.

I'll let ya know when I have something ready for you to play with :)

Regards,
Jay

_____ Information from ESET NOD32 Antivirus, version of virus signature database 2968 (20080324) _____

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

1056. RE: [TrunkPCR] LTR Scanning/Decoding

Yahoo group: TrunkPCR
Date: 2008-03-25 10:58:01 UTC
From: Glenn Blum
Topic: 1052 Message: 1056

Jay,
I'll beta test I have the same set up.

Glenn
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On
Behalf Of Jay
Sent: Monday, March 24, 2008 6:10 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] LTR Scanning/Decoding

Good news everyone,

I T ' S A L I V E ! ! !

The progress in LTR Decoding is coming along just great! and is working
now
:)

My LTR decoding routines came alive this morning at 4:30. It wasn't
checking the CRC correctly, but it showed that all of the values were
correctly being decoded. The CRC routine was working at 5:30 and at
6:00,
I had the raw data displaying nicely in the Dump View...

Now, I just need to show some description of the OSW's that I currently
understand.
I'll have basic support for LTR PassPort systems added in the next day
too
:)

One problem at the moment: It decodes better with my Pro-2006's
discriminator tap than with the PCR's Packet Out data. I should have
this
corrected in the next few days.

I'll let ya know when I have something ready for you to play with :)

Regards,
Jay

1057. Re: [TrunkPCR] Re: ICOM Boob

Yahoo group: TrunkPCR
Date: 2008-03-25 11:03:43 UTC
From: Weekend Bob
Topic: 1049 Message: 1057

Hi Greg. I did use one of those fm transmitters before and it done a great job, but just changed my car (Ford C MAX) and was lucky enough this one has an audio input for mp3 players and a space under the back seats that is very useful for hiding things from view. I have toyed with the idea of making a plug and socket arrangement but will have to look through my junk box or browse the net for a 6 way type adaptor to get this sorted, I dont want to leave the remote head in view as in car theft is on the increase.
Many thanks for your input.
Bob :)

greg_ella53 <gregella@...> wrote:
For car audio, get one of those small plug in FM transmitters like they sell for iPods and other MP3 players. Some only have a couple of channels, but the CCRANE company sells one that is digital tuned and covers entire FM broadcast band. Plug it into rec out and listen to the audio on your vehicle radio.

You should be able to find a detachable bracket at the hardware store that will work for the remote head, maybe something meant for GPS or a palm pilot. I like to hold the remote head in my hand anyway, more ergonomic for me (When I'm not driving, of course)!

You should be able to find an extension cable and coupler for the remote head cable that will allow you to disconnect inside the cab of your vehicle. Otherwise, cut the cable a couple of feet from the head and find a male/female connector of your choice with enough pins.

--- In TrunkPCR@yahoogroups.com, "weekend_bobz" <weekend_bobz@...> wrote:
>
> Hi Groupe. I purchased an ICOM IC PCR1500 as I liked the idea of the
> remote head, but I soon found out that it had no way of mounting it in
> a car unless you use blu-tack or double side tape, not what I would
> call a good job and if you mount the main reciver in the boot/trunk
> then you need to run an extension speaker lead to the front of the car
> in order to be able to hear the radio, also if you want to remove the
> remote head then you have to unplug it from the radio end of the lead,
> I thought it would have made sense to be able to unplug the head and
> remove it from you car rather than leave it in full view IE stuck to
> the dash with blue-tack. I got in touch with ICOM but they seemed less
> than interested. So think before you purchase this radio ...I would be
> pleased to read from any PCR1500 owners as to how they may have sorted
> this problem.
> Bob
>

Looking for last minute shopping deals? Find them fast with Yahoo! Search.

1058. Re: [TrunkPCR] LTR Scanning/Decoding

Yahoo group: TrunkPCR
Date: 2008-03-25 22:48:24 UTC
From: Jay
Topic: 1052 Message: 1058

Hey Glenn,

Sounds good...
I'll send you and Vince a copy to play with in a few days after I get it decoding a bit better :)

Thanks,
Jay
----- Original Message -----
From: Glenn Blum
Sent: Tuesday, March 25, 2008 2:58 AM

Jay,
I'll beta test I have the same set up.

Glenn

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, March 24, 2008 6:10 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] LTR Scanning/Decoding

Good news everyone,

I T ' S A L I V E ! ! !

The progress in LTR Decoding is coming along just great! and is working now :)

My LTR decoding routines came alive this morning at 4:30. It wasn't checking the CRC correctly, but it showed that all of the values were correctly being decoded. The CRC routine was working at 5:30 and at 6:00, I had the raw data displaying nicely in the Dump View...

Now, I just need to show some description of the OSW's that I currently understand.
I'll have basic support for LTR PassPort systems added in the next day too :)

One problem at the moment: It decodes better with my Pro-2006's discriminator tap than with the PCR's Packet Out data. I should have this corrected in the next few days.

I'll let ya know when I have something ready for you to play with :)

Regards,
Jay

1059. RE: [TrunkPCR] LTR Scanning/Decoding

Yahoo group: TrunkPCR
Date: 2008-03-26 00:07:59 UTC
From: vince48
Topic: 1052 Message: 1059

Thanks Jay, can't wait to try it.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, March 25, 2008 3:48 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] LTR Scanning/Decoding

Hey Glenn,

Sounds good...

I'll send you and Vince a copy to play with in a few days after I get it decoding a bit better :)

Thanks,

Jay

----- Original Message -----

From: Glenn Blum <mailto:kd5dga@...>

Sent: Tuesday, March 25, 2008 2:58 AM

Jay,

I'll beta test I have the same set up.

Glenn

-----Original Message-----
From: <mailto:TrunkPCR@yahoogroups.com> TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, March 24, 2008 6:10 PM
To: <mailto:TrunkPCR@yahoogroups.com> TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] LTR Scanning/Decoding

Good news everyone,

I T ' S A L I V E ! ! !

The progress in LTR Decoding is coming along just great! and is working now :)

My LTR decoding routines came alive this morning at 4:30. It wasn't checking the CRC correctly, but it showed that all of the values were

correctly being decoded. The CRC routine was working at 5:30 and at 6:00, I had the raw data displaying nicely in the Dump View...

Now, I just need to show some description of the OSW's that I currently understand.
I'll have basic support for LTR PassPort systems added in the next day too :)

One problem at the moment: It decodes better with my Pro-2006's discriminator tap than with the PCR's Packet Out data. I should have this corrected in the next few days.

I'll let ya know when I have something ready for you to play with :)

Regards,
Jay

_____ Information from ESET NOD32 Antivirus, version of virus signature database 2971 (20080325) _____

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

1060. Bandscope settings

Yahoo group: TrunkPCR
Date: 2008-03-28 23:56:58 UTC
From: w8azv
Topic: 1060 Message: 1060

Hi,

I switch between the trunking and scanning banks quite a bit and am wondering if there is anyway to keep the bandscope options that I've set.
For example, if I am scanning the airport am freq. I set all three functions (Display, Follow, Idendify). If I switch to monitoring a trunking bank for a while then go back I have to reset the display again.
Can all three functions be kept active until manually changed or is there some software reason why it can't or am I missing something?
It's just a little aggrevation to me for an otherwise fine software package.

Thanks.
Frank

1061. Re: [TrunkPCR] Bandscope settings

Yahoo group: TrunkPCR
Date: 2008-03-30 14:17:01 UTC
From: Jay
Topic: 1060 Message: 1061

Hi Frank,

I can make a change to remember the "Follow Active Freqs" and "Identify Known Freqs" when the BandScope's Display is toggled.
The reason to turn off the BandScope while trunking is to save CPU usage, plus it doesn't have a need to be ON while trunking. When you stop trunking, you can easily just press the BandScope shortcut key combo to re-activate it instead of using the mouse. For now, the BandScope ON/OFF toggle function will remain as is since it only takes a second to press "CTRL-B"...

Regards,
Jay

----- Original Message -----
From: "w8azv"
Sent: Friday, March 28, 2008 3:56 PM

> Hi,
>
> I switch between the trunking and scanning banks quite a bit and am
> wondering if there is anyway to keep the bandscope options that I've
> set.
> For example, if I am scanning the airport am freq. I set all three
> functions (Display, Follow, Idendify). If I switch to monitoring a
> trunking bank for a while then go back I have to reset the display
> again.
> Can all three functions be kept active until manually changed or is
> there some software reason why it can't or am I missing something?
> It's just a little aggrevation to me for an otherwise fine software
> package.
>
> Thanks.
> Frank

1062. Re: [TrunkPCR] Bandscope settings

Yahoo group: TrunkPCR
Date: 2008-03-31 13:24:09 UTC
From: Frank Franzoi
Topic: 1060 Message: 1062

Hi Jay,
Thanks I can live with it and the cntl B as I said it's really just a small aggrevation and I understand the CPU usage problem. Really have gotten into the package recently and am really enjoying the features and capabilities... Keep up the good work...
Frank w8azv...

Jay <crazycalifornian@...> wrote:
Hi Frank,

I can make a change to remember the "Follow Active Freqs" and "Identify Known Freqs" when the BandScope's Display is toggled.
The reason to turn off the BandScope while trunking is to save CPU usage, plus it doesn't have a need to be ON while trunking. When you stop trunking, you can easily just press the BandScope shortcut key combo to re-activate it instead of using the mouse. For now, the BandScope ON/OFF toggle function will remain as is since it only takes a second to press "CTRL-B"...

Regards,
Jay

----- Original Message -----
From: "w8azv"
Sent: Friday, March 28, 2008 3:56 PM

> Hi,
>
> I switch between the trunking and scanning banks quite a bit and am
> wondering if there is anyway to keep the bandscope options that I've
> set.
> For example, if I am scanning the airport am freq. I set all three
> functions (Display, Follow, Idendify). If I switch to monitoring a
> trunking bank for a while then go back I have to reset the display
> again.
> Can all three functions be kept active until manually changed or is
> there some software reason why it can't or am I missing something?
> It's just a little aggrevation to me for an otherwise fine software
> package.
>
> Thanks.
> Frank

OMG, Sweet deal for Yahoo! users/friends: Get A Month of Blockbuster Total Access, No Cost. W00t

1063. Can someone help me PCR1500

Yahoo group: TrunkPCR
Date: 2008-04-09 17:36:38 UTC
From: Brian
Topic: 1063 Message: 1063

Ok I am new to the hole SDR thing and I would like to know what is the scanning speed of my PCR1500? and What does IF Filter mean? I see it has like settings,I see(IF Filter 20 kHz). Ok what does this mean? Any help would be great ...Also I like Jay's programs but really have NO Knowledge on how to use TrunkPcr.. and before I buy it would like to know how to set up banks for scanning and I see it has some kind of setting on program speed.. Does this affect my overall scanning speed for my 1500? I have alot of questions but I really do like the look and feel this prgrams has, just a little lost...

Thank you
Brian

1064. Re: [TrunkPCR] Can someone help me PCR1500

Yahoo group: TrunkPCR
Date: 2008-04-10 21:38:53 UTC
From: Jay
Topic: 1063 Message: 1064

Hi Brian,

The scanning speed can vary depending on your cpu speed, how many programs running, etc. But generally, you should see 20 channels per second or better...

The I.F. Filters: 2.8 Khz, 6 Khz, 15 Khz, 50 Khz and 230 Khz are selectable within the radio and determine the BandWidth of the audio spectrum used for listening.
2.8 Khz is used for listening to USB, LSB or CW (Morse Code), 6 Khz on AM, 15/50 Khz on Narrow FM and 230 Khz for WFM (FM Stereo Band)...

To set up a bank for scanning, the "Scan" Option must be enabled for the bank to be scanned, plus you also need to set the "Scan" Option for each channel you want to scan. After these are set, adjust the squelch so it's closed, then click the Scan Button and you'll be scanning :)

The Program Speed settings allows you to adjust how much CPU time / Priority are alloted to the program. If you have a few programs running and want your trunking to run smoother (if it's lagging a bit), you can adjust it to a higher priority so that your PC lets the program do it's tasks before other programs...

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Wednesday, April 09, 2008 10:36 AM

> Ok I am new to the hole SDR thing and I would like to know what is the
> scanning speed of my PCR1500? and What does IF Filter mean? I see it
> has like settings,I see(IF Filter 20 kHz). Ok what does this mean? Any
> help would be great ...Also I like Jay's programs but really have NO
> Knowledge on how to use TrunkPcr.. and before I buy it would like to
> know how to set up banks for scanning and I see it has some kind of
> setting on program speed.. Does this affect my overall scanning speed
> for my 1500? I have alot of questions but I really do like the look and
> feel this prgrams has, just a little lost...
>
>
> Thank you
> Brian

1065. I have some questions Jay

Yahoo group: TrunkPCR
Date: 2008-04-13 13:18:14 UTC
From: Brian
Topic: 1065 Message: 1065

Ok Can I have both TrunkPCR and PCR PRO installed on my laptop?My guest is yes but I would have to have them in 2 different folders,right? I will be using TrunkPCR for trunking and I would use PCR PRO for like doing custom searches,looking for other signals when I didn't want to listen to trunking activity. Also what is EEprom Backup/Verify do and what is it used for? When I am running TrunkPCR I want to use the sound recorder, for some reason it comes up but then it crashes I get the windows report window and click "do not send" but then TrunkPCR just closes. why? I want to use the Unitrunker program and listen at the same time I am running that program can I do that? Wwill it cause some problems?
Please remember that while I am not new to scanning or radios. i am new to the whole "SDR" system, this is my first one IC-PCR1500 and I love it.It takes scanning to a new level as well as radios.Why I didn't get the IC-PCR2500 is because I already have (2) BCD996T from Uniden so I don't need anymore digital scanners.
Your program is very in depth and enjoyable as it can do a hole lot of things. It will take me some time to understand all it can do. I really like the Control Channel Activity window. I can watch many Channels at one time,that's so cool.
Now I will pay for this program but could you please wait. I am slated to get that Tax package($600) in early May and I am definitely going to buy this. Just that I may from time to time have some questions and I hope that you or someone here would be willing to help me.
Again thanks for such a wonderful as well as powerful program and I wish you nothing but the best with it.

Brian

1066. Re: [TrunkPCR] I have some questions Jay

Yahoo group: TrunkPCR
Date: 2008-04-13 22:03:25 UTC
From: Jay
Topic: 1065 Message: 1066

Hi Brian,

Yep, you can have all of my programs installed on 1 PC (In separate folders) and still work just fine...

The EEProm Backup/Verify is for the PCR-1000 and PCR-100 and does not work on a PCR-1500/2500. It is used to backup the internal memory settings that affect the alignment of the radio...

The Sound Recorder has an issue with some pc's where the Peak Level Meters are not supported by some sound cards and will report "Peak Meter Not Supported" message, is this what you are getting??? It shouldn't cause the PC to crash (It works on my Win95, Win98 & XP PC's). Does it crash after getting that message???

With TrunkPCR, you do not need to use unitrunker to display the data. TrunkPCR displays more info than unitrunker and it allows you to follow the calls easily...

Take your time to learn ALL the functions of TrunkPCR first, if you decide it's worth keeping/using, then a donation would be appreciated :) TrunkPCR doesn't have a limit on how many days you can use it before donating...

Regards,
Jay

----- Original Message -----
From: "Brian" <sjinndoawi00@...>
Sent: Sunday, April 13, 2008 6:18 AM

> Ok Can I have both TrunkPCR and PCR PRO installed on my laptop?My
> guest is yes but I would have to have them in 2 different
> folders,right? I will be using TrunkPCR for trunking and I would use
> PCR PRO for like doing custom searches,looking for other signals when
> I didn't want to listen to trunking activity. Also what is EEprom
> Backup/Verify do and what is it used for? When I am running TrunkPCR I
> want to use the sound recorder, for some reason it comes up but then
> it crashes I get the windows report window and click "do not send" but
> then TrunkPCR just closes. why? I want to use the Unitrunker program
> and listen at the same time I am running that program can I do that?
> Wwill it cause some problems?
> Please remember that while I am not new to scanning or radios. i am
> new to the whole "SDR" system, this is my first one IC-PCR1500 and I
> love it.It takes scanning to a new level as well as radios.Why I
> didn't get the IC-PCR2500 is because I already have (2) BCD996T from
> Uniden so I don't need anymore digital scanners.
> Your program is very in depth and enjoyable as it can do a hole lot

> of things. It will take me some time to understand all it can do. I
> really like the Control Channel Activity window. I can watch many
> Channels at one time,that's so cool.
> Now I will pay for this program but could you please wait. I am
> slated to get that Tax package($600) in early May and I am definitely
> going to buy this. Just that I may from time to time have some
> questions and I hope that you or someone here would be willing to help me.
> Again thanks for such a wonderful as well as powerful program and I
> wish you nothing but the best with it.
>
> Brian

1067. DV?

Yahoo group: TrunkPCR
Date: 2008-04-17 12:16:18 UTC
From: Brian
Topic: 1067 Message: 1067

I heard that my PCR1500 can do Digital Voice(DV) and that there is a
Mod for it on the internet. Can someone tell me where to find this MOd?

Brian

1068. LTR?

Yahoo group: TrunkPCR
Date: 2008-04-17 14:46:03 UTC
From: Brian
Topic: 1068 Message: 1068

Jay before I purchase this great program TrunkPCR..I would like to know does it do or will support LTR systems?

Brian

1069. Re: [TrunkPCR] LTR?

Yahoo group: TrunkPCR
Date: 2008-04-18 00:20:51 UTC
From: Jay
Topic: 1068 Message: 1069

Hi Brian,

Yep, sort of...
I have a crude LTR / LTR PassPort decoder in place now, but it takes some tinkering to get it to decode.
I need to design a better bit recovery routine for it to decode 100% though...

Regards,
Jay

----- Original Message -----
From: "Brian" <sjinndoawi00@...>
Sent: Thursday, April 17, 2008 7:46 AM

> Jay before I purchase this great program TrunkPCR..I would like to know
> does it do or will support LTR systems?
>
> Brian

1070. Re: [TrunkPCR] LTR?

Yahoo group: TrunkPCR
Date: 2008-04-18 00:32:28 UTC
From: Lindsay Blanton
Topic: 1068 Message: 1070

Let me tell you... regardless of LTR support - TrunkPCR is the best Icom Control software I've seen to date for folks that want to TrunkTrack their Icom Radios... in fact, I believe it is the only one.

Folks, I made a significant contribution to Jay for his efforts a while back.... his software, while in beta, is a fantastic and a critical addition to my shack...
--
Lindsay Blanton
Owner / Operator
RadioReference.com LLC
(210) 867-7687 mobile

On Apr 17, 2008, at 7:20 PM, Jay wrote:

> Hi Brian,
>
> Yep, sort of...
> I have a crude LTR / LTR PassPort decoder in place now, but it takes
> some
> tinkering to get it to decode.
> I need to design a better bit recovery routine for it to decode 100%
> though...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "Brian" <sjinndoawi00@...>
> Sent: Thursday, April 17, 2008 7:46 AM
>
> > Jay before I purchase this great program TrunkPCR..I would like to
> know
> > does it do or will support LTR systems?
> >
> > Brian
>
>
>

1071. RE: [TrunkPCR] LTR?

Yahoo group: TrunkPCR
Date: 2008-04-18 02:37:33 UTC
From: vince48
Topic: 1068 Message: 1071

Lindsay

I echo your opinion. TrunkPCR is, IMHO the best trunking software period. With the wealth of information that this program can give from the control channel, the scanning, priority and many more real features, my PCR2500 can really be used to its potential. When Jay gets the LTR perfected, TrunkPCR will reach a new height. For those who forget, you can use TrunkPCR as a conventional mode. It's awesome.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Lindsay Blanton
Sent: Thursday, April 17, 2008 5:32 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] LTR?

Let me tell you... regardless of LTR support - TrunkPCR is the best Icom Control software I've seen to date for folks that want to TrunkTrack their Icom Radios... in fact, I believe it is the only one.

Folks, I made a significant contribution to Jay for his efforts a while back.... his software, while in beta, is a fantastic and a critical addition to my shack...

--

Lindsay Blanton

Owner / Operator

RadioReference.com LLC

(210) 867-7687 mobile

On Apr 17, 2008, at 7:20 PM, Jay wrote:

Hi Brian,

Yep, sort of...
I have a crude LTR / LTR PassPort decoder in place now, but it takes some tinkering to get it to decode.
I need to design a better bit recovery routine for it to decode 100% though...

Regards,
Jay

----- Original Message -----
From: "Brian" <sjinndoawi00@ <mailto:sjinndoawi00%40yahoo.com> yahoo.com>
Sent: Thursday, April 17, 2008 7:46 AM

> Jay before I purchase this great program TrunkPCR..I would like to know
> does it do or will support LTR systems?
>
> Brian
< /p>

1072. LTR PASSPORT

Yahoo group: TrunkPCR
Date: 2008-04-18 05:50:35 UTC
From: Mark Colborn
Topic: 1072 Message: 1072

Jay,

I wish you great success with the LTR decoding stuff, especially Passport. We have several wide area Passport systems here in the DFW area, and presently, there are no programs that I'm aware of available to decode them. I may not be able to donate as much as Lindsay, but if you get that part of the program working, I'll definitely throw some PayPal action your way!!!

I've been tinkering with LTR Analyzer. Its a very good program but very touchy. It shows what LCNs in a system are "Free" or available when a conversation on the frequency being monitored pops up. Essential information when trying to map out a new system. The PRO-97/2055/164 will only show the area code, home channel and talkgroup and the correct home channel if the conversation is being carried on a free channel in the system which isn't that talkgroup's home channel. Anyway, I had to modify my handheld scanners (BC230/235/245XLTs) from the standard UniTrunker soundcard program setup for it to decode. From the tapped point I've kept the 10uf Tantalum, but in line added a 47k 1/4watt resistor (R2). I finally took out the R1 or 10k resistor before the Tant capacitor and clipped the 5k to 20k resistor at R3 that goes to ground. LTR Analyzer directions call for R3 to come after R2 and before the soundcard's microphone input. I'm getting great decode rates on UHF frequencies, but have to overdrive the audio quite a bit on narrow band VHF frequencies to get a decent decode.

Mark

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Thursday, April 17, 2008 7:20 PM
Subject: Re: [TrunkPCR] LTR?

Hi Brian,

Yep, sort of...
I have a crude LTR / LTR PassPort decoder in place now, but it takes some tinkering to get it to decode.
I need to design a better bit recovery routine for it to decode 100% though...

Regards,
Jay

----- Original Message -----
From: "Brian" <sjinndoawi00@...>
Sent: Thursday, April 17, 2008 7:46 AM

> Jay before I purchase this great program TrunkPCR..I would like to know
> does it do or will support LTR systems?

>
> Brian

1073. Re: [TrunkPCR] DV?

Yahoo group: TrunkPCR
Date: 2008-04-18 05:11:47 UTC
From: Mark Colborn
Topic: 1067 Message: 1073

Brian,

The PCR2500 is capable of decoding digital with an optional board. Its about the size of a small flash card. It works pretty good, and has a sound quality on par with most digital scanners. I don't believe the card will go in the 1500. One thing to keep in mind, the PCR-1500 and 2500 models will not receive frequencies from 866.9999 to 896.0000 MHz. Many of the frequencies in current EDACs and 800 MHz Motorola TRSs are in the 867 and 868 MHz range. Although the PCR-1500/2500 will take the frequencies, a red box with the word "Frequency" illuminates on the screen and the radio goes quiet. Rebanding, when it occurs, will solve this little problem. The PCR-1000 conversely, goes up to 868.9999 MHz, so this issue is not a problem with this unit. Oh yea, if anyone knows a fix for this little bonehead frequency restriction in these two models, please do tell....:))

And let me take this opportunity to mirror my feelings for Trunk PCR. I've never been a huge fan of soundcard programs because they are so touchy, but this program is excellent. In fact, I did a review of the program for Scanning USA magazine. Unfortunately, the editor had to shut down publication in March so it may never get printed. Its a long story, but suffice it to say Barnes and Nobles (now a monolopy) and their squirrly magazine circulation policies essentially put the editor of this magazine out of business. Its a real shame because Scanning USA was the last magazine dedicated entirely to the hobby of scanning (not shortwave, CB, satellite radio, ham radio and everything but radio or monitoring radio in exotic places where you can't take a scanner anyway nor understand what is being said).

Mark

----- Original Message -----
From: Brian
To: TrunkPCR@yahoogroups.com
Sent: Thursday, April 17, 2008 7:16 AM
Subject: [TrunkPCR] DV?

I heard that my PCR1500 can do Digital Voice(DV) and that there is a
Mod for it on the internet. Can someone tell me where to find this MOd?

Brian

1074. RE: [TrunkPCR] DV?

Yahoo group: TrunkPCR
Date: 2008-04-18 11:29:13 UTC
From: Neal Linder
Topic: 1067 Message: 1074

There is a Mod for the the PCR-1500 and 2500 models to open up the 866.9999 to 896.0000 MHz. You might search the Radio Reference site for Mods and see if they have it. If not, do a search in Google for it. It takes about 5 minutes to do and requires a jewelers screwdriver and a magnifying glass. You do need to consider that this will void the warranty.

The original software from ICOM does not allow you to enter in the restricted Frequencies but Trunk PCR worked fine with them.

I hope this helps.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Mark Colborn
Sent: Friday, April 18, 2008 12:12 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] DV?

Brian,

The PCR2500 is capable of decoding digital with an optional board. Its about the size of a small flash card. It works pretty good, and has a sound quality on par with most digital scanners. I don't believe the card will go in the 1500. One thing to keep in mind, the PCR-1500 and 2500 models will not receive frequencies from 866.9999 to 896.0000 MHz. Many of the frequencies in current EDACs and 800 MHz Motorola TRSs are in the 867 and 868 MHz range. Although the PCR-1500/2500 will take the frequencies, a red box with the word "Frequency" illuminates on the screen and the radio goes quiet. Rebanding, when it occurs, will solve this little problem. The PCR-1000 conversely, goes up to 868.9999 MHz, so this issue is not a problem with this unit. Oh yea, if anyone knows a fix for this little bonehead frequency restriction in these two models, please do tell....:))

And let me take this opportunity to mirror my feelings for Trunk PCR. I've never been a huge fan of soundcard programs because they are so touchy, but this program is excellent. In fact, I did a review of the program for Scanning USA magazine. Unfortunately, the editor had to shut down publication in March so it may never get printed. Its a long story, but suffice it to say Barnes and Nobles (now a monolopy) and their squirrly magazine circulation policies essentially put the editor of this magazine out of business. Its a real shame because Scanning USA was the last magazine dedicated entirely to the hobby of scanning (not shortwave, CB, satellite radio, ham radio and everything but radio or monitoring radio in exotic places where you can't take a scanner anyway nor understand what is being said).

Mark

----- Original Message -----

From: Brian <mailto:sjinndoawi00@...>

To: TrunkPCR@yahoogroup <mailto:TrunkPCR@yahoogroups.com> s.com

Sent: Thursday, April 17, 2008 7:16 AM

Subject: [TrunkPCR] DV?

I heard that my PCR1500 can do Digital Voice(DV) and that there is a
Mod for it on the internet. Can someone tell me where to find this MOd?

Brian

1075. RE: [TrunkPCR] LTR PASSPORT

Yahoo group: TrunkPCR
Date: 2008-04-19 02:52:41 UTC
From: Glenn Blum
Topic: 1072 Message: 1075

Wow, I see Lindsay , Mark (who I have not talked to in a long time How is DFW?) and Jay. The LTR support would be a great plus, We have a bunch of LTR standard in our area.
Oh yea, not to change the subject.Lindsay, I have to say radioreference.com is excellent.
Mark, I found the same problems with LTR analyzer but I don't want to reverse engineer my set up every time I change bands, Scott and white Hospital in Temple Texas uses a narrowband UHF LTR system and I have to really pull up on the line in volume to get decent decodes.

Glenn
Kd5dga
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Mark Colborn
Sent: Friday, April 18, 2008 12:51 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] LTR PASSPORT

Jay,

I wish you great success with the LTR decoding stuff, especially Passport. We have several wide area Passport systems here in the DFW area, and presently, there are no programs that I'm aware of available to decode them. I may not be able to donate as much as Lindsay, but if you get that part of the program working, I'll definitely throw some PayPal action your way!!!

I've been tinkering with LTR Analyzer. Its a very good program but very touchy. It shows what LCNs in a system are "Free" or available when a conversation on the frequency being monitored pops up. Essential information when trying to map out a new system. The PRO-97/2055/164 will only show the area code, home channel and talkgroup and the correct home channel if the conversation is being carried on a free channel in the system which isn't that talkgroup's home channel. Anyway, I had to modify my handheld scanners (BC230/235/245XLTs) from the standard UniTrunker soundcard program setup for it to decode. From the tapped point I've kept the 10uf Tantalum, but in line added a 47k 1/4watt resistor (R2). I finally took out the R1 or 10k resistor before the Tant capacitor and clipped the 5k to 20k resistor at R3 that goes to ground. LTR Analyzer directions call for R3 to come after R2 and before the soundcard's microphone input. I'm getting great decode rates on UHF frequencies, but have to overdrive the audio quite a bit on narrow band VHF frequencies to get a decent decode.

Mark

----- Original Message -----
From: Jay <mailto:crazycalifornian@...>
To: TrunkPCR@yahoogroup <mailto:TrunkPCR@yahoogroups.com> s.com
Sent: Thursday, April 17, 2008 7:20 PM
Subject: Re: [TrunkPCR] LTR?

Hi Brian,

Yep, sort of...
I have a crude LTR / LTR PassPort decoder in place now, but it takes some
tinkering to get it to decode.
I need to design a better bit recovery routine for it to decode 100% though...

Regards,
Jay

----- Original Message -----
From: "Brian" <sjinndoawi00@ <mailto:sjinndoawi00@...> yahoo.com>
Sent: Thursday, April 17, 2008 7:46 AM

> Jay before I purchase this great program TrunkPCR..I would like to know
> does it do or will support LTR systems?
>
> Brian

1076. RE: [TrunkPCR] LTR?

Yahoo group: TrunkPCR
Date: 2008-04-19 02:55:52 UTC
From: Glenn Blum
Topic: 1068 Message: 1076

Lindsay,
I agree 100 percent. TRUNKPCR is NOT just a program but a tool.. That's how I was able to make some corrections to certain trunked radio systems in the central Texas area. It is a great program. Jay gets two thumbs up!

Glenn
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Lindsay Blanton
Sent: Thursday, April 17, 2008 7:32 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] LTR?

Let me tell you... regardless of LTR support - TrunkPCR is the best Icom Control software I've seen to date for folks that want to TrunkTrack their Icom Radios... in fact, I believe it is the only one.

Folks, I made a significant contribution to Jay for his efforts a while back.... his software, while in beta, is a fantastic and a critical addition to my shack...
--
Lindsay Blanton
Owner / Operator
RadioReference.com LLC
(210) 867-7687 mobile

On Apr 17, 2008, at 7:20 PM, Jay wrote:

Hi Brian,

Yep, sort of...
I have a crude LTR / LTR PassPort decoder in place now, but it takes some
tinkering to get it to decode.
I need to design a better bit recovery routine for it to decode 100% though...

Regards,
Jay

----- Original Message -----
From: "Brian" <sjinndoawi00@ <mailto:sjinndoawi00%40yahoo.com> yahoo.com>
Sent: Thursday, April 17, 2008 7:46 AM

> Jay before I purchase this great program TrunkPCR..I would like to know
> does it do or will support LTR systems?
>
> Brian

1077. Interference problem

Yahoo group: TrunkPCR
Date: 2008-04-19 14:29:13 UTC
From: Brian
Topic: 1077 Message: 1077

I have my PCR1500 right by my computer.Like right next to it . Is it ok to be there or will I start to have interference problems from it being so close to my laptop? I don't know but I am getting so many different frequencies with my 1500 that I can not get with my other recievers.Is this because of all the stepping it can do or because it is unblocked or a combination of both? Also thank you guys for helping me out and answering my questions. I find this one of the top radio groups that I belong to as well as helpful. I rank this group up there with RadioReference.
Jay this program is Awesome(TrunkPCR) i didn't know it would do Custom Searches. This to me is a complete package, does trunking as well as custom search,multi trunking systems,research of frequencies(like unitrunker). I agree as one of the members has stated"not only is this software very powerful, it is a tool" The only thing I would like it to do if it could would be LTR and EDCAS w/ ESK. Just hang in there I will be buying this software. I just have to wait till I get that tax stimulus package. If you ever need funding to help you with the development of this software or to further it I will help you in any way possible that I can..

Thanks Jay

Brian

1078. Re: DV?

Yahoo group: TrunkPCR
Date: 2008-04-19 18:39:04 UTC
From: dpritch751
Topic: 1067 Message: 1078

Can anyone confirm that this modification does exist? I see a mod for an earlier firmware version, where removal of a diode opened up frequencies above 700 MHz. My 2500 already has the latest firmware, but is cut-off at 866.9999 MHz. as stated below. Does removal of the same diode in this latest firmware version open up the other non-cellular frequencies? My sense is that re-banding is not going to happen as quickly as everyone thinks and I would like to be able to track our local EDACS system. Any help would be appreciated.

Thanks,

Dave

--- In TrunkPCR@yahoogroups.com, "Neal Linder" <neallinder@...> wrote:
>
> There is a Mod for the the PCR-1500 and 2500 models to open up the 866.9999
> to 896.0000 MHz. You might search the Radio Reference site for Mods and see
> if they have it. If not, do a search in Google for it. It takes about 5
> minutes to do and requires a jewelers screwdriver and a magnifying glass.
> You do need to consider that this will void the warranty.
>
>
>
> The original software from ICOM does not allow you to enter in the
> restricted Frequencies but Trunk PCR worked fine with them.
>
>
>
> I hope this helps.
>
>
>
> _____
>
> From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
> Of Mark Colborn
> Sent: Friday, April 18, 2008 12:12 AM
> To: TrunkPCR@yahoogroups.com
> Subject: Re: [TrunkPCR] DV?
>
>

>
> Brian,
>
>
>
> The PCR2500 is capable of decoding digital with an optional board.
Its about
> the size of a small flash card. It works pretty good, and has a
sound
> quality on par with most digital scanners. I don't believe the card
will go
> in the 1500. One thing to keep in mind, the PCR-1500 and 2500
models will
> not receive frequencies from 866.9999 to 896.0000 MHz. Many of the
> frequencies in current EDACs and 800 MHz Motorola TRSs are in the
867 and
> 868 MHz range. Although the PCR-1500/2500 will take the
frequencies, a red
> box with the word "Frequency" illuminates on the screen and the
radio goes
> quiet. Rebanding, when it occurs, will solve this little problem.
The
> PCR-1000 conversely, goes up to 868.9999 MHz, so this issue is not
a problem
> with this unit. Oh yea, if anyone knows a fix for this little
bonehead
> frequency restriction in these two models, please do tell....:))
>
>
>
> And let me take this opportunity to mirror my feelings for Trunk
PCR. I've
> never been a huge fan of soundcard programs because they are so
touchy, but
> this program is excellent. In fact, I did a review of the program
for
> Scanning USA magazine. Unfortunately, the editor had to shut down
> publication in March so it may never get printed. Its a long story,
but
> suffice it to say Barnes and Nobles (now a monolopy) and their
squirrly
> magazine circulation policies essentially put the editor of this
magazine
> out of business. Its a real shame because Scanning USA was the last
magazine
> dedicated entirely to the hobby of scanning (not shortwave, CB,
satellite
> radio, ham radio and everything but radio or monitoring radio in
exotic
> places where you can't take a scanner anyway nor understand what is

being
> said).
>
>
>
> Mark
>
>
>
> ----- Original Message -----
>
> From: Brian <mailto:sjinndoawi00@...>
>
> To: TrunkPCR@yahoogroup <mailto:TrunkPCR@yahoogroups.com> s.com
>
> Sent: Thursday, April 17, 2008 7:16 AM
>
> Subject: [TrunkPCR] DV?
>
>
>
> I heard that my PCR1500 can do Digital Voice(DV) and that there is
a
> Mod for it on the internet. Can someone tell me where to find this
MOd?
>
> Brian
>

1079. Re: [TrunkPCR] Interference problem

Yahoo group: TrunkPCR
Date: 2008-04-20 03:00:23 UTC
From: Jay
Topic: 1077 Message: 1079

Hi Brian,

TrunkPCR does decode Edacs with ESK, you just need to set the option in the Trunk Settings...

With the donations received in the past 6 months, I may be able to buy a PCR-2500 and P25 card soon so I can add more support for it :)

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Saturday, April 19, 2008 7:29 AM

> I agree as one of the members has stated"not only is this
> software very powerful, it is a tool" The only thing I would like it
> to do if it could would be LTR and EDCAS w/ ESK. Just hang in there I
> will be buying this software. I just have to wait till I get that tax
> stimulus package. If you ever need funding to help you with the
> development of this software or to further it I will help you in any
> way possible that I can..
>
> Thanks Jay
>
> Brian

1080. Re: [TrunkPCR] DV?

Yahoo group: TrunkPCR
Date: 2008-04-20 03:06:40 UTC
From: Jay
Topic: 1067 Message: 1080

Hi Brian,

That picture of the Red Frequency Box will only be displayed when the high bit of the squelch status byte is set to 1... The frequency shown for the active voice channel (In the pic that you sent) is 867.9125 and the US version of the PCR-2500 800 mhz band is from 851.0000 to 866.9999, so that part is working correct. Even if you have the diode mods done, the firmware might still have the limits saved internally?

The reason for the receiver going quiet is from the firmware telling it to do so. TrunkPCR doesn't mute the audio when that error bit is set...

Regards,
Jay
----- Original Message -----
From: Mark Colborn
Sent: Thursday, April 17, 2008 10:11 PM

Brian,

The PCR2500 is capable of decoding digital with an optional board. Its about the size of a small flash card. It works pretty good, and has a sound quality on par with most digital scanners. I don't believe the card will go in the 1500. One thing to keep in mind, the PCR-1500 and 2500 models will not receive frequencies from 866.9999 to 896.0000 MHz. Many of the frequencies in current EDACs and 800 MHz Motorola TRSs are in the 867 and 868 MHz range. Although the PCR-1500/2500 will take the frequencies, a red box with the word "Frequency" illuminates on the screen and the radio goes quiet. Rebanding, when it occurs, will solve this little problem. The PCR-1000 conversely, goes up to 868.9999 MHz, so this issue is not a problem with this unit. Oh yea, if anyone knows a fix for this little bonehead frequency restriction in these two models, please do tell....:))

Mark

1081. Re: [TrunkPCR] LTR PASSPORT

Yahoo group: TrunkPCR
Date: 2008-04-20 03:11:56 UTC
From: Jay
Topic: 1072 Message: 1081

I tinker around with LTR-Analyzer now and then, but as you have noted, you have to over-drive your sound card's input for it to decode sometimes and I really dislike having to do that.

I don't use the circuit mentioned to pre-filter the sound though...

Over-drive should only be in vehicles, not sound card decoders...

Jay
----- Original Message -----
From: Mark Colborn
To: TrunkPCR@yahoogroups.com
Sent: Thursday, April 17, 2008 10:50 PM
Subject: [TrunkPCR] LTR PASSPORT

Jay,

I've been tinkering with LTR Analyzer. Its a very good program but very touchy. It shows what LCNs in a system are "Free" or available when a conversation on the frequency being monitored pops up. Essential information when trying to map out a new system. The PRO-97/2055/164 will only show the area code, home channel and talkgroup and the correct home channel if the conversation is being carried on a free channel in the system which isn't that talkgroup's home channel. Anyway, I had to modify my handheld scanners (BC230/235/245XLTs) from the standard UniTrunker soundcard program setup for it to decode. From the tapped point I've kept the 10uf Tantalum, but in line added a 47k 1/4watt resistor (R2). I finally took out the R1 or 10k resistor before the Tant capacitor and clipped the 5k to 20k resistor at R3 that goes to ground. LTR Analyzer directions call for R3 to come after R2 and before the soundcard's microphone input. I'm getting great decode rates on UHF frequencies, but have to overdrive the audio quite a bit on narrow band VHF frequencies to get a decent decode.

Mark

1082. RE: [TrunkPCR] Interference problem

Yahoo group: TrunkPCR
Date: 2008-04-20 03:15:32 UTC
From: Fred Flowers
Topic: 1077 Message: 1082

I have a PCR2500 with P25 card for sale. It came from Taiwan & is totally unblocked. If anyone is interested contact me direct.

Fred

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, April 19, 2008 10:00 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Interference problem

Hi Brian,

TrunkPCR does decode Edacs with ESK, you just need to set the option in the Trunk Settings...

With the donations received in the past 6 months, I may be able to buy a PCR-2500 and P25 card soon so I can add more support for it :)

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Saturday, April 19, 2008 7:29 AM

> I agree as one of the members has stated"not only is this
> software very powerful, it is a tool" The only thing I would like it
> to do if it could would be LTR and EDCAS w/ ESK. Just hang in there I
> will be buying this software. I just have to wait till I get that tax
> stimulus package. If you ever need funding to help you with the
> development of this software or to further it I will help you in any
> way possible that I can..
>
> Thanks Jay
>
> Brian

Yahoo! Groups Links

1083. Decoding question

Yahoo group: TrunkPCR
Date: 2008-04-24 15:25:38 UTC
From: Brian
Topic: 1083 Message: 1083

Hello Jay

Ok by default doesn't the soundcard take digital audio and convert it back to analog so it can be heard? If thats the case then all we would need to decode systems like Provoice,Tetra,Opensky,SLERS or all the other digital schemes out there is the drivers,right? With that being said we wouldn't have to have the interface card to decode the transmissions such as Icoms APCO25 card or who evers elses card out there because these sytems are total predictable and that are laptops have all the hardware inside. Since we all ready have the computer and the SDR the only thing we are lacking is the software drivers for these systems then?

Am I correct in this statement?

Brian

1084. Re: [TrunkPCR] Decoding question

Yahoo group: TrunkPCR
Date: 2008-04-24 17:41:54 UTC
From: G7HUP.email
Topic: 1083 Message: 1084

Brian,

Brian,

Far from it, the information recovered by for want of better word 'listening' to a digital system in an analogue audio mode is only a mere fraction of the actual information transmitted..
Best to Google TDM, CDM, Tetra etc, to get an outline understanding of digital modes and how they are applied to RF..

But to understand what you may have a crack at, have a look at the following link:

http://www.kb9ukd.com/digital/

You need something such as the MFJ or Timewave DSP's if you get serious..

VBR

Mark T

----- Original Message -----
From: Brian
To: TrunkPCR@yahoogroups.com
Sent: Thursday, April 24, 2008 4:25 PM
Subject: [TrunkPCR] Decoding question

Hello Jay

Ok by default doesn't the soundcard take digital audio and convert it back to analog so it can be heard? If thats the case then all we would need to decode systems like Provoice,Tetra,Opensky,SLERS or all the other digital schemes out there is the drivers,right? With that being said we wouldn't have to have the interface card to decode the transmissions such as Icoms APCO25 card or who evers elses card out there because these sytems are total predictable and that are laptops have all the hardware inside. Since we all ready have the computer and the SDR the only thing we are lacking is the software drivers for these systems then?

Am I correct in this statement?

Brian

1085. Re: Decoding question

Yahoo group: TrunkPCR
Date: 2008-04-25 00:42:58 UTC
From: Brian
Topic: 1083 Message: 1085

--- In TrunkPCR@yahoogroups.com, "G7HUP.email" <g7hup.email@...> wrote:
>
> Brian,
>
> Brian,
>
> Far from it, the information recovered by for want of better word
'listening' to a digital system in an analogue audio mode is only a
mere fraction of the actual information transmitted..
> Best to Google TDM, CDM, Tetra etc, to get an outline understanding
of digital modes and how they are applied to RF..
>
> But to understand what you may have a crack at, have a look at the
following link:
>
> http://www.kb9ukd.com/digital/
>
> You need something such as the MFJ or Timewave DSP's if you get
serious..
>
> VBR
>
> Mark T
>
>
>
> ----- Original Message -----
> From: Brian
> To: TrunkPCR@yahoogroups.com
> Sent: Thursday, April 24, 2008 4:25 PM
> Subject: [TrunkPCR] Decoding question
>
>
> Hello Jay
>
> Ok by default doesn't the soundcard take digital audio and convert it
> back to analog so it can be heard? If thats the case then all we
would
> need to decode systems like Provoice,Tetra,Opensky,SLERS or all the
> other digital schemes out there is the drivers,right? With that being
> said we wouldn't have to have the interface card to decode the
> transmissions such as Icoms APCO25 card or who evers elses card out
> there because these sytems are total predictable and that are laptops
> have all the hardware inside. Since we all ready have the computer
and

> the SDR the only thing we are lacking is the software drivers for
these
> systems then?
>
> Am I correct in this statement?
>
> Brian
>Ok I will check out the information..Thanks Mark

1086. PCR 1000 Packet/Audio Cable Question

Yahoo group: TrunkPCR
Date: 2008-05-04 23:26:46 UTC
From: Michael Rymer
Topic: 1086 Message: 1086

Please pardon my being new at the PCR Game but I have a question.

To use the Trunk Feature of TrunkPCR, do I just use a standard Mono M/M audio cable from the packet output on my PCR1000 to the Mic in on my audio card?

Thanks, Mike

1087. Re: [TrunkPCR] PCR 1000 Packet/Audio Cable Question

Yahoo group: TrunkPCR
Date: 2008-05-05 06:24:36 UTC
From: Jay
Topic: 1086 Message: 1087

Hi Mike,

Yep, you can use that cable from the PCR's packet out to your Mic Input or
Line-In on the sound card...
Be sure to check out the Help Page on setting up your sound card levels...

Regards,
Jay

----- Original Message -----
From: "Michael Rymer" <mrymer@>
Sent: Sunday, May 04, 2008 4:26 PM

> Please pardon my being new at the PCR Game but I have a question.
>
> To use the Trunk Feature of TrunkPCR, do I just use a standard Mono
> M/M audio cable from the packet output on my PCR1000 to the Mic in on
> my audio card?
>
> Thanks, Mike

1088. Re: DV?

Yahoo group: TrunkPCR
Date: 2008-05-09 18:07:12 UTC
From: Andrew
Topic: 1067 Message: 1088

Glad I read this message. I was just about to pull the trigger on a 1500 or 2500 but many (good percentage) of what I listen to currently on my 396T are in the 867-868 range.

Guess that rules this system out for me. DANG IT!

Andrew

--- In TrunkPCR@yahoogroups.com, "Mark Colborn" <kd5elf@...> wrote:
>
> Brian,
>
> The PCR2500 is capable of decoding digital with an optional board. Its about the size of a small flash card. It works pretty good, and has a sound quality on par with most digital scanners. I don't believe the card will go in the 1500. One thing to keep in mind, the PCR-1500 and 2500 models will not receive frequencies from 866.9999 to 896.0000 MHz. Many of the frequencies in current EDACs and 800 MHz Motorola TRSs are in the 867 and 868 MHz range. Although the PCR-1500/2500 will take the frequencies, a red box with the word "Frequency" illuminates on the screen and the radio goes quiet. Rebanding, when it occurs, will solve this little problem. The PCR-1000 conversely, goes up to 868.9999 MHz, so this issue is not a problem with this unit. Oh yea, if anyone knows a fix for this little bonehead frequency restriction in these two models, please do tell....:))
>
> And let me take this opportunity to mirror my feelings for Trunk PCR. I've never been a huge fan of soundcard programs because they are so touchy, but this program is excellent. In fact, I did a review of the program for Scanning USA magazine. Unfortunately, the editor had to shut down publication in March so it may never get printed. Its a long story, but suffice it to say Barnes and Nobles (now a monolopy) and their squirrly magazine circulation policies essentially put the editor of this magazine out of business. Its a real shame because Scanning USA was the last magazine dedicated entirely to the hobby of scanning (not shortwave, CB, satellite radio, ham radio and everything but radio or monitoring radio in exotic places where you can't take a scanner anyway nor understand what is being said).
>
> Mark
>
> ----- Original Message -----
> From: Brian
> To: TrunkPCR@yahoogroups.com
> Sent: Thursday, April 17, 2008 7:16 AM
> Subject: [TrunkPCR] DV?

>
>
> I heard that my PCR1500 can do Digital Voice(DV) and that there is a
> Mod for it on the internet. Can someone tell me where to find this
MOd?
>
> Brian
>

1089. RE: [TrunkPCR] Re: DV?

Yahoo group: TrunkPCR
Date: 2008-05-10 14:44:44 UTC
From: Fred Flowers
Topic: 1067 Message: 1089

Andrew,
I have a PCR2500 for sale that is totally unblocked for sale if you are interested.
Fred

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Andrew
Sent: Friday, May 09, 2008 1:07 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: DV?

Glad I read this message. I was just about to pull the trigger on a 1500 or 2500 but many (good percentage) of what I listen to currently on my 396T are in the 867-868 range.

Guess that rules this system out for me. DANG IT!

Andrew

--- In TrunkPCR@yahoogroups.com, "Mark Colborn" <kd5elf@...> wrote:
>
> Brian,
>
> The PCR2500 is capable of decoding digital with an optional board. Its about the size of a small flash card. It works pretty good, and has a sound quality on par with most digital scanners. I don't believe the card will go in the 1500. One thing to keep in mind, the PCR-1500 and 2500 models will not receive frequencies from 866.9999 to 896.0000 MHz. Many of the frequencies in current EDACs and 800 MHz Motorola TRSs are in the 867 and 868 MHz range. Although the PCR-1500/2500 will take the frequencies, a red box with the word "Frequency" illuminates on the screen and the radio goes quiet. Rebanding, when it occurs, will solve this little problem. The PCR-1000 conversely, goes up to 868.9999 MHz, so this issue is not a problem with this unit. Oh yea, if anyone knows a fix for this little bonehead frequency restriction in these two models, please do tell....:))
>
> And let me take this opportunity to mirror my feelings for Trunk PCR. I've never been a huge fan of soundcard programs because they are so touchy, but this program is excellent. In fact, I did a review of the program for Scanning USA magazine. Unfortunately, the editor had to shut down publication in March so it may never get printed. Its a long story, but suffice it to say Barnes and Nobles (now a monolopy) and their squirrly magazine circulation policies essentially put the editor of this magazine out of business. Its a real shame because

Scanning USA was the last magazine dedicated entirely to the hobby of scanning (not shortwave, CB, satellite radio, ham radio and everything but radio or monitoring radio in exotic places where you can't take a scanner anyway nor understand what is being said).
>
> Mark
>
> ----- Original Message -----
> From: Brian
> To: TrunkPCR@yahoogroups.com
> Sent: Thursday, April 17, 2008 7:16 AM
> Subject: [TrunkPCR] DV?
>
>
> I heard that my PCR1500 can do Digital Voice(DV) and that there is a
> Mod for it on the internet. Can someone tell me where to find this
MOd?
>
> Brian
>

Yahoo! Groups Links

1090. Re: [TrunkPCR] Re: DV?

Yahoo group: TrunkPCR
Date: 2008-05-10 18:44:34 UTC
From: Jay
Topic: 1067 Message: 1090

Hi Fred,

Did you ever find the original power supply for this???

Thanks,
Jay

----- Original Message -----
From: "Fred Flowers" <fred_flowers@>
Sent: Saturday, May 10, 2008 7:44 AM

> Andrew,
> I have a PCR2500 for sale that is totally unblocked for sale if you are
> interested.
> Fred
>
> -----Original Message-----
> From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
> Of Andrew
> Sent: Friday, May 09, 2008 1:07 PM
>
> Glad I read this message. I was just about to pull the trigger on a
> 1500 or 2500 but many (good percentage) of what I listen to currently
> on my 396T are in the 867-868 range.
>
> Guess that rules this system out for me. DANG IT!
>
> Andrew
>
> --- In TrunkPCR@yahoogroups.com, "Mark Colborn" <kd5elf@...> wrote:
> >
> > Brian,
> >
> > The PCR2500 is capable of decoding digital with an optional board.
> Its about the size of a small flash card. It works pretty good, and
> has a sound quality on par with most digital scanners. I don't believe
> the card will go in the 1500. One thing to keep in mind, the PCR-1500
> and 2500 models will not receive frequencies from 866.9999 to 896.0000
> MHz. Many of the frequencies in current EDACs and 800 MHz Motorola
> TRSs are in the 867 and 868 MHz range. Although the PCR-1500/2500 will
> take the frequencies, a red box with the word "Frequency" illuminates
> on the screen and the radio goes quiet. Rebanding, when it occurs,
> will solve this little problem. The PCR-1000 conversely, goes up to
> 868.9999 MHz, so this issue is not a problem with this unit. Oh yea,
> if anyone knows a fix for this little bonehead frequency restriction
> in these two models, please do tell....:))

> >
> > And let me take this opportunity to mirror my feelings for Trunk
> PCR. I've never been a huge fan of soundcard programs because they are
> so touchy, but this program is excellent. In fact, I did a review of
> the program for Scanning USA magazine. Unfortunately, the editor had
> to shut down publication in March so it may never get printed. Its a
> long story, but suffice it to say Barnes and Nobles (now a monolopy)
> and their squirrly magazine circulation policies essentially put the
> editor of this magazine out of business. Its a real shame because
> Scanning USA was the last magazine dedicated entirely to the hobby of
> scanning (not shortwave, CB, satellite radio, ham radio and everything
> but radio or monitoring radio in exotic places where you can't take a
> scanner anyway nor understand what is being said).
> >
> > Mark
> >
> > ----- Original Message -----
> > From: Brian
> > Sent: Thursday, April 17, 2008 7:16 AM
> >
> > I heard that my PCR1500 can do Digital Voice(DV) and that there is a
> > Mod for it on the internet. Can someone tell me where to find this
> MOd?
> >
> > Brian
> >

1091. Re: [TrunkPCR] Re: DV?

Yahoo group: TrunkPCR
Date: 2008-05-10 18:47:49 UTC
From: Jay
Topic: 1067 Message: 1091

Hi Andrew,

There is a mod to remove some diodes that allows P25 reception in the 867.0 to 869.0 range plus other freq ranges.
If I'm not mistaken, I think there is also a firmware upgrade that will allow this too???

Jay

----- Original Message -----
From: "Andrew" <andrew@>
Sent: Friday, May 09, 2008 11:07 AM

> Glad I read this message. I was just about to pull the trigger on a
> 1500 or 2500 but many (good percentage) of what I listen to currently
> on my 396T are in the 867-868 range.
>
> Guess that rules this system out for me. DANG IT!
>
> Andrew

1092. Re: DV?

Yahoo group: TrunkPCR
Date: 2008-05-10 18:56:40 UTC
From: Andrew
Topic: 1067 Message: 1092

Does the diode removal enable standard 800 (non-P25) in those ranges too? I am interested in trunk tracking MOTO Type 2 in the 867 range.. I guess worse case, I could continue to use my 396T for those.

I am still trying to decide what to do... Perhaps just pick up a BCT15. I REALLY like the PC integration and wide band capabilities of this ICOM system though.

Fred - How much are you asking... I really was considering the 1500 and not so much the 2500 (mainly due to cost). Does the diode mod work for the 1500 as well? Also, does the 1500 from Ebay seller have the P25 port or is it missing? I sent him an email inquiring... Haven't heard anything yet.

Thanks again for your help.

Andrew

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Andrew,
>
> There is a mod to remove some diodes that allows P25 reception in the 867.0
> to 869.0 range plus other freq ranges.
> If I'm not mistaken, I think there is also a firmware upgrade that will
> allow this too???
>
> Jay
>
> ----- Original Message -----
> From: "Andrew" <andrew@>
> Sent: Friday, May 09, 2008 11:07 AM
>
> > Glad I read this message. I was just about to pull the trigger on a
> > 1500 or 2500 but many (good percentage) of what I listen to currently
> > on my 396T are in the 867-868 range.
> >
> > Guess that rules this system out for me. DANG IT!
> >
> > Andrew
>

1093. Road Trip

Yahoo group: TrunkPCR
Date: 2008-05-15 08:25:36 UTC
From: Jay
Topic: 1093 Message: 1093

Hey All,

I'll be gone until Tuesday on a Road Trip up to Chico, CA.

Regards,
Jay

1094. TrunkPCR for Linux

Yahoo group: TrunkPCR
Date: 2008-05-24 14:06:07 UTC
From: russianbrack
Topic: 1094 Message: 1094

Hi, I've got recently pcr100 as a gift but my pc has Linux on it and I have big difficulties to find good software for this receiver. So far I use pcr1000 software under wine since pcr100 original software didnt do well (scanning functions didnt work) TalkPCR works but kicks out with connection error every now and then. TrunkPCR has pcr100 in the list of supported receivers but when I install it under wine the latest versiou freezes on the startup stage "Initializing COM port" the previous version (I believe its 0.8.200 or something like that) starts up but does not communicate with receiver since it set up on listening COM2 and my receiver is on COM1 wher I try to change options to COM1 it freezes as well. Older versions dont even start. Does anybody have an experience with TrunkPCR under Linux or is there Linux version of this software?

Thank you,

Yury

1095. CONTROL CHANNEL SCREEN

Yahoo group: TrunkPCR
Date: 2008-05-26 00:15:14 UTC
From: Glenn Blum
Topic: 1095 Message: 1095

How do you keep the settings for the width of the columns in the control channel screen, group watch etc?

Glenn

1096. Re: [TrunkPCR] CONTROL CHANNEL SCREEN

Yahoo group: TrunkPCR
Date: 2008-05-26 04:00:26 UTC
From: Jay
Topic: 1095 Message: 1096

Hey Glenn,

If you left-click the column separator to adjust the width, upon releasing the left-button, it should remember the width.
Otherwise, just left-click the column separator once after adjusting the new width.
I don't think that double-clicking the column separator (auto-adjust), saves the column width right now...

Regards,
Jay

----- Original Message -----
From: Glenn Blum
Sent: Sunday, May 25, 2008 5:15 PM

How do you keep the settings for the width of the columns in the control channel screen, group watch etc?

Glenn

1097. web inport issue

Yahoo group: TrunkPCR
Date: 2008-05-26 19:06:57 UTC
From: Glenn Blum
Topic: 1097 Message: 1097

Jay and the group,
I have tried to set up a new trunkpcr profile and was trying to web import I get all channels correctly but under the groups I don't get a finish tab, only the abort tab occurs.
The system I am trying to import is the Lower Colorado River Authority, Council Creek site. This is in Texas mainly around the Travis county area (Austin).
I had checked all 241 trunk groups in the import window but I can only abort or close out the window.

Glenn

1098. windows VISTA

Yahoo group: TrunkPCR
Date: 2008-05-26 19:20:40 UTC
From: Glenn Blum
Topic: 1098 Message: 1098

Jay and the group,
This week I am looking at a new computer but all the new ones comes with windows VISTA Home premium edition.. Has there been any issues with windows VISTA?
Hopefully a quad core will be the one of choice.
Glenn

1099. Re: [TrunkPCR] web inport issue

Yahoo group: TrunkPCR
Date: 2008-05-26 20:00:57 UTC
From: Jay
Topic: 1097 Message: 1099

Hi Glenn,

The reason for the Finish Tab/Button is greyed out, is because there are some Group Descriptions that exceed 60 characters. One indication of this will show "..." on the right side of the Group Description in the Group List.

To fix this, click on a Group Description, the text will be copied to the Edit Box. Edit the description so it has 670 or less characters (the Edit box will display 60 characters). After editing the description, click save, if there are still more descriptions that exceed the limit, the list should advance to the next group that need editing.
When all is ok, the Finish button will be usable...

Regards,
Jay

----- Original Message -----
From: Glenn Blum
Sent: Monday, May 26, 2008 12:06 PM

Jay and the group,

I have tried to set up a new trunkpcr profile and was trying to web import I get all channels correctly but under the groups I don't get a finish tab, only the abort tab occurs.

The system I am trying to import is the Lower Colorado River Authority, Council Creek site. This is in Texas mainly around the Travis county area (Austin).

I had checked all 241 trunk groups in the import window but I can only abort or close out the window.

Glenn

1100. RE: [TrunkPCR] web inport issue

Yahoo group: TrunkPCR
Date: 2008-05-26 20:29:43 UTC
From: Glenn Blum
Topic: 1097 Message: 1100

Ok cool. Now I know. I will give it a try in a while.
Thanks for the info.

Glenn
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, May 26, 2008 3:01 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] web inport issue

Hi Glenn,

The reason for the Finish Tab/Button is greyed out, is because there are some Group Descriptions that exceed 60 characters. One indication of this will show "..." on the right side of the Group Description in the Group List.

To fix this, click on a Group Description, the text will be copied to the Edit Box. Edit the description so it has 670 or less characters (the Edit box will display 60 characters). After editing the description, click save, if there are still more descriptions that exceed the limit, the list should advance to the next group that need editing.
When all is ok, the Finish button will be usable...

Regards,
Jay

----- Original Message -----
From: Glenn Blum <mailto:kd5dga@...>
Sent: Monday, May 26, 2008 12:06 PM

Jay and the group,
I have tried to set up a new trunkpcr profile and was trying to web import I get all channels correctly but under the groups I don't get a finish tab, only the abort tab occurs.
The system I am trying to import is the Lower Colorado River Authority, Council Creek site. This is in Texas mainly around the Travis county area (Austin).
I had checked all 241 trunk groups in the import window but I can only abort or close out the window.

Glenn

1101. WEB inport forks

Yahoo group: TrunkPCR
Date: 2008-05-26 23:59:41 UTC
From: Glenn Blum
Topic: 1101 Message: 1101

Jay,
I got the web import to work by modifying the trunk group id's. Radioreference.com adds too much information for each trunk group. I kept every trunk group under 60 characters.

Glenn

1102. Suggestions and Feedback for TrunkPCR

Yahoo group: TrunkPCR
Date: 2008-05-27 14:10:51 UTC
From: Lindsay Blanton
Topic: 1102 Message: 1102

Hey folks,

I am a really heavy user of TrunkPCR - and have some suggestions for improvement and feedback on the program's operation. I'd love to hear feedback on my feedback...

1. It appears that a lower talkgroup number overrides other talkgroups with the same priority. For example, talkgroup ID 273 with a priority of 50 will supersede and override talkgroup ID 529 with a priority of 50. I'm not sure this is expected behavior.

2. Assignable keys to actions - such as "H" for hold and "S" for scan.. h for search, etc Forget the alts - if the primary window is in focus let us hit normal keys.

3. Eliminate the Scan / Search differentiation and make search actually search all talkgroups with priority maintained and scan actually scan talkgroups based on bank assignment.

4. Long Term: give us a bank active/bank select push button screen that has nice descriptions instead of letter... and allows us to choose active/deactive banks (when in scan mode!)

5. When editing trunk IDs and groups - the ability to edit multiple entries and apply the same settings would be nice.

Thanks!
--
Lindsay Blanton
Owner / Operator
RadioReference.com LLC

1103. Re: [TrunkPCR] Suggestions and Feedback for TrunkPCR

Yahoo group: TrunkPCR
Date: 2008-06-05 03:46:07 UTC
From: Jay
Topic: 1102 Message: 1103

Hi Lindsay,

Looks like everyone is too busy or other to answer?

On item #1, I did check the code and the priority should work as such:
Group 12345 makes a call and has a priority of 50, while this conversation is in progress another Group 32600 starts a call that has a Priority of 45, Group 32600 conversation will now be heard since it has a lower Priority Number.

If a call is made with a Group that has a Priority of 50 and 10 seconds later another Group with a Priority of 50 has a call placed, the first Group's call will continue to be heard since the second Group's Priority is the same. There isn't any place in the code that does a comparison of the GroupID's to let a Lower GroupID have higher priority.
I've been checking this in the past few days and haven't been able to duplicate this behavior yet, but will continue to check for a few more days :)

For Item #2, that code is already in place, but if you have the Control Channel Activity winodw open, then even if the main window has focus, then the CCA window will still have control over the keyboard input due to the way the CCA window is created. I'll see about patching around this...

For Item #3, explain to me in detail how you think this SCAN operation should work...
Are you thinking of having the data stream check for active calls over a period of a few seconds and compared to Groups in TrunkBanks-A though Z to see which Group should be heard first? If so, then I have already tested this out awhile back and found that some calls will be missed due to the time lag of short messages...

For Item #4, when you place the mouse over TrunkBanks A through Z, you do see the more detailed description of the TrunkBank. But you want a separate pop-up window of the TrunkBank descriptions?

For Item #5, that is on the ToDo list...

And I'm still working on multiple Trunking Bank Scanning. I can now load all Banks into memory including Group/Radio ID's for each Bank, but still need to work out the logic for switching between different systems on the fly...

Regards,
Jay

----- Original Message -----
From: "Lindsay Blanton" <lindsay@>
Sent: Tuesday, May 27, 2008 7:10 AM

> Hey folks,
>
> I am a really heavy user of TrunkPCR - and have some suggestions for
> improvement and feedback on the program's operation. I'd love to hear
> feedback on my feedback...
>
> 1. It appears that a lower talkgroup number overrides other
> talkgroups with the same priority. For example, talkgroup ID 273 with
> a priority of 50 will supersede and override talkgroup ID 529 with a
> priority of 50. I'm not sure this is expected behavior.
>
> 2. Assignable keys to actions - such as "H" for hold and "S" for
> scan.. h for search, etc Forget the alts - if the primary window is
> in focus let us hit normal keys.
>
> 3. Eliminate the Scan / Search differentiation and make search
> actually search all talkgroups with priority maintained and scan
> actually scan talkgroups based on bank assignment.
>
> 4. Long Term: give us a bank active/bank select push button screen
> that has nice descriptions instead of letter... and allows us to
> choose active/deactive banks (when in scan mode!)
>
> 5. When editing trunk IDs and groups - the ability to edit multiple
> entries and apply the same settings would be nice.
>
> Thanks!
> --
> Lindsay Blanton
> Owner / Operator
> RadioReference.com LLC

1104. RE: [TrunkPCR] Re: DV?

Yahoo group: TrunkPCR
Date: 2008-06-05 19:23:31 UTC
From: Fred Flowers
Topic: 1067 Message: 1104

Yes

-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Saturday, May 10, 2008 1:45 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: DV?

Hi Fred,

Did you ever find the original power supply for this???

Thanks,
Jay

1105. info on 5.25" enclosure

Yahoo group: TrunkPCR
Date: 2008-06-05 20:53:23 UTC
From: Jim Fuller
Topic: 1067 Message: 1105

I've had a Icom PCR2500 for six months now and I've been looking for a 5 1/4" drive enclosure for it.

Finally found one at Weird Stuff in Santa Clara, CA
http://www.weirdstuff.com/

I haven't looked for it on their website, but the address of the store is there.

There were a number of misc enclosures some made to house disk drives and others to house some type of parallel interface product. I choose a parallel unit with power supply. The design leaves the front of the 2500 open and has enough back panel space to bring all the connectors out there.

I couldn't believe how scarce those enclosures are now.

Jim

B¾information contained in this e-mail message is confidential, intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any review, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this e-mail in error, please contact postmaster@...

1106. New regestration

Yahoo group: TrunkPCR
Date: 2008-06-10 02:25:55 UTC
From: Glenn Blum
Topic: 1106 Message: 1106

Jay,
I had switched to a new computer with VISTA. The program will not run without a new regestration.

Glenn
kd5dga

1107. Re: [TrunkPCR] New regestration

Yahoo group: TrunkPCR
Date: 2008-06-10 03:40:01 UTC
From: Jay
Topic: 1106 Message: 1107

Hi Glenn,

Yep, and your updated key file has been sent to you a short while ago...

Jay
----- Original Message -----
From: Glenn Blum
Sent: Monday, June 09, 2008 7:25 PM

Jay,
I had switched to a new computer with VISTA. The program will not run without a new regestration.

Glenn
kd5dga

1108. Re: [TrunkPCR] New regestration

Yahoo group: TrunkPCR
Date: 2008-06-10 21:32:36 UTC
From: Glenn Blum
Topic: 1106 Message: 1108

I got it and it works.
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, June 09, 2008 10:40 PM
Subject: Re: [TrunkPCR] New regestration

Hi Glenn,

Yep, and your updated key file has been sent to you a short while ago...

Jay
----- Original Message -----
From: Glenn Blum
Sent: Monday, June 09, 2008 7:25 PM

Jay,
I had switched to a new computer with VISTA. The program will not run without a new regestration.

Glenn
kd5dga

1109. RE: [TrunkPCR] Suggestions and Feedback for TrunkPCR

Yahoo group: TrunkPCR
Date: 2008-06-20 23:51:05 UTC
From: vince48
Topic: 1102 Message: 1109

Jay

How was your trip? What is going on with you? Any new updates? It is hotter than hell up here. 105 in Fremont today.

Vincent

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Wednesday, June 04, 2008 8:46 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Suggestions and Feedback for TrunkPCR

Hi Lindsay,

Looks like everyone is too busy or other to answer?

On item #1, I did check the code and the priority should work as such: Group 12345 makes a call and has a priority of 50, while this conversation is in progress another Group 32600 starts a call that has a Priority of 45, Group 32600 conversation will now be heard since it has a lower Priority Number.

If a call is made with a Group that has a Priority of 50 and 10 seconds later another Group with a Priority of 50 has a call placed, the first Group's call will continue to be heard since the second Group's Priority is the same. There isn't any place in the code that does a comparison of the GroupID's to let a Lower GroupID have higher priority.
I've been checking this in the past few days and haven't been able to duplicate this behavior yet, but will continue to check for a few more days :)

For Item #2, that code is already in place, but if you have the Control Channel Activity winodw open, then even if the main window has focus, then the CCA window will still have control over the keyboard input due to the way the CCA window is created. I'll see about patching around this...

For Item #3, explain to me in detail how you think this SCAN operation should work...
Are you thinking of having the data stream check for active calls over a period of a few seconds and compared to Groups in TrunkBanks-A though Z to see which Group should be heard first? If so, then I have already tested this out awhile back and found that some calls will be missed due to the time lag of short messages...

For Item #4, when you place the mouse over TrunkBanks A through Z, you do see the more detailed description of the TrunkBank. But you want a separate pop-up window of the TrunkBank descriptions?

For Item #5, that is on the ToDo list...

And I'm still working on multiple Trunking Bank Scanning. I can now load all Banks into memory including Group/Radio ID's for each Bank, but still need to work out the logic for switching between different systems on the fly...

Regards,
Jay

----- Original Message -----
From: "Lindsay Blanton" <lindsay@>
Sent: Tuesday, May 27, 2008 7:10 AM

> Hey folks,
>
> I am a really heavy user of TrunkPCR - and have some suggestions for
> improvement and feedback on the program's operation. I'd love to hear
> feedback on my feedback...
>
> 1. It appears that a lower talkgroup number overrides other
> talkgroups with the same priority. For example, talkgroup ID 273 with
> a priority of 50 will supersede and override talkgroup ID 529 with a
> priority of 50. I'm not sure this is expected behavior.
>
> 2. Assignable keys to actions - such as "H" for hold and "S" for
> scan.. h for search, etc Forget the alts - if the primary window is
> in focus let us hit normal keys.
>
> 3. Eliminate the Scan / Search differentiation and make search
> actually search all talkgroups with priority maintained and scan
> actually scan talkgroups based on bank assignment.
>
> 4. Long Term: give us a bank active/bank select push button screen
> that has nice descriptions instead of letter... and allows us to
> choose active/deactive banks (when in scan mode!)
>
> 5. When editing trunk IDs and groups - the ability to edit multiple
> entries and apply the same settings would be nice.
>
> Thanks!
> --
> Lindsay Blanton
> Owner / Operator
> RadioReference.com LLC

1110. regestration

Yahoo group: TrunkPCR
Date: 2008-06-21 16:36:47 UTC
From: Glenn Blum
Topic: 1110 Message: 1110

Jay,
I need my regestration again for windows VISTA. I took my computer back and the store put a new hard drive in. I lost all my data and had no back ups.

Glenn
kd5dga

1111. Re: [TrunkPCR] regestration

Yahoo group: TrunkPCR
Date: 2008-06-21 18:10:38 UTC
From: Jay
Topic: 1110 Message: 1111

Hi Glenn,

OK, no problem, just send me the registration info again and I'll send you a new key file :)

Regards,
Jay
----- Original Message -----
From: Glenn Blum
Sent: Saturday, June 21, 2008 9:36 AM

Jay,
I need my regestration again for windows VISTA. I took my computer back and the store put a new hard drive in. I lost all my data and had no back ups.

Glenn
kd5dga

1112. Re: Road Trip and TrunkPCR Progress

Yahoo group: TrunkPCR
Date: 2008-06-21 18:36:48 UTC
From: Jay
Topic: 1112 Message: 1112

Hey Vincent,

The trip was great, except for the 104 degree temps on the way up :) Had to stop every 30 minutes after the first 200 miles for water and cool down a bit.
The way back was alot cooler, in the low 80's. Only bad part was hitting L.A. traffic at 5:15 in the afternoon. L.A. traffic was worse than Atlanta GA on the trip 4 years ago...

Riding a motorcycle with a busted foot isn't a good idea after all. 4 days before the trip, I jammed my little toe into the corner of the baseboard a bit harder than I thought. Had to keep my foot on ice so I could get my boots on :)

Currently, I'm working on a program for the Pro-83 handlheld scanner. Also, TrunkMON is getting some more work done too... I picked up a Pro-2052 and a BC780XLT to get the scanner control portion going. I'm also looking for a BCT8 on eBay for more support of TrunkMON... After I get those working, I can work on the support of other radios...

TrunkPCR will take the back seat for now and will continue in a few weeks...

Yep, the temps were 105 yesterday down in the valley and 99 up here on the side of the hill. Right now at 11:30 it's 96 and supposed to get in the low 100's today as well...

Regards,
Jay
----- Original Message -----
From: vince48
Subject: RE: [TrunkPCR] Suggestions and Feedback for TrunkPCR

Jay

How was your trip? What is going on with you? Any new updates? It is hotter than hell up here. 105 in Fremont today.

Vincent

1113. trunkpcr stand alone

Yahoo group: TrunkPCR
Date: 2008-06-25 00:15:59 UTC
From: Glenn Blum
Topic: 1113 Message: 1113

Jay,
I sat here going back and forth from TRUNKPCR and UNITRUNKER and a thought came across my mind. Have you ever though of TRUNKPCR without the radio control as a stand alone decoder? TRUNKPCR is written much better and nicer than UNITRUNKER.
Glenn Blum
kd5dga

1114. Re: [TrunkPCR] trunkpcr stand alone

Yahoo group: TrunkPCR
Date: 2008-06-25 08:14:27 UTC
From: Jay
Topic: 1113 Message: 1114

Hi Glenn,

Thanks for comment, but yep I have thought of that too :)
That's where TrunkMON is currently at, just a stand alone decoder, but still has the other features of TrunkPCR without the PCR control...

Creating even a smaller interface could easily be done too...

Thanks,
Jay
----- Original Message -----
From: Glenn Blum
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, June 24, 2008 5:15 PM
Subject: [TrunkPCR] trunkpcr stand alone

Jay,
I sat here going back and forth from TRUNKPCR and UNITRUNKER and a thought came across my mind. Have you ever though of TRUNKPCR without the radio control as a stand alone decoder? TRUNKPCR is written much better and nicer than UNITRUNKER.
Glenn Blum
kd5dga

1115. Re: [TrunkPCR] trunkpcr stand alone

Yahoo group: TrunkPCR
Date: 2008-06-25 23:23:06 UTC
From: Glenn Blum
Topic: 1113 Message: 1115

I feel stupid, I didnt realize that you already had something out. I just like the program layout, it easy and clean to use.
Glenn Blum
kd5dga
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, June 25, 2008 3:14 AM
Subject: Re: [TrunkPCR] trunkpcr stand alone

Hi Glenn,

Thanks for comment, but yep I have thought of that too :)
That's where TrunkMON is currently at, just a stand alone decoder, but still has the other features of TrunkPCR without the PCR control...

Creating even a smaller interface could easily be done too...

Thanks,
Jay
----- Original Message -----
From: Glenn Blum
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, June 24, 2008 5:15 PM
Subject: [TrunkPCR] trunkpcr stand alone

Jay,
I sat here going back and forth from TRUNKPCR and UNITRUNKER and a thought came across my mind. Have you ever though of TRUNKPCR without the radio control as a stand alone decoder? TRUNKPCR is written much better and nicer than UNITRUNKER.
Glenn Blum
kd5dga

1116. TrunkMON

Yahoo group: TrunkPCR
Date: 2008-06-25 23:44:25 UTC
From: Glenn Blum
Topic: 1116 Message: 1116

Jay,
I am giving TrunkMON a test drive.
Glenn Blum
kd5dga

1117. Audio Recording

Yahoo group: TrunkPCR
Date: 2008-07-13 03:55:33 UTC
From: jcolson@mobiletel.com
Topic: 1117 Message: 1117

Jay,

I have been testing Trunk PCR and would like to know if its possible to record the stuff I'm listening too?

1118. Recording Audio

Yahoo group: TrunkPCR
Date: 2008-07-13 04:43:20 UTC
From: pocph6
Topic: 1118 Message: 1118

Is it possible to record audio with TrunkPCR?

1119. Re: [TrunkPCR] Audio Recording

Yahoo group: TrunkPCR
Date: 2008-07-13 07:41:55 UTC
From: Jay
Topic: 1117 Message: 1119

Yes it is possible to record what you are hearing.

TrunkPCR does have a built-in recorder to let you do just this.
Under the Options Menu, select the "Sound Card Setup" item and edit you settings.
When you are ready to record, click the "Sound Recorder" item under the Controls Menu...

In order to record conversations from a trunking system you will need a second Sound Card (A cheap USB Sound Card works pretty good).

A "Timed Record" feature is being worked on and an option to record each Trunking Group to it's own file is being looked into :)

Regards,
Jay

----- Original Message -----
From: <jcolson@>
Sent: Saturday, July 12, 2008 8:55 PM

> Jay,
>
> I have been testing Trunk PCR and would like to know if its possible to
> record the stuff I'm listening too?

1120. Documentation

Yahoo group: TrunkPCR
Date: 2008-07-14 02:39:46 UTC
From: jcolson@mobiletel.com
Topic: 1120 Message: 1120

Hello Everyone,

My name is Joseph and I have been using TrunkPCR for a short time. I suggested to Jay that I would make a TrunkPCR page on the radio reference web page in a attempt to make sort of a manual for this great software. Jay has agreed! The URL is
http://wiki.radioreference.com/index.php/TrunkPCR
Anyone can edit the web page and I would recommend everyone try their bit of editing to help Jay create some documentation for the software. Feel free to add some information.

take care,

Joseph

1121. Re: [TrunkPCR] Documentation

Yahoo group: TrunkPCR
Date: 2008-07-15 01:24:36 UTC
From: Glenn Blum
Topic: 1120 Message: 1121

Thats cool , however this maybe a display problem on my end, but I had to scroll far to the right to read. Is there anyway to word wrap the sentences?
Glenn Blum
kd5dga
----- Original Message -----
From: jcolson@mobiletel.com
To: TrunkPCR@yahoogroups.com
Sent: Sunday, July 13, 2008 9:39 PM
Subject: [TrunkPCR] Documentation

Hello Everyone,

My name is Joseph and I have been using TrunkPCR for a short time. I suggested to Jay that I would make a TrunkPCR page on the radio reference web page in a attempt to make sort of a manual for this great software. Jay has agreed! The URL is
http://wiki.radioreference.com/index.php/TrunkPCR
Anyone can edit the web page and I would recommend everyone try their bit of editing to help Jay create some documentation for the software. Feel free to add some information.

take care,

Joseph

1122. private calls

Yahoo group: TrunkPCR
Date: 2008-07-16 02:50:47 UTC
From: Glenn Blum
Topic: 1122 Message: 1122

This is the first time I have ever seen in the control channel data on a 9600 edacs system a private call displayed instead of data or analog.
Is this a analamly?
Glenn Blum
kd5dga

1123. RE: [TrunkPCR] private calls

Yahoo group: TrunkPCR
Date: 2008-07-16 03:02:52 UTC
From: johnstark
Topic: 1122 Message: 1123

no, it is normal

JS
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf
Of Glenn Blum
Sent: Tuesday, July 15, 2008 10:51 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] private calls

This is the first time I have ever seen in the control channel data on a
9600 edacs system a private call displayed instead of data or analog.
Is this a analamly?
Glenn Blum
kd5dga

1124. Re: [TrunkPCR] private calls

Yahoo group: TrunkPCR
Date: 2008-07-17 01:22:47 UTC
From: Glenn Blum
Topic: 1122 Message: 1124

Would this be refered to a I-CALL?
Glenn Blum
kd5dga
----- Original Message -----
From: johnstark
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, July 15, 2008 10:02 PM
Subject: RE: [TrunkPCR] private calls

no, it is normal

JS
-----Original Message-----
From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]On Behalf Of Glenn Blum
Sent: Tuesday, July 15, 2008 10:51 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] private calls

This is the first time I have ever seen in the control channel data on a 9600 edacs system
a private call displayed instead of data or analog.
Is this a analamly?
Glenn Blum
kd5dga

1125. Re: [TrunkPCR] private calls

Yahoo group: TrunkPCR
Date: 2008-07-18 19:01:48 UTC
From: Jay
Topic: 1122 Message: 1125

Hi Glenn,

Yep, I-Call = Private Call... Moto's I-Call is the same as Edacs Private Call, one user talking to another user...

In the past month, I have bought on ebay a Pro-2052, BCT-8, BC780XLT and a BCT-15.
So now I can compare TrunkPCR to these scanners that can display/receive the I-Calls...

Regards,
Jay

----- Original Message -----
From: Glenn Blum
Sent: Wednesday, July 16, 2008 6:22 PM

Would this be refered to a I-CALL?
Glenn Blum
kd5dga

1126. Something new for TrunkPCR

Yahoo group: TrunkPCR
Date: 2008-07-18 19:08:12 UTC
From: Jay
Topic: 1126 Message: 1126

After playing with a BCT-15, I see how usefull a temporary Lock-Out function can be.
Someone had asked awhile back if I would add this feature, but I didn't see a need for it.

But now after seeing myself how usefull it can be, I will be adding this feature as well...

Regards,
Jay

1127. Re: [TrunkPCR] private calls

Yahoo group: TrunkPCR
Date: 2008-07-19 02:20:33 UTC
From: Glenn Blum
Topic: 1122 Message: 1127

I am up to a PRO433 (providing discriminator output for trunkpcr) Monitoring Bell County Public Safety EDACS system, PRO2055 monitoring a local LTR system used by one of our Hospitals, and a PRO2006 with a CSI communications decoder Unit CD-1 running a whopping 5 channels monitoring medivac flights in my area and a PRO-2052 which my wife uses at her computer for listening into our County EDACS system.

Glenn Blum
kd5dga
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, July 18, 2008 2:01 PM
Subject: Re: [TrunkPCR] private calls

Hi Glenn,

Yep, I-Call = Private Call... Moto's I-Call is the same as Edacs Private Call, one user talking to another user...

In the past month, I have bought on ebay a Pro-2052, BCT-8, BC780XLT and a BCT-15.
So now I can compare TrunkPCR to these scanners that can display/receive the I-Calls...

Regards,
Jay

----- Original Message -----
From: Glenn Blum
Sent: Wednesday, July 16, 2008 6:22 PM

Would this be refered to a I-CALL?
Glenn Blum
kd5dga

1128. request on future releases

Yahoo group: TrunkPCR
Date: 2008-07-20 03:37:29 UTC
From: Glenn Blum
Topic: 1128 Message: 1128

Jay,
On future releases of TRUNKPCR is there the possibility to have a column on the control channel screen that will show control channel history. I have notice lately on our County EDACS system that its using a different channel for control.
Glenn Blum
kd5dga

1129. Re: [TrunkPCR] private calls

Yahoo group: TrunkPCR
Date: 2008-07-21 19:45:28 UTC
From: Jay
Topic: 1122 Message: 1129

Wow! Sounds like you have it all covered :)

I have a Pro-96 programmed for the local SouthRCS digital site, a tapped Pro-2006 that I use now and then and a Pro-2004, Pro-34 & Pro-2020 that spend most of their time just sitting around :)

Your wife is interested in scanning too, that cool... You don't find to many wives that are interested in listening to the happeings in the local area...

Regards,
Jay
----- Original Message -----
From: Glenn Blum
To: TrunkPCR@yahoogroups.com
Sent: Friday, July 18, 2008 7:20 PM
Subject: Re: [TrunkPCR] private calls

I am up to a PRO433 (providing discriminator output for trunkpcr) Monitoring Bell County Public Safety EDACS system, PRO2055 monitoring a local LTR system used by one of our Hospitals, and a PRO2006 with a CSI communications decoder Unit CD-1 running a whopping 5 channels monitoring medivac flights in my area and a PRO-2052 which my wife uses at her computer for listening into our County EDACS system.

Glenn Blum
kd5dga
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, July 18, 2008 2:01 PM
Subject: Re: [TrunkPCR] private calls

Hi Glenn,

Yep, I-Call = Private Call... Moto's I-Call is the same as Edacs Private Call, one user talking to another user...

In the past month, I have bought on ebay a Pro-2052, BCT-8, BC780XLT and a BCT-15.
So now I can compare TrunkPCR to these scanners that can display/receive the I-Calls...

Regards,
Jay

----- Original Message -----
From: Glenn Blum
Sent: Wednesday, July 16, 2008 6:22 PM

Would this be refered to a I-CALL?
Glenn Blum

kd5dga

1130. Re: [TrunkPCR] request on future releases

Yahoo group: TrunkPCR
Date: 2008-07-21 19:49:24 UTC
From: Jay
Topic: 1128 Message: 1130

Hey Glenn,

Actually I have been thinking of adding a "History Tab" that will show that and a few other things, but am still deciding on what those other tings are...

Anyone have any ideas?

Regards,
Jay

----- Original Message -----
From: Glenn Blum
To: TrunkPCR@yahoogroups.com
Sent: Saturday, July 19, 2008 8:37 PM
Subject: [TrunkPCR] request on future releases

Jay,
On future releases of TRUNKPCR is there the possibility to have a column on the control channel screen that will show control channel history. I have notice lately on our County EDACS system that its using a different channel for control.
Glenn Blum
kd5dga

1131. Re: [TrunkPCR] request on future releases

Yahoo group: TrunkPCR
Date: 2008-07-21 23:32:25 UTC
From: Glenn Blum
Topic: 1128 Message: 1131

Thats cool.

Glenn Blum
kd5dga
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, July 21, 2008 2:49 PM
Subject: Re: [TrunkPCR] request on future releases

Hey Glenn,

Actually I have been thinking of adding a "History Tab" that will show that and a few other things, but am still deciding on what those other tings are...

Anyone have any ideas?

Regards,
Jay

----- Original Message -----
From: Glenn Blum
To: TrunkPCR@yahoogroups.com
Sent: Saturday, July 19, 2008 8:37 PM
Subject: [TrunkPCR] request on future releases

Jay,
On future releases of TRUNKPCR is there the possibility to have a column on the control channel screen that will show control channel history. I have notice lately on our County EDACS system that its using a different channel for control.
Glenn Blum
kd5dga

1132. Re: [TrunkPCR] private calls

Yahoo group: TrunkPCR
Date: 2008-07-22 00:05:31 UTC
From: Glenn Blum
Topic: 1122 Message: 1132

Yes it is cool when she listen in. She keeps me in formed while I am at work, especially if there is a traffic on any of the roads I travel.
The PRO2006 does not provide me with a good quality discriminator output for any programs. Thats why its running 5 channels conventional, showing DCS/PL tones.
Glenn Blum
kd5dga
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, July 21, 2008 2:45 PM
Subject: Re: [TrunkPCR] private calls

Wow! Sounds like you have it all covered :)

I have a Pro-96 programmed for the local SouthRCS digital site, a tapped Pro-2006 that I use now and then and a Pro-2004, Pro-34 & Pro-2020 that spend most of their time just sitting around :)

Your wife is interested in scanning too, that cool... You don't find to many wives that are interested in listening to the happeings in the local area...

Regards,
Jay
----- Original Message -----
From: Glenn Blum
To: TrunkPCR@yahoogroups.com
Sent: Friday, July 18, 2008 7:20 PM
Subject: Re: [TrunkPCR] private calls

I am up to a PRO433 (providing discriminator output for trunkpcr) Monitoring Bell County Public Safety EDACS system, PRO2055 monitoring a local LTR system used by one of our Hospitals, and a PRO2006 with a CSI communications decoder Unit CD-1 running a whopping 5 channels monitoring medivac flights in my area and a PRO-2052 which my wife uses at her computer for listening into our County EDACS system.

Glenn Blum
kd5dga
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, July 18, 2008 2:01 PM
Subject: Re: [TrunkPCR] private calls

Hi Glenn,

Yep, I-Call = Private Call... Moto's I-Call is the same as Edacs Private Call, one user talking to another user...

In the past month, I have bought on ebay a Pro-2052, BCT-8, BC780XLT and a BCT-15.
So now I can compare TrunkPCR to these scanners that can display/receive the I-Calls...

Regards,
Jay

----- Original Message -----
From: Glenn Blum
Sent: Wednesday, July 16, 2008 6:22 PM

Would this be refered to a I-CALL?
Glenn Blum
kd5dga

1133. Re: [TrunkPCR] private calls

Yahoo group: TrunkPCR
Date: 2008-07-22 00:20:44 UTC
From: Jim Fuller
Topic: 1122 Message: 1133
Attachments: 2 described; binary payloads are missing from this source WARC

Oh, yeah. I listen to the aviation band a good bit, but it isn't too long before my wife requests a shift to the Police/Fire/Amb. bank.

Jim

>>>

From: "Glenn Blum" <kd5dga@...>
To:<TrunkPCR@yahoogroups.com>
Date: 7/21/2008 17:06
Subject: Re: [TrunkPCR] private calls

Yes it is cool when she listen in. She keeps me in formed while I am at work, especially if there is a traffic on any of the roads I travel.

The PRO2006 does not provide me with a good quality discriminator output for any programs. Thats why its running 5 channels conventional, showing DCS/PL tones.
Glenn Blum
kd5dga

----- Original Message -----
From: Jay (mailto:crazycalifornian@...)
To: TrunkPCR@yahoogroups.com (mailto:TrunkPCR@yahoogroups.com)
Sent: Monday, July 21, 2008 2:45 PM
Subject: Re: [TrunkPCR] private calls

Wow! Sounds like you have it all covered :)

I have a Pro-96 programmed for the local SouthRCS digital site, a tapped Pro-2006 that I use now and then and a Pro-2004, Pro-34 & Pro-2020 that spend most of their time just sitting around :)

Your wife is interested in scanning too, that cool... You don't find to many wives that are interested in listening to the happeings in the local area...

Regards,
Jay

----- Original Message -----
From: Glenn Blum (mailto:kd5dga@...)
To: TrunkPCR@yahoogroups.com (mailto:TrunkPCR@yahoogroups.com)
Sent: Friday, July 18, 2008 7:20 PM
Subject: Re: [TrunkPCR] private calls

I am up to a PRO433 (providing discriminator output for trunkpcr) Monitoring Bell County Public Safety EDACS system, PRO2055 monitoring a local LTR system used by one of our Hospitals, and a PRO2006 with a CSI communications decoder Unit CD-1 running a whopping 5 channels monitoring medivac flights in my area and a PRO-2052 which my wife uses at her computer for listening into our County EDACS system.

Glenn Blum
kd5dga

----- Original Message -----
From: Jay (mailto:crazycalifornian@...)
To: TrunkPCR@yahoogroups.com (mailto:TrunkPCR@yahoogroups.com)
Sent: Friday, July 18, 2008 2:01 PM
Subject: Re: [TrunkPCR] private calls

Hi Glenn,

Yep, I-Call = Private Call... Moto's I-Call is the same as Edacs Private Call, one user talking to another user...

In the past month, I have bought on ebay a Pro-2052, BCT-8, BC780XLT and a BCT-15.
So now I can compare TrunkPCR to these scanners that can display/receive the I-Calls...

Regards,
Jay

----- Original Message -----
From: Glenn Blum (mailto:kd5dga@...)
Sent: Wednesday, July 16, 2008 6:22 PM

Would this be refered to a I-CALL?
Glenn Blum
kd5dga

B¼information contained in this e-mail message is confidential, intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any review, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this e-mail in error, please contact postmaster@...

1134. Re: [TrunkPCR] private calls

Yahoo group: TrunkPCR
Date: 2008-07-23 22:38:11 UTC
From: Glenn Blum
Topic: 1122 Message: 1134

I noticed on private calls I get nothing but dead carrier. No voice what so ever.
Glenn Blum
kd5dga
----- Original Message -----
From: Jim Fuller
To: TrunkPCR@yahoogroups.com
Sent: Monday, July 21, 2008 7:20 PM
Subject: Re: [TrunkPCR] private calls

Oh, yeah. I listen to the aviation band a good bit, but it isn't too long before my wife requests a shift to the Police/Fire/Amb. bank.

Jim

>>>
From: "Glenn Blum" <kd5dga@...>
To: <TrunkPCR@yahoogroups.com>
Date: 7/21/2008 17:06
Subject: Re: [TrunkPCR] private calls

Yes it is cool when she listen in. She keeps me in formed while I am at work, especially if there is a traffic on any of the roads I travel.
The PRO2006 does not provide me with a good quality discriminator output for any programs. Thats why its running 5 channels conventional, showing DCS/PL tones.
Glenn Blum
kd5dga
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, July 21, 2008 2:45 PM
Subject: Re: [TrunkPCR] private calls

Wow! Sounds like you have it all covered :)

I have a Pro-96 programmed for the local SouthRCS digital site, a tapped Pro-2006 that I use now and then and a Pro-2004, Pro-34 & Pro-2020 that spend most of their time just sitting around :)

Your wife is interested in scanning too, that cool... You don't find to many wives that are interested in listening to the happeings in the local area...

Regards,
Jay
----- Original Message -----
From: Glenn Blum
To: TrunkPCR@yahoogroups.com
Sent: Friday, July 18, 2008 7:20 PM

Subject: Re: [TrunkPCR] private calls

I am up to a PRO433 (providing discriminator output for trunkpcr) Monitoring Bell County Public Safety EDACS system, PRO2055 monitoring a local LTR system used by one of our Hospitals, and a PRO2006 with a CSI communications decoder Unit CD-1 running a whopping 5 channels monitoring medivac flights in my area and a PRO-2052 which my wife uses at her computer for listening into our County EDACS system.

Glenn Blum
kd5dga
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, July 18, 2008 2:01 PM
Subject: Re: [TrunkPCR] private calls

Hi Glenn,

Yep, I-Call = Private Call... Moto's I-Call is the same as Edacs Private Call, one user talking to another user...

In the past month, I have bought on ebay a Pro-2052, BCT-8, BC780XLT and a BCT-15.
So now I can compare TrunkPCR to these scanners that can display/receive the I-Calls...

Regards,
Jay

----- Original Message -----
From: Glenn Blum
Sent: Wednesday, July 16, 2008 6:22 PM

Would this be refered to a I-CALL?
Glenn Blum
kd5dga

The information contained in this e-mail message is confidential, intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any review, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this e-mail in error, please contact postmaster@...

1135. Re: [TrunkPCR] private calls

Yahoo group: TrunkPCR
Date: 2008-07-30 19:10:29 UTC
From: Jay
Topic: 1122 Message: 1135

Hey Glenn,

As soon as I can receive the Edacs system (100 miles away), I'll see if I can verify this...
I've been monitoring it the past week, but the signal has been too weak to decode.

Jay
----- Original Message -----
From: Glenn Blum
Sent: Wednesday, July 23, 2008 3:38 PM
☐
I noticed on private calls I get nothing but dead carrier. No voice what so ever.
Glenn Blum
kd5dga

1136. Run Two PCR100 with TrunkPCR

Yahoo group: TrunkPCR
Date: 2008-07-30 22:31:55 UTC
From: icompcrbug
Topic: 1136 Message: 1136

I'm looking to run two PCR100's with TrunkPCR on one computer. Can I run two of the same latest version of TrunkPCR software on one computer and run two PCR100's, and if so how? I would also like to learn how to run TrunkPCR in Dual mode with two PCR100's

Thanks for your time!
73

1137. Re: [TrunkPCR] Run Two PCR100 with TrunkPCR

Yahoo group: TrunkPCR
Date: 2008-07-31 03:03:22 UTC
From: Jay
Topic: 1136 Message: 1137

Hi,

Yep, you can run two copies of TrunkPCR at the same time.
You just need to make a new folder and copy TrunkPCR.exe, TrunkPcr.dll, Spectrum.dll and a TrunkPcr.key file (if you have one) to this new folder.
Run this copy and change your settings as needed.

In Dual mode, the Secondary PCR will be used as the Sound Source for the trunking decoder and the Primary will be used to follow the voice traffic.
Run the program in the new folder and have it control the Secondary PCR.
You will have to set the Control Channel manually. Connect the Disc Tap Out of the Secondary PCR to your sound card.
Then run the original TrunkPCR program, set for Dual Mode and hit the Trunk Button. If all is set correctly you will be in business :)

Regards,
Jay

----- Original Message -----
From: "icompcrbug" <icompcrbug>
Sent: Wednesday, July 30, 2008 3:31 PM

> I'm looking to run two PCR100's with TrunkPCR on one computer. Can I
> run two of the same latest version of TrunkPCR software on one
> computer and run two PCR100's, and if so how? I would also like to
> learn how to run TrunkPCR in Dual mode with two PCR100's
>
> Thanks for your time!
> 73

1138. soundcard (REALTEK AC97 HIGH DEF.)

Yahoo group: TrunkPCR
Date: 2008-08-01 23:04:17 UTC
From: Glenn Blum
Topic: 1138 Message: 1138

I have been meaning to ask a question conserning sound controls on my new computer on windows vista.
My last computer I had AC97 sound. I could listen to my pc speakers to trouble shoot if I had audio comming in through the line-in. I knew this can be muted through the mixer control under windows xp. Now I dont have that option. Has anyone have the same situation?
Glenn Blum
kd5dga

1139. Re: [TrunkPCR] soundcard (REALTEK AC97 HIGH DEF.)

Yahoo group: TrunkPCR
Date: 2008-08-01 23:41:02 UTC
From: Glenn Blum
Topic: 1138 Message: 1139

Ok false alarm. I went back and updated the driver from the basic. Now I have total control.
Glenn Blum
kd5dga
----- Original Message -----
From: Glenn Blum
To: TrunkPCR@yahoogroups.com
Sent: Friday, August 01, 2008 6:04 PM
Subject: [TrunkPCR] soundcard (REALTEK AC97 HIGH DEF.)

I have been meaning to ask a question conserning sound controls on my new computer on windows vista.
My last computer I had AC97 sound. I could listen to my pc speakers to trouble shoot if I had audio comming in through the line-in. I knew this can be muted through the mixer control under windows xp. Now I dont have that option. Has anyone have the same situation?
Glenn Blum
kd5dga

1140. signal meter

Yahoo group: TrunkPCR
Date: 2008-08-10 18:44:39 UTC
From: Glenn Blum
Topic: 1140 Message: 1140

Jay and the group,
In dual mode trunking, what signal does the s-meter show? The PCR's signal or the radio providing the discriminator input?

Thanks,
Glenn Blum
kd5dga

1141. Two questions

Yahoo group: TrunkPCR
Date: 2008-08-10 13:48:41 UTC
From: John Schneider
Topic: 1141 Message: 1141

Can someone advise as to how I can access the "Edit Freq. Plan" located under the "Trunk" key? I would also like to know where I can find the Control Channel Activity page?

Thank you.

John, KB2COP
thecop@...

1142. Re: [TrunkPCR] signal meter

Yahoo group: TrunkPCR
Date: 2008-08-10 19:59:47 UTC
From: Jay
Topic: 1140 Message: 1142

Hi Glenn,

The S-Meter shows the signal strength of the PCR that is used for voice following. I will be adding support to control the 2nd Scanner as long as it is one of the following: PRO2052, BC245XLT, BC250D, BC296D, BC780XLT, BC796D, BC895XLT, BCT8, BCT15, Etc...

The 2nd Scanner support will monitor the Squelch Detect, Signal Level (if available) and set it's frequency...

Regards,
Jay

----- Original Message -----
From: Glenn Blum
Sent: Sunday, August 10, 2008 11:44 AM

Jay and the group,
In dual mode trunking, what signal does the s-meter show? The PCR's signal or the radio providing the discriminator input?

Thanks,
Glenn Blum
kd5dga

1143. Re: [TrunkPCR] Two questions

Yahoo group: TrunkPCR
Date: 2008-08-10 20:10:39 UTC
From: Jay
Topic: 1141 Message: 1143

Hi John,

In order to Edit the Frequency Plan from the Trunk Menu, you need to select the [Extended] or [Custom] Button in the Trunk Settings in the Motorola Options. After that, the Edit Freq Plan Menu will be usable...

To get to the Control Channel Activity window, The [Trunk] Button must be depressed first, then you can either click the [Dump] or [Control] Button...

Regards,
Jay

----- Original Message -----
From: "John Schneider"
Sent: Sunday, August 10, 2008 6:48 AM

> Can someone advise as to how I can access the "Edit Freq. Plan"
> located under the "Trunk" key? I would also like to know where I can
> find the Control Channel Activity page?
>
> Thank you.
>
> John, KB2COP
> thecop@...

1144. Re: [TrunkPCR] signal meter

Yahoo group: TrunkPCR
Date: 2008-08-11 09:57:05 UTC
From: Jay
Topic: 1140 Message: 1144

I forgot to mention, that support for a 2nd PCR will be added too, mainly for a PCR-1000, PCR-100 or PCR-1500 since the 2500 already has a 2nd (SUB) Receiver built-in...

----- Original Message -----
From: Jay
Sent: Sunday, August 10, 2008 12:59 PM

Hi Glenn,

The S-Meter shows the signal strength of the PCR that is used for voice following. I will be adding support to control the 2nd Scanner as long as it is one of the following: PRO2052, BC245XLT, BC250D, BC296D, BC780XLT, BC796D, BC895XLT, BCT8, BCT15, Etc...

The 2nd Scanner support will monitor the Squelch Detect, Signal Level (if available) and set it's frequency...

Regards,
Jay

----- Original Message -----
From: Glenn Blum
Sent: Sunday, August 10, 2008 11:44 AM

Jay and the group,
In dual mode trunking, what signal does the s-meter show? The PCR's signal or the radio providing the discriminator input?

Thanks,
Glenn Blum
kd5dga

1145. Re: [TrunkPCR] signal meter

Yahoo group: TrunkPCR
Date: 2008-08-11 15:12:45 UTC
From: John
Topic: 1140 Message: 1145

Jay,

An incredible bit of software! I am still learning and discovering new facilities within TrunkPCR.

Forgive my ignorance, but what would the advantage be to adding another PCR1000?

John

Jay wrote:
>
> I forgot to mention, that support for a 2nd PCR will be added too,
> mainly for a PCR-1000, PCR-100 or PCR-1500 since the 2500 already has
> a 2nd (SUB) Receiver built-in...
>
>
> ----- Original Message -----
> *From:* Jay <mailto:crazycalifornian@...>
> *Sent:* Sunday, August 10, 2008 12:59 PM
>
> Hi Glenn,
>
> The S-Meter shows the signal strength of the PCR that is used for
> voice following. I will be adding support to control the 2nd
> Scanner as long as it is one of the following:
> PRO2052, BC245XLT, BC250D, BC296D, BC780XLT, BC796D,
> BC895XLT, BCT8, BCT15, Etc...
>
> The 2nd Scanner support will monitor the Squelch Detect, Signal
> Level (if available) and set it's frequency...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> *From:* Glenn Blum <mailto:kd5dga@...>
> *Sent:* Sunday, August 10, 2008 11:44 AM
>
> Jay and the group,
> In dual mode trunking, what signal does the s-meter show? The
> PCR's signal or the radio providing the discriminator input?
>
> Thanks,
> Glenn Blum

> kd5dga
>
>
> No virus found in this incoming message.
> Checked by AVG - http://www.avg.com
> Version: 8.0.138 / Virus Database: 270.6.0/1602 - Release Date: 8/9/2008 1:22 PM
>

1146. Re: [TrunkPCR] signal meter

Yahoo group: TrunkPCR
Date: 2008-08-11 21:33:28 UTC
From: Jay
Topic: 1140 Message: 1146

Hi John,

With TrunkPCR, you have the option to use a second radio in trunking to be used as the "Decoding Source" and the main radio to be used to follow the voice traffic. This ability allows you to use the Priority feature which lets you designate each GroupID a different priority. For example; you can have a SWAT or EMERGENCY Group set to 1, normal Police Groups set to 20, Fire Groups set to 40, Medic Groups set to 50 and so on...

You can have a Priority set from 1 to 99, 1 being the highest and 99 being the lowest priority.
While listening to a Fire call, a Police call could be made and since it has a "Higher" Priority than the Fire Group, TrunkPCR will jump to the Police Group to follow it's call. And if a Emergency or SWAT group call is made while listening to any other group, since it has the highest priority it will jump to this call...

Another useful option in using two radios allows you to use the "See Who's Talking" (TM) feature. This will show a picture of the user who is currently talking. A User or Radio can be assigned their own picture that can be one of 26 internally saved pictures ranging from different Fire trucks, Sheriff, Police Highway Patrol cars, Police & Medic Copters, Lifeguard truck, Transportation/School buses and a Dispatch Operator to name a few. You can also select 1 of 100 user definable pictures to be used too...

Regards,
Jay

----- Original Message -----
From: "John"
Sent: Monday, August 11, 2008 8:12 AM

> Jay,
>
> An incredible bit of software! I am still learning and discovering new
> facilities within TrunkPCR.
>
> Forgive my ignorance, but what would the advantage be to adding another
> PCR1000?
>
> John
>
>
> Jay wrote:
> >

> > I forgot to mention, that support for a 2nd PCR will be added too,
> > mainly for a PCR-1000, PCR-100 or PCR-1500 since the 2500 already has
> > a 2nd (SUB) Receiver built-in...

1147. Re: [TrunkPCR] signal meter

Yahoo group: TrunkPCR
Date: 2008-08-11 21:53:16 UTC
From: John
Topic: 1140 Message: 1147

Nothing short of remarkable. To the best of my knowledge (limited as it is, 12 plus scanners) there are no radios that have that ability as stand-alone hardware.

Funny, but I purchased the PCR1K to have an "all in one" radio in my den, with not too much in the way of expectations. I do have a shack that is loaded, but this allows me to access the ether and stay with the family at night. I actually believed that I was buying a piece of older technology. But just like my recently purchased PRO2006 w/ Probe v.7, youz guyz with your software voodoo keep the hardware technology as relevant as the day it came out, if not more so!!

John, KB2COP
thecop@...
www.geocities.com/theoldcop

Jay wrote:
>
> Hi John,
>
> With TrunkPCR, you have the option to use a second radio in trunking to be
> used as the "Decoding Source" and the main radio to be used to follow the
> voice traffic. This ability allows you to use the Priority feature which
> lets you designate each GroupID a different priority. For example; you can
> have a SWAT or EMERGENCY Group set to 1, normal Police Groups set to 20,
> Fire Groups set to 40, Medic Groups set to 50 and so on...
>
> You can have a Priority set from 1 to 99, 1 being the highest and 99 being
> the lowest priority.
> While listening to a Fire call, a Police call could be made and since it
> has a "Higher" Priority than the Fire Group, TrunkPCR will jump to the
> Police Group to follow it's call. And if a Emergency or SWAT group call is
> made while listening to any other group, since it has the highest priority
> it will jump to this call...
>
> Another useful option in using two radios allows you to use the "See Who's
> Talking" (TM) feature. This will show a picture of the user who is
> currently talking. A User or Radio can be assigned their own picture that
> can be one of 26 internally saved pictures ranging from different Fire
> trucks, Sheriff, Police Highway Patrol cars, Police & Medic Copters,
> Lifeguard truck, Transportation/School buses and a Dispatch Operator
> to name
> a few. You can also select 1 of 100 user definable pictures to be used
> too...
>
> Regards,

> Jay
>
> ----- Original Message -----
> From: "John"
> Sent: Monday, August 11, 2008 8:12 AM
>
> > Jay,
> >
> > An incredible bit of software! I am still learning and discovering new
> > facilities within TrunkPCR.
> >
> > Forgive my ignorance, but what would the advantage be to adding another
> > PCR1000?
> >
> > John
> >
> >
> > Jay wrote:
> > >
> > > I forgot to mention, that support for a 2nd PCR will be added too,
> > > mainly for a PCR-1000, PCR-100 or PCR-1500 since the 2500 already has
> > > a 2nd (SUB) Receiver built-in...
>
>
> No virus found in this incoming message.
> Checked by AVG - http://www.avg.com
> Version: 8.0.138 / Virus Database: 270.6.0/1604 - Release Date: 8/11/2008 5:50 AM
>

1148. Edacs system in london ontario

Yahoo group: TrunkPCR
Date: 2008-08-16 09:00:45 UTC
From: craigkyle1979
Topic: 1148 Message: 1148

Hello i have managed to get my radio programed for the public safety system in london ontario using the web import option but for some reason when the program scans it show lots of activity on the control channel but all I ever here is beeping when it finds an active radio. Any help as to what I may be doing wrong would be greatly appreciated. Thanks.

1149. Re: [TrunkPCR] Edacs system in london ontario

Yahoo group: TrunkPCR
Date: 2008-08-16 18:10:47 UTC
From: Jay
Topic: 1148 Message: 1149

Hi,

In the Control Channel Tab's list, do you see Group ID's and Radio ID's with descriptions or is what you are seeing a bunch of "Data Calls" (it would say "Data" under the Info Column)?

Under the "TB" Column, are all of the Groups assigned to the [?] (New Group TrunkBank) or [A] to [Z] TrunkBanks and is the Associated TrunkBank in the Main Display Enabled (Has a Orange box instead of Blue)?

Thanks,
Jay

----- Original Message -----
From: "craigkyle1979"
Sent: Saturday, August 16, 2008 2:00 AM

> Hello i have managed to get my radio programed for the public safety
> system in london ontario using the web import option but for some
> reason when the program scans it show lots of activity on the control
> channel but all I ever here is beeping when it finds an active radio.
> Any help as to what I may be doing wrong would be greatly appreciated.
> Thanks.

1150. Re: Edacs system in london ontario

Yahoo group: TrunkPCR
Date: 2008-08-17 21:09:12 UTC
From: craigkyle1979
Topic: 1148 Message: 1150

Thank you for the quick response and help, I managed to get everything set and I have added some analog groups to bank A. However when I look in the control channel activity window I see groups come up that I have assigned to bank A, but I do not hear them nor does trunkpcr stop on them for some reason.

1151. EDACS Programming 101

Yahoo group: TrunkPCR
Date: 2008-08-24 06:03:47 UTC
From: brisk13026
Topic: 1151 Message: 1151

Hi all, I've been tinkering with the TrunkPCR demo for just a little over a week now, and have managed to figure out convetional programming/scanning but I seem to be stumped on trunked programming.

I'm trying to setup a 10 ch. EDACS system, the CC is LCN 2. (if that matters) I've managed to get the freq. in a bank, and I have seen the 'EDACS' tab in settings menu. Sifting thru past messages, I know the "FSK" button is involved, but somehow have it configured improperly because is greyed out and I cant turn it on or off. It keeps wanting to revert to "FM" I also know that the "frequency plan editor" is involved and can get frequencies in it, but dont really understand how it comes into play. When I press the "trunk" button, I know its not set up right, because its not tracking at all, nor is there any type of audio. Only do I get audio when its out of 'trunk' and just sitting on a specific channel, then of course its like scanning a EDACS system in conventional mode. There are no TGID's programmed in, quite simply because I have'nt got that far, is this contributing to my problem? I have a suspicion that I have most if not all of my ducks, just not in the right order. Can someone straighten me out and get me started in the right direction?....many thanks in advance...

Brian

1152. Re: [TrunkPCR] EDACS Programming 101

Yahoo group: TrunkPCR
Date: 2008-08-24 06:30:37 UTC
From: Jay
Topic: 1151 Message: 1152

Hi Brian,

Well, you have most of it figured out already :)

1) In the "Frequency Plan Editor", Enter LCN (Channel Number) and it associated frequency for all channels in the system...
2) If you have a PCR-1500 or PCR-2500, then the [FSK] Button will be disabled. Those radios don't support that Mode, so that is why [FM] is selected instead...
3) Set the channel to the Control Channel (Constant Buzzing) and click the [Trunk] Button. If the Reverse Polarity is set right in the Trunk Settings, then you should start seeing some activity.

You may have to adjust the Level of your Line-In or Mic Input for it to start decoding also...

You don't need to enter TalkGroup ID's for it to work, TrunkPCR will save them for you (Check the Trunk Settings).

Regards,
Jay

----- Original Message -----
From: "brisk13026"
Sent: Saturday, August 23, 2008 11:03 PM

> Hi all, I've been tinkering with the TrunkPCR demo for just a little
> over a week now, and have managed to figure out convetional
> programming/scanning but I seem to be stumped on trunked
> programming.
>
> I'm trying to setup a 10 ch. EDACS system, the CC is LCN 2. (if that
> matters) I've managed to get the freq. in a bank, and I have seen
> the 'EDACS' tab in settings menu. Sifting thru past messages, I know
> the "FSK" button is involved, but somehow have it configured
> improperly because is greyed out and I cant turn it on or off. It
> keeps wanting to revert to "FM" I also know that the "frequency plan
> editor" is involved and can get frequencies in it, but dont really
> understand how it comes into play. When I press the "trunk" button,
> I know its not set up right, because its not tracking at all, nor is
> there any type of audio. Only do I get audio when its out of 'trunk'
> and just sitting on a specific channel, then of course its like
> scanning a EDACS system in conventional mode. There are no TGID's
> programmed in, quite simply because I have'nt got that far, is this
> contributing to my problem? I have a suspicion that I have most if
> not all of my ducks, just not in the right order. Can someone
> straighten me out and get me started in the right direction?....many

> thanks in advance...
>
> Brian

1153. Re: [TrunkPCR] EDACS Programming 101

Yahoo group: TrunkPCR
Date: 2008-08-24 13:31:52 UTC
From: Glenn Blum
Topic: 1151 Message: 1153

Make sure that you know the system well. The baudrate need to be exact.IS this system a Narrowband or wide band system?
What system are you trying to monitor?
Look on www.radioreference.com at the database for specific details.
I deal with allot of EDACS in my area and I am pretty good at programming up a EDACS system. Its not hard to figure it out but let us know.

Glenn Blum
kd5dga

----- Original Message -----
From: brisk13026
To: TrunkPCR@yahoogroups.com
Sent: Sunday, August 24, 2008 1:03 AM
Subject: [TrunkPCR] EDACS Programming 101

Hi all, I've been tinkering with the TrunkPCR demo for just a little over a week now, and have managed to figure out convetional programming/scanning but I seem to be stumped on trunked programming.

I'm trying to setup a 10 ch. EDACS system, the CC is LCN 2. (if that matters) I've managed to get the freq. in a bank, and I have seen the 'EDACS' tab in settings menu. Sifting thru past messages, I know the "FSK" button is involved, but somehow have it configured improperly because is greyed out and I cant turn it on or off. It keeps wanting to revert to "FM" I also know that the "frequency plan editor" is involved and can get frequencies in it, but dont really understand how it comes into play. When I press the "trunk" button, I know its not set up right, because its not tracking at all, nor is there any type of audio. Only do I get audio when its out of 'trunk' and just sitting on a specific channel, then of course its like scanning a EDACS system in conventional mode. There are no TGID's programmed in, quite simply because I have'nt got that far, is this contributing to my problem? I have a suspicion that I have most if not all of my ducks, just not in the right order. Can someone straighten me out and get me started in the right direction?....many thanks in advance...

Brian

1154. Re: EDACS Programming 101

Yahoo group: TrunkPCR
Date: 2008-08-24 15:49:23 UTC
From: brisk13026
Topic: 1151 Message: 1154

Hi guys, thanks for the responses, Jay, sorry I forgot to mention that it is a 2500. I want to use it in a P25 system here also. Thanks for your help so far, I try more tinkering as soon as my daughter gets off the computer:)...Glen I'm working on the Arvada/Westminster System in Denver, Co area. I know its a wideband system and are pretty sure is a 4800. I have a GE Orion programmed up, so I am familiar with EDACS and ProGrammer in that respect but the main reason I wanted to switch is because the city and county of Denver went ESK. I saw a RR post by Lindsay talking about TrunkPCR and that it supported ESK in various threads on this topic. (I had never even heard of a ICOM PCR receiver or TrunkPCR until then) I made a quick post in the Colorado fourm to see if anybody in the fourm was using this setup, but got very little response, and either nobody is, or they didnt respond. So as far as I can tell this is a first. I am eager to post my results there.

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@...> wrote:
>
> Make sure that you know the system well. The baudrate need to be exact.IS this system a Narrowband or wide band system?
> What system are you trying to monitor?
> Look on www.radioreference.com at the database for specific details.
> I deal with allot of EDACS in my area and I am pretty good at programming up a EDACS system. Its not hard to figure it out but let us know.
>
> Glenn Blum
> kd5dga
>
>
>
> ----- Original Message -----
> From: brisk13026
> To: TrunkPCR@yahoogroups.com
> Sent: Sunday, August 24, 2008 1:03 AM
> Subject: [TrunkPCR] EDACS Programming 101
>
>
> Hi all, I've been tinkering with the TrunkPCR demo for just a little
> over a week now, and have managed to figure out convetional
> programming/scanning but I seem to be stumped on trunked
> programming.
>
> I'm trying to setup a 10 ch. EDACS system, the CC is LCN 2. (if

that
> matters) I've managed to get the freq. in a bank, and I have seen
> the 'EDACS' tab in settings menu. Sifting thru past messages, I
know
> the "FSK" button is involved, but somehow have it configured
> improperly because is greyed out and I cant turn it on or off. It
> keeps wanting to revert to "FM" I also know that the "frequency
plan
> editor" is involved and can get frequencies in it, but dont
really
> understand how it comes into play. When I press the "trunk"
button,
> I know its not set up right, because its not tracking at all, nor
is
> there any type of audio. Only do I get audio when its out
of 'trunk'
> and just sitting on a specific channel, then of course its like
> scanning a EDACS system in conventional mode. There are no TGID's
> programmed in, quite simply because I have'nt got that far, is
this
> contributing to my problem? I have a suspicion that I have most
if
> not all of my ducks, just not in the right order. Can someone
> straighten me out and get me started in the right
direction?....many
> thanks in advance...
>
> Brian
>

1155. Re: [TrunkPCR] Re: EDACS Programming 101

Yahoo group: TrunkPCR
Date: 2008-08-25 18:06:27 UTC
From: Glenn Blum
Topic: 1151 Message: 1155

Wideband would be 9600 baud system.Narrowband is 4800.
Glenn Blum
kd5dga
----- Original Message -----
From: brisk13026
To: TrunkPCR@yahoogroups.com
Sent: Sunday, August 24, 2008 10:49 AM
Subject: [TrunkPCR] Re: EDACS Programming 101

Hi guys, thanks for the responses, Jay, sorry I forgot to mention that it is a 2500. I want to use it in a P25 system here also. Thanks for your help so far, I try more tinkering as soon as my daughter gets off the computer:)...Glen I'm working on the Arvada/Westminster System in Denver, Co area. I know its a wideband system and are pretty sure is a 4800. I have a GE Orion programmed up, so I am familiar with EDACS and ProGrammer in that respect but the main reason I wanted to switch is because the city and county of Denver went ESK. I saw a RR post by Lindsay talking about TrunkPCR and that it supported ESK in various threads on this topic. (I had never even heard of a ICOM PCR receiver or TrunkPCR until then) I made a quick post in the Colorado fourm to see if anybody in the fourm was using this setup, but got very little response, and either nobody is, or they didnt respond. So as far as I can tell this is a first. I am eager to post my results there.

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@...> wrote:
>
> Make sure that you know the system well. The baudrate need to be exact.IS this system a Narrowband or wide band system?
> What system are you trying to monitor?
> Look on www.radioreference.com at the database for specific details.
> I deal with allot of EDACS in my area and I am pretty good at programming up a EDACS system. Its not hard to figure it out but let us know.
>
> Glenn Blum
> kd5dga
>
>
>
> ----- Original Message -----
> From: brisk13026
> To: TrunkPCR@yahoogroups.com
> Sent: Sunday, August 24, 2008 1:03 AM
> Subject: [TrunkPCR] EDACS Programming 101

>
>
> Hi all, I've been tinkering with the TrunkPCR demo for just a
little
> over a week now, and have managed to figure out convetional
> programming/scanning but I seem to be stumped on trunked
> programming.
>
> I'm trying to setup a 10 ch. EDACS system, the CC is LCN 2. (if
that
> matters) I've managed to get the freq. in a bank, and I have seen
> the 'EDACS' tab in settings menu. Sifting thru past messages, I
know
> the "FSK" button is involved, but somehow have it configured
> improperly because is greyed out and I cant turn it on or off. It
> keeps wanting to revert to "FM" I also know that the "frequency
plan
> editor" is involved and can get frequencies in it, but dont
really
> understand how it comes into play. When I press the "trunk"
button,
> I know its not set up right, because its not tracking at all, nor
is
> there any type of audio. Only do I get audio when its out
of 'trunk'
> and just sitting on a specific channel, then of course its like
> scanning a EDACS system in conventional mode. There are no TGID's
> programmed in, quite simply because I have'nt got that far, is
this
> contributing to my problem? I have a suspicion that I have most
if
> not all of my ducks, just not in the right order. Can someone
> straighten me out and get me started in the right
direction?....many
> thanks in advance...
>
> Brian
>

1156. Re: EDACS Programming 101

Yahoo group: TrunkPCR
Date: 2008-08-25 16:34:05 UTC
From: brisk13026
Topic: 1151 Message: 1156

It's Alive!! After essentialy re-programming from scratch and
working on the sound card settings (and you guys were right, it is a
9600 baud system my bad :( )for a considerable amount of time I'm
pretty sure I have it decoding and tracking as designed. Wow, what a
great piece of software...thanks Jay!! I should be contributing to
your R&D fund later this week. I have another question, I am
hearing CC buzz intermittently at the end of some tranmissions, and
somtimes just the buzz and no audio, the buzz is for less than a
second, is this because I am at the fringe of the coverage footprint
and the PCR is having trouble holding on to the CC?
--- In TrunkPCR@yahoogroups.com, "brisk13026" <brisk13026@...> wrote:
>
> Hi guys, thanks for the responses, Jay, sorry I forgot to mention
> that it is a 2500. I want to use it in a P25 system here also.
> Thanks for your help so far, I try more tinkering as soon as my
> daughter gets off the computer:)...Glen I'm working on the
> Arvada/Westminster System in Denver, Co area. I know its a wideband
> system and are pretty sure is a 4800. I have a GE Orion programmed
> up, so I am familiar with EDACS and ProGrammer in that respect but
> the main reason I wanted to switch is because the city and county
of
> Denver went ESK. I saw a RR post by Lindsay talking about TrunkPCR
> and that it supported ESK in various threads on this topic. (I had
> never even heard of a ICOM PCR receiver or TrunkPCR until then) I
> made a quick post in the Colorado fourm to see if anybody in the
> fourm was using this setup, but got very little response, and
either
> nobody is, or they didnt respond. So as far as I can tell this is
a
> first. I am eager to post my results there.
>
> --- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@> wrote:
> >
> > Make sure that you know the system well. The baudrate need to be
> exact.IS this system a Narrowband or wide band system?
> > What system are you trying to monitor?
> > Look on www.radioreference.com at the database for specific
details.
> > I deal with allot of EDACS in my area and I am pretty good at
> programming up a EDACS system. Its not hard to figure it out but
let
> us know.
> >
> > Glenn Blum
> > kd5dga

> >
> >
> >
> > ----- Original Message -----
> > From: brisk13026
> > To: TrunkPCR@yahoogroups.com
> > Sent: Sunday, August 24, 2008 1:03 AM
> > Subject: [TrunkPCR] EDACS Programming 101
> >
> >
> > Hi all, I've been tinkering with the TrunkPCR demo for just a
> little
> > over a week now, and have managed to figure out convetional
> > programming/scanning but I seem to be stumped on trunked
> > programming.
> >
> > I'm trying to setup a 10 ch. EDACS system, the CC is LCN 2. (if
> that
> > matters) I've managed to get the freq. in a bank, and I have
seen
> > the 'EDACS' tab in settings menu. Sifting thru past messages, I
> know
> > the "FSK" button is involved, but somehow have it configured
> > improperly because is greyed out and I cant turn it on or off.
It
> > keeps wanting to revert to "FM" I also know that the "frequency
> plan
> > editor" is involved and can get frequencies in it, but dont
> really
> > understand how it comes into play. When I press the "trunk"
> button,
> > I know its not set up right, because its not tracking at all,
nor
> is
> > there any type of audio. Only do I get audio when its out
> of 'trunk'
> > and just sitting on a specific channel, then of course its like
> > scanning a EDACS system in conventional mode. There are no
TGID's
> > programmed in, quite simply because I have'nt got that far, is
> this
> > contributing to my problem? I have a suspicion that I have most
> if
> > not all of my ducks, just not in the right order. Can someone
> > straighten me out and get me started in the right
> direction?....many
> > thanks in advance...
> >
> > Brian
> >

>

1157. Flying Back East

Yahoo group: TrunkPCR
Date: 2008-08-27 11:10:17 UTC
From: Jay
Topic: 1157 Message: 1157

Hi all,

I'll be away from August 28th to September 2nd, flying back east for my 2nd oldest Daughter's Wedding :)
In that time I will be unable to reply to emails or send out any key files...
Also moderation of messages will be on hold for that time, until I return.

Regards

1158. No Audio, No activity on main screen...but...

Yahoo group: TrunkPCR
Date: 2008-09-04 16:29:56 UTC
From: brisk13026
Topic: 1158 Message: 1158

Hi all, well it was alive and I had (keyword HAD) the PCR going ok for a while, until it just stopped. Now I have encountered something new....no audio, and no activity showing on the main screen, as if its not receiving anything....allow me try and lay out what its doing:

1. I have the PCR on the CC, in trunk mode
2. 1's are in the 40% range, between 42% and 46%
3. recovery are is about 93%
4. in the trunk info boxes, main screen, the groups and radios are still counting (in fact the radios are now maxed out)
5. in the CC activity screen > control tab, it is showing alot of activity, as much as I would expect
6. in the CC activity > dump screen, the activity log is non stop, also in is tracking patches and the affilitation page is full. so, it seems like its receiving the CC and tracking the system properly, but there again, there is no audio, and its not showing it on the main screen.
7. its working fine and scanning as it should in conventionl modes. so I know the PCR is working to some degree.

Any ideas on whats going on? or where I should start troubleshooting?

brian

1159. Re: [TrunkPCR] No Audio, No activity on main screen...but...

Yahoo group: TrunkPCR
Date: 2008-09-04 23:39:48 UTC
From: Jay
Topic: 1158 Message: 1159

Hey Brian,

From those details, it looks like you have checked out most things, but I can suggest a few more checks:
1) In the Main Display, are the TrunkBanks [A] to [Z] and [?] enabled (Green)?
2) In the TrunkID Editor, check to see that the Groups are NOT Locked-Out and the Scan Column shows "Yes" for the Groups you want to scan.
3) Did you accidentaly click the [Dual] Mode Button, when only using 1 PCR/Receiver?

Regards,
Jay

----- Original Message -----
From: "brisk13026" <brisk13026@...>
Sent: Thursday, September 04, 2008 9:29 AM

> Hi all, well it was alive and I had (keyword HAD) the PCR going ok for
> a while, until it just stopped. Now I have encountered something
> new....no audio, and no activity showing on the main screen, as if its
> not receiving anything....allow me try and lay out what its doing:
> 1. I have the PCR on the CC, in trunk mode
> 2. 1's are in the 40% range, between 42% and 46%
> 3. recovery are is about 93%
> 4. in the trunk info boxes, main screen, the groups and radios are
> still counting (in fact the radios are now maxed out)
> 5. in the CC activity screen > control tab, it is showing alot of
> activity, as much as I would expect
> 6. in the CC activity > dump screen, the activity log is non stop, also
> in is tracking patches and the affilitation page is full. so, it seems
> like its receiving the CC and tracking the system properly, but there
> again, there is no audio, and its not showing it on the main screen.
> 7. its working fine and scanning as it should in conventionl modes. so
> I know the PCR is working to some degree.
> Any ideas on whats going on? or where I should start troubleshooting?
>
> brian

1160. LTR Passport

Yahoo group: TrunkPCR
Date: 2008-09-05 22:50:19 UTC
From: Mark Colborn
Topic: 1160 Message: 1160

Jay,

I realize the issue hasn't come up since May, but has there been any progress toward a Passport LTR solution? The reason I ask is because we have had yet another public safety agency here in the DFW area (Johnson County SO and FD) that has made the switch, and the natives are getting restless!!!
Thanks

Mark

1161. Re: [TrunkPCR] LTR Passport

Yahoo group: TrunkPCR
Date: 2008-09-06 21:23:02 UTC
From: Jay
Topic: 1160 Message: 1161

Hi Mark,

Nope, nothing new to report.
The LTR decoder still needs some fine tuning to more reliable.
Currently it will only decode about 5-10% of the received packets from the PCR's Packet output...

Regards,
Jay

----- Original Message -----
From: Mark Colborn
Sent: Friday, September 05, 2008 3:50 PM

Jay,

I realize the issue hasn't come up since May, but has there been any progress toward a Passport LTR solution? The reason I ask is because we have had yet another public safety agency here in the DFW area (Johnson County SO and FD) that has made the switch, and the natives are getting restless!!! Thanks

Mark

1162. Re: [TrunkPCR] LTR Passport

Yahoo group: TrunkPCR
Date: 2008-09-07 06:43:20 UTC
From: Frank Franzoi
Topic: 1160 Message: 1162

Hi, good to hear some work on LTR. Las Vegas is going the same way.
Frank

----- Original Message ----
From: Jay <crazycalifornian@...m>
To: TrunkPCR@yahoogroups.com
Sent: Saturday, September 6, 2008 2:23:02 PM
Subject: Re: [TrunkPCR] LTR Passport

Hi Mark,

Nope, nothing new to report.
The LTR decoder still needs some fine tuning to more reliable.
Currently it will only decode about 5-10% of the received packets from the PCR's Packet output...

Regards,
Jay

----- Original Message -----
From: Mark Colborn
Sent: Friday, September 05, 2008 3:50 PM

Jay,

I realize the issue hasn’t come up since May, but has there been any progress toward a Passport LTR solution? The reason I ask is because we have had yet another public safety agency here in the DFW area (Johnson County SO and FD) that has made the switch, and the natives are getting restless!!! Thanks

Mark

1163. It's been a few months

Yahoo group: TrunkPCR
Date: 2008-09-21 21:50:15 UTC
From: Brian
Topic: 1163 Message: 1163

Hello Jay, it's me Brian and it has been awhile since I have been here. I had somethings come up a few months ago and was not able to purchase this fine software but now I am able to. So how do I? Do you take Paypal. And will this software work on my PCR2500? As well as with my APCO25 Card I have installed?

Thank you,
Brian

1164. Re: [TrunkPCR] It's been a few months

Yahoo group: TrunkPCR
Date: 2008-09-21 23:08:49 UTC
From: Jay
Topic: 1163 Message: 1164

Hi Brian,

Yep, TrunkPCR works on the PCR2500 w/P25 card :)

You can use the PayPal Donate Button on the download page:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Sunday, September 21, 2008 2:50 PM

> Hello Jay, it's me Brian and it has been awhile since I have been
> here. I had somethings come up a few months ago and was not able to
> purchase this fine software but now I am able to. So how do I? Do you
> take Paypal. And will this software work on my PCR2500? As well as
> with my APCO25 Card I have installed?
>
> Thank you,
> Brian

1165. WinXP Service Pack #3 weird behavior

Yahoo group: TrunkPCR
Date: 2008-09-22 01:50:11 UTC
From: Jay
Topic: 1165 Message: 1165

Has anyone else seen the weird behavior when showing the SignalMeter or BandScope?

At 800x600 the signal meter is drawn smaller than normal and the BandScope shows a high zero reference bar.
Normally the BandScope shows a small thin bar at zero reference, but now I see a good 1/4 inch bar height.

I've only seen this after lowing the display properties to play SimCity Destinations...

Jay

1166. Hey Jay

Yahoo group: TrunkPCR
Date: 2008-09-22 13:44:41 UTC
From: Brian
Topic: 1166 Message: 1166

Ok i will go to the download page to make that payment..Also I read somewhere here that you are putting in a lock out feature in the software. Is this true? Any other goods that you are working on for the software?

Brian

1167. Re: [TrunkPCR] Hey Jay

Yahoo group: TrunkPCR
Date: 2008-09-22 23:05:02 UTC
From: Jay
Topic: 1166 Message: 1167

What kind of lockout feature do you mean?

Yep, there are other new features being worked on and most are about half completed.
I hope to have an update out in the next few months...

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Monday, September 22, 2008 6:44 AM

> Ok i will go to the download page to make that payment..Also I read
> somewhere here that you are putting in a lock out feature in the
> software. Is this true? Any other goods that you are working on for the
> software?
>
> Brian

1168. Sorry, Lock out

Yahoo group: TrunkPCR
Date: 2008-09-22 23:30:42 UTC
From: Brian
Topic: 1168 Message: 1168

Lock out feature like the one on the BCD996T or the BT15...I guess you would call it a frequency lock out. Can we get a clue as to what you are adding in new features?

Thanks for everything

Brian

1169. Re: [TrunkPCR] Sorry, Lock out

Yahoo group: TrunkPCR
Date: 2008-09-23 02:03:39 UTC
From: Glenn Blum
Topic: 1168 Message: 1169

My two cents;
TRUNKPCR was THE BEST pcr radio control investment I ever made. It is well worth it.

Glenn
----- Original Message -----
From: Brian
To: TrunkPCR@yahoogroups.com
Sent: Monday, September 22, 2008 6:30 PM
Subject: [TrunkPCR] Sorry, Lock out

Lock out feature like the one on the BCD996T or the BT15...I guess you
would call it a frequency lock out. Can we get a clue as to what you
are adding in new features?

Thanks for everything

Brian

1170. RE: [TrunkPCR] Sorry, Lock out

Yahoo group: TrunkPCR
Date: 2008-09-23 02:10:55 UTC
From: vince48
Topic: 1168 Message: 1170

Glenn

I second that. TRUNKPCR is the best trunk software out there. Sooo many options and information to get and review regarding system, group and radio. I really like the priority feature when using my 2500. Takes trunking to another level on a real busy system.

vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn Blum
Sent: Monday, September 22, 2008 7:04 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Sorry, Lock out

My two cents;

TRUNKPCR was THE BEST pcr radio control investment I ever made. It is well worth it.

Glenn

----- Original Message -----

From: Brian <mailto:sjinndoawi00@...>

To: TrunkPCR@yahoogroup <mailto:TrunkPCR@yahoogroups.com> s.com

Sent: Monday, September 22, 2008 6:30 PM

Subject: [TrunkPCR] Sorry, Lock out

Lock out feature like the one on the BCD996T or the BT15...I guess you would call it a frequency lock out. Can we get a clue as to what you are adding in new features?

Thanks for everything

Brian

1171. Re: [TrunkPCR] Sorry, Lock out

Yahoo group: TrunkPCR
Date: 2008-09-23 03:40:39 UTC
From: Patrick Bigelbach
Topic: 1168 Message: 1171

I must THIRD that! I own both a bearcat digital trunker and the
Realistic digital trunker and they are no comparison to my TrunkPCR
controlled PCR1000 with a H/W hacked ARD25 for digital voice decoding!

Besides all of the other kewl features, Priority scanning is absolutely
my favorite!

-=Patrick=-

vince48 wrote:
>
> Glenn
>
> I second that. TRUNKPCR is the best trunk software out there. Sooo
> many options and information to get and review regarding system, group
> and radio. I really like the priority feature when using my 2500.
> Takes trunking to another level on a real busy system.
>
>
>
> vince48
>
>
>
> ---
>
> *From:* TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] *On
> Behalf Of *Glenn Blum
> *Sent:* Monday, September 22, 2008 7:04 PM
> *To:* TrunkPCR@yahoogroups.com
> *Subject:* Re: [TrunkPCR] Sorry, Lock out
>
>
>
> My two cents;
>
> TRUNKPCR was THE BEST pcr radio control investment I ever made. It is
> well worth it.
>
>
>
> Glenn
>
> ----- Original Message -----
>
> *From:* Brian <mailto:sjinndoawi00@...>

>
> *To:* TrunkPCR@yahoogroups.com <mailto:TrunkPCR@yahoogroups.com>
>
> *Sent:* Monday, September 22, 2008 6:30 PM
>
> *Subject:* [TrunkPCR] Sorry, Lock out
>
>
>
> Lock out feature like the one on the BCD996T or the BT15...I guess you
> would call it a frequency lock out. Can we get a clue as to what you
> are adding in new features?
>
> Thanks for everything
>
> Brian
>
>

1172. Re: [TrunkPCR] Sorry, Lock out

Yahoo group: TrunkPCR
Date: 2008-09-23 10:56:50 UTC
From: Glenn Blum
Topic: 1168 Message: 1172

Our county (Bell County Texas) is a extremely busy system. TRUNKPCR gives me the ability to monitor and pick up sististics that no other hobbiest in my area has.
The program give the mouse click ability to lock out/open and watch certain groups which is cumbersome with my other scanners. I run a dual scanning as a older scanner as my control channel input. I am using a PCR1000.

Glenn
----- Original Message -----
From: vince48
To: TrunkPCR@yahoogroups.com
Sent: Monday, September 22, 2008 9:10 PM
Subject: RE: [TrunkPCR] Sorry, Lock out

Glenn

I second that. TRUNKPCR is the best trunk software out there. Sooo many options and information to get and review regarding system, group and radio. I really like the priority feature when using my 2500. Takes trunking to another level on a real busy system.

vince48

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Glenn Blum
Sent: Monday, September 22, 2008 7:04 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Sorry, Lock out

My two cents;

TRUNKPCR was THE BEST pcr radio control investment I ever made. It is well worth it.

Glenn

----- Original Message -----

From: Brian

To: TrunkPCR@yahoogroups.com

Sent: Monday, September 22, 2008 6:30 PM

Subject: [TrunkPCR] Sorry, Lock out

Lock out feature like the one on the BCD996T or the BT15...I guess you
would call it a frequency lock out. Can we get a clue as to what you
are adding in new features?

Thanks for everything

Brian

1173. TrunkPCR Quits on startup

Yahoo group: TrunkPCR
Date: 2008-09-23 21:25:57 UTC
From: Eric Meth
Topic: 1173 Message: 1173

I am using VISTA
I have downloaded the program
USB port uses Com17
I start the program, go to Options, set com port=17, click keep alive, then go to main screen, click the power button. The program never starts, and eventually stops.
Any suggestions?

Eric Meth - ve3ei

1174. PCR2500 Problems

Yahoo group: TrunkPCR
Date: 2008-09-23 19:35:52 UTC
From: louisvanlandingham
Topic: 1174 Message: 1174

I just received a (new to me) PCR2500, plugged it in, turned it on, and it will not trunk track. Other than com port and radio type, I am using TrunkPCR exactly as I was when it was connected to my PCR1000 and that works fine.

I have tried both single and dual modes with the same results. 1's are 48% to 52%, but Recovery Rate is 0, even if polarity is reversed.

Anyone have any suggestions?

1175. Re: [TrunkPCR] TrunkPCR Quits on startup

Yahoo group: TrunkPCR
Date: 2008-09-23 23:57:32 UTC
From: Jay
Topic: 1173 Message: 1175

Hi Eric,

The problem here lies in the COM Port number.
Eventhough I can test COM Ports up to 128, the current maximum usable COM Port is 16 due to Microsoft's limitation.

You can go into the Control Panel's System Properties -> Hardware -> Device Manager and select "Ports (COM & LPT) and double-click the USB COM Port, click the [Port Setings] Tab and then the [Advanced] Button and finally change the COM Port Number to "16" or less...

If you still have problems after this, let me know...

Regards,
Jay

----- Original Message -----
From: "Eric Meth" <ve3ei@...>
Sent: Tuesday, September 23, 2008 2:25 PM

> I am using VISTA
> I have downloaded the program
> USB port uses Com17
> I start the program, go to Options, set com port=17, click keep alive,
> then go to main screen, click the power button. The program never
> starts, and eventually stops.
> Any suggestions?
>
> Eric Meth - ve3ei

1176. Re: [TrunkPCR] PCR2500 Problems

Yahoo group: TrunkPCR
Date: 2008-09-24 00:05:43 UTC
From: Jay
Topic: 1174 Message: 1176

Hi Louis,

Does the O'Scope Display look the same on the 2500 as it does on the 1000?

When in Single Rcvr Mode, are you using the Packet Output from Rcvr 1, in
Dual Mode, the sound card would be connected to Rcvr #2's Packet Output...

Jay

----- Original Message -----
From: "louisvanlandingham"
Sent: Tuesday, September 23, 2008 12:35 PM

> I just received a (new to me) PCR2500, plugged it in, turned it on, and
> it will not trunk track. Other than com port and radio type, I am
> using TrunkPCR exactly as I was when it was connected to my PCR1000 and
> that works fine.
>
> I have tried both single and dual modes with the same results. 1's are
> 48% to 52%, but Recovery Rate is 0, even if polarity is reversed.
>
> Anyone have any suggestions?

1177. Re: [TrunkPCR] TrunkPCR Quits on startup

Yahoo group: TrunkPCR
Date: 2008-09-24 01:32:42 UTC
From: Eric Meth
Topic: 1173 Message: 1177
Attachments: 2 described; binary payloads are missing from this source WARC

[Attachment content not displayed]

1178. RE: [TrunkPCR] PCR2500 Problems

Yahoo group: TrunkPCR
Date: 2008-09-24 03:25:37 UTC
From: Louis H. VanLandingham
Topic: 1174 Message: 1178

No, the O'Scope display on the 2500 looks entirely different. The peaks are off the screen on the 2500 display.

Yes, in single receiver mode I am using output #1 and I used #2 in dual mode. Same results, no trunking

Thanks,

Louis H. VanLandingham
7397 E 24th ST
TULSA, OK 74129-2203
918-628-0854

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, September 23, 2008 7:06 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] PCR2500 Problems

Hi Louis,

Does the O'Scope Display look the same on the 2500 as it does on the 1000?

When in Single Rcvr Mode, are you using the Packet Output from Rcvr 1, in Dual Mode, the sound card would be connected to Rcvr #2's Packet Output...

Jay

----- Original Message -----
From: "louisvanlandingham"
Sent: Tuesday, September 23, 2008 12:35 PM

> I just received a (new to me) PCR2500, plugged it in, turned it on, and
> it will not trunk track. Other than com port and radio type, I am
> using TrunkPCR exactly as I was when it was connected to my PCR1000 and
> that works fine.
>
> I have tried both single and dual modes with the same results. 1's are
> 48% to 52%, but Recovery Rate is 0, even if polarity is reversed.
>
> Anyone have any suggestions?

1179. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-24 06:37:43 UTC
From: Jay
Topic: 1179 Message: 1179

Hey Brian,

Here are some of the updates that will be in the next major update:

1) Temporary Lock-Out during Conventional frequency Search/Scan.
2) A "Timed Record" feature is being worked on and an option to record each Trunking Group to it's own file?
3) LTR Decoding. It may take a few minor updates to get it up to 100% .
4) A new tab added to the CC Activity Window, showing Active CChannel History List (Thanks to Glenn), User Affiliation History and Group Call History Lists. And space for a new History List (any ideas welcome).
5) A new RadioReference.com Web Import interface.
6) Support for a 2nd PCR Radio to be used in the Dual Mode.
7) 15 fixes and 10 Changes (so far).
8) Speed Governor on Knob Controls.
9) Skip Known Frequencies in Search Limit Scan Banks.
10) Search Limit - Saved Channels now added to Known Frequencies.
11) Auto-Connect at Startup.
12) Channel Display Grid that allows editing of channel settings (in the grid).
13) Duplex Offset Frequency setting for each Channel.
14) Display of AFC, AGC, ATTN, NB and VSC settings in StatusBar.
15) Importing Other Radio Formats now include Volume, Squelch and IF Shift settings.

80% of the above is completed now...
#2 is about half completed.
#5 just needs to be merged into the project. (Stand-alone version works)
#6 hasn't been started yet, but shoun't take more than a few steady days to complete.

And still on the ToDo List:
1) Support for other Radios / Scanners to be used in Dual Mode.
2) Fixing the MPT Decoder.

If I left something out, let me know :)

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Monday, September 22, 2008 4:30 PM

> Can we get a clue as to what you are adding in new features?
>
> Thanks for everything

> Brian

1180. Re: [TrunkPCR] PCR2500 Problems

Yahoo group: TrunkPCR
Date: 2008-09-24 07:08:42 UTC
From: Jay
Topic: 1174 Message: 1180

For the Sound Card level, I would suggest lowering the input on the Sound Card's Mixer control so that the O'Scope display looks about the same. You can click in the O'Sopes display to pause it.

Did you change the Sampling Rate in the Sound Card Settings or in the Trunk Settings?

Thanks,
Jay
----- Original Message -----
From: Louis H. VanLandingham
Sent: Tuesday, September 23, 2008 8:25 PM

No, the O'Scope display on the 2500 looks entirely different. The peaks are off the screen on the 2500 display.

Yes, in single receiver mode I am using output #1 and I used #2 in dual mode. Same results, no trunking

Thanks,

Louis H. VanLandingham
7397 E 24th ST
TULSA, OK 74129-2203
918-628-0854

From: Jay
Sent: Tuesday, September 23, 2008 7:06 PM

Hi Louis,

Does the O'Scope Display look the same on the 2500 as it does on the 1000?

When in Single Rcvr Mode, are you using the Packet Output from Rcvr 1, in
Dual Mode, the sound card would be connected to Rcvr #2's Packet Output...

Jay

----- Original Message -----
From: "louisvanlandingham"
Sent: Tuesday, September 23, 2008 12:35 PM

> I just received a (new to me) PCR2500, plugged it in, turned it on, and
> it will not trunk track. Other than com port and radio type, I am
> using TrunkPCR exactly as I was when it was connected to my PCR1000 and
> that works fine.
>

> I have tried both single and dual modes with the same results. 1's are
> 48% to 52%, but Recovery Rate is 0, even if polarity is reversed.
>
> Anyone have any suggestions?

1181. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-24 06:42:27 UTC
From: Frank Franzoi
Topic: 1179 Message: 1181

Good Grief,,, try just one or two... at a time... I (we) appreciate the effort but... don't need to do the whole thing at one time... Thanks for the effort how ever... Frank

----- Original Message ----
From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, September 23, 2008 11:37:43 PM
Subject: Re: [TrunkPCR] New Features being Added

Hey Brian,

Here are some of the updates that will be in the next major update:

1) Temporary Lock-Out during Conventional frequency Search/Scan.
2) A "Timed Record" feature is being worked on and an option to record each Trunking Group to it's own file?
3) LTR Decoding. It may take a few minor updates to get it up to 100% .
4) A new tab added to the CC Activity Window, showing Active CChannel History List (Thanks to Glenn), User Affiliation History and Group Call History Lists. And space for a new History List (any ideas welcome).
5) A new RadioReference. com Web Import interface.
6) Support for a 2nd PCR Radio to be used in the Dual Mode.
7) 15 fixes and 10 Changes (so far).
8) Speed Governor on Knob Controls.
9) Skip Known Frequencies in Search Limit Scan Banks.
10) Search Limit - Saved Channels now added to Known Frequencies.
11) Auto-Connect at Startup.
12) Channel Display Grid that allows editing of channel settings (in the grid).
13) Duplex Offset Frequency setting for each Channel.
14) Display of AFC, AGC, ATTN, NB and VSC settings in StatusBar.
15) Importing Other Radio Formats now include Volume, Squelch and IF Shift settings.

80% of the above is completed now...
#2 is about half completed.
#5 just needs to be merged into the project. (Stand-alone version works)
#6 hasn't been started yet, but shoun't take more than a few steady days to complete.

And still on the ToDo List:
1) Support for other Radios / Scanners to be used in Dual Mode.
2) Fixing the MPT Decoder.

If I left something out, let me know :)

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Monday, September 22, 2008 4:30 PM

> Can we get a clue as to what you are adding in new features?
>
> Thanks for everything
> Brian

1182. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-24 10:51:39 UTC
From: Glenn Blum
Topic: 1179 Message: 1182

Cool.
Blame it on me.
Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, September 24, 2008 1:37 AM
Subject: Re: [TrunkPCR] New Features being Added

Hey Brian,

Here are some of the updates that will be in the next major update:

1) Temporary Lock-Out during Conventional frequency Search/Scan.
2) A "Timed Record" feature is being worked on and an option to record each Trunking Group to it's own file?
3) LTR Decoding. It may take a few minor updates to get it up to 100% .
4) A new tab added to the CC Activity Window, showing Active CChannel History List (Thanks to Glenn), User Affiliation History and Group Call History Lists. And space for a new History List (any ideas welcome).
5) A new RadioReference.com Web Import interface.
6) Support for a 2nd PCR Radio to be used in the Dual Mode.
7) 15 fixes and 10 Changes (so far).
8) Speed Governor on Knob Controls.
9) Skip Known Frequencies in Search Limit Scan Banks.
10) Search Limit - Saved Channels now added to Known Frequencies.
11) Auto-Connect at Startup.
12) Channel Display Grid that allows editing of channel settings (in the grid).
13) Duplex Offset Frequency setting for each Channel.
14) Display of AFC, AGC, ATTN, NB and VSC settings in StatusBar.
15) Importing Other Radio Formats now include Volume, Squelch and IF Shift settings.

80% of the above is completed now...
#2 is about half completed.
#5 just needs to be merged into the project. (Stand-alone version works)
#6 hasn't been started yet, but shoun't take more than a few steady days to complete.

And still on the ToDo List:
1) Support for other Radios / Scanners to be used in Dual Mode.
2) Fixing the MPT Decoder.

If I left something out, let me know :)

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Monday, September 22, 2008 4:30 PM

> Can we get a clue as to what you are adding in new features?
>
> Thanks for everything
> Brian

1183. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-24 10:52:05 UTC
From: Glenn Blum
Topic: 1179 Message: 1183

Yes the effort is well appreciated.
Glenn
----- Original Message -----
From: Frank Franzoi
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, September 24, 2008 1:42 AM
Subject: Re: [TrunkPCR] New Features being Added

Good Grief,,, try just one or two... at a time... I (we) appreciate the effort but... don't need to do the whole thing at one time... Thanks for the effort how ever... Frank

----- Original Message ----
From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, September 23, 2008 11:37:43 PM
Subject: Re: [TrunkPCR] New Features being Added

Hey Brian,

Here are some of the updates that will be in the next major update:

1) Temporary Lock-Out during Conventional frequency Search/Scan.
2) A "Timed Record" feature is being worked on and an option to record each Trunking Group to it's own file?
3) LTR Decoding. It may take a few minor updates to get it up to 100% .
4) A new tab added to the CC Activity Window, showing Active CChannel History List (Thanks to Glenn), User Affiliation History and Group Call History Lists. And space for a new History List (any ideas welcome).
5) A new RadioReference. com Web Import interface.
6) Support for a 2nd PCR Radio to be used in the Dual Mode.
7) 15 fixes and 10 Changes (so far).
8) Speed Governor on Knob Controls.
9) Skip Known Frequencies in Search Limit Scan Banks.
10) Search Limit - Saved Channels now added to Known Frequencies.
11) Auto-Connect at Startup.
12) Channel Display Grid that allows editing of channel settings (in the grid).
13) Duplex Offset Frequency setting for each Channel.
14) Display of AFC, AGC, ATTN, NB and VSC settings in StatusBar.
15) Importing Other Radio Formats now include Volume, Squelch and IF Shift settings.

80% of the above is completed now...
#2 is about half completed.
#5 just needs to be merged into the project. (Stand-alone version works)
#6 hasn't been started yet, but shoun't take more than a few steady days to

complete.

And still on the ToDo List:
1) Support for other Radios / Scanners to be used in Dual Mode.
2) Fixing the MPT Decoder.

If I left something out, let me know :)

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Monday, September 22, 2008 4:30 PM

> Can we get a clue as to what you are adding in new features?
>
> Thanks for everything
> Brian

1184. RE: [TrunkPCR] PCR2500 Problems

Yahoo group: TrunkPCR
Date: 2008-09-24 18:42:59 UTC
From: Louis H. VanLandingham
Topic: 1174 Message: 1184

The record mixer would not control the volume until I changed some settings. Everything works fine now, both single and dual modes.

Thanks very much!

Louis H. VanLandingham
7397 E 24th ST
TULSA, OK 74129-2203
918-628-0854

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Wednesday, September 24, 2008 2:09 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] PCR2500 Problems

For the Sound Card level, I would suggest lowering the input on the Sound Card's Mixer control so that the O'Scope display looks about the same. You can click in the O'Sopes display to pause it.

Did you change the Sampling Rate in the Sound Card Settings or in the Trunk Settings?

Thanks,
Jay

----- Original Message -----
From: Louis H. <mailto:lvanland@...> VanLandingham
Sent: Tuesday, September 23, 2008 8:25 PM

No, the O'Scope display on the 2500 looks entirely different. The peaks are off the screen on the 2500 display.

Yes, in single receiver mode I am using output #1 and I used #2 in dual mode. Same results, no trunking

Thanks,

Louis H. VanLandingham
7397 E 24th ST
TULSA, OK 74129-2203
918-628-0854

From: Jay
Sent: Tuesday, September 23, 2008 7:06 PM

Hi Louis,

Does the O'Scope Display look the same on the 2500 as it does on the 1000?

When in Single Rcvr Mode, are you using the Packet Output from Rcvr 1, in Dual Mode, the sound card would be connected to Rcvr #2's Packet Output...

Jay

----- Original Message -----
From: "louisvanlandingham"
Sent: Tuesday, September 23, 2008 12:35 PM

> I just received a (new to me) PCR2500, plugged it in, turned it on, and
> it will not trunk track. Other than com port and radio type, I am
> using TrunkPCR exactly as I was when it was connected to my PCR1000 and
> that works fine.
>
> I have tried both single and dual modes with the same results. 1's are
> 48% to 52%, but Recovery Rate is 0, even if polarity is reversed.
>
> Anyone have any suggestions?

1185. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-24 20:41:26 UTC
From: Jay
Topic: 1179 Message: 1185

I wasn't blaming you, I was giving you the credit for the idea :)

Jay
----- Original Message -----
From: Glenn Blum
Sent: Wednesday, September 24, 2008 3:51 AM

Cool.
Blame it on me.
Glenn

1186. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-24 20:53:10 UTC
From: Jay
Topic: 1179 Message: 1186

LOL, yep, I do tend to put more eggs in my basket than it can hold sometimes :)
As I am working on one thing and either run into a snag or have another idea, I'll start working on something else.
Then later, I'll come back to the problem and work on that... Other times I'll let the subconscience work on the problem or solve it in a dream...

Eventually, it all works in the end...

Jay

----- Original Message -----
From: Frank Franzoi
Sent: Tuesday, September 23, 2008 11:42 PM

Good Grief,,, try just one or two... at a time... I (we) appreciate the effort but... don't need to do the whole thing at one time... Thanks for the effort how ever... Frank

1187. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-25 00:47:32 UTC
From: Glenn Blum
Topic: 1179 Message: 1187

I was being sarcastic. I have been in that mood since this weekend.
Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, September 24, 2008 3:41 PM
Subject: Re: [TrunkPCR] New Features being Added

I wasn't blaming you, I was giving you the credit for the idea :)

Jay
----- Original Message -----
From: Glenn Blum
Sent: Wednesday, September 24, 2008 3:51 AM

Cool.
Blame it on me.
Glenn

1188. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-25 00:55:31 UTC
From: Jay
Topic: 1179 Message: 1188

LOL, ok...
----- Original Message -----
From: Glenn Blum
Sent: Wednesday, September 24, 2008 5:47 PM

I was being sarcastic. I have been in that mood since this weekend.
Glenn
----- Original Message -----
From: Jay
Sent: Wednesday, September 24, 2008 3:41 PM
I wasn't blaming you, I was giving you the credit for the idea :)

Jay
----- Original Message -----
From: Glenn Blum
Sent: Wednesday, September 24, 2008 3:51 AM

Cool.
Blame it on me.
Glenn

1189. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-25 01:11:09 UTC
From: Glenn Blum
Topic: 1179 Message: 1189

This weekend I built a homemade directional 800/900 mhz antenna. Its made from parts of two types of tv antennas from the defunked Heartland wireless cable tv. When I get a chance to climb back up on my roof I'll snap a few pictures. I have to say I get full scale readings from trunked system I could barely recieve before.

Glenn

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, September 24, 2008 7:55 PM
Subject: Re: [TrunkPCR] New Features being Added

LOL, ok...
----- Original Message -----
From: Glenn Blum
Sent: Wednesday, September 24, 2008 5:47 PM

I was being sarcastic. I have been in that mood since this weekend.
Glenn
----- Original Message -----
From: Jay
Sent: Wednesday, September 24, 2008 3:41 PM
I wasn't blaming you, I was giving you the credit for the idea :)

Jay
----- Original Message -----
From: Glenn Blum
Sent: Wednesday, September 24, 2008 3:51 AM

Cool.
Blame it on me.
Glenn

1190. Re: [TrunkPCR] New Features being Added

Yahoo group: TrunkPCR
Date: 2008-09-25 01:15:20 UTC
From: Glenn Blum
Topic: 1179 Message: 1190

One more, you have made the scanning hobby exciting with trunkpcr.
Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, September 24, 2008 7:55 PM
Subject: Re: [TrunkPCR] New Features being Added

LOL, ok...
----- Original Message -----
From: Glenn Blum
Sent: Wednesday, September 24, 2008 5:47 PM

I was being sarcastic. I have been in that mood since this weekend.
Glenn
----- Original Message -----
From: Jay
Sent: Wednesday, September 24, 2008 3:41 PM
I wasn't blaming you, I was giving you the credit for the idea :)

Jay
----- Original Message -----
From: Glenn Blum
Sent: Wednesday, September 24, 2008 3:51 AM

Cool.
Blame it on me.
Glenn

1191. Another Problem

Yahoo group: TrunkPCR
Date: 2008-09-28 19:26:48 UTC
From: louisvanlandingham
Topic: 1191 Message: 1191

My PCR2500 now works on both laptop and desktop, as long as it is in Search Mode. It will not work in Scan Mode on either computer. My PCR1000 works in both modes on either computer. The settings appear to be the same for each receiver, and the bank files are identical.

Any suggestions?

Thanks

1192. Re: [TrunkPCR] Another Problem

Yahoo group: TrunkPCR
Date: 2008-09-28 23:12:35 UTC
From: Jay
Topic: 1191 Message: 1192

Hi Louis,

This problem has been reported by some others too, I think I have it fixed now, but will have to wait until the next update is out to be certain for sure.

A temporary fix right now, would be to turn the 2500 OFF, then click the Options Menu -> "Select PCR Type" and change it to "PCR-1000" and Close... This will make the 2500 emulate a 1000 and should allow you to use the Scan Mode, the 2500 features will not be usable in this emulation mode though...

Regards,
Jay

----- Original Message -----
From: "louisvanlandingham"

> My PCR2500 now works on both laptop and desktop, as long as it is in
> Search Mode. It will not work in Scan Mode on either computer. My
> PCR1000 works in both modes on either computer. The settings appear to
> be the same for each receiver, and the bank files are identical.
>
> Any suggestions?
>
> Thanks

1193. Re: [TrunkPCR] Another Problem

Yahoo group: TrunkPCR
Date: 2008-09-29 01:20:38 UTC
From: Glenn Blum
Topic: 1191 Message: 1193

This has occured to me a few times too. I think the program "hangs up". I usually close the program out and restart then everything works fine.

Glenn

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Sunday, September 28, 2008 6:12 PM
Subject: Re: [TrunkPCR] Another Problem

Hi Louis,

This problem has been reported by some others too, I think I have it fixed now, but will have to wait until the next update is out to be certain for sure.

A temporary fix right now, would be to turn the 2500 OFF, then click the Options Menu -> "Select PCR Type" and change it to "PCR-1000" and Close... This will make the 2500 emulate a 1000 and should allow you to use the Scan Mode, the 2500 features will not be usable in this emulation mode though...

Regards,
Jay

----- Original Message -----
From: "louisvanlandingham"

> My PCR2500 now works on both laptop and desktop, as long as it is in
> Search Mode. It will not work in Scan Mode on either computer. My
> PCR1000 works in both modes on either computer. The settings appear to
> be the same for each receiver, and the bank files are identical.
>
> Any suggestions?
>
> Thanks

1194. RE: [TrunkPCR] Another Problem

Yahoo group: TrunkPCR
Date: 2008-09-29 14:17:10 UTC
From: Louis H. VanLandingham
Topic: 1191 Message: 1194

Thanks Jay. I thought I was loosing it for a while.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Sunday, September 28, 2008 6:13 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Another Problem

Hi Louis,

This problem has been reported by some others too, I think I have it fixed now, but will have to wait until the next update is out to be certain for sure.

A temporary fix right now, would be to turn the 2500 OFF, then click the Options Menu -> "Select PCR Type" and change it to "PCR-1000" and Close... This will make the 2500 emulate a 1000 and should allow you to use the Scan Mode, the 2500 features will not be usable in this emulation mode though...

Regards,
Jay

----- Original Message -----
From: "louisvanlandingham"

> My PCR2500 now works on both laptop and desktop, as long as it is in
> Search Mode. It will not work in Scan Mode on either computer. My
> PCR1000 works in both modes on either computer. The settings appear to
> be the same for each receiver, and the bank files are identical.
>
> Any suggestions?
>
> Thanks

1195. Hello Jay

Yahoo group: TrunkPCR
Date: 2008-10-02 15:55:44 UTC
From: Brian
Topic: 1195 Message: 1195

Hello Jay it's me Brian. I would like to thank you for such a great program Jay. Now that I have purchased it I look forward to using it. Since I paid the full price you asked for it, I am wondering how will I know when updates are available and when? Also I am thinking about PCR PRO too, so is there any difference between these to programs that would warrent me getting also PCR PRO. Which one is better?

Thank you

Brian

1196. Re: [TrunkPCR] Hello Jay

Yahoo group: TrunkPCR
Date: 2008-10-03 00:07:08 UTC
From: Jay
Topic: 1195 Message: 1196

Hi Brian,

After you send the Registration Info, I'll create and send the keyfile that you can use on both programs :)
You don't need to send an additional donation for PCR Pro, since you have sent a donation for the max limits...

The big difference between TrunkPCR and PCR Pro is that TrunkPCR has the trunking capabilities and PCR Pro has the built-in alignment tool for the PCR-1000...

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Thursday, October 02, 2008 8:55 AM

> Hello Jay it's me Brian. I would like to thank you for such a great
> program Jay. Now that I have purchased it I look forward to using it.
> Since I paid the full price you asked for it, I am wondering how will I
> know when updates are available and when? Also I am thinking about PCR
> PRO too, so is there any difference between these to programs that
> would warrent me getting also PCR PRO. Which one is better?
>
> Thank you
>
> Brian

1197. Re: [TrunkPCR] Hello Jay

Yahoo group: TrunkPCR
Date: 2008-10-03 01:56:41 UTC
From: Glenn Blum
Topic: 1195 Message: 1197

Brian,
Both programs are excellent.
Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Thursday, October 02, 2008 7:07 PM
Subject: Re: [TrunkPCR] Hello Jay

Hi Brian,

After you send the Registration Info, I'll create and send the keyfile that
you can use on both programs :)
You don't need to send an additional donation for PCR Pro, since you have
sent a donation for the max limits...

The big difference between TrunkPCR and PCR Pro is that TrunkPCR has the
trunking capabilities and PCR Pro has the built-in alignment tool for the
PCR-1000...

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Thursday, October 02, 2008 8:55 AM

> Hello Jay it's me Brian. I would like to thank you for such a great
> program Jay. Now that I have purchased it I look forward to using it.
> Since I paid the full price you asked for it, I am wondering how will I
> know when updates are available and when? Also I am thinking about PCR
> PRO too, so is there any difference between these to programs that
> would warrent me getting also PCR PRO. Which one is better?
>
> Thank you
>
> Brian

1198. Re: [TrunkPCR] Hello Jay

Yahoo group: TrunkPCR
Date: 2008-10-03 09:28:09 UTC
From: Brian Veres
Topic: 1195 Message: 1198

Did you get my registration info jay? I sent it..

Brian

----- Original Message ----
From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Thursday, October 2, 2008 5:07:08 PM
Subject: Re: [TrunkPCR] Hello Jay

Hi Brian,

After you send the Registration Info, I'll create and send the keyfile that
you can use on both programs :)
You don't need to send an additional donation for PCR Pro, since you have
sent a donation for the max limits...

The big difference between TrunkPCR and PCR Pro is that TrunkPCR has the
trunking capabilities and PCR Pro has the built-in alignment tool for the
PCR-1000...

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Thursday, October 02, 2008 8:55 AM

> Hello Jay it's me Brian. I would like to thank you for such a great
> program Jay. Now that I have purchased it I look forward to using it.
> Since I paid the full price you asked for it, I am wondering how will I
> know when updates are available and when? Also I am thinking about PCR
> PRO too, so is there any difference between these to programs that
> would warrent me getting also PCR PRO. Which one is better?
>
> Thank you
>
> Brian

1199. Re: [TrunkPCR] Hello Jay

Yahoo group: TrunkPCR
Date: 2008-10-03 09:37:41 UTC
From: Jay
Topic: 1195 Message: 1199

Yep, I was repainting the bathroom earlier and just now getting back to emails.

The keyfile has been sent, check your spam folder too...
(Since I use my own SMTP Mailer, some ISP's flag it as spam)

Regards,
Jay
----- Original Message -----
From: Brian Veres
Sent: Friday, October 03, 2008 2:28 AM

Did you get my registration info jay? I sent it..

Brian

1200. NAC decoding?

Yahoo group: TrunkPCR
Date: 2008-10-06 16:48:14 UTC
From: Brian
Topic: 1200 Message: 1200

I see both programs do CTCSS/DCS/DTMF.Does TrunkPcr or PcrPro do any "NAC" decoding? If it does where do I find it in the program.

Brian

1201. Re: [TrunkPCR] NAC decoding?

Yahoo group: TrunkPCR
Date: 2008-10-07 00:59:50 UTC
From: Jay
Topic: 1200 Message: 1201

Hi Brian,

The NAC can be set under the "Pcr 2500" Menu (soon to be renamed since the 1500 has a few of these options too).
Clicking the "Pcr 1500 -> Settings" menu will bring up a windows with a frame called "Digital Squelch". You can select the NAC Option and change the code for the system you are monitoring.

Right now, I don't have a way of detecting what the NAC is, nor is there a "Search for NAC" like I do with CTCSS or DTCS tones.

Jay

----- Original Message -----
From: "Brian"
Sent: Monday, October 06, 2008 9:48 AM

> I see both programs do CTCSS/DCS/DTMF.Does TrunkPcr or PcrPro do
> any "NAC" decoding? If it does where do I find it in the program.
>
> Brian

1202. printing group info-pdf

Yahoo group: TrunkPCR
Date: 2008-10-08 00:44:26 UTC
From: Glenn Blum
Topic: 1202 Message: 1202

Jay and the group,
I was playing around with some programming called CUTE PDF writer. I went to the TRUNKPCR group information and selected print which then gives you the ability to save the document as a PDF file or print the document normally.
CUTE PDF WRITER is a free program.

Glenn

1203. Hi Jay

Yahoo group: TrunkPCR
Date: 2008-10-08 13:38:47 UTC
From: Brian
Topic: 1203 Message: 1203

Thanks for answering my question Jay. Do you think you will be able to get your programs to search for NAC codes? or come up with a program that will anytime soon? I can help or do research for you if that needs to be done or anyway I can help you just let me know..

Thank you ,

Brian

1204. Re: [TrunkPCR] Hi Jay

Yahoo group: TrunkPCR
Date: 2008-10-08 23:50:17 UTC
From: Jay
Topic: 1203 Message: 1204

Hey Brian,

Well, it will all depend on what the 2500 can do...
I'm not sure if the 2500 will "Auto Report" the NAC when it tunes to a P25 signal, otherwise I will have to test each NAC while a P25 signal is present to determine if a NAC is used (The same way the CTCSS and DTCS is found).

I may end up having to make a "Remote Tester" so I can access someone's 2500 to do some tests. Something different from a Virtual Network Connection, since I don't really need a visual display (just data flow). It would also allow the user on the remote end to see exactly what I'm doing, kinda like the PCR Remote Interface...

Thanks,
Jay

----- Original Message -----
From: "Brian"
Sent: Wednesday, October 08, 2008 6:38 AM

> Thanks for answering my question Jay. Do you think you will be able to
> get your programs to search for NAC codes? or come up with a program
> that will anytime soon? I can help or do research for you if that needs
> to be done or anyway I can help you just let me know..
>
> Thank you ,
>
> Brian

1205. Hi Jay

Yahoo group: TrunkPCR
Date: 2008-10-21 14:06:24 UTC
From: Brian
Topic: 1203 Message: 1205

How's it go Jay?Me been a busy boy. I am interested in helping you with the NAC decoding,so what is it we need to do? I have the PCR2500 and I am wondering does anyone here get motorboating? It happens from time to time for me. So is there any adjustments I have not found or tweeks? I have also ask this question in my other group I belong too which is a yahoo group PCR2500.
Also Jay, I am compiling information on what I can find on your programs to develope a manual for us because these programs do so much (Trunk Pcr , PcrPro) I will submit these to you for your approval for are group. I am using Microsoft Office 2003 Word so we will have pictures as well as text.

I know this is off the subject but I just got a 22" Samsung HD LCD monitor for my laptop. When I want to watch a movie using my upconvert DVD player I don't know if it's my HDMI cable or my upconvert DVD player but for some reason I can not get any picture to look good at all. My blacks are way too black and pixly. When a dark part comes in the movie I can just forget it cuz I cant see anything. But on the other hand when I run my laptop from my graphics card which has a analog input the picture look great. Any Ideas from you guys?

Brian

1206. Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 01:42:04 UTC
From: Jay
Topic: 1206 Message: 1206

I don't usually post about politics, but being an ex-military guy, I feel
ALL U.S. Citizens should know about this...

Jay

Listed below are the results of the 2008 Election Poll conducted by a
Military Times
survey and published in the Army Times newspaper dated 13 October 2008.

http://www.militarytimes.com/news/2008/10/military_poll_100508w/ website
http://www.militarytimes.com/static/projects/pages/081003_ep_2pp.pdf PDF
Chart

If the Presidential election were held today, for whom would you vote?

Enlisted - McCain - 68% - - - Obama - 23%
Officers - McCain - 70% - - - Obama - 22%

Army - McCain - 68% - - - Obama - 23%
Navy - McCain - 69% - - - Obama - 24%
Air Force - McCain - 67% - - - Obama - 24%
Marine Corps - McCain - 75% - - - Obama - 18%

Men - McCain 70% - - - Obama - 22%
Women - McCain - 53% - - - Obama - 36%
Age 18-34 - McCain - 65% - - - Obama - 27%
Age 35 and Older - McCain 70% - - - Obama - 21%

Active Duty - McCain - 67% - - - Obama - 24%
Guard & Reserve - McCain - 71% - - - Obama - 21%
Retirees - McCain - 72% - - - Obama - 20%

White - McCain - 76% - - - Obama - 17%
Hispanic or Latino - McCain - 63% - - - Obama - 27%
Black/African-American - McCain - 12% - - - Obama - 79%
Other Race Specified - McCain - 58% - - - Obama - 30%
Does this tell you something?

Which of the candidates would do a better job as President:

Handing the wars in Iraq and Afghanistan?
McCain - 74% - - - Obama - 19%

Handling military personnel issues, such as pay and benefits?
McCain - 73% - - - Obama - 18%

Handling issues, such as weapons purchases, the size of the
Armed Forces and National Security Strategy?
McCain - 77% - - - Obama - 15%

Handling domestic issues, such as education and the economy?
McCain - 53% - - - Obama - 33%

Other, Decline to answer, Undecided are the missing percentage
factors for the above.

This survey tells us how our men and women of the Armed Forces, who are
fighting and
defending our FREEDOM and our rights, feel about the upcoming election.
They do not trust the Muslim who is also a Communist and Socialist!
So, it behooves ALL of us to get out and vote for McCain in surport of our
young troops.

1207. Re: [TrunkPCR] Hi Jay

Yahoo group: TrunkPCR
Date: 2008-10-24 01:57:21 UTC
From: Jay
Topic: 1203 Message: 1207

Hi Brian,

Been busy too :) either working on the programs, researching info on the internet or life in general...

As soon I can modify PCR Remote to be a Remote Test Tool, I'lll let you know, and thanks for volunteering to help :)

Compiling info to create an manual could take you some time... What info I don't have on the Help or History pages should be answered here in the forum... If you find something not covered enough, let me know :)

Can't help you on the HD Monitor, don't have one of those nice babies yet :)

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Tuesday, October 21, 2008 7:06 AM

> How's it go Jay?Me been a busy boy. I am interested in helping you
> with the NAC decoding,so what is it we need to do? I have the
> PCR2500 and I am wondering does anyone here get motorboating? It
> happens from time to time for me. So is there any adjustments I have
> not found or tweeks? I have also ask this question in my other group
> I belong too which is a yahoo group PCR2500.
> Also Jay, I am compiling information on what I can find on your
> programs to develope a manual for us because these programs do so much
> (Trunk Pcr , PcrPro) I will submit these to you for your approval
> for are group. I am using Microsoft Office 2003 Word so we will have
> pictures as well as text.
>
> I know this is off the subject but I just got a 22" Samsung HD LCD
> monitor for my laptop. When I want to watch a movie using my
> upconvert DVD player I don't know if it's my HDMI cable or my
> upconvert DVD player but for some reason I can not get any picture to
> look good at all. My blacks are way too black and pixly. When a dark
> part comes in the movie I can just forget it cuz I cant see anything.
> But on the other hand when I run my laptop from my graphics card
> which has a analog input the picture look great. Any Ideas from you
> guys?
>
> Brian

1208. Re: [TrunkPCR] Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 01:51:59 UTC
From: scosgt@aol.com
Topic: 1206 Message: 1208

Amen

****
Play online games for FREE at Games.com! All of your
favorites, no registration required and great graphics - check it out!
(http://pr.atwola.com/promoclk/100000075x1211202682x1200689022/aol?redir=
http://www.games.com?ncid=emlcntusgame00000001)

1209. Re: [TrunkPCR] Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 01:59:05 UTC
From: Glenn Blum
Topic: 1206 Message: 1209

Jay,
Since I am also ex-ARMY and Working as a civilian ARMY helicopter mechanic on Fort Hood and having co-workers who are all ex-military or retired military 100 percent are on MCain's side.

Glenn
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Thursday, October 23, 2008 8:42 PM
Subject: [TrunkPCR] Military Times Election Poll 2008

I don't usually post about politics, but being an ex-military guy, I feel
ALL U.S. Citizens should know about this...

Jay

Listed below are the results of the 2008 Election Poll conducted by a
Military Times
survey and published in the Army Times newspaper dated 13 October 2008.

http://www.militarytimes.com/news/2008/10/military_poll_100508w/ website
http://www.militarytimes.com/static/projects/pages/081003_ep_2pp.pdf PDF
Chart

If the Presidential election were held today, for whom would you vote?

Enlisted - McCain - 68% - - - Obama - 23%
Officers - McCain - 70% - - - Obama - 22%

Army - McCain - 68% - - - Obama - 23%
Navy - McCain - 69% - - - Obama - 24%
Air Force - McCain - 67% - - - Obama - 24%
Marine Corps - McCain - 75% - - - Obama - 18%

Men - McCain 70% - - - Obama - 22%
Women - McCain - 53% - - - Obama - 36%
Age 18-34 - McCain - 65% - - - Obama - 27%
Age 35 and Older - McCain 70% - - - Obama - 21%

Active Duty - McCain - 67% - - - Obama - 24%
Guard & Reserve - McCain - 71% - - - Obama - 21%
Retirees - McCain - 72% - - - Obama - 20%

White - McCain - 76% - - - Obama - 17%
Hispanic or Latino - McCain - 63% - - - Obama - 27%

Black/African-American - McCain - 12% - - - Obama - 79%
Other Race Specified - McCain - 58% - - - Obama - 30%
Does this tell you something?

Which of the candidates would do a better job as President:

Handing the wars in Iraq and Afghanistan?
McCain - 74% - - - Obama - 19%

Handling military personnel issues, such as pay and benefits?
McCain - 73% - - - Obama - 18%

Handling issues, such as weapons purchases, the size of the
Armed Forces and National Security Strategy?
McCain - 77% - - - Obama - 15%

Handling domestic issues, such as education and the economy?
McCain - 53% - - - Obama - 33%

Other, Decline to answer, Undecided are the missing percentage
factors for the above.

This survey tells us how our men and women of the Armed Forces, who are
fighting and
defending our FREEDOM and our rights, feel about the upcoming election.
They do not trust the Muslim who is also a Communist and Socialist!
So, it behooves ALL of us to get out and vote for McCain in surport of our
young troops.

1210. Re: [TrunkPCR] Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 02:35:03 UTC
From: jerry allen
Topic: 1206 Message: 1210

but it does no good unless you vote. 10 % more of any political persuasion that did not vote actually voted would cause are record land slide ether way.

So get out and vote.

alan

--- On Thu, 10/23/08, Jay <crazycalifornian@...> wrote:
From: Jay <crazycalifornian@...>
Subject: [TrunkPCR] Military Times Election Poll 2008
To: TrunkPCR@yahoogroups.com
Date: Thursday, October 23, 2008, 6:42 PM

I don't usually post about politics, but being an ex-military guy, I feel

ALL U.S. Citizens should know about this...

Jay

Listed below are the results of the 2008 Election Poll conducted by a

Military Times

survey and published in the Army Times newspaper dated 13 October 2008.

http://www.military times.com/ news/2008/ 10/military_ poll_100508w/ website

http://www.military times.com/ static/projects/ pages/081003_ ep_2pp.pdf PDF

Chart

If the Presidential election were held today, for whom would you vote?

Enlisted - McCain - 68% - - - Obama - 23%

Officers - McCain - 70% - - - Obama - 22%

Army - McCain - 68% - - - Obama - 23%

Navy - McCain - 69% - - - Obama - 24%

Air Force - McCain - 67% - - - Obama - 24%

Marine Corps - McCain - 75% - - - Obama - 18%

Men - McCain 70% - - - Obama - 22%

Women - McCain - 53% - - - Obama - 36%

Age 18-34 - McCain - 65% - - - Obama - 27%

Age 35 and Older - McCain 70% - - - Obama - 21%

Active Duty - McCain - 67% - - - Obama - 24%

Guard & Reserve - McCain - 71% - - - Obama - 21%

Retirees - McCain - 72% - - - Obama - 20%

White - McCain - 76% - - - Obama - 17%

Hispanic or Latino - McCain - 63% - - - Obama - 27%

Black/African- American - McCain - 12% - - - Obama - 79%

Other Race Specified - McCain - 58% - - - Obama - 30%

Does this tell you something?

Which of the candidates would do a better job as President:

Handing the wars in Iraq and Afghanistan?

McCain - 74% - - - Obama - 19%

Handling military personnel issues, such as pay and benefits?

McCain - 73% - - - Obama - 18%

Handling issues, such as weapons purchases, the size of the

Armed Forces and National Security Strategy?

McCain - 77% - - - Obama - 15%

Handling domestic issues, such as education and the economy?

McCain - 53% - - - Obama - 33%

Other, Decline to answer, Undecided are the missing percentage

factors for the above.

This survey tells us how our men and women of the Armed Forces, who are

fighting and

defending our FREEDOM and our rights, feel about the upcoming election.

They do not trust the Muslim who is also a Communist and Socialist!

So, it behooves ALL of us to get out and vote for McCain in surport of our

young troops.

1211. Re: [TrunkPCR] Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 01:59:40 UTC
From: Lindsay Blanton
Topic: 1206 Message: 1211

Of all the statistics, it is interesting that the one item that this poll is most widely divided on is how candidates will handle domestic issues, for which our armed forces ultimately protect:

McCain - 53% - - - Obama - 33%

Contrast that with..... ³handling issues, such as weapons purchases, the size of the Armed Forces and National Security Strategy.²

McCain - 77% - - - Obama - 15%

McCain clearly is favored in both cases, but this wide disparity is pretty interesting.

-Lb
--
Lindsay C. Blanton III
President / Owner
RadioReference.com LLC
http://www.radioreference.com

From: Jay <crazycalifornian@...>
Reply-To: <TrunkPCR@yahoogroups.com>
Date: Thu, 23 Oct 2008 18:42:04 -0700
To: <TrunkPCR@yahoogroups.com>
Subject: [TrunkPCR] Military Times Election Poll 2008

I don't usually post about politics, but being an ex-military guy, I feel ALL U.S. Citizens should know about this...

Jay

Listed below are the results of the 2008 Election Poll conducted by a Military Times
survey and published in the Army Times newspaper dated 13 October 2008.

http://www.militarytimes.com/news/2008/10/military_poll_100508w/ website
http://www.militarytimes.com/static/projects/pages/081003_ep_2pp.pdf PDF Chart

If the Presidential election were held today, for whom would you vote?

Enlisted - McCain - 68% - - - Obama - 23%
Officers - McCain - 70% - - - Obama - 22%

Army - McCain - 68% - - - Obama - 23%
Navy - McCain - 69% - - - Obama - 24%
Air Force - McCain - 67% - - - Obama - 24%
Marine Corps - McCain - 75% - - - Obama - 18%

Men - McCain 70% - - - Obama - 22%
Women - McCain - 53% - - - Obama - 36%
Age 18-34 - McCain - 65% - - - Obama - 27%
Age 35 and Older - McCain 70% - - - Obama - 21%

Active Duty - McCain - 67% - - - Obama - 24%
Guard & Reserve - McCain - 71% - - - Obama - 21%
Retirees - McCain - 72% - - - Obama - 20%

White - McCain - 76% - - - Obama - 17%
Hispanic or Latino - McCain - 63% - - - Obama - 27%
Black/African-American - McCain - 12% - - - Obama - 79%
Other Race Specified - McCain - 58% - - - Obama - 30%
Does this tell you something?

Which of the candidates would do a better job as President:

Handing the wars in Iraq and Afghanistan?
McCain - 74% - - - Obama - 19%

Handling military personnel issues, such as pay and benefits?
McCain - 73% - - - Obama - 18%

Handling issues, such as weapons purchases, the size of the
Armed Forces and National Security Strategy?
McCain - 77% - - - Obama - 15%

Handling domestic issues, such as education and the economy?
McCain - 53% - - - Obama - 33%

Other, Decline to answer, Undecided are the missing percentage
factors for the above.

This survey tells us how our men and women of the Armed Forces, who are
fighting and
defending our FREEDOM and our rights, feel about the upcoming election.
They do not trust the Muslim who is also a Communist and Socialist!
So, it behooves ALL of us to get out and vote for McCain in surport of our
young troops.

1212. Re: [TrunkPCR] Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 03:09:11 UTC
From: Steve Smith
Topic: 1206 Message: 1212

Jay,

How many would vote to re-elect Bush?

> I don't usually post about politics, but being an ex-military guy, I feel
> ALL U.S. Citizens should know about this...
>
> Jay
>
> --------
>
> Listed below are the results of the 2008 Election Poll conducted by a
> Military Times
> survey and published in the Army Times newspaper dated 13 October 2008.
>
> http://www.militarytimes.com/news/2008/10/military_poll_100508w/
> <http://www.militarytimes.com/news/2008/10/military_poll_100508w/> website
> http://www.militarytimes.com/static/projects/pages/081003_ep_2pp.pdf
> <http://www.militarytimes.com/static/projects/pages/081003_ep_2pp.pdf> PDF
> Chart
>
> If the Presidential election were held today, for whom would you vote?
>
> Enlisted - McCain - 68% - - - Obama - 23%
> Officers - McCain - 70% - - - Obama - 22%
>
> Army - McCain - 68% - - - Obama - 23%
> Navy - McCain - 69% - - - Obama - 24%
> Air Force - McCain - 67% - - - Obama - 24%
> Marine Corps - McCain - 75% - - - Obama - 18%
>
> Men - McCain 70% - - - Obama - 22%
> Women - McCain - 53% - - - Obama - 36%
> Age 18-34 - McCain - 65% - - - Obama - 27%
> Age 35 and Older - McCain 70% - - - Obama - 21%
>
> Active Duty - McCain - 67% - - - Obama - 24%
> Guard & Reserve - McCain - 71% - - - Obama - 21%
> Retirees - McCain - 72% - - - Obama - 20%
>
> White - McCain - 76% - - - Obama - 17%
> Hispanic or Latino - McCain - 63% - - - Obama - 27%
> Black/African-American - McCain - 12% - - - Obama - 79%
> Other Race Specified - McCain - 58% - - - Obama - 30%
> Does this tell you something?

>
> Which of the candidates would do a better job as President:
>
> Handing the wars in Iraq and Afghanistan?
> McCain - 74% - - - Obama - 19%
>
> Handling military personnel issues, such as pay and benefits?
> McCain - 73% - - - Obama - 18%
>
> Handling issues, such as weapons purchases, the size of the
> Armed Forces and National Security Strategy?
> McCain - 77% - - - Obama - 15%
>
> Handling domestic issues, such as education and the economy?
> McCain - 53% - - - Obama - 33%
>
> Other, Decline to answer, Undecided are the missing percentage
> factors for the above.
>
> This survey tells us how our men and women of the Armed Forces, who are
> fighting and
> defending our FREEDOM and our rights, feel about the upcoming election.
> They do not trust the Muslim who is also a Communist and Socialist!
> So, it behooves ALL of us to get out and vote for McCain in surport of our
> young troops.
>
>

1213. Re: [TrunkPCR] Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 04:16:59 UTC
From: Jay
Topic: 1206 Message: 1213

This was from an email I received and was not intend to offend anyone,
especially anyone in the Muslim Faith...
I am truly sorry if it has...

Regards,
Jay

1214. RE: [TrunkPCR] Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 04:11:21 UTC
From: Mark Colborn
Topic: 1206 Message: 1214

Good question, not going there!!!

Early voted today, was walking out of the polls at the same time as a black family (husband, wife and teenage son). The poll place worker asked the son if he was voting in his first election. The son apparently didn't hear him so the father answered for him; "We are all voting for the first time in this election."

Mark

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Steve Smith
Sent: Thursday, October 23, 2008 10:09 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Military Times Election Poll 2008

Jay,

How many would vote to re-elect Bush?

1215. Re: [TrunkPCR] Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 04:38:20 UTC
From: johnstark
Topic: 1206 Message: 1215

probably about the same just to keep Obama out.....

John

----- Original Message -----
From: Steve Smith
To: TrunkPCR@yahoogroups.com
Sent: Thursday, October 23, 2008 11:09 PM
Subject: Re: [TrunkPCR] Military Times Election Poll 2008

Jay,

How many would vote to re-elect Bush?

> I don't usually post about politics, but being an ex-military guy, I feel
> ALL U.S. Citizens should know about this...
>
> Jay
>
> --------
>
> Listed below are the results of the 2008 Election Poll conducted by a
> Military Times
> survey and published in the Army Times newspaper dated 13 October 2008.
>
> http://www.militarytimes.com/news/2008/10/military_poll_100508w/
> <http://www.militarytimes.com/news/2008/10/military_poll_100508w/> website
> http://www.militarytimes.com/static/projects/pages/081003_ep_2pp.pdf
> <http://www.militarytimes.com/static/projects/pages/081003_ep_2pp.pdf> PDF
> Chart
>
> If the Presidential election were held today, for whom would you vote?
>
> Enlisted - McCain - 68% - - - Obama - 23%
> Officers - McCain - 70% - - - Obama - 22%
>
> Army - McCain - 68% - - - Obama - 23%
> Navy - McCain - 69% - - - Obama - 24%
> Air Force - McCain - 67% - - - Obama - 24%
> Marine Corps - McCain - 75% - - - Obama - 18%
>
> Men - McCain 70% - - - Obama - 22%
> Women - McCain - 53% - - - Obama - 36%
> Age 18-34 - McCain - 65% - - - Obama - 27%
> Age 35 and Older - McCain 70% - - - Obama - 21%
>

> Active Duty - McCain - 67% - - - Obama - 24%
> Guard & Reserve - McCain - 71% - - - Obama - 21%
> Retirees - McCain - 72% - - - Obama - 20%
>
> White - McCain - 76% - - - Obama - 17%
> Hispanic or Latino - McCain - 63% - - - Obama - 27%
> Black/African-American - McCain - 12% - - - Obama - 79%
> Other Race Specified - McCain - 58% - - - Obama - 30%
> Does this tell you something?
>
> Which of the candidates would do a better job as President:
>
> Handing the wars in Iraq and Afghanistan?
> McCain - 74% - - - Obama - 19%
>
> Handling military personnel issues, such as pay and benefits?
> McCain - 73% - - - Obama - 18%
>
> Handling issues, such as weapons purchases, the size of the
> Armed Forces and National Security Strategy?
> McCain - 77% - - - Obama - 15%
>
> Handling domestic issues, such as education and the economy?
> McCain - 53% - - - Obama - 33%
>
> Other, Decline to answer, Undecided are the missing percentage
> factors for the above.
>
> This survey tells us how our men and women of the Armed Forces, who are
> fighting and
> defending our FREEDOM and our rights, feel about the upcoming election.
> They do not trust the Muslim who is also a Communist and Socialist!
> So, it behooves ALL of us to get out and vote for McCain in surport of our
> young troops.
>
>

1216. Re: [TrunkPCR] Military Times Election Poll 2008

Yahoo group: TrunkPCR
Date: 2008-10-24 11:00:49 UTC
From: Glenn Blum
Topic: 1206 Message: 1216

I agree.
Glenn
----- Original Message -----
From: jerry allen
To: TrunkPCR@yahoogroups.com
Sent: Thursday, October 23, 2008 9:35 PM
Subject: Re: [TrunkPCR] Military Times Election Poll 2008

but it does no good unless you vote. 10 % more of any political persuasion that did not vote actually voted would cause are record land slide ether way.

So get out and vote.

alan

--- On Thu, 10/23/08, Jay <crazycalifornian@...> wrote:

From: Jay <crazycalifornian@hotmail.com>
Subject: [TrunkPCR] Military Times Election Poll 2008
To: TrunkPCR@yahoogroups.com
Date: Thursday, October 23, 2008, 6:42 PM

I don't usually post about politics, but being an ex-military guy, I feel
ALL U.S. Citizens should know about this...

Jay

Listed below are the results of the 2008 Election Poll conducted by a
Military Times
survey and published in the Army Times newspaper dated 13 October 2008.

http://www.military times.com/ news/2008/ 10/military_ poll_100508w/ website
http://www.military times.com/ static/projects/ pages/081003_ ep_2pp.pdf PDF
Chart

If the Presidential election were held today, for whom would you vote?

Enlisted - McCain - 68% - - - Obama - 23%
Officers - McCain - 70% - - - Obama - 22%

Army - McCain - 68% - - - Obama - 23%
Navy - McCain - 69% - - - Obama - 24%
Air Force - McCain - 67% - - - Obama - 24%
Marine Corps - McCain - 75% - - - Obama - 18%

Men - McCain 70% - - - Obama - 22%
Women - McCain - 53% - - - Obama - 36%
Age 18-34 - McCain - 65% - - - Obama - 27%
Age 35 and Older - McCain 70% - - - Obama - 21%

Active Duty - McCain - 67% - - - Obama - 24%
Guard & Reserve - McCain - 71% - - - Obama - 21%
Retirees - McCain - 72% - - - Obama - 20%

White - McCain - 76% - - - Obama - 17%
Hispanic or Latino - McCain - 63% - - - Obama - 27%
Black/African- American - McCain - 12% - - - Obama - 79%
Other Race Specified - McCain - 58% - - - Obama - 30%
Does this tell you something?

Which of the candidates would do a better job as President:

Handing the wars in Iraq and Afghanistan?
McCain - 74% - - - Obama - 19%

Handling military personnel issues, such as pay and benefits?
McCain - 73% - - - Obama - 18%

Handling issues, such as weapons purchases, the size of the
Armed Forces and National Security Strategy?
McCain - 77% - - - Obama - 15%

Handling domestic issues, such as education and the economy?
McCain - 53% - - - Obama - 33%

Other, Decline to answer, Undecided are the missing percentage
factors for the above.

This survey tells us how our men and women of the Armed Forces, who are
fighting and
defending our FREEDOM and our rights, feel about the upcoming election.
They do not trust the Muslim who is also a Communist and Socialist!
So, it behooves ALL of us to get out and vote for McCain in surport of our
young troops.

1217. Import problem

Yahoo group: TrunkPCR
Date: 2008-11-09 22:09:27 UTC
From: Brian
Topic: 1217 Message: 1217

Hello Jay,

I am having alittle problem with Trunk PCR. I try to use web import for "RR" and I am getting this error...(ShowConv: 9 - Subscript out of range)
Any ideas as to why I am getting this and any help would be great..

Brian

1218. EEPROM

Yahoo group: TrunkPCR
Date: 2008-11-10 19:35:23 UTC
From: Brian
Topic: 1218 Message: 1218

How offten should I backup my EEPROM Jay?

Thank You
Brian

1219. Question??

Yahoo group: TrunkPCR
Date: 2008-11-11 01:32:05 UTC
From: Brian
Topic: 1219 Message: 1219

Ok, here is what I should ask. What does verify EEPROM mean and do I have to back it up or save my results? I have read some post on RR that some of these programs can cause damage to the EEprom which can harm the receiver.One of them being Talkpcr if I remember correctly. So please explain this to me and remember I am not new to the world of receivers but this is my first high end receiver and it being my first SDR.

So any help or explaination would be nice.

Thank you Brian

1220. Re: [TrunkPCR] Import problem

Yahoo group: TrunkPCR
Date: 2008-11-11 03:42:40 UTC
From: Jay
Topic: 1217 Message: 1220

Hi Brian,

Which system are you trying to import?
A System ID would be helpful so I can check it on my end...

Thanks,
Jay

----- Original Message -----
From: "Brian"
Sent: Sunday, November 09, 2008 2:09 PM

> Hello Jay,
>
> I am having alittle problem with Trunk PCR. I try to use web import
> for "RR" and I am getting this error...(ShowConv: 9 - Subscript out of
> range)
> Any ideas as to why I am getting this and any help would be great..
>
> Brian

1221. Re: [TrunkPCR] EEPROM

Yahoo group: TrunkPCR
Date: 2008-11-11 03:45:22 UTC
From: Jay
Topic: 1218 Message: 1221

You should only need to backup your Eeprom ONCE...
If it was a good transfer, then just the first time would be necessary...
If it has changed from the original then you would need to Restore it...

----- Original Message -----
From: "Brian"
Sent: Monday, November 10, 2008 11:35 AM

> How offten should I backup my EEPROM Jay?
>
> Thank You
> Brian

1222. Re: [TrunkPCR] Question??

Yahoo group: TrunkPCR
Date: 2008-11-11 04:20:10 UTC
From: Jay
Topic: 1219 Message: 1222

The Verify EEprom does just that. It compares the contents of the EEprom to the contents of the "Saved" EEprom.dat file which verifies that the contents are the same. You would be notified either way if they were the same or different...

And YES, if you have a PCR1000 or PCR100, you SHOULD BACK UP YOUR EEPROM...

I've never heard that TalkPCR caused a problem with corrupting the EEprom. ICom put out a notice to make people be aware that "some third party" programs could corrupt (not damage in an electronic way) the EEprom's contents. This corruption could be caused by either sending the wrong information to the PCR or by trying make the PCR process too much data too fast.
So if a software developer didn't take these into consideration, their program would indeed corrupt the EEprom.

I have "delays" built-in my programs to prevent this...

One other thing that corrupts the EEprom, is a bad copy of ICom's EX-2099 alignment program floating around the web. When you run it, BOOM - you end up having a EEprom filled with the Corruption Data...

I should also mention that the EEprom Backup only works for the PCR1000 or PCR100...

Jay

----- Original Message -----
From: "Brian"
Sent: Monday, November 10, 2008 5:32 PM

> Ok, here is what I should ask. What does verify EEPROM mean and do I
> have to back it up or save my results? I have read some post on RR that
> some of these programs can cause damage to the EEprom which can harm
> the receiver.One of them being Talkpcr if I remember correctly. So
> please explain this to me and remember I am not new to the world of
> receivers but this is my first high end receiver and it being my first
> SDR.
>
> So any help or explaination would be nice.
>
> Thank you Brian

1223. Good morning

Yahoo group: TrunkPCR
Date: 2008-11-11 13:48:41 UTC
From: Brian
Topic: 1223 Message: 1223

Good morning Jay,

Thank you for answering my questions and helping me out. Now where I get this error is trying to import Broward County Conventional systems. Broward county is in the state of Florida.
State= Florida
County= Broward
Type= Conventional

Is there a way to rename my Trunk Banks? I am asking this because Palm Beach County TRS has three cities which I am interested in importing but each bank is name Palm Beach County. I would like to name each Bank for the city that it belongs to (Delray Beach, Boca Raton and Boynton Beach) instead of each bank being called Palm Beach County. These cities are almost totally Digital whereas the rest of the coumty is still analog.

Thank you for your time,

Brian

1224. Re: [TrunkPCR] Import problem

Yahoo group: TrunkPCR
Date: 2008-11-12 02:10:01 UTC
From: Jay
Topic: 1217 Message: 1224

Hey Brian,

Ok, yep I can confirm the same error using v0.88.236...
However in the new RR.com SOAP Web Import, it is working ok. So as soon as I can finish the other upgrades, that will be taken care of... If I can figure out a work around, I'll let ya know...

In order to correct the 3 Banks from having the same name, just rename the Bank after being created. Double-Click the Bank Name in the main display to set it in Edit Mode, rename it and press the "Enter" key on your keyboard to save...

Regards,
Jay

----- Original Message -----
From: "Brian"
Sent: Tuesday, November 11, 2008 5:48 AM

> Good morning Jay,
>
> Thank you for answering my questions and helping me out. Now where I
> get this error is trying to import Broward County Conventional systems.
> Broward county is in the state of Florida.
> State= Florida
> County= Broward
> Type= Conventional
>
> Is there a way to rename my Trunk Banks? I am asking this because Palm
> Beach County TRS has three cities which I am interested in importing
> but each bank is name Palm Beach County. I would like to name each Bank
> for the city that it belongs to (Delray Beach, Boca Raton and Boynton
> Beach) instead of each bank being called Palm Beach County. These
> cities are almost totally Digital whereas the rest of the coumty is
> still analog.
>
> Thank you for your time,
>
> Brian

1225. How to totally uninstall trunk PCR?

Yahoo group: TrunkPCR
Date: 2008-12-07 15:11:56 UTC
From: Ken Bessler
Topic: 1225 Message: 1225

Windows Vista Home Premium is my OS and I'm running the latest version of TrunkPCR. I need to wipe clean the previous install which had corrupted bank info. I've done the usual uninstall procedure and even searched the registry and deleted all entries labeled "trunkpcr". I then reinstall the program but I still get multiple (one for each channel in each bank!) error messages. Help?

Ken Bessler

1226. Re: [TrunkPCR] How to totally uninstall trunk PCR?

Yahoo group: TrunkPCR
Date: 2008-12-08 06:08:34 UTC
From: Jay
Topic: 1225 Message: 1226

Hi Ken,

All that's needed to make a fresh install of TrunkPCR is to uninstall the current version through the Control Panel's "Add/Remove Programs" option...

If the "TrunkPCR.ini" still exists, delete it...
If you still have a "Banks" Folder, then either delete it or "ReName It" to something else. If you don't delete it and keep it the same name, TrunkPCR will automatically check to see if there files named "Bank01", "Bank02" and so on. If they exist, they will be read as a valid Bank File.

If your Bank files are corrupted, you can either delete them or send them to me for correction and so I can see where the corruption is going on.

Regards,
Jay

----- Original Message -----
From: "Ken Bessler"
>

> Windows Vista Home Premium is my OS and I'm running the latest version
> of TrunkPCR. I need to wipe clean the previous install which had
> corrupted bank info. I've done the usual uninstall procedure and even
> searched the registry and deleted all entries labeled "trunkpcr". I
> then reinstall the program but I still get multiple (one for each
> channel in each bank!) error messages. Help?
>
> Ken Bessler

1227. A little problem PcrPro.exe

Yahoo group: TrunkPCR
Date: 2008-12-12 00:59:41 UTC
From: Brian
Topic: 1227 Message: 1227

Good Evening Jay,

Ok I was running my Audio Spectrum Display(waterfall) as well as Band Scope. I got this error message.

The instruction at '0x7c90100b' referenced memory at '0x00000014' The memory could not be 'read'

I got the hole report windows popup but I just clicked close restarted PcrPro and everything appears find. So I dont know why I got this error but I thought I let you know.

Also I have been doing rsearch on the NAC decoding for us and have asked one of my friends who is a software engineer for IBM. Well as he has stated it should be able to be done. The code(NAC)comes in with the signal and is attached to the radio ID just like any other code. The problem is it is not reporting it for one of few reasons.1) Either there is a filter on the logic board that stops it from showing it(which I wouldn't understand why). 2.) Their is no programming within the software architecture for it(which then someone would have too write so the NAC code could be expressed). I guess something to do with auto reporting like you said. Or 3.) Something to do with with in the chip sets itself which do not allow for it to come through(which then he said they would be nothing we could do.) He finds it hard to believe that Icom would block something so petty. He thinks that Icom just left it out of there design because of its insufficients and left it up to someone else to do.

Anyway keep up the awesome work on these programs and I look forward to the updates as well as when it is time to do the NAC Project.

Brian

1228. Re: A little problem PcrPro.exe

Yahoo group: TrunkPCR
Date: 2008-12-12 06:09:15 UTC
From: homer_is
Topic: 1227 Message: 1228

Brian,

It is my belief that the PCR just reports the parameters it was design to report into the Icom application which they failed to include NAC. In other words, interpret based on what the PCR1500.exe application expects, which is stupid since it does include a PL and DCS decoder. What idiots!

I don't think you can get to the UT-122 raw or direct. Unless there's some kind of test, maintenance or tuning mode that would allow you to talk directly to the UT-122 and extract raw from it, I don't see this as possible. Another shame, because you can tell the UT-122 to pass audio unfiltered or mute if the NAC you specify is not present. HOW CLOSE WERE THEY TO JUST ALLOWING IT TO TELL YOU THE NAC CODE!!!!??

If the second receiver is not busy performing a critical function, the other option would be
to dissect the P25 protocol directly through the soundcard as TrunkPCR does for Control Channels to extract the data from the bitstream. I think this is how theauthor of UniTrunker was able to publish the kNACk application to extract the 12-bit NAC code found in the Network ID field off the P25 stream.

-Homer

--- In TrunkPCR@yahoogroups.com, "Brian" <sjinndoawi00@...> wrote:
>
>
> Good Evening Jay,
>
> Ok I was running my Audio Spectrum Display(waterfall) as well as
> Band Scope. I got this error message.
>
> The instruction at '0x7c90100b' referenced memory at '0x00000014' The
> memory could not be 'read'
>
> I got the hole report windows popup but I just clicked close
> restarted PcrPro and everything appears find. So I dont know why I
> got this error but I thought I let you know.
>
> Also I have been doing rsearch on the NAC decoding for us and have
> asked one of my friends who is a software engineer for IBM. Well as
> he has stated it should be able to be done. The code(NAC)comes in
> with the signal and is attached to the radio ID just like any other
> code. The problem is it is not reporting it for one of few reasons.1)
> Either there is a filter on the logic board that stops it from
> showing it(which I wouldn't understand why). 2.) Their is no
> programming within the software architecture for it(which then
> someone would have too write so the NAC code could be expressed). I

> guess something to do with auto reporting like you said. Or 3.)
> Something to do with with in the chip sets itself which do not allow
> for it to come through(which then he said they would be nothing we
> could do.) He finds it hard to believe that Icom would block
> something so petty. He thinks that Icom just left it out of there
> design because of its insufficients and left it up to someone else to
> do.
>
> Anyway keep up the awesome work on these programs and I look forward
> to the updates as well as when it is time to do the NAC Project.
>
> Brian
>

1229. Importing CSV Group ID Files

Yahoo group: TrunkPCR
Date: 2008-12-13 18:32:55 UTC
From: jdami123
Topic: 1229 Message: 1229

Exporting a bank's Group IDs to a CSV file is a great feature...
Thanks, Jay!

Once the IDs are in an Excel sheet it's easy to batch mod parameters, and selective changes to individual IDs are easy too... as is adding or deleting groups.

So, would you be willing to provide a way to import the changes?

I can see some potential issues here, but it sure would be useful for dealing with systems having many groups.

Thanks again, Jay, for all your efforts!

1230. Re: [TrunkPCR] Importing CSV Group ID Files

Yahoo group: TrunkPCR
Date: 2008-12-14 00:31:25 UTC
From: Jay
Topic: 1229 Message: 1230

I think you are about the 3rd or 4th person now asking about a "Import CSV" feature. Since it's a repeated request, I guess I suppose that could be added :)

In this manner, you will be able Import data files from other scanner programs as well, which I can see would be helpful...

I'll add it to the ToDo List.

Regards,
Jay

----- Original Message -----
From: "jdami123"

> Exporting a bank's Group IDs to a CSV file is a great feature...
> Thanks, Jay!
>
> Once the IDs are in an Excel sheet it's easy to batch mod parameters,
> and selective changes to individual IDs are easy too... as is adding
> or deleting groups.
>
> So, would you be willing to provide a way to import the changes?
>
> I can see some potential issues here, but it sure would be useful for
> dealing with systems having many groups.
>
> Thanks again, Jay, for all your efforts!

1231. Re: [TrunkPCR] A little problem PcrPro.exe

Yahoo group: TrunkPCR
Date: 2008-12-14 00:40:19 UTC
From: Jay
Topic: 1227 Message: 1231

Hey Brian,

As far as the "Audio Spectrum Display"goes, it's a third party add-on that
I have no control over, nor the source code. So I am unable to correct any
problems with it...

Regards,
Jay

----- Original Message -----
From: "Brian"
>
> Good Evening Jay,
>
> Ok I was running my Audio Spectrum Display(waterfall) as well as
> Band Scope. I got this error message.
>
> The instruction at '0x7c90100b' referenced memory at '0x00000014' The
> memory could not be 'read'
>
> I got the hole report windows popup but I just clicked close
> restarted PcrPro and everything appears find. So I dont know why I
> got this error but I thought I let you know.
>
> Anyway keep up the awesome work on these programs and I look forward
> to the updates as well as when it is time to do the NAC Project.
>
> Brian

1232. Re: Importing CSV Group ID Files

Yahoo group: TrunkPCR
Date: 2008-12-14 01:29:26 UTC
From: jdami123
Topic: 1229 Message: 1232

Exciting news... thanks!

-rb-

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> I think you are about the 3rd or 4th person now asking about a
"Import CSV"
> feature. Since it's a repeated request, I guess I suppose that could be
> added :)
>
> In this manner, you will be able Import data files from other scanner
> programs as well, which I can see would be helpful...
>
> I'll add it to the ToDo List.
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: "jdami123"
>
>
> > Exporting a bank's Group IDs to a CSV file is a great feature...
> > Thanks, Jay!
> >
> > Once the IDs are in an Excel sheet it's easy to batch mod parameters,
> > and selective changes to individual IDs are easy too... as is adding
> > or deleting groups.
> >
> > So, would you be willing to provide a way to import the changes?
> >
> > I can see some potential issues here, but it sure would be useful for
> > dealing with systems having many groups.
> >
> > Thanks again, Jay, for all your efforts!
>

1233. RE: [TrunkPCR] Re: Importing CSV Group ID Files

Yahoo group: TrunkPCR
Date: 2008-12-14 13:47:27 UTC
From: Neal Linder
Topic: 1229 Message: 1233

Jay you might have already addressed this or part of it.

July 10,2007 - Added: Importing CSV files from Optoelectronics Digital Scout.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of jdami123
Sent: Saturday, December 13, 2008 8:29 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: Importing CSV Group ID Files

Exciting news... thanks!

-rb-

--- In TrunkPCR@yahoogroup <mailto:TrunkPCR%40yahoogroups.com> s.com, "Jay" <crazycalifornian@...> wrote:
>
> I think you are about the 3rd or 4th person now asking about a "Import CSV"
> feature. Since it's a repeated request, I guess I suppose that could be
> added :)
>
> In this manner, you will be able Import data files from other scanner
> programs as well, which I can see would be helpful...
>
> I'll add it to the ToDo List.
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: "jdami123"
>
>
> > Exporting a bank's Group IDs to a CSV file is a great feature...
> > Thanks, Jay!
> >
> > Once the IDs are in an Excel sheet it's easy to batch mod parameters,
> > and selective changes to individual IDs are easy too... as is adding
> > or deleting groups.
> >
> > So, would you be willing to provide a way to import the changes?

> >
> > I can see some potential issues here, but it sure would be useful for
> > dealing with systems having many groups.
> >
> > Thanks again, Jay, for all your efforts!
>

1234. Re: [TrunkPCR] Re: Importing CSV Group ID Files

Yahoo group: TrunkPCR
Date: 2008-12-15 05:35:11 UTC
From: Jay
Topic: 1229 Message: 1234

Hi Neal,

Yep, part of it anyway :)

The formats for ICom's MCH files, talkpcr and OPTO Scout all use a CSV type of file and are hard-coded into the program and use a simple routine for the imports.

What I have in mind is to create an input form, so that a user can define how to read the CSV file and tag where the Frequency, Step, Mode, Filter, Description and so on are located with-in a line of text.

Any new csv formats will be able to be saved from this form too and each csv format can be assigned a name for easy identification...

Thanks,
Jay

----- Original Message -----
From: Neal Linder

Jay you might have already addressed this or part of it.

July 10,2007 - Added: Importing CSV files from Optoelectronics Digital
Scout.

1235. RE: [TrunkPCR] Re: Importing CSV Group ID Files

Yahoo group: TrunkPCR
Date: 2008-12-15 14:19:41 UTC
From: Neal Linder
Topic: 1229 Message: 1235

I'm all for it. I look forward to it.

Thanks for being so responsive to all of our wishes, wants and desires.

Happy Holidays to the group.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, December 15, 2008 12:35 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: Importing CSV Group ID Files

Hi Neal,

Yep, part of it anyway :)

The formats for ICom's MCH files, talkpcr and OPTO Scout all use a CSV type of file and are hard-coded into the program and use a simple routine for the imports.

What I have in mind is to create an input form, so that a user can define how to read the CSV file and tag where the Frequency, Step, Mode, Filter, Description and so on are located with-in a line of text.

Any new csv formats will be able to be saved from this form too and each csv format can be assigned a name for easy identification...

Thanks,

Jay

----- Original Message -----

From: Neal Linder

Jay you might have already addressed this or part of it.

July 10,2007 - Added: Importing CSV files from Optoelectronics Digital Scout.

1236. NEW TO GROUP

Yahoo group: TrunkPCR
Date: 2008-12-16 23:58:35 UTC
From: sc1911cwp
Topic: 1236 Message: 1236

Just bought a PCR100 from ebay. Hope it works and is interesting. However, just let me know what I need to do to get the maximum benefit from this group. TNX

1237. Missing Banks

Yahoo group: TrunkPCR
Date: 2008-12-18 00:34:45 UTC
From: archbishopp
Topic: 1237 Message: 1237

When I started TrunkPCR a few days ago, my 18 Banks had suddenly disappeared. Upon checking my 'Banks' file, I found that the individual banks and the info therein are still there, but they do not appear in the bank tabs upon opening the application. I can still load any individual bank, but only one at any given time. I figure something in my profile file needs to be changed but I can't figure out what. Any help would be much appreciated. Peter

1238. Trunk PCR Bank problem

Yahoo group: TrunkPCR
Date: 2008-12-18 12:30:21 UTC
From: Brian
Topic: 1238 Message: 1238

I load TrunkPCR only to see I have missing banks. I check my folder in programs/trunkpcr and see they are still there but no tabs in the program. So I then click (file) and (load bank) nothing happens. I close out of TrunkPCR and reload it, comes up but now I have two of the same bank tabs in the program window that were not ther before. So how do I delete one of them from the window so I only have one showing? Why is this happening sometimes when I start the program? This is the second time this has happened.

Thank you,
Brian

1239. PCR PRO questions and found something for trunk pcr

Yahoo group: TrunkPCR
Date: 2008-12-22 17:03:29 UTC
From: Brian
Topic: 1239 Message: 1239

Hello Jay,

I have a few questions about this great program. I really like this program because it is very detailed in its approach to researching signals and the interface is easier to work with for me.I like the hole color and look of it. I perfer this over the Icom software.

1.)Spectrum Analyzer.
a.)What does Xpos mean as well as do?
b.) What does Ypos mean and do?
c.) FFT Size(Points). What is this?
d.)A little lost here on the hole Display Parameters thing?(Time Scale,Ave Count,Amp Scale)
e.) Is it possible to hear audio while I am sweeping between my ranges? Lets say I my range is between 160.000MHz-172.000MHz and I get a hit at 169.000MHz and it is at a level S8. I see the hit but dont hear anything. I have Continuous with a check in it as well as Refresh so the Spectrum is always current.

2.) Scan Edges? Where I can program a range to keep sweeping through. Like 160.000MHz-172.000MHz. Either I cant find it or the program doesn't have it.

3.) Is it possible to have BOTH CTCSS as well as DTCS tone search running at the same time? or Will this crash the program?

4.) Tune
a.) I really don't understand what this will do but I do understand the pop up window..LOL.could mess up my reciever. So could you explain this one to me?

What I have found out.

For those of you who are using Trunk Pcr but cant record or are either using some backwoods recording software. I use a program called WavePad. It works awesome with trunk pcr, maybe too good. Its very vast in its apporach in recording as well as signals processing.Such as time sampling,invert/revert,encrypt/decrypt,loop,1 channel 2 channle.frequency analyz,time analyz, sound bite analyz a hole lot of stuff I am finding out.
Their is one downfall though when using it with Trunkpcr and handling mix signals. Trunk pcr does a AWESOME job with them its the recording software. Let me explain, I get a Digital signal and it records, then I get a Analog signal and it records BUT once the transmission ends after the Analog I now record the CC until a digital signal comes back though and then it stops recording the CC and now records the digital/analog. But this is ok cuz wavepad alows

you to edit your recordings so all you have to do it cut out the CC and save and all is well. This has something to do with the Analog signal.
I would have not guess this or even have thought it possible with software but there is a little secret for wavepad. Voice inversion ,WOW.. I think you pros know whaT I am talking about.

I know you are busy Jay with the programs but when you can please answer my questions. Again looking forward to the updates.

The pratice of your craft is only limited by the use of your imagination.

Peace,
Brian

1240. Voice Recognition and GPS software tricks

Yahoo group: TrunkPCR
Date: 2008-12-22 17:42:02 UTC
From: Brian
Topic: 1240 Message: 1240

1.)Ok, here is something again I came across using Dragon Natural Speaking. Well I found this out when I was running the BCD996T'S I had before I sold them and went with just Icom's. That is if you have voice recognition software and are running lets say word or notepad and click in the window you are now watching the computer type everything that is is picking up via the voice program. Interesting to say the lease. There are a few tweaks you have to do within the software nothing major and data base workups you have to do but it works.

2.) You know the hole BCD996T can GPS SYSTEMS. So you can be driving around and it switches via GPS coordinates for systems....lol thats cute. Well if you are running Icoms and Microsoft Sreet&Trips 2007 lets say. How great it is to watch point to point and know where things are happening as well as hear it. Again you have to do a data base workup for the map/maps you want and go from there.

I will say this if you so do choose to do any of these you MUST make sure you only have these programs running GPS,RECIEVER,TRUNKPCR/VOICE/RECORDER . You have to TURN OFF everything else(all secondary apps((virus scan,games,what other programs that are running.))

Why you might ask.
1.) free up as much memroy as possible
2.) Processor speed
3.) so no conflicts/crashes happen
4.) Hard Drive Access
Yes I run all of these as well as do them all and have for a few months now. I have seen at time processor load reach as high as 100% for a minute or 2. At best I range around 35-47% processor usage and memory down to around 450MBs free and thats out of 2G's of memory.

I found all this out when I was using my BCD996T's before I sold them so I know this is all possible and know what I am talking about. if any of you are interested I can help you out just ask.

The pratcie of your craft is only limited to the use of your imagination.

Peace,
Brian

1241. Re: [TrunkPCR] NEW TO GROUP

Yahoo group: TrunkPCR
Date: 2008-12-26 10:35:52 UTC
From: Jay
Topic: 1236 Message: 1241

What you need to do is:

#1 - Read the messages...
#2 - Post a question to something not covered...
#3 - Learn by participation :)

Jay

----- Original Message -----
From: "sc1911cwp"

> Just bought a PCR100 from ebay. Hope it works and is interesting. However,
just let me know
> what I need to do to get the maximum benefit from this group. TNX

1242. Re: [TrunkPCR] Missing Banks

Yahoo group: TrunkPCR
Date: 2008-12-26 10:59:44 UTC
From: Jay
Topic: 1237 Message: 1242

The TrunkPCR.ini file holds the information of the Banks that you want loaded.
In the "[Settings]" section of that file, there is a variable named "BankCnt" and should show the number of Banks that were last saved. It should look something like "BankCnt=32", if you had 32 banks...

The Bank Files that are stored in the "Banks" folder will only be read by the program, if the name of the Bank is saved in the "[ScanBanks]" section of the TrunkPcr.ini file, a sample would look like this:

```
[ScanBanks]
Bank01=Local FM Stations
Bank02=Local Cops
Bank03=SD City TRS
```

So, if you have a Bank named "Local Cops", you should have a file in the Banks folder named "Local Cops.Bnk".
If you haven't assigned any descriptions to any Bank, you may have an entry like:
Bank01=Bank01 and you should have a corresponding file named "Bank01.Bnk" in the Banks folder.

The above info is only saved either by closing the program or by clicking File Menu->Save Profile or File Menu->Save Profile As...

Jay

----- Original Message -----
From: "archbishopp"

> When I started TrunkPCR a few days ago, my 18 Banks had suddenly
> disappeared. Upon checking my 'Banks' file, I found that the
> individual banks and the info therein are still there, but they do not
> appear in the bank tabs upon opening the application. I can still
> load any individual bank, but only one at any given time. I figure
> something in my profile file needs to be changed but I can't figure
> out what. Any help would be much appreciated. Peter

1243. Re: [TrunkPCR] Trunk PCR Bank problem

Yahoo group: TrunkPCR
Date: 2008-12-26 11:05:53 UTC
From: Jay
Topic: 1238 Message: 1243

To Delete a Bank, click the Edit->Banks->Delete Bank (F4) Menu.

Also read the last message "Missing Banks"...

Jay

----- Original Message -----
From: "Brian"

> I load TrunkPCR only to see I have missing banks. I check my folder in
> programs/trunkpcr and see they are still there but no tabs in the
> program. So I then click (file) and (load bank) nothing happens. I
> close out of TrunkPCR and reload it, comes up but now I have two of the
> same bank tabs in the program window that were not ther before. So how
> do I delete one of them from the window so I only have one showing? Why
> is this happening sometimes when I start the program? This is the
> second time this has happened.
>
> Thank you,
> Brian

1244. Re: [TrunkPCR] PCR PRO questions and found something for trunk pcr

Yahoo group: TrunkPCR
Date: 2008-12-26 11:36:22 UTC
From: Jay
Topic: 1239 Message: 1244

```
----- Original Message -----
From: "Brian"

> Hello Jay,
>
> I have a few questions about this great program. I really like this
> program because it is very detailed in its approach to researching
> signals and the interface is easier to work with for me.I like the
> hole color and look of it. I perfer this over the Icom software.
>
> 1.)Spectrum Analyzer.
> a.)What does Xpos mean as well as do?
> b.) What does Ypos mean and do?
> c.) FFT Size(Points). What is this?
> d.)A little lost here on the hole Display Parameters thing?( Time
> Scale,Ave Count,Amp Scale)
> e.) Is it possible to hear audio while I am sweeping between my
> ranges? Lets say I my range is between 160.000MHz-172.000MHz and I
> get a hit at 169.000MHz and it is at a level S8. I see the hit but
> dont hear anything. I have Continuous with a check in it as well as
> Refresh so the Spectrum is always current.

You are asking questions about two (2) differnt things and not designed to
work together.
1) Options Menu->Audio Spectrum Display
Search the intenet for "Spectogram", this is a third party application I
use...

2) Options Menu->Spectrum Sweep
To listen to signals during a Spectrum Sweep, just set the squelch to the
9-O'clock position so you can hear the audio.

> 2.) Scan Edges? Where I can program a range to keep sweeping through.
> Like 160.000MHz-172.000MHz. Either I cant find it or the program
> doesn't have it.

For the Spectrum Sweep, you have a box named Frequency Limits, you just need
to click in each textbox (Low & High) and enter the desired frequency...

> 3.) Is it possible to have BOTH CTCSS as well as DTCS tone search
> running at the same time? or Will this crash the program?

Don't think so, best bet would to try each seperately.
CTCSS is for analog signals and DTCS is for digital...

> 4.) Tune
> a.) I really don't understand what this will do but I do understand
```

> the pop up window..LOL.could mess up my reciever. So could you
> explain this one to me?

This is similar to ICom's Alignment Tool and should only be used on PCR1000's and PCR100's. You should only *Play* with this if you know what you are doing :)

> Peace,
> Brian

1245. Decoding problem Trunk PCR

Yahoo group: TrunkPCR
Date: 2008-12-27 17:01:32 UTC
From: Brian
Topic: 1245 Message: 1245

Thank you Jay for answering my questions. I see all is well for PCR Pro an runs great now that i understand this. I really like this program

For some reason I am getting False decoding on P25 systems and this is two specific groups in two different cities (fire talk gorups.) Of the three cities that I have program only the one city talk group (fire) works. Also of late I am starting to miss both side of the conversation on all channells. Only get oneside and it is now just dispatches or to say one radio. Sometimes I will see in trunk pcr window a tag come up but hear no audio either or it takes a few seconds to open and then I heard audio.
False decoding is the (blapppp,blappp) I hear or as the uniden guys call it motorboating. I did have that with my Unidens (BCD996T) but I could adjust the (ms) to correct the problem and it did a good job of correction but I think the adjustment range has to be a little greater. Does Trunk PCR have this adjustment available?

I have my program speed set to above normal(thinking this would help) but it hasn't. Looked at my antenna scheme and made changes it is still happening.

The systems are Motorola Type II SmartZone,Analog and APCO-25 Common air Interface. Well basically all the systems down here are or they are LTR.
In closing I have paid very close attention to this problem way before I got into SDR's or using Trunk PCR while just playing with my Unidens/RadioShack scanners. It is to my belief that these mixed systems present a really problem to either the hardware or software in decoding them. As I have multiple recordings from all recievers. In analyzing them I have come to the conclusion that it is when going from analog back to digital is the problem and not digital to analog. So I think the only why to fix this is by timing adjustments. Kinda like a piston firing order of a engine.

Thank you for your time Sir.

Brian

1246. Re: [TrunkPCR] Decoding problem Trunk PCR

Yahoo group: TrunkPCR
Date: 2008-12-28 04:50:58 UTC
From: Jay
Topic: 1245 Message: 1246

Hey Brian,

If you have Icom's P25 card and the PCR2500, then you should be able to recive digital comms. TrunkPCR currently does not have the capability to decode P25 on it's own, but I have been playing around with that :)

If you do have a PCR2500 w/P25 card, then in the Trunk Settings, you can check to see if the Digital groups are indeed set to Digital under the A/D Column...

Regards,
Jay

----- Original Message -----
From: "Brian"

> Thank you Jay for answering my questions. I see all is well for PCR
> Pro an runs great now that i understand this. I really like this
> program
>
> For some reason I am getting False decoding on P25 systems and this
> is two specific groups in two different cities (fire talk gorups.)
> Of the three cities that I have program only the one city talk group
> (fire) works. Also of late I am starting to miss both side of the
> conversation on all channells. Only get oneside and it is now just
> dispatches or to say one radio. Sometimes I will see in trunk pcr
> window a tag come up but hear no audio either or it takes a few
> seconds to open and then I heard audio.
> False decoding is the (blapppp,blappp) I hear or as the uniden guys
> call it motorboating. I did have that with my Unidens (BCD996T) but I
> could adjust the (ms) to correct the problem and it did a good job of
> correction but I think the adjustment range has to be a little
> greater. Does Trunk PCR have this adjustment available?
>
> I have my program speed set to above normal(thinking this would help)
> but it hasn't. Looked at my antenna scheme and made changes it is
> still happening.
>
> The systems are Motorola Type II SmartZone,Analog and APCO-25 Common
> air Interface. Well basically all the systems down here are or they
> are LTR.
> In closing I have paid very close attention to this problem way
> before I got into SDR's or using Trunk PCR while just playing with my
> Unidens/RadioShack scanners. It is to my belief that these mixed
> systems present a really problem to either the hardware or software
> in decoding them. As I have multiple recordings from all recievers.

> In analyzing them I have come to the conclusion that it is when going
> from analog back to digital is the problem and not digital to analog.
> So I think the only why to fix this is by timing adjustments. Kinda
> like a piston firing order of a engine.
>
> Thank you for your time Sir.
>
> Brian
>
>
> ---
>
> Yahoo! Groups Links
>
>
>
>

1247. Good morning Jay

Yahoo group: TrunkPCR
Date: 2008-12-28 14:03:41 UTC
From: Brian
Topic: 1247 Message: 1247

Yes I have a PCR2500 with the P25 card. So I really dont know why I am having this problem with the Digital systems. The only way I can at lease get this problem under some control is to block (lock out) all analog signals coming into trunk pcr and then at best my decoding rate is a little better. You see, this problem is not just defined to Trunk Pcr I also seen this my the BCD996T's I had and I had (4) of them before I sold them. And the problem was still the same systems as well as the same talk groups. Again I would have to block (lock out) all Analog signals and then adjust the (ms). With the Unidnes 400ms is the starting point and the range is from 100ms to 1000ms. While one system which is Delray Beach was fine at 600ms and then no flase decoding for any talk group. The other system which is Boynton Beach would still not be good and I would have to take it to 900ms to have any readbility. Once I found the right adjustments for the (ms) for my problem systems then I could unlock the analog banks and everything was fine. The Unidens also have a end code feature which I would have to go from ignor to yes. These two features greatly either inhance or retard the readability of digital signals.

You see upon having recording these signals and then analyzeing them with a Spectrum player I could see my time frames from false decode to reading the signal and make the proper adjustments. At times fasle decoding could last for me 2 full seconds and then I get a readable signal only to be have way into it or it is gone.

Mulitpath distortion, time/distance issues, signal reception,simulcast, radio techs always making adjustments whatever you want to call it the problem is their with almost all scanner/receivers.Analog signal back to Digital signal is the problem and not vice verse. Each individual system is unique unto itself and I implore you please allow Trunk PCR too have the ability to have P25 time adjustments and end code features. Uniden of late now has added this feature to them with version 3 update and I know that because I had them. So I think they are on to something big with that feature.

Also we have a high end reciever with the ability to intercept and decode just about anything under the sun. Coupled with a computer makes this duo a very powerful combination. The only fault would be in software development. If you were to incorpate those 2 features with the ability to have each individual bank have its own adjustments saved to that specific bank then I believe a problem like this would not exist.

Thank you for your time Sir

Brian

1248. Re: [TrunkPCR] Good morning Jay

Yahoo group: TrunkPCR
Date: 2008-12-28 15:03:30 UTC
From: Jay
Topic: 1247 Message: 1248

Morning Brian,

If you are talking about the "Adaptive Digital Threshold", Icom's P25 card doesn't have that type of setting...

When TrunkPCR sees that a call is digital (or the Group is Identified as a Digital Group in the Trunk Settinds), it will select the P25 mode when that Group is active...

Jay

----- Original Message -----
From: "Brian"
>
> Each individual system is unique unto itself and
> I implore you please allow Trunk PCR too have the ability to have P25
> time adjustments and end code features. Uniden of late now has added
> this feature to them with version 3 update and I know that because I
> had them. So I think they are on to something big with that feature.
>
> Thank you for your time Sir
>
> Brian

1249. Yes

Yahoo group: TrunkPCR
Date: 2008-12-28 17:24:39 UTC
From: Brian
Topic: 1249 Message: 1249

Sir is it possible then that Trunk PCR could incorpate "Adaptive Digital Threshold"? Since the P25 logic board doesn't have that on the Icom. Are the parameters of the P25 logic board of the 2500 outside of Trunk PCR whereas P25 logic board interepts the signal then sent to Trunk PCR for finer tuning(ms/digital end code) OR do Trunk PCR and logic board work in unison which then maybe a moot point.

Brian

1250. Group settings

Yahoo group: TrunkPCR
Date: 2008-12-28 17:27:20 UTC
From: Brian
Topic: 1250 Message: 1250

Yes my group setting are set to digital

Brian

1251. Re: [TrunkPCR] Yes

Yahoo group: TrunkPCR
Date: 2008-12-29 01:34:25 UTC
From: Jay
Topic: 1249 Message: 1251

Hi Brian,

I beleive that the "Adaptive Digital Threshold" in Uniden scanners, is a setting that controls an internal setting of the Apco decoder, ICom doesn't have any kind of "fine tuning" for Digital Reception, just the Mode setting of FM for Analog or P25 for Apco Digital...

After TrunkPcr stops on a digital call, it should have the [P25] button depressed.
As a test, try changing the Mode to FM and then back to P25 to see if that clears it up.

Regards,
Jay

BTW, no need to call me "Sir". Just keep it causual :)

----- Original Message -----
From: "Brian"

> Sir is it possible then that Trunk PCR could incorpate "Adaptive
> Digital Threshold"? Since the P25 logic board doesn't have that on the
> Icom. Are the parameters of the P25 logic board of the 2500 outside
> of Trunk PCR whereas P25 logic board interepts the signal then sent to
> Trunk PCR for finer tuning(ms/digital end code) OR do Trunk PCR and
> logic board work in unison which then maybe a moot point.
>
> Brian

1252. Good morning Jay

Yahoo group: TrunkPCR
Date: 2008-12-30 14:03:36 UTC
From: Brian
Topic: 1247 Message: 1252

Yes Jay when a P25 signal comes through TrunkPCR I see in the window display P25. When Analog comes in I see NFM. So this has nothing to do with the the software to my understanding.
I have noices this though. When I get any signal be it Analog or Digital it will drop the comms and start to search again so I miss what is being said. I have scan delay set to 5 sec and use scan delay and not the other setting(pause when present) S-meter is pegged between 5-7 and very little flucuation decoding rate between 49 to 52 and 100% decoding. Once a signal comes in and audio is hear I see 100% go to 0.0% and the comms are done and then it is back up to 100% again. What can you make of all of this?
Thank you,
Brian

1253. Also Jay

Yahoo group: TrunkPCR
Date: 2008-12-30 15:09:34 UTC
From: Brian
Topic: 1253 Message: 1253

When I click dump and goto Control to see who appears that is assigned to that Control Channel. I will see a tagged group that I have programed in that bank which is unlock and trunkPCR will just keep searching. Once in awhile it will stop on that transmission and allow audio output but not often. The TrunkPCR main window will say searching but my Control window from the dump will acknowledge activity of all the groups I have programed for that bank. Wherther they are locked or unlocked. I guess you could call it group assignments (A=Police,B=ops,F=Fire.) Am i doing something wrong and is this making any sense to you?

Thank you,
Brian

1254. Nevermind Jay

Yahoo group: TrunkPCR
Date: 2008-12-30 22:42:40 UTC
From: Brian
Topic: 1254 Message: 1254

I fixed my problems.

1.) I needed HUNT ON DATA LOSS on.(Thats why I was only hearding one side of the conversation or losing it. They switch CC's from time to time and when they patch or mulitselect which is a lot.

2.) ALLOW FOR LISTENING OF CONTINUATION CALLS.(I dont have all radio ID's in my banks and now I see them when they come as well as hear them.

3.) PRIORITY SETTING. So when I am watching a group within the same bank because my scan delay is set to 5 sec and all of the sudden another group starts transmiting it goes to that new one and leaves the other one behind. So the only question I have is what are the priority setting equal to(1 = highest rating and 50 = lowest rating). Because I have them all set to the same rating which is 50. No more droping of anything.
Just need to know what the Priority ratings equal?

Thanks Jay for everything

Brian

1255. Re: [TrunkPCR] Good morning Jay

Yahoo group: TrunkPCR
Date: 2008-12-31 11:37:26 UTC
From: Jay
Topic: 1247 Message: 1255

Hey Brian,

The only reason for it to resume monitoring the Control Channel, is if there isn't any signal on the Voice Channel or what TrunkPCR thinks should be the Voice Channel that was assigned to the call.

When you have "Pause Using Scan Delay" selected and set the scan delay to 5 seconds, then after a call is made and 5 seconds have lapsed, it will go back and continue monitoring the control channel.

For trunking, I would keep it set at "Pause While Present" and try setting the "Resume Delay" to 5 Seconds.
This will force it to stay on the Voice Channel and wait to see if it becomes active in that time period...

Are you sure the settings are correct for the system you are monitoring?
Splinter when it should be 800 or the correct Freq Plan?

Thanks,
Jay

----- Original Message -----
From: "Brian"

> Yes Jay when a P25 signal comes through TrunkPCR I see in the window
> display P25. When Analog comes in I see NFM. So this has nothing to do
> with the the software to my understanding.
> I have noices this though. When I get any signal be it Analog or
> Digital it will drop the comms and start to search again so I miss what
> is being said. I have scan delay set to 5 sec and use scan delay and
> not the other setting(pause when present) S-meter is pegged between 5-7
> and very little flucuation decoding rate between 49 to 52 and 100%
> decoding. Once a signal comes in and audio is hear I see 100% go to
> 0.0% and the comms are done and then it is back up to 100% again. What
> can you make of all of this?
> Thank you,
> Brian

1256. False decoding fixed

Yahoo group: TrunkPCR
Date: 2008-12-31 14:43:55 UTC
From: Brian
Topic: 1256 Message: 1256

Yes Jay I got that one fixed too went to pause when present and set it to 5 sec for scan delay and it worked. So all is well now with everything.
As for the fasle decoding,well I went back into my banks for the two groups I was having this problem with. Well for one they were not set to digital,they were set to analog(I know someone should hit this kid in the head) my mistake. So I set them to digital open the banks up and its still happening but I am now getting some readable signal but not much. I call my friend who is the IBM software engineer and we talk about it. He told me Digital signals are very finicky and that there is some interference coming from something. Long story short once I got my 2500 away from my laptop no more false decoding. Crystal clear audio. So if any one of you guys here have this false decoding problem start moving antenna/receiver around. It could be something as easy as mine was. As my friend has told me also it isn't called false decoding it's call, pixelated(if i spelled that right) the signal is pixelated.

Aalso I asked a question in the other group about getting weak signals and low audio when I pluged in my charger to charge my laptop when running my 2500. Well it seems that my battery was lose and all I did was push it in farther and everything came back as in audio and no more weak signals.

Brian

1257. Re: [TrunkPCR] False decoding fixed

Yahoo group: TrunkPCR
Date: 2009-01-01 12:34:14 UTC
From: Jay
Topic: 1256 Message: 1257

Hey Brian,

Wow!, that's some interesting and good stuff to know :)
I guess some laptops don't have that good of shielding, maybe some desktops as well...

Thanks for the insights,
Jay

----- Original Message -----
From: "Brian"

> Yes Jay I got that one fixed too went to pause when present and set
> it to 5 sec for scan delay and it worked. So all is well now with
> everything.
> As for the fasle decoding,well I went back into my banks for the two
> groups I was having this problem with. Well for one they were not set
> to digital,they were set to analog(I know someone should hit this kid
> in the head) my mistake. So I set them to digital open the banks up
> and its still happening but I am now getting some readable signal but
> not much. I call my friend who is the IBM software engineer and we
> talk about it. He told me Digital signals are very finicky and that
> there is some interference coming from something. Long story short
> once I got my 2500 away from my laptop no more false decoding.
> Crystal clear audio. So if any one of you guys here have this false
> decoding problem start moving antenna/receiver around. It could be
> something as easy as mine was. As my friend has told me also it isn't
> called false decoding it's call, pixelated(if i spelled that right)
> the signal is pixelated.
>
> Aalso I asked a question in the other group about getting weak
> signals and low audio when I pluged in my charger to charge my
> laptop when running my 2500. Well it seems that my battery was lose
> and all I did was push it in farther and everything came back as in
> audio and no more weak signals.
>
> Brian

1258. Selling my PCR2500 :(

Yahoo group: TrunkPCR
Date: 2009-01-04 02:18:49 UTC
From: brisk13026
Topic: 1258 Message: 1258

Hey all, Sorry to say I've deceided to sell my PCR-2500. Between a busy career that requires alot of travel, and a family, as hard as I try I just dont have time to play with it. So I'll offer it up to someone who really could make better use of it. It is in mint condition, comes with original box, OEM owners manual, OEM software, OEM AC transformer, unused OEM antenna. S/N 2501083. It has the UT-106 DSP unit installed in it also. It has been sitting in the box in the back of the closet for some time now.

Jay: You've developed a great piece of software and are very talented, keep up the great work!!

I'm looking for $600.00, shipped to you via FedEx GND insured. I would prefer a PayPal payment but will accept a USPS MO.
Send me a email if you're interested. I can send some pictures if you need. Of course I'll entertain offers, and if you have a M/A Com/Ericsson Jaguar 700P 800mhz EDACS Portable and are looking to trade, by all means let me know. I have no intrest in trading for any other radio at this time.
Thanks all,

Brian

1259. Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-04 19:39:53 UTC
From: jfjones_1832
Topic: 1259 Message: 1259

Finally trying a local EDACS system (Clinton County, Michigan). I have a PCR-1000 1's rate of 45% averaging 35% to 45% in indicator next to 1's. Have captured 11 groups and 27 radios. Trunking off I hear good audio on the control channel. Click trunking on the groups and radios will climb on occasion but never see the search stop and display any readings (group, radios or tags).

Same radio on a Motorola type II (Saginaw County, Michigan) works just fine.

Any suggestions?

John.

1260. Re: Selling my PCR2500 :(

Yahoo group: TrunkPCR
Date: 2009-01-05 12:34:06 UTC
From: Ben Weeks
Topic: 1258 Message: 1260

--- In TrunkPCR@yahoogroups.com, "brisk13026" <brisk13026@...> wrote:
>
> Hey all, Sorry to say I've deceided to sell my PCR-2500. Between a
> busy career that requires alot of travel, and a family, as hard as I
> try I just dont have time to play with it. So I'll offer it up to
> someone who really could make better use of it. It is in mint
> condition, comes with original box, OEM owners manual, OEM software,
> OEM AC transformer, unused OEM antenna. S/N 2501083. It has the UT-
> 106 DSP unit installed in it also. It has been sitting in the box in
> the back of the closet for some time now.
>
> Jay: You've developed a great piece of software and are very
> talented, keep up the great work!!
>
> I'm looking for $600.00, shipped to you via FedEx GND insured. I
> would prefer a PayPal payment but will accept a USPS MO.
> Send me a email if you're interested. I can send some pictures if you
> need. Of course I'll entertain offers, and if you have a M/A
> Com/Ericsson Jaguar 700P 800mhz EDACS Portable and are looking to
> trade, by all means let me know. I have no intrest in trading for
> any other radio at this time.
> Thanks all,
>
> Brian
>
Have you considered setting it up as a source for a streaming server?

1261. Non-existent recovery rates on EDACS

Yahoo group: TrunkPCR
Date: 2009-01-06 15:02:25 UTC
From: David Guretzki
Topic: 1261 Message: 1261

Hello Jay (and group).

I'm having problems getting TrunkPCR to work on our local Motorala EDACS system in the 850 mhz range. I get excellent 1's readings (50-55%) and the control channel comes through loud and clear (I can get the oscilloscope to show a very nice signal with peaks and troughs not going off the screen). However, no matter how I monkey with the microphone levels (there is no "line input" jack) or Trunking settings (including reversing polarity and changing sampling rates), I get 0.0% recovery rates, or if I'm lucky, 1 - 4%. I've picked up only 2 radio ids over 24 hours of searching and have manually scanned the channels to make sure there is traffic on them (and that I have the right frequencies).

I'm running a newer Dell laptop with a PCR1000.

Any suggestions on what I should try next?
Thanks.

David
VE5DLM

1262. Re: Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-06 15:25:49 UTC
From: David Guretzki
Topic: 1259 Message: 1262

John, this also seems to be the case for me. I'm just wondering if you get good recovery rates? The absolutely highest I've seen is 34% but mostly it is 0% or 1-4%...

David
VE5DLM

--- In TrunkPCR@yahoogroups.com, "jfjones_1832" <w8jfj@...> wrote:
>
> Finally trying a local EDACS system (Clinton County, Michigan). I have
> a PCR-1000 1's rate of 45% averaging 35% to 45% in indicator next to
> 1's. Have captured 11 groups and 27 radios. Trunking off I hear good
> audio on the control channel. Click trunking on the groups and radios
> will climb on occasion but never see the search stop and display any
> readings (group, radios or tags).
>
> Same radio on a Motorola type II (Saginaw County, Michigan) works just
> fine.
>
> Any suggestions?
>
> John.
>

1263. Re: [TrunkPCR] Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-07 10:25:25 UTC
From: Jay
Topic: 1259 Message: 1263

Hi John,

Do you have the TrunkBanks "[A] to [Z] and [?]" enabled (Green), for the TalkGroups.
Normally, all Groups are first assigned to the "[?]"(new Groups) TrunkBank and the [?] TrunkBank should be on (Green). If only TrunkBank [A] is on, then click the other TrunkBanks in the Main Display so that they display as Green too.

If you are only getting 35% to 45% Recovery Rate and the Filter is set to 6khz, then change to the 15khz filter.

Jay

----- Original Message -----
From: "jfjones_1832"

> Finally trying a local EDACS system (Clinton County, Michigan). I have
> a PCR-1000 1's rate of 45% averaging 35% to 45% in indicator next to
> 1's. Have captured 11 groups and 27 radios. Trunking off I hear good
> audio on the control channel. Click trunking on the groups and radios
> will climb on occasion but never see the search stop and display any
> readings (group, radios or tags).
>
> Same radio on a Motorola type II (Saginaw County, Michigan) works just
> fine.
>
> Any suggestions?
>
> John.

1264. Re: [TrunkPCR] Non-existent recovery rates on EDACS

Yahoo group: TrunkPCR
Date: 2009-01-07 10:34:06 UTC
From: Jay
Topic: 1261 Message: 1264

Hi David,

What is the Name and Location of the Trunking System? City, State, Etc...
Edacs or Motorola? It can only be one.
If it's a Moto system and you have it set for Edacs, then you would need to
reverse the Settings...

Jay

----- Original Message -----
From: "David Guretzki"

> Hello Jay (and group).
>
> I'm having problems getting TrunkPCR to work on our local Motorala
> EDACS system in the 850 mhz range. I get excellent 1's readings (50-
> 55%) and the control channel comes through loud and clear (I can get
> the oscilloscope to show a very nice signal with peaks and troughs not
> going off the screen). However, no matter how I monkey with the
> microphone levels (there is no "line input" jack) or Trunking settings
> (including reversing polarity and changing sampling rates), I get 0.0%
> recovery rates, or if I'm lucky, 1 - 4%. I've picked up only 2 radio
> ids over 24 hours of searching and have manually scanned the channels
> to make sure there is traffic on them (and that I have the right
> frequencies).
>
> I'm running a newer Dell laptop with a PCR1000.
>
> Any suggestions on what I should try next?
> Thanks.
>
> David
> VE5DLM

1265. Re: Non-existent recovery rates on EDACS

Yahoo group: TrunkPCR
Date: 2009-01-07 13:39:34 UTC
From: David Guretzki
Topic: 1261 Message: 1265

Jay, the system is an "EDACS Networked Standard" system. It is called "Sasktel Mobility Fleetnet 800," is based in Regina, Saskatchewan, but operates province-wide. (See http://www.radioreference.com/apps/db/?sid=3582).

I managed to finally get it to work last night. As it turns out, I needed to find the magic combination of the right sampling rate for my laptop sound card (44000, I believe) and making sure I had "reverse polarity" checked. I am now getting 30-40% recovery rates, but it seems to work fine that way. I left it run over night and it caught 13 talkgroups in less than 10 hours! I read in a post earlier on that someone else also reported that EDACS systems tend to have less recovery rates. I am using a 5 element beam antenna, tuned for the 440 Mhz range mounted on a rotator, but it picks up the 850 Mhz system very well.

My next question is this: Since Fleetnet is "multi-site" with 7 simulcast groups of frequencies, I can hear traffic on at least two of the simulcast groups. Is it possible to scan both more than one site/simulcast group at once? If so, I would need to scan both control channels and enter the separate LCN and frequencies because each group uses more or less the same LCN numbers for their frequencies. I hope this makes sense.

Great software, Jay! Thanks for all the time you put into it! Also, the PCR1000 is a great little magic box if it can only be "tamed" with the right software!

David
VE5DLM

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi David,
>
> What is the Name and Location of the Trunking System? City, State, Etc...
> Edacs or Motorola? It can only be one.
> If it's a Moto system and you have it set for Edacs, then you would need to
> reverse the Settings...
>
> Jay
>
> ----- Original Message -----
> From: "David Guretzki"

>
>
> > Hello Jay (and group).
> >
> > I'm having problems getting TrunkPCR to work on our local Motorala
> > EDACS system in the 850 mhz range. I get excellent 1's readings
(50-
> > 55%) and the control channel comes through loud and clear (I can
get
> > the oscilloscope to show a very nice signal with peaks and troughs
not
> > going off the screen). However, no matter how I monkey with the
> > microphone levels (there is no "line input" jack) or Trunking
settings
> > (including reversing polarity and changing sampling rates), I get
0.0%
> > recovery rates, or if I'm lucky, 1 - 4%. I've picked up only 2
radio
> > ids over 24 hours of searching and have manually scanned the
channels
> > to make sure there is traffic on them (and that I have the right
> > frequencies).
> >
> > I'm running a newer Dell laptop with a PCR1000.
> >
> > Any suggestions on what I should try next?
> > Thanks.
> >
> > David
> > VE5DLM
>

1266. Re: Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-08 00:34:00 UTC
From: jfjones_1832
Topic: 1259 Message: 1266

Jay, actually only "?" was green. Now they all are. Unfortunate that this is a pretty quiet county so it takes a while to get some good traffic. I have "greened" everything. Using FSK and 15khz filter. My recovery rate is up to 60%. Antenna is an 860mhz beam at 40 feet. I am about 22 miles from the transmitter.

Occasionally I get data traffic over the speaker and the groups/radio counters increase. At the same time on the simulcast VHF I will hear the audio. But no radio audio on the PCR-1000 only data noise. The radio "locks" on the data traffic. I then have to stop and start trunk again.

It's almost like I am still not getting a "good" control. The only data I ever hear on this system is 868.0875.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi John,
>
> Do you have the TrunkBanks "[A] to [Z] and [?]" enabled (Green), for the
> TalkGroups.
> Normally, all Groups are first assigned to the "[?]"(new Groups)
TrunkBank
> and the [?] TrunkBank should be on (Green). If only TrunkBank [A]
is on,
> then click the other TrunkBanks in the Main Display so that they
display as
> Green too.
>
> If you are only getting 35% to 45% Recovery Rate and the Filter is
set to
> 6khz, then change to the 15khz filter.
>
> Jay
>
> ----- Original Message -----
> From: "jfjones_1832"
>
> > Finally trying a local EDACS system (Clinton County, Michigan). I have
> > a PCR-1000 1's rate of 45% averaging 35% to 45% in indicator next to
> > 1's. Have captured 11 groups and 27 radios. Trunking off I hear good
> > audio on the control channel. Click trunking on the groups and radios
> > will climb on occasion but never see the search stop and display any
> > readings (group, radios or tags).
> >
> > Same radio on a Motorola type II (Saginaw County, Michigan) works just

> > fine.
> >
> > Any suggestions?
> >
> > John.
>

1267. Re: Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-08 00:41:10 UTC
From: jfjones_1832
Topic: 1259 Message: 1267

David, right now my recovery rate is 45 to 50%. Still not getting any audio. Oh well, at least it is fun to play with.

--- In TrunkPCR@yahoogroups.com, "David Guretzki" <dguretzki@...> wrote:
>
> John, this also seems to be the case for me. I'm just wondering if you
> get good recovery rates? The absolutely highest I've seen is 34% but
> mostly it is 0% or 1-4%...
>
> David
> VE5DLM
>
> --- In TrunkPCR@yahoogroups.com, "jfjones_1832" <w8jfj@> wrote:
> >
> > Finally trying a local EDACS system (Clinton County, Michigan). I
> have
> > a PCR-1000 1's rate of 45% averaging 35% to 45% in indicator next
> to
> > 1's. Have captured 11 groups and 27 radios. Trunking off I hear good
> > audio on the control channel. Click trunking on the groups and
> radios
> > will climb on occasion but never see the search stop and display any
> > readings (group, radios or tags).
> >
> > Same radio on a Motorola type II (Saginaw County, Michigan) works
> just
> > fine.
> >
> > Any suggestions?
> >
> > John.
> >
>

1268. TrunkPCR version 0.89.244 Now Available

Yahoo group: TrunkPCR
Date: 2009-01-09 09:42:16 UTC
From: Jay
Topic: 1268 Message: 1268

TrunkPCR version 0.89.244 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has a few Additions, Changes and fixes...
NOTE: Moto Type-I Support should be finished in the next major update.

Feb 04,2008 - Fixed: Import Bank Showing "Read-Only Property" Error.
Feb 05,2008 - Fixed: Editing RadioID from Affiliation List.
Feb 05,2008 - Fixed: Editing Fonts for RadioID's.
Feb 08,2008 - Fixed: Reduced COM Ports to 16 (Max Supported by MS COM Control).
Feb 09,2008 - Added: Speed Governor on Knob Controls.
Feb 19,2008 - Fixed: Reading Registry Items in Vista 64 Bit OS.
Feb 20,2008 - Fixed: Naming of Search Limt Bank after Inserting New Entry.
Feb 20,2008 - Fixed: Search Limt Bank Tab's Caption after Renaming Description.
Feb 21,2008 - Added: Skip Known Frequencies in Search Limit Scan Banks.
Feb 22,2008 - Added: Search Limit - Saved Channels to Known Frequencies.
Feb 22,2008 - Fixed: Sub Receiver's "Increment Frequency" using Limit Search.
Feb 22,2008 - -----: Changed how Search Limit Results are saved.
Feb 22,2008 - -----: Known Frequencies are now ReLoaded after a channel is deleted.
Mar 02,2008 - Fixed: Setting Search Limit Tab descriptions when Loading a Different Profile.
Mar 14,2008 - Added: Importing Other Radio Formats now include Volume,Squelch,IF Shift settings.
Mar 22,2008 - Added: LTR Decoding (Not decoding 100% yet).
Apr 05,2008 - Added: Auto-Connect at Startup.
Apr 06,2008 - Added: Saving BandScope's Follow Active Freqs & Identify Known Freqs settings.
Apr 06,2008 - -----: BandScope's Follow Active Freqs & Identify Known Freqs settings Set at Startup.
Apr 06,2008 - -----: Importing Corrected Talkpcr Fql files.
Apr 12,2008 - Added: AFC, AGC, ATTN, NB, VSC and DSP settings Saved for each Channel.
Apr 13,2008 - Added: Channel Display Grid that allows editing of channel settings.
Apr 16,2008 - -----: AFC Menu now only enabled in 6kHz/15kHz FM.
Apr 18,2008 - Added: Duplex Offset Frequency setting for All Channels.
Apr 18,2008 - Fixed: Windows Height Adjustment for Vista PC's.
Apr 25,2008 - Fixed: Bank Info Saved when Channel Lock-Out is changed.
Apr 25,2008 - Added: Display of AFC, AGC, ATTN, NB and VSC settings in StatusBar.
Jul 25,2008 - -----: Changed how the Control Channel Activity Window is created.
Jul 25,2008 - Fixed: Keyboard shortcuts now work when CCA Window is displayed.
Jul 31,2008 - Added: Running History of Group Calls.
Jul 31,2008 - Added: Running History of Radio Affiliations.
Jul 31,2008 - -----: Inactive Frequencies now cleared when not in use for 5 seconds.
Jul 31,2008 - -----: Inactive Patches now cleared when not in use for 5 seconds.
Jul 31,2008 - Fixed: Faulty display of "Radio Unknown" Decription.
Aug 10,2008 - Fixed: Channel Hit Counter for PCR-1500 & 2500's main receiver.

Aug 10,2008 - Fixed: When De-Activating a TrunkBank, the User Picture is only hidden if the TrunkBank was active.
Nov 26,2008 - Fixed: Group Alerts now display correct Group Color.
Nov 26,2008 - Added: Abort Alerts on Group Alert Display.
Dec 02,2008 - Added: Running History of Active Control Channel Use.
Dec 06,2008 - Added: Inactive Frequency and Patch TimeOuts in Trunk Settings.
Dec 07,2008 - Added: Abort Alerts on Radio Alert Display.
Jan 03,2008 - Added: Find and Replace for Group/Radio Description in Affiliation List.
Version 0.89.242 Released 01/09/2009

Regards,
Jay

1269. Suggestions for future update/version...

Yahoo group: TrunkPCR
Date: 2009-01-11 19:44:04 UTC
From: David Guretzki
Topic: 1269 Message: 1269

Hi Jay. I'm really enjoying the program now that I finally got it working. It took a bit of tweaking, but once it started working, it was well worth.

Here's two suggestions I would have in the future.

1) At some point, a bit more detailed 'step-by-step' instructions for getting a trunking system entered into the program, especially for those of us for whom trunking is a pretty new concept. I hope a fuller manual will be able to be developed at some point in the future.

2) Would it be possible to have a feature where TrunkPCR could be minimized to the bottom toolbar and running the in background? The little window could say, "Scanning..." or "Searching..." and then when traffic occurred, it could flash the Talkgroup ID or name in the taskbar. That way, if you are doing other things with the PCR running in the background, you'd only need to glance at the taskbar to see which group is currently talking. (I can do this with Windows Media, for example, when playing songs).

Thanks again for all the hard work and your willingness to share your labors with us!

David
VE5DLM

1270. Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-01-11 15:46:30 UTC
From: Brian
Topic: 1270 Message: 1270

Ok I have the new version(0.89.242) up and running. I am getting these two errors.

Get_Radio Error[6] Overflow-0,00

and this one

Get_Radio Error[6] Overflow-0,02

The errors happen after about 10 minutens of running. Then TrunkPcr crashes and I have to reload it.
Anyway I love the program I really like the history(call/radio) windows found in the dump.
Keep up the Great work

Thank you,
Brian

1271. Re: [TrunkPCR] Suggestions for future update/version...

Yahoo group: TrunkPCR
Date: 2009-01-12 14:46:14 UTC
From: Jay
Topic: 1269 Message: 1271

Hi David,

1) Yep, been a topic for a long time :) when I can get down and do the "paperwork", I will... What help that isn't covered on thge Help Page or on the radioreference wiki, should be touched somewhat here. If you see something that isn't covered, please post away :)

2) Yeah, that does sound easy enough to add...

Thanks,
Jay

----- Original Message -----
From: "David Guretzki"

> Hi Jay. I'm really enjoying the program now that I finally got it
> working. It took a bit of tweaking, but once it started working, it
> was well worth.
>
> Here's two suggestions I would have in the future.
>
> 1) At some point, a bit more detailed 'step-by-step' instructions for
> getting a trunking system entered into the program, especially for
> those of us for whom trunking is a pretty new concept. I hope a fuller
> manual will be able to be developed at some point in the future.
>
> 2) Would it be possible to have a feature where TrunkPCR could be
> minimized to the bottom toolbar and running the in background? The
> little window could say, "Scanning..." or "Searching..." and then when
> traffic occurred, it could flash the Talkgroup ID or name in the
> taskbar. That way, if you are doing other things with the PCR running
> in the background, you'd only need to glance at the taskbar to see
> which group is currently talking. (I can do this with Windows Media,
> for example, when playing songs).
>
> Thanks again for all the hard work and your willingness to share your
> labors with us!
>
> David
> VE5DLM

1272. Re: [TrunkPCR] Get_Radio Error[6] Overflow

Yahoo group: TrunkPCR
Date: 2009-01-12 14:53:48 UTC
From: Jay
Topic: 1272 Message: 1272

Hi Brian,

Hmmm, thought I had this narrowed down a few months ago, or at least that was the last time I saw that error. I thought it had something to do with the description of a RadioID, but turns out to be a possibility of 2 errors.

Either the fontname that is assigned to a RadioID is getting corrupted with a "square" character, or the value of the RadioID assigned color is beyond a certain value...

I'll get this updated soon :)

Thanks for the report,
Jay

----- Original Message -----
From: "Brian"

> Ok I have the new version(0.89.242) up and running. I am getting these
> two errors.
>
> Get_Radio Error[6] Overflow-0,00
>
> and this one
>
> Get_Radio Error[6] Overflow-0,02
>
> The errors happen after about 10 minutens of running. Then TrunkPcr
> crashes and I have to reload it.
> Anyway I love the program I really like the history(call/radio)
> windows found in the dump.
> Keep up the Great work
>
> Thank you,
> Brian

1273. Re: [TrunkPCR] Re: Non-existent recovery rates on EDACS

Yahoo group: TrunkPCR
Date: 2009-01-12 14:57:42 UTC
From: Jay
Topic: 1261 Message: 1273

Hi David,

Right now, scanning two or more sites is still a "work in progress"...

Regards,
Jay

----- Original Message -----
From: "David Guretzki"

> My next question is this: Since Fleetnet is "multi-site" with 7
> simulcast groups of frequencies, I can hear traffic on at least two of
> the simulcast groups. Is it possible to scan both more than one
> site/simulcast group at once? If so, I would need to scan both control
> channels and enter the separate LCN and frequencies because each group
> uses more or less the same LCN numbers for their frequencies. I hope
> this makes sense.
>
> David
> VE5DLM

1274. Re: [TrunkPCR] Re: Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-12 15:05:42 UTC
From: Jay
Topic: 1259 Message: 1274

Hi John,

To "Block" the Data Calls, make sure the "Block Data Calls" is checked in the Trunk Settings for Edacs.

If you are using the "Two Receiver" mode, then a fix isn't available for that...

Jay

----- Original Message -----
From: "jfjones_1832"

> Jay, actually only "?" was green. Now they all are. Unfortunate that
> this is a pretty quiet county so it takes a while to get some good
> traffic. I have "greened" everything. Using FSK and 15khz filter. My
> recovery rate is up to 60%. Antenna is an 860mhz beam at 40 feet. I am
> about 22 miles from the transmitter.
>
> Occasionally I get data traffic over the speaker and the groups/radio
> counters increase. At the same time on the simulcast VHF I will hear
> the audio. But no radio audio on the PCR-1000 only data noise. The
> radio "locks" on the data traffic. I then have to stop and start trunk
> again.
>
> It's almost like I am still not getting a "good" control. The only
> data I ever hear on this system is 868.0875.

1275. Re: Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-13 02:12:03 UTC
From: jfjones_1832
Topic: 1259 Message: 1275

Actually in my previous reply I meant to ask, how do I allow for the different site codes in TrunkPCR?

Actually in my previous post I meant to ask: How do I allow for the various sites in addition to the LCN's?

http://www.radioreference.com/apps/db/?sid=473

Thanks, John.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi John,
>
> To "Block" the Data Calls, make sure the "Block Data Calls" is checked in
> the Trunk Settings for Edacs.
>
> If you are using the "Two Receiver" mode, then a fix isn't available for
> that...
>
> Jay
>
> ----- Original Message -----
> From: "jfjones_1832"
>
>
> > Jay, actually only "?" was green. Now they all are. Unfortunate that
> > this is a pretty quiet county so it takes a while to get some good
> > traffic. I have "greened" everything. Using FSK and 15khz filter. My
> > recovery rate is up to 60%. Antenna is an 860mhz beam at 40 feet. I am
> > about 22 miles from the transmitter.
> >
> > Occasionally I get data traffic over the speaker and the groups/radio
> > counters increase. At the same time on the simulcast VHF I will hear
> > the audio. But no radio audio on the PCR-1000 only data noise. The
> > radio "locks" on the data traffic. I then have to stop and start trunk
> > again.
> >
> > It's almost like I am still not getting a "good" control. The only
> > data I ever hear on this system is 868.0875.
>

1276. Re: Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-13 01:49:48 UTC
From: jfjones_1832
Topic: 1259 Message: 1276

Jay, (or anyone else) actually I did have "block data calls checked".
I think my problem is I missed the proper step for loading the
frequencies in the tables with their LCN's. Were do I find a sites LCN
assignments?

This is the Clinton County link:

http://www.radioreference.com/apps/db/?sid=473

I am using a single PCR-1000.

Thanks, John.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi John,
>
> To "Block" the Data Calls, make sure the "Block Data Calls" is
checked in
> the Trunk Settings for Edacs.
>
> If you are using the "Two Receiver" mode, then a fix isn't available for
> that...
>
> Jay
>
> ----- Original Message -----
> From: "jfjones_1832"
>
>
> > Jay, actually only "?" was green. Now they all are. Unfortunate that
> > this is a pretty quiet county so it takes a while to get some good
> > traffic. I have "greened" everything. Using FSK and 15khz filter. My
> > recovery rate is up to 60%. Antenna is an 860mhz beam at 40 feet. I am
> > about 22 miles from the transmitter.
> >
> > Occasionally I get data traffic over the speaker and the groups/radio
> > counters increase. At the same time on the simulcast VHF I will hear
> > the audio. But no radio audio on the PCR-1000 only data noise. The
> > radio "locks" on the data traffic. I then have to stop and start trunk
> > again.
> >
> > It's almost like I am still not getting a "good" control. The only
> > data I ever hear on this system is 868.0875.
>

1277. TrunkPCR version 0.89.243 Now Available

Yahoo group: TrunkPCR
Date: 2009-01-14 04:09:37 UTC
From: Jay
Topic: 1277 Message: 1277

TrunkPCR version 0.89.243 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has 1 Addition and 1 fix...

NOTE: Moto Type-I Support will be finished in the next major update.

Jan 13,2009 - Fixed: Defining Alert variable for Group/RadioID's.
Jan 13,2009 - Added: Verifying that all Group/Radio Fonts Exist in system.
Version 0.89.243 Released 01/13/2009

Regards,
Jay

1278. Re: [TrunkPCR] Re: Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-14 04:25:34 UTC
From: Jay
Topic: 1259 Message: 1278

Hi John,

From the info on RR.com:
Site Name
001 St. Johns 02 866.30000 03 867.55000c 04 868.58750 05 868.08750c 06
868.83750
002 DeWitt (West) 01 866.30000 02 867.55000 03 868.08750 04 868.58750 05
868.83750
003 DeWitt (East) 01 866.05000c 02 868.03750 03 868.65000

For the channels you enter in the "Clinton County Public Safety" Bank, you
can enter them in LCN order (but doen't realy matter).

In the Freq Plan Editor, you "must" enter the frequencies in LCN Order.

So if you are listening to the DeWitt (East) Site, you would have:
CH/LCN 01 = 866.05000
CH/LCN 02 = 868.03750
CH/LCN 03 = 868.65000

Regards,
Jay

----- Original Message -----
From: "jfjones_1832"

> Jay, (or anyone else) actually I did have "block data calls checked".
> I think my problem is I missed the proper step for loading the
> frequencies in the tables with their LCN's. Were do I find a sites LCN
> assignments?
>
> This is the Clinton County link:
>
> http://www.radioreference.com/apps/db/?sid=473
>
> I am using a single PCR-1000.
>
> Thanks, John.

1279. Re: [TrunkPCR] Re: Edacs - Groups and radios found but no audio

Yahoo group: TrunkPCR
Date: 2009-01-14 04:32:49 UTC
From: Jay
Topic: 1259 Message: 1279

Hey John,

Site Codes doesn't matter in TrunkPCR, since you define each site as a different Bank depending on it's name...

For each Site, you just need to make a different Bank for them.
Some sites may share the same Groups and some may use completely different ones...

Jay

----- Original Message -----
From: "jfjones_1832"

> Actually in my previous reply I meant to ask, how do I allow for the
> different site codes in TrunkPCR?
>
> Actually in my previous post I meant to ask: How do I allow for the
> various sites in addition to the LCN's?
>
> http://www.radioreference.com/apps/db/?sid=473
>
> Thanks, John.

1280. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2009-01-15 04:18:45 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 1280

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /Previous Versions/TrunkPcr_0_89_243_Update.zip
Uploaded by : craazyc <crazycalifornian@...>
Description : TrunkPCR 0.89.243 update - You'll have to install 0.89.242 first before you can use this...

You can access this file at the URL:
http://groups.yahoo.com/group/TrunkPCR/files/Previous%20Versions/TrunkPcr_0_89_243_Update.zip

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/l/us/yahoo/groups/original/members/web/index.htmlfiles

Regards,

craazyc <crazycalifornian@...>

1281. TrunkPCR Test

Yahoo group: TrunkPCR
Date: 2009-01-15 09:06:22 UTC
From: Jay
Topic: 1281 Message: 1281
Attachments: 1 described; binary payloads are missing from this source WARC

If you have been experiencing a problem with the program loading, extract the zip file to the folder where TrunkPCR is installed and replace the files.

Run the program and let me know what error it shows...

Thanks,
Jay

1282. works fine

Yahoo group: TrunkPCR
Date: 2009-01-15 11:09:33 UTC
From: Brian
Topic: 1282 Message: 1282

I fully uninstalled 0.89.242 and then installed 0.89.243. everything works find for me. So I have not seen any errors or problems as of yet.

Brian

1283. RE: [TrunkPCR] TrunkPCR Test

Yahoo group: TrunkPCR
Date: 2009-01-15 13:59:40 UTC
From: Neal Linder
Topic: 1281 Message: 1283
Attachments: 1 described; binary payloads are missing from this source WARC

Jay,

I received the following message even after replacing the 2 files from the zipped file. I uninstalled the original program before loading the new one.

Any suggestions?

Thanks, Neal

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, January 15, 2009 4:06 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR Test

If you have been experiencing a problem with the program loading, extract the zip file to the folder where TrunkPCR is installed and replace the files.

Run the program and let me know what error it shows...

Thanks,

Jay

1284. Re: [TrunkPCR] TrunkPCR Test

Yahoo group: TrunkPCR
Date: 2009-01-16 03:45:06 UTC
From: Al Asber
Topic: 1281 Message: 1284

Jay,
I downloaded the zip and getting the same errors as before.
The error report is also just like the one Neal received.

Al

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Thursday, January 15, 2009 4:06:22 AM
Subject: [TrunkPCR] TrunkPCR Test

If you have been experiencing a problem with the program loading, extract the zip file to the folder where TrunkPCR is installed and replace the files.

Run the program and let me know what error it shows...

Thanks,
Jay

1285. Re: TrunkPCR Test

Yahoo group: TrunkPCR
Date: 2009-01-15 21:57:49 UTC
From: jdami123
Topic: 1281 Message: 1285

```
Replaced all three files with new files from

TrunkPcr_0_89_243_Update.zip

Startup error box looks like this:
-----------------------------------------
TrunkPcr.exe - Application Error

The instruction at "0x01499227" referenced memory at "0x64757023".
The memory could not be "read".
-----------------------------------------

Hope this is useful, Jay.

-rb-

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> If you have been experiencing a problem with the program loading,
extract the zip file to the folder where TrunkPCR is installed and
replace the files.
>
> Run the program and let me know what error it shows...
>
> Thanks,
> Jay
>
```

1286. TrunkPCR Test 245

Yahoo group: TrunkPCR
Date: 2009-01-16 04:29:53 UTC
From: Jay
Topic: 1286 Message: 1286
Attachments: 1 described; binary payloads are missing from this source WARC

If you still have a problem with the program loading, extract the zip file to the folder where TrunkPCR is installed and replace the files.

Run the program and let me know if this version works...

I removed the Font Verification that was added in 243 for now. This may be causing the latest bug since it was introduced in 243, while 242 seems ok from the reports...

Thanks,
Jay

1287. Re: [TrunkPCR] TrunkPCR Test 245

Yahoo group: TrunkPCR
Date: 2009-01-17 00:42:50 UTC
From: Al Asber
Topic: 1286 Message: 1287

Jay,
Third time a charm.....245 works with no problems!
Thanks,
Al

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Thursday, January 15, 2009 11:29:53 PM
Subject: [TrunkPCR] TrunkPCR Test 245

If you still have a problem with the program loading, extract the zip file to the folder where TrunkPCR is installed and replace the files.

Run the program and let me know if this version works...

I removed the Font Verification that was added in 243 for now. This may be causing the latest bug since it was introduced in 243, while 242 seems ok from the reports...

Thanks,
Jay

1288. RE: [TrunkPCR] TrunkPCR Test 245

Yahoo group: TrunkPCR
Date: 2009-01-16 18:52:23 UTC
From: Neal Linder
Topic: 1286 Message: 1288

Jay,

I used these files and it loaded right up for me.

Thanks for the quick response.

Neal

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, January 15, 2009 11:30 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR Test 245

If you still have a problem with the program loading, extract the zip file to the folder where TrunkPCR is installed and replace the files.

Run the program and let me know if this version works...

I removed the Font Verification that was added in 243 for now. This may be causing the latest bug since it was introduced in 243, while 242 seems ok from the reports...

Thanks,
Jay

1289. minor glitch/information/request

Yahoo group: TrunkPCR
Date: 2009-01-16 18:12:04 UTC
From: Brian
Topic: 1289 Message: 1289

I am running v 0.89.243 with no problems. It has one minor glitch and that is when I hit "dump" s-meter goes to zero and it will stop searching but I just click search and it is up and running again with NO problems and logges everything just great, never misses a beat. So like I said just a minor glitch.

For those of you who are still having digital audio problems try using your DSP logic boarD (UT-106)it worked for me for cleaning up my signal. Now remember Motorola ASTRO portables/mobiles dont have any audio problems, its because of two key things Motorola radios have that scanners don't but communications recievers do (DSP Logic boards) being one of them.

1.)Analog/Digital call strapping(at least in trunking)
2.)All signals are buffered through the DSP, including analog. There is no chance of hearing"braaaap" (false decoding)or garbled voices since the DSP catches the P25 data before it is routed to the audio circuit. Also with DSP on try running AGC on and off too see if it helps the audio also.

Jay I have a request. When I use the DSP feature incorpated in TrunkPcr. Can you "SLOW DOWN" the dial! I click it once and it fly's from any posistion it is at and I have to fight with it to get it set just right.

Thanks Jay for everything
Brian

1290. TrunkPCR version 0.89.246 Now Available

Yahoo group: TrunkPCR
Date: 2009-01-17 05:07:59 UTC
From: Jay
Topic: 1290 Message: 1290

TrunkPCR version 0.89.246 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcr.html

This update has 2 changes...

NOTE: Moto Type-I Support will be finished in the next major update.

Jan 16,2009 - -----: Removed Verifying of Fonts until this works better.
Jan 16,2009 - -----: Changed DSP's Noise Reduction Knob to Point-n-Drag instead of Auto-Spin.
Version 0.89.246 Released 01/16/2009

Regards,
Jay

1291. No Trunking

Yahoo group: TrunkPCR
Date: 2009-01-17 18:43:47 UTC
From: scannersrus
Topic: 1291 Message: 1291

Since I upgraded a few days ago I have not been able to trunk. I can hear the control channel and voices and other freqs but I cannot get the program to stop on the control channel when I press Trunk. I typed the same trunked radio system into another bank. It still will not stop on the control channel. Any suggestions appreciated.

1292. Re: [TrunkPCR] No Trunking

Yahoo group: TrunkPCR
Date: 2009-01-18 05:49:44 UTC
From: Jay
Topic: 1291 Message: 1292

Hi,

Things to check:
-> The cable from the Packet Out to your sound card?
-> Sound Card settings?
-> Reverse Polarity in the Trunk Settings?
-> Correct Trunking system selected in Trunk Settings?

Have you un-installed the version you have and installed version 0.89.246?

Jay

----- Original Message -----
From: "scannersrus"

> Since I upgraded a few days ago I have not been able to trunk. I can
> hear the control channel and voices and other freqs but I cannot get
> the program to stop on the control channel when I press Trunk. I typed
> the same trunked radio system into another bank. It still will not
> stop on the control channel. Any suggestions appreciated.

1293. Re: TrunkPCR version 0.89.246 Now Available

Yahoo group: TrunkPCR
Date: 2009-01-18 21:21:59 UTC
From: jdami123
Topic: 1290 Message: 1293

Uninstalled version 243 first and then installed 246 using Setup.exe

---
TrunkPcr.exe - application error [occurred after opening dual recvr mode, after trying to select SUB bank to match MAIN bank]

The exception Floating-point inexact result.
(0xc000008f) occurred in the application at location 0x7c812a5b

[Had to close app from Task Mgr.]

Dual-Uses Separate Audio Source:TrunkPcr.exe - application error [occurred after reopening app and clicking dual mode]

The instruction at "0x66063fea" referenced memory at "0x00000014". The memory could not be "read"

[Clicked "ok" and app closed by itself this time]

-rb-

1294. Re: No Trunking

Yahoo group: TrunkPCR
Date: 2009-01-18 21:39:27 UTC
From: scannersrus
Topic: 1291 Message: 1294

I tried everything. I uninstalled ver 0.89.246 and installed 0.89.243. I toggled the polarity from reverse to normal. I check the sound card settings several times. I restarted my computer. I pulled my hair out. But alias, I did not check the cable. It is working great now. Thanks for your help.

Arnold

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi,
>
> Things to check:
> -> The cable from the Packet Out to your sound card?
> -> Sound Card settings?
> -> Reverse Polarity in the Trunk Settings?
> -> Correct Trunking system selected in Trunk Settings?
>
> Have you un-installed the version you have and installed version 0.89.246?
>
> Jay
>
> ----- Original Message -----
> From: "scannersrus"
>
>
> > Since I upgraded a few days ago I have not been able to trunk. I can
> > hear the control channel and voices and other freqs but I cannot get
> > the program to stop on the control channel when I press Trunk. I typed
> > the same trunked radio system into another bank. It still will not
> > stop on the control channel. Any suggestions appreciated.
>

1295. Re: [TrunkPCR] Re: TrunkPCR version 0.89.246 Now Available

Yahoo group: TrunkPCR
Date: 2009-01-18 22:43:04 UTC
From: Jay
Topic: 1290 Message: 1295

Hey RB,

Yep, I just saw that too...
Ok, I'll have a fix out later tonight :)

Thanks for the report,
Jay

----- Original Message -----
From: "jdami123"

> Uninstalled version 243 first and then installed 246 using Setup.exe
>
> ----------
> TrunkPcr.exe - application error [occurred after opening dual recvr
> mode, after trying to select SUB bank to match MAIN bank]
>
> The exception Floating-point inexact result.
> (0xc000008f) occurred in the application at location 0x7c812a5b
>
> [Had to close app from Task Mgr.]
>
> ----------
> Dual-Uses Separate Audio Source:TrunkPcr.exe - application error
> [occurred after reopening app and clicking dual mode]
>
> The instruction at "0x66063fea" referenced memory at "0x00000014". The
> memory could not be "read"
>
> [Clicked "ok" and app closed by itself this time]
>
> -rb-

1296. TrunkPCR version 0.89.247 Now Available

Yahoo group: TrunkPCR
Date: 2009-01-19 02:52:58 UTC
From: Jay
Topic: 1296 Message: 1296

TrunkPCR version 0.89.247 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

This update has 1 fix...

NOTE: Moto Type-I Support will be finished in the next major update.

Jan 18,2009 - Fixed: Loading PCR-2500's Dual Receiver Display.
Version 0.89.247 Released 01/18/2009

Regards,
Jay

1297. Good Mourning Jay

Yahoo group: TrunkPCR
Date: 2009-01-19 15:55:58 UTC
From: Brian
Topic: 1297 Message: 1297

Reading the post over there on RR and I really don't agree with naSTI about using all these key strokes. He wants, I guess more easy of use with a key board vs a mouse. Well I for one like using a mouse and find it much easier to just point and click than to have to mitigate a keyboard. Which I might add can become time consuming as well as error rate would increase because of key stroke error I believe.
Now as for user interface I like what we have. I don't see what he is trying to get at with the TOO many windows thing.All the child windows , so what. Maybe he should have a little more organazation on his desktop when he opens All these windows or have a idea of what is where or what is going on. You know at any given time I will have up too 8 applications on my desktop running and I never miss a beat, NEVER. I have never seen any Buffer Overrun or clunkiness. Which I gather he is saying that TPCR is causing because of all the windows and or processes of this software. This is not the case and he has too look at the bigger picture here. That is 1.) his system is old for one 2.)because of software development resources are reaching their limit 3.) one needs to look at ALL processes running in there runtime enviroment and make choices on what stays on and what gets turned off inorder to enhance or fasillate resources when running task specific software or for that matter any software.
As for the Icom look, yea I agree I dont care for it but I do like the look as well as the feel of both Trunk PCR and PCRPRO. I use PCRPRO alot for researching Freq's and yes Trunk Pcr becasue it trunks. So I look forward to what Jay will come up with.

In closing I would like to thank you Jay for all you have done for this software and taking the time to address the problems/conflicts and wants people have.

Brian

P.S thanks for fixing the DSP works like a charm

1298. Re: [TrunkPCR] Good Mourning Jay

Yahoo group: TrunkPCR
Date: 2009-01-19 19:46:50 UTC
From: Homer B
Topic: 1297 Message: 1298

Well,

First off, I've been using TPCR for well over a year and a half, and have had much dialog with Jay in the past. I've never asked to remove the ability for anyone to use the mouse.

You like using a mouse to move the volume button? Great! I wouldn't dream to stop anyone from doing what Jay naturally intended TPCR to do. I only ask for the flexibility of the user have a choice. Don't care to use keystroke shortcuts? Fine! Then don't use your keyboard and click yourself to nirvana.

You like using running TPCR on your triple 32" LCD monitor setup from your 16-way Xeon machine at home? Have at it! But when you are in a car or at a site where you are doing investigation or recon, having to resort to trackpads or pointer-sticks on a laptop is a real pain.

I use my laptop wherever I take my ICR2500, AOR, PSR and SDR receivers. So I have many windows open in addition to web-browser to RR among other things. Since the windows are not together in a single window, if you were to use the mouse and clicked on any one window, you don't get to see the whole picture, you also have to click on the other child windows to get everything in view. Then I have to click on a relatively small [Hold] button to stop something new that comes up (if I hit it in time using a laptop track-stick).

I only stated it would add great value to the app to add the ability to accept shortcuts would make this already great app a much more powerful one from my perspective.

--Homer Bombino (W2RNR)

--- On Mon, 1/19/09, Brian <sjinndoawi00@...> wrote:
From: Brian <sjinndoawi00@...>
Subject: [TrunkPCR] Good Mourning Jay
To: TrunkPCR@yahoogroups.com
Date: Monday, January 19, 2009, 10:55 AM

Reading the post over there on RR and I really don't agree with naSTI

about using all these key strokes. He wants, I guess more easy of use

with a key board vs a mouse. Well I for one like using a mouse and

find it much easier to just point and click than to have to mitigate

a keyboard. Which I might add can become time consuming as well as

error rate would increase because of key stroke error I believe.

Now as for user interface I like what we have. I don't see what he

is trying to get at with the TOO many windows thing.All the child

windows , so what. Maybe he should have a little more organazation on his desktop when he opens All these windows or have a idea of what is where or what is going on. You know at any given time I will have up too 8 applications on my desktop running and I never miss a beat, NEVER. I have never seen any Buffer Overrun or clunkiness. Which I gather he is saying that TPCR is causing because of all the windows and or processes of this software. This is not the case and he has too look at the bigger picture here. That is 1.) his system is old for one 2.)because of software development resources are reaching their limit 3.) one needs to look at ALL processes running in there runtime enviroment and make choices on what stays on and what gets turned off inorder to enhance or fasillate resources when running task specific software or for that matter any software.

As for the Icom look, yea I agree I dont care for it but I do like the look as well as the feel of both Trunk PCR and PCRPRO. I use PCRPRO alot for researching Freq's and yes Trunk Pcr becasue it trunks. So I look forward to what Jay will come up with.

In closing I would like to thank you Jay for all you have done for this software and taking the time to address the problems/conflicts and wants people have.

Brian

P.S thanks for fixing the DSP works like a charm

1299. Re: [TrunkPCR] Good Mourning Jay

Yahoo group: TrunkPCR
Date: 2009-01-19 21:21:53 UTC
From: Brian Veres
Topic: 1297 Message: 1299

I only use a laptop for all my work either at home or in the field. I like the way Trunk PCR is set up as well as PCRPRO. So why can't you just minimize windows and only keep up what you need? What's so hard about that? To make this a more powerful program, the developemnet of this software should be focused more towards decoding/decrypting of systems and radio waves.. Some of the most powerful software tends not to be user friendly because it is task specific vs user friendly.The 32"LDC is only for my BlueRay system.

Thank you very much

Brian

From: Homer B <homer_is@...>
To: TrunkPCR@yahoogroups.com
Sent: Monday, January 19, 2009 2:46:50 PM
Subject: Re: [TrunkPCR] Good Mourning Jay

Well,

First off, I've been using TPCR for well over a year and a half, and have had much dialog with Jay in the past. I've never asked to remove the ability for anyone to use the mouse.

You like using a mouse to move the volume button? Great! I wouldn't dream to stop anyone from doing what Jay naturally intended TPCR to do. I only ask for the flexibility of the user have a choice. Don't care to use keystroke shortcuts? Fine! Then don't use your keyboard and click yourself to nirvana.

You like using running TPCR on your triple 32" LCD monitor setup from your 16-way Xeon machine at home? Have at it! But when you are in a car or at a site where you are doing investigation or recon, having to resort to trackpads or pointer-sticks on a laptop is a real pain.

I use my laptop wherever I take my ICR2500, AOR, PSR and SDR receivers. So I have many windows open in addition to web-browser to RR among other things. Since the windows are not together in a single window, if you were to use the mouse and clicked on any one window, you don't get to see the whole picture, you also have to click on the other child windows to get everything in view. Then I have to click on a relatively small [Hold] button to stop something new that comes up (if I hit it in time using a laptop track-stick) .

I only stated it would add great value to the app to add the ability to accept shortcuts would make this already great app a much more powerful one from my perspective.

--Homer Bombino (W2RNR)

--- On Mon, 1/19/09, Brian <sjinndoawi00@ yahoo.com> wrote:

From: Brian <sjinndoawi00@ yahoo.com>
Subject: [TrunkPCR] Good Mourning Jay
To: TrunkPCR@yahoogroup s.com
Date: Monday, January 19, 2009, 10:55 AM

Reading the post over there on RR and I really don't agree with naSTI about using all these key strokes. He wants, I guess more easy of use with a key board vs a mouse. Well I for one like using a mouse and find it much easier to just point and click than to have to mitigate a keyboard. Which I might add can become time consuming as well as error rate would increase because of key stroke error I believe.
Now as for user interface I like what we have. I don't see what he is trying to get at with the TOO many windows thing.All the child windows , so what. Maybe he should have a little more organazation on his desktop when he opens All these windows or have a idea of what is where or what is going on. You know at any given time I will have up too 8 applications on my desktop running and I never miss a beat, NEVER. I have never seen any Buffer Overrun or clunkiness. Which I gather he is saying that TPCR is causing because of all the windows and or processes of this software. This is not the case and he has too look at the bigger picture here. That is 1.) his system is old for one 2.)because of software development resources are reaching their limit 3.) one needs to look at ALL processes running in there runtime enviroment and make choices on what stays on and what gets turned off inorder to enhance or fasillate resources when running task specific software or for that matter any software.
As for the Icom look, yea I agree I dont care for it but I do like the look as well as the feel of both Trunk PCR and PCRPRO. I use PCRPRO alot for researching Freq's and yes Trunk Pcr becasue it trunks. So I look forward to what Jay will come up with.

In closing I would like to thank you Jay for all you have done for this software and taking the time to address the problems/conflicts and wants people have.

Brian

P.S thanks for fixing the DSP works like a charm

1300. Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-19 23:01:06 UTC
From: Jay
Topic: 1300 Message: 1300

```
If I haven't said so yet, here are the key combos used in TrunkPCR:

[0] to [9] - Same as keypad
Escape - Same as [Clear] on keypad
Decimal Point - Same as KeyPad
Enter/Return - Same as [E] on keypad

Shift H = Hold
E = Memory
S = Scan
R = Search
D = Dump
C = Control
L = Lockout
M = Manual

Page-Up/Down = Inc/Dec Channel/Freq

UP Arrow:
W / SHIFT = Inc Volume
W / ALT = Inc IF Shift
W / CTRL = Inc Squelch

DOWN Arrow:
W / SHIFT = Dec Volume
W / ALT = Dec IF Shift
W / CTRL = Dec Squelch

----- During Sweep ------
Sweep Start = SHIFT-S
Sweep Stop = SHIFT-F
Sweep Save = SHIFT-V
Sweep Print = SHIFT-P
Sweep Export = SHIFT-X
```

1301. Will not work using XP, sp2. - To Jay

Yahoo group: TrunkPCR
Date: 2009-01-20 00:38:43 UTC
From: slgelectric
Topic: 1301 Message: 1301

Hello,
I am testing out your software on trunking, as well as the networking and the pro version, and they all crash when trying to use the com port for the unit, I have the software from the CD (of the unit) and it works fine. I un-loaded it to see if that was my problem and still nothing. Do you have any idea's. A note here! When using PCR PRO it reports " Radio Not Responding, Please Check Com Port. And try again " But it does turn the radio on for only a brief moment then its powered off.
Steve

1302. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-20 01:22:34 UTC
From: Homer B
Topic: 1300 Message: 1302

Fabulous. Didn't know about these.

Is there great effort into making these (re)assignable in a settings/options window?

--H

--- On Mon, 1/19/09, Jay <crazycalifornian@...> wrote:
From: Jay <crazycalifornian@hotmail.com>
Subject: [TrunkPCR] Keyboard Operation
To: TrunkPCR@yahoogroups.com
Date: Monday, January 19, 2009, 6:01 PM

If I haven't said so yet, here are the key
combos used in TrunkPCR:

[0] to [9] -
Same as keypad
Escape
- Same as [Clear] on keypad
Decimal Point - Same as
KeyPad
Enter/Return - Same as [E] on
keypad

Shift H = Hold
E =
Memory
S =
Scan
R =
Search
D =
Dump
C =
Control
L =
Lockout
M =
Manual

Page-Up/Down = Inc/Dec Channel/Freq

UP Arrow:
W / SHIFT = Inc Volume
W / ALT = Inc IF
Shift
W / CTRL = Inc Squelch

```
DOWN Arrow:

W / SHIFT  = Dec Volume
W / ALT      = Dec IF
Shift
W / CTRL   = Dec Squelch

----- During Sweep ------

Sweep Start  = SHIFT-S
Sweep Stop  = SHIFT-F
Sweep Save = SHIFT-V
Sweep Print  = SHIFT-P
Sweep Export = SHIFT-X
```

1303. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-20 02:32:57 UTC
From: Jay
Topic: 1300 Message: 1303

Hey Homer,

Yep, it would be too much of a pain...

So you are stuck with the current configuration :)

Jay
----- Original Message -----
From: Homer B

Fabulous. Didn't know about these.

Is there great effort into making these (re)assignable in a settings/options window?

--H

--- On Mon, 1/19/09, Jay <crazycalifornian@...> wrote:

From: Jay

If I haven't said so yet, here are the key combos used in TrunkPCR:

[0] to [9] - Same as keypad
Escape - Same as [Clear] on keypad
Decimal Point - Same as KeyPad
Enter/Return - Same as [E] on keypad

Shift H = Hold
E = Memory
S = Scan
R = Search
D = Dump
C = Control
L = Lockout
M = Manual

Page-Up/Down = Inc/Dec Channel/Freq

UP Arrow:
W / SHIFT = Inc Volume
W / ALT = Inc IF Shift
W / CTRL = Inc Squelch

DOWN Arrow:
W / SHIFT = Dec Volume
W / ALT = Dec IF Shift
W / CTRL = Dec Squelch

```
----- During Sweep ------
Sweep Start = SHIFT-S
Sweep Stop = SHIFT-F
Sweep Save = SHIFT-V
Sweep Print = SHIFT-P
Sweep Export = SHIFT-X

_'_·_'___
```

1304. Re: [TrunkPCR] Will not work using XP, sp2. - To Jay

Yahoo group: TrunkPCR
Date: 2009-01-20 02:47:28 UTC
From: Jay
Topic: 1301 Message: 1304

Hi Steve,

yeah, the COM Port connections do hick-up at first, but usually after getting it all set up it does run better...

Which PCR do you have? if it's not a 1500 or 2500, are you using a Serial Port or USB connection?
What COM Port number do you have them set to?

Thanks,
Jay

----- Original Message -----
From: "slgelectric"

> Hello,
> I am testing out your software on trunking, as well as the networking
> and the pro version, and they all crash when trying to use the com port
> for the unit, I have the software from the CD (of the unit) and it
> works fine. I un-loaded it to see if that was my problem and still
> nothing. Do you have any idea's. A note here! When using PCR PRO it
> reports " Radio Not Responding, Please Check Com Port. And try again "
> But it does turn the radio on for only a brief moment then its powered
> off.
> Steve

1305. Re: TrunkPCR version 0.89.247 Now Available

Yahoo group: TrunkPCR
Date: 2009-01-20 05:06:22 UTC
From: jdami123
Topic: 1296 Message: 1305

Ok, just had time to try version .247.

In dual mode, after importing a profile with several trunk banks created in an earlier version, when selecting a SUB receiver trunk bank to match the MAIN receiver trunk bank, the error below occurs.

(Up to that point the system seemed stable.)

```
-------------------------------------------------------
TrunkPcr.exe - Application Error

(0x000008f) occurred in the application at location 0x7c812a5b

-------------------------------------------------------
```

Clicking "ok" causes the app to close.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> TrunkPCR version 0.89.247 Now Available for Downloading from homepage:
> http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html
>
> This update has 1 fix...
>
> NOTE: Moto Type-I Support will be finished in the next major update.
>
> Jan 18,2009 - Fixed: Loading PCR-2500's Dual Receiver Display.
> Version 0.89.247 Released 01/18/2009
>
> Regards,
> Jay
>

1306. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-20 05:23:42 UTC
From: Homer B
Topic: 1300 Message: 1306

Based on what you said before about changes you have in works for TPCR, or at a minimum are contemplating, do you envision a single (or consolidatable windows) at least? :)

--H

--- On Mon, 1/19/09, Jay <crazycalifornian@...> wrote:
From: Jay <crazycalifornian@...>
Subject: Re: [TrunkPCR] Keyboard Operation
To: TrunkPCR@yahoogroups.com
Date: Monday, January 19, 2009, 9:32 PM

Hey Homer,

Yep, it would be too much of a pain...

So you are stuck with the current configuration
:)

Jay

----- Original Message -----
From: Homer B

Fabulous. Didn't know about these.

Is there
great effort into making these (re)assignable in a settings/options
window?

--H

--- On Mon, 1/19/09, Jay <crazycalifornian@ hotmail.com>
wrote:

From:
Jay

If I haven't said so yet, here are
the key combos used in TrunkPCR:

[0] to [9] -
Same as keypad
Escape
  - Same as [Clear] on keypad
Decimal Point - Same as
KeyPad
Enter/Return - Same as [E] on
keypad

```
Shift  H = Hold
          E =
Memory
          S =
Scan
          R =
Search
          D =
Dump
          C =
Control
           L
= Lockout
          M
= Manual

Page-Up/Down = Inc/Dec
Channel/Freq

UP Arrow:
W / SHIFT  = Inc Volume
W / ALT      =
Inc IF Shift
W / CTRL   = Inc
Squelch

DOWN Arrow:

W / SHIFT  = Dec Volume
W / ALT      =
Dec IF Shift
W / CTRL   = Dec
Squelch

----- During Sweep ------

Sweep Start  = SHIFT-S
Sweep Stop  = SHIFT-F
Sweep Save = SHIFT-V
Sweep Print  = SHIFT-P
Sweep Export = SHIFT-X
 _,_._,___
```

1307. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-20 06:22:58 UTC
From: Jay
Topic: 1300 Message: 1307

Hey Homer,

A single window, like the trunker DOS screen? Never (or not since 0.5.0)...
A single window like the ICom PCR1000 soft, with optional child windows contained with-in? Nope...

TrunkPCR's main look will remain as it is for the duration.

However, if you have ever heard me mention the next project "Scanner Construction Set", with this YOU the user will be able to design the look and place all of the controls (buttons, knobs, meters, etc..) anywhere you want.
You'll be able to choose how the Control Channel status lists look and their placement, separate tabs or all in one window.
And you might even be able to designate your own keyboard assignments :)

The first alpha version should be out later this summer...

Jay

----- Original Message -----
From: Homer B

Based on what you said before about changes you have in works for TPCR, or at a minimum are contemplating, do you envision a single (or consolidatable windows) at least? :)

--H

--- On Mon, 1/19/09, Jay wrote:

From: Jay

Hey Homer,

Yep, it would be too much of a pain...

So you are stuck with the current configuration :)

Jay

1308. Re: [TrunkPCR] Re: TrunkPCR version 0.89.247 Now Available

Yahoo group: TrunkPCR
Date: 2009-01-20 06:28:52 UTC
From: Jay
Topic: 1296 Message: 1308

Hmmm...

Guess that's another thing I over looked... Another fix on the "Do Now" job list :)

This fix should be done in the next couple of days...

Thanks again for the reports,
Jay

----- Original Message -----
From: "jdami123"

> Ok, just had time to try version .247.
>
> In dual mode, after importing a profile with several trunk banks
> created in an earlier version, when selecting a SUB receiver trunk
> bank to match the MAIN receiver trunk bank, the error below occurs.
>
> (Up to that point the system seemed stable.)
>
> ---
> TrunkPcr.exe - Application Error
>
> (0x000008f) occurred in the application at location 0x7c812a5b
>
> ---
>
> Clicking "ok" causes the app to close.

1309. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-20 08:55:08 UTC
From: Homer B
Topic: 1300 Message: 1309

I'll check that out when you have it out there. In the meantime, I'll be using virtual desktop to keep tpcr in its happy little own window.

--H

--- On Tue, 1/20/09, Jay <crazycalifornian@...> wrote:
From: Jay <crazycalifornian@...>
Subject: Re: [TrunkPCR] Keyboard Operation
To: TrunkPCR@yahoogroups.com
Date: Tuesday, January 20, 2009, 1:22 AM

Hey Homer,

A single window, like the trunker DOS
screen? Never (or not since 0.5.0)...
A single window like the ICom PCR1000 soft, with
optional child windows contained with-in? Nope...

TrunkPCR's main look will remain as it is for the
duration.

However, if you have ever heard me mention
the next project "Scanner Construction Set", with this YOU the user will
be able to design the look and place all of the controls (buttons, knobs,
meters, etc..) anywhere you want.
You'll be able to choose how the Control Channel
status lists look and their placement, separate tabs or all in one
window.
And you might even be able to designate your
own keyboard assignments :)

The first alpha version should be out later this
summer...

Jay

----- Original Message -----
From: Homer B

Based on what you said before about changes you have in
works for TPCR, or at a minimum are contemplating, do you envision a
single (or consolidatable windows) at least?
:)

--H

--- On Mon, 1/19/09, Jay wrote:

From:
Jay

Hey Homer,

Yep, it would be too much of a
pain...

So you are stuck with the current
configuration :)

Jay

1310. Problems

Yahoo group: TrunkPCR
Date: 2009-01-20 18:32:17 UTC
From: Louis H. VanLandingham
Topic: 1310 Message: 1310

Jay,
I am using Trunk PCR Version 0.89.247 , Windows XP Media Center.

When I first load it, it reports Com Port in use. (Com 6 on USB). I try another port, which does not work, then switch back to Com 6 and it works.
No problem with second receiver.
The problem I reported last September, cannot Scan in PCR 2500 mode, still exists.

Thanks very much!

Louis H. VanLandingham
7397 E 24th ST
TULSA, OK 74129-2203
918-628-0854

1311. Re: TrunkPCR version 0.89.247 Now Available

Yahoo group: TrunkPCR
Date: 2009-01-20 18:48:27 UTC
From: jdami123
Topic: 1296 Message: 1311

Major upgrades always tend to misbehave in new surprising ways... LOL!

Thanks for your Herculean effort on this great application, Jay!!

-rb-

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hmmm...
>
> Guess that's another thing I over looked... Another fix on the "Do
Now" job
> list :)
>
> This fix should be done in the next couple of days...
>
> Thanks again for the reports,
> Jay
>
> ----- Original Message -----
> From: "jdami123"
>
>
> > Ok, just had time to try version .247.
> >
> > In dual mode, after importing a profile with several trunk banks
> > created in an earlier version, when selecting a SUB receiver trunk
> > bank to match the MAIN receiver trunk bank, the error below occurs.
> >
> > (Up to that point the system seemed stable.)
> >
> > ---
> > TrunkPcr.exe - Application Error
> >
> > (0x000008f) occurred in the application at location 0x7c812a5b
> >
> > ---
> >
> > Clicking "ok" causes the app to close.
>

1312. Re: [TrunkPCR] Problems

Yahoo group: TrunkPCR
Date: 2009-01-20 23:35:20 UTC
From: Jay
Topic: 1310 Message: 1312

Hey Louis,

Ok, thanks for the report. I guess some of the changes I made didn't cure that part...
As soon as I can modify PCR Remote to include remote debugging, then I'll be able to fix that part :)

Regards,
Jay
----- Original Message -----
From: Louis H. VanLandingham

Jay,
I am using Trunk PCR Version 0.89.247 , Windows XP Media Center.

When I first load it, it reports Com Port in use. (Com 6 on USB). I try another port, which does not work, then switch back to Com 6 and it works.
No problem with second receiver.
The problem I reported last September, cannot Scan in PCR 2500 mode, still exists.

Thanks very much!

Louis H. VanLandingham
7397 E 24th ST
TULSA, OK 74129-2203
918-628-0854

1313. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-20 23:48:40 UTC
From: Jay
Topic: 1300 Message: 1313

Hey Homer,

Well, since you have TrunkPCR working in a "Virtual Desktop", no need for me to make any changes to make it look the same way as the ICom PCR1000 software, since that is basically the same thing :)

Regards,
Jay
----- Original Message -----
From: Homer B

I'll check that out when you have it out there. In the meantime, I'll be using virtual desktop to keep tpcr in its happy little own window.

--H

--- On Tue, 1/20/09, Jay wrote:

From: Jay

Hey Homer,

A single window, like the trunker DOS screen? Never (or not since 0.5.0)...
A single window like the ICom PCR1000 soft, with optional child windows contained with-in? Nope...

TrunkPCR's main look will remain as it is for the duration.

However, if you have ever heard me mention the next project "Scanner Construction Set", with this YOU the user will be able to design the look and place all of the controls (buttons, knobs, meters, etc..) anywhere you want.
You'll be able to choose how the Control Channel status lists look and their placement, separate tabs or all in one window.
And you might even be able to designate your own keyboard assignments :)

The first alpha version should be out later this summer...

Jay
__._,_.___

1314. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-21 01:42:02 UTC
From: Homer B
Topic: 1300 Message: 1314

Will do.

Hey you're the developer, and I know you're not going to "waste your time" in a rewrite of the interface, but I don't understand your fascination with having the app spread out all over the place in three separate, completely independant windows? Is it only for it not to look like some other app you despise?

I don't understand the benefit? What would any of your users gain?

I would just think it would be cooler to tile the windows in any way or shape the user wants and have them resize-able all within one window. Or close sub-windows if you don't care to look at knobs and just keep the data window open without needing to minimize to the dock. All the information could be completely customizable within one neat, single workspace.

Trust me, I'm not being cynical, I'd love to see you prosper and sell more of the app as it becomes more serious.

--H

--- On Tue, 1/20/09, Jay <crazycalifornian@...> wrote:
From: Jay <crazycalifornian@...>
Subject: Re: [TrunkPCR] Keyboard Operation
To: TrunkPCR@yahoogroups.com
Date: Tuesday, January 20, 2009, 6:48 PM

Hey Homer,

Well, since you have TrunkPCR working in a "Virtual
Desktop", no need for me to make any changes to make it look the same way as the
ICom PCR1000 software, since that is basically the same
thing :)

Regards,
Jay

----- Original Message -----
From: Homer B

I'll check that out when you have it out there. In
the meantime, I'll be using virtual desktop to keep tpcr in its happy
little own window.

--H

--- On Tue, 1/20/09, Jay
wrote:

From:
Jay

Hey Homer,

A single window, like the trunker DOS
screen? Never (or not since 0.5.0)...
A single window like the ICom PCR1000
soft, with optional child windows contained with-in?
Nope...

TrunkPCR's main look will remain as it is
for the duration.

However, if you have ever heard me
mention the next project "Scanner Construction Set", with this
YOU the user will be able to design the look and place all of the
controls (buttons, knobs, meters, etc..) anywhere you
want.
You'll be able to choose how the Control
Channel status lists look and their placement, separate tabs or all in
one window.
And you might even be able
to designate your own keyboard assignments :)

The first alpha version should be out
later this summer...

Jay__._,_.__

1315. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-21 04:13:22 UTC
From: Jay
Topic: 1300 Message: 1315

Hey Homer,

No Problemo...

If no one ever critisized the program, I would think someting was wrong or I was on the wrong planet :)

Even when people just say that they'll stay away from it since it's beta-ish or it's just not serious enough, I just chuckle because sooner or later, they send a donation and say they like the program and thanks for the work :)

I understand your understanding of how you think it would look better, but if everyone still drove a Model-T, life would be boring. I choose to just "Have It My Way" and not a clone of another program, that's all...

Bottom Line, anyone can always spend a year of their off time and make their own program and have it look just the way they want to...
PCR Pro and TrunkPCR started out just as a challenge, because I wanted to create my own little moster. When a few friends saw them, they suggested a few things to add and thought it would be nice if I shared them with the rest of the world. So here I am 8 years later, still spending some of my off time to devote to my hobby and feed the moster. I think TrunkPCR is now up to about 7-8,000 lines of code, pretty serious if you ask me :)

Regards,
Jay
----- Original Message -----
From: Homer B

Will do.

Hey you're the developer, and I know you're not going to "waste your time" in a rewrite of the interface, but I don't understand your fascination with having the app spread out all over the place in three separate, completely independant windows? Is it only for it not to look like some other app you despise?

I don't understand the benefit? What would any of your users gain?

I would just think it would be cooler to tile the windows in any way or shape the user wants and have them resize-able all within one window. Or close sub-windows if you don't care to look at knobs and just keep the data window open without needing to minimize to the dock. All the information could be completely customizable within one neat, single workspace.

Trust me, I'm not being cynical, I'd love to see you prosper and sell more of the app as it becomes more serious.

--H

--- On Tue, 1/20/09, Jay wrote:

From: Jay

Hey Homer,

Well, since you have TrunkPCR working in a "Virtual Desktop", no need for me to make any changes to make it look the same way as the ICom PCR1000 software, since that is basically the same thing :)

Regards,
Jay

1316. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-21 05:28:52 UTC
From: Frank Franzoi
Topic: 1300 Message: 1316

Hey Homer, I normally don't say a heck of a lot but if you have a better idea then do it... but in the mean time Jay has a winner... It is useful and works... which says alot... If you can't provide usefull feedback... then as they say..... Frank....
w8azv@...

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, January 20, 2009 8:13:22 PM
Subject: Re: [TrunkPCR] Keyboard Operation

Hey Homer,

No Problemo...

If no one ever critisized the program, I would think someting was wrong or I was on the wrong planet :)

Even when people just say that they'll stay away from it since it's beta-ish or it's just not serious enough, I just chuckle because sooner or later, they send a donation and say they like the program and thanks for the work :)

I understand your understanding of how you think it would look better, but if everyone still drove a Model-T, life would be boring. I choose to just "Have It My Way" and not a clone of another program, that's all...

Bottom Line, anyone can always spend a year of their off time and make their own program and have it look just the way they want to...
PCR Pro and TrunkPCR started out just as a challenge, because I wanted to create my own little moster. When a few friends saw them, they suggested a few things to add and thought it would be nice if I shared them with the rest of the world. So here I am 8 years later, still spending some of my off time to devote to my hobby and feed the moster. I think TrunkPCR is now up to about 7-8,000 lines of code, pretty serious if you ask me :)

Regards,
Jay
----- Original Message -----
From: Homer B

Will do.

Hey you're the developer, and I know you're not going to "waste your time" in a rewrite of the interface, but I don't understand your fascination with having the app spread out all over the place in three separate, completely independant windows? Is it only for it not to look like some other app you despise?

I don't understand the benefit? What would any of your users gain?

I would just think it would be cooler to tile the windows in any way or shape the user wants and have them resize-able all within one window. Or close sub-windows if you don't care to look at knobs and just keep the data window open without needing to minimize to the dock. All the information could be completely customizable within one neat, single workspace.

Trust me, I'm not being cynical, I'd love to see you prosper and sell more of the app as it becomes more serious.

--H

--- On Tue, 1/20/09, Jay wrote:

From: Jay

Hey Homer,

Well, since you have TrunkPCR working in a "Virtual Desktop", no need for me to make any changes to make it look the same way as the ICom PCR1000 software, since that is basically the same thing :)

Regards,
Jay

1317. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-21 04:32:19 UTC
From: Homer B
Topic: 1300 Message: 1317

I'll drink to that!

--H

--- On Tue, 1/20/09, Jay <crazycalifornian@hotmail.com> wrote:
From: Jay <crazycalifornian@...>
Subject: Re: [TrunkPCR] Keyboard Operation
To: TrunkPCR@yahoogroups.com
Date: Tuesday, January 20, 2009, 11:13 PM

Hey Homer,

No Problemo...

If no one ever critisized the program, I would
think someting was wrong or I was on the wrong planet :)

Even when people just say that they'll stay
away from it since it's beta-ish or it's just not serious enough, I just chuckle
because sooner or later, they send a donation and say they like the
program and thanks for the work :)

I understand your understanding of how you think it
would look better, but if everyone still drove a Model-T, life would be
boring. I choose to just "Have It My Way" and not a clone of another
program, that's all...

Bottom Line, anyone can always spend
a year of their off time and make their own program and have
it look just the way they want to...
PCR Pro and TrunkPCR started out just as a
challenge, because I wanted to create my own little moster. When a few
friends saw them, they suggested a few things to add and thought it would be
nice if I shared them with the rest of the world. So here I am 8
years later, still spending some of my off time to devote to my hobby and feed
the moster. I think TrunkPCR is now up to about 7-8,000 lines of code,
pretty serious if you ask me :)

Regards,
Jay

----- Original Message -----
From: Homer B

Will do.

Hey you're the developer, and I know
you're not going to "waste your time" in a rewrite of the interface, but

I don't understand your fascination with having the app spread out all over the place in three separate, completely independant windows? Is it only for it not to look like some other app you despise?

I don't understand the benefit? What would any of your users gain?

I would just think it would be cooler to tile the windows in any way or shape the user wants and have them resize-able all within one window. Or close sub-windows if you don't care to look at knobs and just keep the data window open without needing to minimize to the dock. All the information could be completely customizable within one neat, single workspace.

Trust me, I'm not being cynical, I'd love to see you prosper and sell more of the app as it becomes more serious.

--H

--- On Tue, 1/20/09, Jay wrote:

From: Jay

Hey Homer,

Well, since you have TrunkPCR working in a "Virtual Desktop", no need for me to make any changes to make it look the same way as the ICom PCR1000 software, since that is basically the same thing :)

Regards,
Jay

1318. Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-21 13:10:04 UTC
From: Eric Meth - VE3EI
Topic: 1300 Message: 1318

Jay.
In the next update could you add a DV button for Dstar Operation? The 2500 supports both but I can only select P25 Operation.
Tnx
Eric Meth - ve3ei

1319. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-21 14:23:06 UTC
From: Jay
Topic: 1300 Message: 1319

Hi Eric,

There already is a DV button, it should be to the right of the [WFM] button.

In the Help->About menu, does the info show that the D-Star module is installed?

If not, then before powering up the PCR, click the "Bank" label in the main display to bring up the debugger. Now click the power button and watch the info in the bottom right display of the debugger, there will be a GDxx response. Please let me know what the 2 characters are in the xx area...

You are the first person that I know that has one of these modules, so with your help, we'll get this working properly...

Thanks,
Jay

----- Original Message -----
From: Eric Meth - VE3EI

Jay.
In the next update could you add a DV button for Dstar Operation? The 2500 supports both but I can only select P25 Operation.
Tnx
Eric Meth - ve3ei

1320. MCH file and PCRPRO ?

Yahoo group: TrunkPCR
Date: 2009-01-21 14:19:13 UTC
From: Brian
Topic: 1320 Message: 1320

I have been trying to edit my MCH files in PCRPRO before I run them such as delete some freqs which need to be revamped as well as banks.I click the delete button on the interface window or clear which is down there by the bank/cahnnel window and nothing happens. So I close out thinking that maybe once restarted it would refresh the program and banks/ freqs I am trying to delete would be gone or changed but there are not. The only way I can delete anything or change anything is to go into c:\programfiles\pcrpro\banks and edit from there. Now these are MCH files which are CSV I guess also for some reason I get a error when I try running these MCH files in the ICOM software. I will see if I get this error tonight again with the ICOM software and post it here.

Did I done something wrong in importing these files into PCRPRO which isnt letting me edit the files or when I got these files which are MCH to CSV. Which is giving me problems with both programs? I dont understand when I save files it sayes MCH but when I open them it is saying this

```
[Type]
APP=IC-PCR2500
APPVER=1.10-000
DATA=Memory CH
DATAVER=1.00-00
[BANK00]
BANKNAME= BANK 00
ACTIVECH=0
CSV
CH No,Name,Sub
Name,Frequency,Dup,Offset,Mode,Filter,ATT,TS,SEL,SKIP,TONE,TSQL
Frequency,DTCS Code,DTCS Polarity,Remark
```

Do I need to convert these to CSV? Did I do something worng? Is this a PCRPRO problem or Icom problem? I am really lost on this

Can someone please help me understand this or teach me

Thank you
Brian

1321. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-21 16:54:00 UTC
From: Eric Meth
Topic: 1300 Message: 1321

Jay. The DV button does NOT appear but the Help->About menu shows the DV installed.
Also. I cannot get the debugger to work.
I upgraded to the latest version and had a couple of idiocincronies occur
1. I could no longer enter a frequency from the keyboard, as it did not recognize the period
2. I lost the banks folder but I still have my frequencies although when I tried to do a web import of my local trunked system RR seems to have lost some info.

I am using a windows vista laptop and I cannot get the Trunking to work as the level from the packet port is very low in MOTO Trunk by MPT1327 is quite good

Just a few problems as I work through the issues.
Eric Meth - ve3ei

On Wed, Jan 21, 2009 at 9:23 AM, Jay <crazycalifornian@...> wrote:

> Hi Eric,
>
> There already is a DV button, it should be to the right of the [WFM]
> button.
>
> In the Help->About menu, does the info show that the D-Star module is
> installed?
>
> If not, then before powering up the PCR, click the "Bank" label in the
> main display to bring up the debugger. Now click the power button and watch
> the info in the bottom right display of the debugger, there will be a GDxx
> response. Please let me know what the 2 characters are in the xx area...
>
> You are the first person that I know that has one of these modules, so with
> your help, we'll get this working properly...
>
> Thanks,
> Jay
>
>
> ----- Original Message -----
> *From:* Eric Meth - VE3EI <ve3ei@...>
>
> Jay.
> In the next update could you add a DV button for Dstar Operation? The 2500
> supports both but I can only select P25 Operation.
> Tnx

> Eric Meth - ve3ei
>
>
>

1322. High CPU utilization - 0.89.246

Yahoo group: TrunkPCR
Date: 2009-01-21 20:39:20 UTC
From: jfjones_1832
Topic: 1322 Message: 1322

Anyone else experienced high CPU utilization when going in to edit a trunk ID group? I do not recall it happening prior to 0.89.246. Doesn't happen all of the time but it does bury the CPU. Hangs for about 3 minutes.

Once in a great while I have to "kill" TrunkPCR.

1323. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-22 00:45:23 UTC
From: Homer B
Topic: 1300 Message: 1323

I think you took the tone incorrectly. There was no complaining, only discussion here.

--- On Wed, 1/21/09, Frank Franzoi <w8azv@...> wrote:
From: Frank Franzoi <w8azv@...>
Subject: Re: [TrunkPCR] Keyboard Operation
To: TrunkPCR@yahoogroups.com
Date: Wednesday, January 21, 2009, 12:28 AM

Hey Homer, I normally don't say a heck of a lot but if you have a better idea then do it... but in the mean time Jay has a winner... It is useful and works... which says alot... If you can't provide usefull feedback... then as they say..... Frank....
w8azv@yahoo. com

From: Jay <crazycalifornian@ hotmail.com>
To: TrunkPCR@yahoogroup s.com
Sent: Tuesday, January 20, 2009 8:13:22 PM
Subject: Re: [TrunkPCR] Keyboard Operation

Hey Homer,

No Problemo...

If no one ever critisized the program, I would think someting was wrong or I was on the wrong planet :)

Even when people just say that they'll stay away from it since it's beta-ish or it's just not serious enough, I just chuckle because sooner or later, they send a donation and say they like the program and thanks for the work :)

I understand your understanding of how you think it would look better, but if everyone still drove a Model-T, life would be boring. I choose to just "Have It My Way" and not a clone of another program, that's all...

Bottom Line, anyone can always spend a year of their off time and make their own program and have it look just the way they want to...
PCR Pro and TrunkPCR started out just as a challenge, because I wanted to create my own little moster. When a few friends saw them, they suggested a few things to add and thought it would be nice if I shared them with the rest of the world. So here I am 8 years later, still spending some of my off time to devote to my hobby and feed the moster. I think TrunkPCR is now up to about 7-8,000 lines of code, pretty serious if you ask me :)

Regards,
Jay

----- Original Message -----
From: Homer B

Will do.

Hey you're the developer, and I know you're not going to "waste your time" in a rewrite of the interface, but I don't understand your fascination with having the app spread out all over the place in three separate, completely independant windows? Is it only for it not to look like some other app you despise?

I don't understand the benefit? What would any of your users gain?

I would just think it would be cooler to tile the windows in any way or shape the user wants and have them resize-able all within one window. Or close sub-windows if you don't care to look at knobs and just keep the data window open without needing to minimize to the dock. All the information could be completely customizable within one neat, single workspace.

Trust me, I'm not being cynical, I'd love to see you prosper and sell more of the app as it becomes more serious.

--H

--- On Tue,
1/20/09, Jay wrote:

From: Jay

Hey Homer,

Well, since you have TrunkPCR working in a "Virtual Desktop", no need for me to make any changes to make it look the same way as the ICom PCR1000 software, since that is basically the same thing :)

Regards,
Jay

1324. I figured out my MCH to CSV problem, but still have a PCRPRO problem

Yahoo group: TrunkPCR
Date: 2009-01-22 01:14:01 UTC
From: Brian
Topic: 1324 Message: 1324

I can't get PCRPRO to scan my Channels in a bank or a Bank for that matter. The only way I can is by hitting the up or down arrows Jay.

Brian

1325. Re: [TrunkPCR] I figured out my MCH to CSV problem, but still have a PCRPRO problem

Yahoo group: TrunkPCR
Date: 2009-01-22 03:04:27 UTC
From: Jay
Topic: 1324 Message: 1325

Hey Brian,

That is strange, is the squelch closed prior to scanning?
In the future, please post question regarding PCR Pro to it's yahoo group
:)
PcrPro@yahoogroups.com

Does it scan ok in TrunkPCR?

Thanks,
Jay

----- Original Message -----
From: "Brian"
>

> I can't get PCRPRO to scan my Channels in a bank or a Bank for that
> matter. The only way I can is by hitting the up or down arrows Jay.
>
> Brian

1326. Hidden feature

Yahoo group: TrunkPCR
Date: 2009-01-22 03:06:16 UTC
From: Jay
Topic: 1326 Message: 1326

I wonder if anyone has found the "other feature/bug" using the knobs?
If you left or right click on a knob that lets it "Auto Spin", while holding down the mouse button, move the mouse away from the knob and it will continue moving on it's own :)

To stop, just click the knob again...

Jay

1327. Re: [TrunkPCR] Lines of Code

Yahoo group: TrunkPCR
Date: 2009-01-22 10:38:02 UTC
From: Jay
Topic: 1327 Message: 1327

Looks like I was a decimal point off:
47,407 basic lines
24,915 c++ lines
72,322 total lines of code

----- Original Message -----
I think TrunkPCR is now up to about 7-8,000 lines of code, pretty serious if you ask me :)

Jay

1328. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-22 12:35:05 UTC
From: Jay
Topic: 1300 Message: 1328

Hey Eric,

Are these problems in the Main or Dual receiver?

I can verify that the [DV] button is displayed in the Main Receiver in emulate mode.
If it's in the Dual/SUB receiver, does Icom's soft allow the D-Star mode in the SUB?

Also the debugger can only be selected from the Main Display.

And to verify, are you using 0.89.247?

Thanks,
Jay
----- Original Message -----
From: Eric Meth

Jay. The DV button does NOT appear but the Help->About menu shows the DV installed.
Also. I cannot get the debugger to work.
I upgraded to the latest version and had a couple of idiocincronies occur
1. I could no longer enter a frequency from the keyboard, as it did not recognize the period
2. I lost the banks folder but I still have my frequencies although when I tried to do a web import of my local trunked system RR seems to have lost some info.

I am using a windows vista laptop and I cannot get the Trunking to work as the level from the packet port is very low in MOTO Trunk by MPT1327 is quite good

Just a few problems as I work through the issues.
Eric Meth - ve3ei

1329. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-24 07:04:04 UTC
From: Jay
Topic: 1300 Message: 1329

Hey Eric,

1) If the program looses track of the Active Window, just click in the Main Display's "Blank Area", this should reset it.
2) How did you loose the Banks Folder? After an Uninstall or ?

Jay
----- Original Message -----
From: Eric Meth

1. I could no longer enter a frequency from the keyboard, as it did not recognize the period
2. I lost the banks folder but I still have my frequencies although when I tried to do a web import of my local trunked system RR seems to have lost some info.

Eric Meth - ve3ei

1330. Re: [TrunkPCR] High CPU utilization - 0.89.246

Yahoo group: TrunkPCR
Date: 2009-01-24 07:48:48 UTC
From: Jay
Topic: 1322 Message: 1330

In which way does this happen?

In the TrunkID Editor or by clicking a GroupID in the Crontrol Channel
Activity lists?
What mouse clicks or keystrokes are you using when this happens?

Thanks,
Jay

----- Original Message -----
From: "jfjones_1832"
>

> Anyone else experienced high CPU utilization when going in to edit a
> trunk ID group? I do not recall it happening prior to 0.89.246.
> Doesn't happen all of the time but it does bury the CPU. Hangs for
> about 3 minutes.
>
> Once in a great while I have to "kill" TrunkPCR.

1331. Re: [TrunkPCR] Keyboard Operation

Yahoo group: TrunkPCR
Date: 2009-01-24 08:14:58 UTC
From: Jay
Topic: 1300 Message: 1331

Kinda sounded like complaining to me, as to why I won't change it to how you want it ;)

And insinuating that the program is "less than serious" is just a personal insult to me...

This thread is now dead, any further posts on this "discussion" will be terminated :)

Jay
----- Original Message -----
From: Homer B

I think you took the tone incorrectly. There was no complaining, only discussion here.

--- On Wed, 1/21/09, Frank Franzoi wrote:

From: Frank Franzoi

Hey Homer, I normally don't say a heck of a lot but if you have a better idea then do it... but in the mean time Jay has a winner... It is useful and works... which says alot... If you can't provide usefull feedback... then as they say..... Frank....
w8azv@yahoo. com

1332. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-24 21:47:40 UTC
From: Eric Meth
Topic: 1300 Message: 1332
Attachments: 1 described; binary payloads are missing from this source WARC

Jay
1. Clicking in the clear area does nothing. DV shows up in the secondary receiver instead of P25 but does not decode. It works properly in the Icom application. I cannot get the main window to display the DV. I have attached a sceenshot.
Eric

On Sat, Jan 24, 2009 at 2:04 AM, Jay <crazycalifornian@...> wrote:

> Hey Eric,
>
> 1) If the program looses track of the Active Window, just click in the
> Main Display's "Blank Area", this should reset it.
> 2) How did you loose the Banks Folder? After an Uninstall or ?
>
> Jay
>
> ----- Original Message -----
> *From:* Eric Meth <ve3ei@...>
>
> 1. I could no longer enter a frequency from the keyboard, as it did not
> recognize the period
> 2. I lost the banks folder but I still have my frequencies although when I
> tried to do a web import of my local trunked system RR seems to have lost
> some info.
>
> Eric Meth - ve3ei
>
>
>

1333. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-24 21:49:14 UTC
From: Eric Meth
Topic: 1300 Message: 1333

I am not sure if this got sent? Eric

On Sat, Jan 24, 2009 at 4:47 PM, Eric Meth <ve3ei@...> wrote:

> Jay
> 1. Clicking in the clear area does nothing. DV shows up in the secondary
> receiver instead of P25 but does not decode. It works properly in the Icom
> application. I cannot get the main window to display the DV. I have attached
> a sceenshot.
> Eric
>
> On Sat, Jan 24, 2009 at 2:04 AM, Jay <crazycalifornian@...>wrote:
>
>> Hey Eric,
>>
>> 1) If the program looses track of the Active Window, just click in the
>> Main Display's "Blank Area", this should reset it.
>> 2) How did you loose the Banks Folder? After an Uninstall or ?
>>
>> Jay
>>
>> ----- Original Message -----
>> *From:* Eric Meth <ve3ei@...>
>>
>> 1. I could no longer enter a frequency from the keyboard, as it did not
>> recognize the period
>> 2. I lost the banks folder but I still have my frequencies although when I
>> tried to do a web import of my local trunked system RR seems to have lost
>> some info.
>>
>> Eric Meth - ve3ei
>>
>>
>>
>
>

1335. TrunkPCR window info

Yahoo group: TrunkPCR
Date: 2009-01-24 10:41:20 UTC
From: JW
Topic: 1335 Message: 1335

I think I have figured out that the arrows above the spectrum display indicate center channel in relation to the indicated frequency when TPCR is searching. However, when I scan it seems to appear randomly when a channel is monitored. What does this mean?

NS1Z / EL99bf
John
Silver Springs, FL

1336. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-25 05:19:45 UTC
From: Jay
Topic: 1300 Message: 1336

Hey Eric,

Clicking in the clear area should only reset the keyboard operation.

I see that the P25 button is showing up instead of the DV button. Do you have the P25 card installed too?
It may be an error on my part, thinking that the P25 and DV cards can not be installed at the same time?
In the program, the P25 takes priority over the DV, so if they are both installed, the P25 will show up first.

I thought you had sent me a pic of the About Screen, but I can't find it. Can you (re)send it to me?
I may have to make a modification to allow for both?

Thanks,
Jay

----- Original Message -----
From: Eric Meth

Jay
1. Clicking in the clear area does nothing. DV shows up in the secondary receiver instead of P25 but does not decode. It works properly in the Icom application. I cannot get the main window to display the DV. I have attached a sceenshot.
Eric

On Sat, Jan 24, 2009 at 2:04 AM, Jay <crazycalifornian@...> wrote:

Hey Eric,

1) If the program looses track of the Active Window, just click in the Main Display's "Blank Area", this should reset it.
2) How did you loose the Banks Folder? After an Uninstall or ?

Jay

1337. Re: [TrunkPCR] TrunkPCR window info

Yahoo group: TrunkPCR
Date: 2009-01-25 06:08:38 UTC
From: Jay
Topic: 1335 Message: 1337

Hi John,

That would be the "Center Frequency Indicator" <||>...

Normally when an Analog FM signal is tuned in correctly (or no-signal), the Center Bar should be GREEN.
If the "<" Left RED arrow is shown, then the actual frequency is lower than the current freq.
If the ">" Right RED arrow is shown, then the actual frequency is higher than the current freq.

Also, if you are tuned to a public service frequency or similar that uses a CTCSS Tone for Auto-Squelch, then when this frequency becomes active, it will probably have the "<" lower indicator active. The Center Frequency Detector in the PCR's harware, gets confused by the CTCSS Tone, thinking that the real frequencies' carrier is lower than it actually is...

Regards,
Jay

----- Original Message -----
From: "JW"
>

> I think I have figured out that the arrows above the spectrum display
> indicate center channel in relation to the indicated frequency when TPCR
> is searching. However, when I scan it seems to appear randomly when a
> channel is monitored. What does this mean?
>
> NS1Z / EL99bf
> John
> Silver Springs, FL

1338. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-25 15:20:52 UTC
From: Eric Meth
Topic: 1300 Message: 1338
Attachments: 1 described; binary payloads are missing from this source WARC

Here is the about screen.
Yes, the radio will do both P25 and DV. Do you need the DV module to test it with P25?
Eric Meth - ve3ei

On Sat, Jan 24, 2009 at 11:29 PM, Jay <crazycalifornian@...> wrote:

>
>
> ----- Original Message -----
> *From:* Eric Meth <ve3ei@...>
> *To:* TrunkPCR@yahoogroups.com
> *Sent:* Saturday, January 24, 2009 1:47 PM
> *Subject:* Re: [TrunkPCR] Feature Request?
>
> Jay
> 1. Clicking in the clear area does nothing. DV shows up in the secondary
> receiver instead of P25 but does not decode. It works properly in the Icom
> application. I cannot get the main window to display the DV. I have attached
> a sceenshot.
> Eric
>
> On Sat, Jan 24, 2009 at 2:04 AM, Jay <crazycalifornian@...> wrote:
>
>> Hey Eric,
>>
>> 1) If the program looses track of the Active Window, just click in the
>> Main Display's "Blank Area", this should reset it.
>> 2) How did you loose the Banks Folder? After an Uninstall or ?
>>
>> Jay
>>
>> ----- Original Message -----
>> *From:* Eric Meth <ve3ei@...>
>>
>> 1. I could no longer enter a frequency from the keyboard, as it did not
>> recognize the period
>> 2. I lost the banks folder but I still have my frequencies although when I
>> tried to do a web import of my local trunked system RR seems to have lost
>> some info.
>>
>> Eric Meth - ve3ei
>>
>>

>
>

1339. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-01-26 00:10:54 UTC
From: Jay
Topic: 1300 Message: 1339

Cool, ok thanks...

I looked over the manual last night and see that I had it backwards. It the DV & DTMF that can't be used together.

If I had a 2500, I'd be able to test the DV module :)
I may have to recruit you in my remote testing when I have that program ready. I'm sure there may be a few unknown commands that I need to take a peek at with the DV module...

Last night, I ended up making some changes so that both DV & P25 buttons are usable in both receivers. From what I have read, you can use the P25 card in the SUB Receiver after a diode change? so I added that to the Dual Receiver as well...

I'll post the update as soon as I have it ready. I'm just now finishing up the Dual Receiver window with the option to use another PCR as the 2nd radio...

Thanks again for the help,
Jay

----- Original Message -----
From: Eric Meth

Here is the about screen.
Yes, the radio will do both P25 and DV. Do you need the DV module to test it with P25?
Eric Meth - ve3ei_._,_.___

1340. I have some Questions Jay or maybe these are problems

Yahoo group: TrunkPCR
Date: 2009-01-30 21:37:08 UTC
From: Brian
Topic: 1340 Message: 1340

Good afternoon Jay

1.)Trunk ID Edit
When I am in Trunk ID Edit and I activate Alert at first the column will show "Yes" for the ones I have alert on. I close out of the window and go back into it to only see the column now sayes "No" on the one's I had alert checked to yes. But when I highlight the row the alert button is pressed while the column still is saying no.

2.)Pocket Beep Alert Setting
When I try to save the alert I want to hear which is (5) because I like that one. I click save close the window and get nothing when a alert window comes up. So I open the window back up and the setting I had set to are not saved. Everything is set to off and volume is way down.
3.) Alert window
Sometimes it's over here sometimes it's over there. Is there anyway I can lock this little bugger? So it will always come up were I want it to.
4.)Scanning (2) banks
You know I can scan to conventional banks at the same time which is so cool. But I can not get Trunk PCR to scan (2) Trunked banks at the sametime. If scanning (2) trunked banks at the sametime would one consider this then as multi-site?
5.) Priority Setting
Now while (50) "lowest" is the normal setting and as we go down in numatical sequence(50,49,48,47,46) priority goes up.Is there anyway to automatically goto the channel with the higher priority when the alert window comes up? So that audio can be heard.

Again I would like to thank you for the time and effort you have put forth in the development of this software. I for one will admit this,that had it not been for both Trunk PCR and PcrPro I would have not purchased my 2500. I took many months before I did and a lot of research on software out there for this receiver and there is nothing that even comes close to Trunk Pcr or Pcr Pro.
Jay you have something big here with these two programs keep up the great work.

Thank you for your time
Brian

1341. Whats up Jay

Yahoo group: TrunkPCR
Date: 2009-02-01 15:56:59 UTC
From: Brian
Topic: 1341 Message: 1341

You said that TrunkPcr is going to have the ability to use (2) receivers. I can't wait to see this and that is really cool. Now will I be able to use my IC-R20 along with the IC-Pcr2500 injunction with TrunkPcr?
How will this all play out if I may ask?

Brian

1342. Re: [TrunkPCR] Whats up Jay

Yahoo group: TrunkPCR
Date: 2009-02-02 02:06:44 UTC
From: scosgt@aol.com
Topic: 1341 Message: 1342

You already can use two receivers - one for the discriminator, one for the radio control.

****
Great Deals on Dell Laptops. Starting at $499.
(http://pr.atwola.com/promoclk/100000075x1217883258x1201191827/aol?redir=http://www.dell.com/content/products/features.aspx/laptops_great_deals?c=us%26cs=19%26l=en%26s=dhs%26~ck=anavml)

1343. Re: [TrunkPCR] Whats up Jay

Yahoo group: TrunkPCR
Date: 2009-02-02 03:19:32 UTC
From: Jay
Topic: 1341 Message: 1343

Hey Brian,

Yes, two receivers can already be used. (Check past posts for "Dual Operation")...
The [Dual] button isn't just for the PCR / R2500 :)

The new update allows the control of the 2nd Receiver for hunting the control channel when it changes, or just used as a 2nd receiver in conventional scanning / searching...

But the controling part of the 2nd receiver will only be available for PCR-100's, PCR-1000's and PCR-1500's...

Later, after I get the control part of different scanners finished for TrunkMON, I'll add that control to the 2nd Receiver too...

Jay

----- Original Message -----
From: scosgt@...

You already can use two receivers - one for the discriminator, one for the radio control.

1344. Re: [TrunkPCR] I have some Questions Jay or maybe these are problems

Yahoo group: TrunkPCR
Date: 2009-02-02 03:52:07 UTC
From: Jay
Topic: 1340 Message: 1344

Hey Brian,

1.) Yep, bug that doesn't update the display when loaded. If you click on the Alert Column of the GroupID in question, it will switch to "Yes". So it is being saved...

2.) That part needs to be finished :)

3.) Since you can have 100 or so active alerts, you wouldn't want them to overlap each other and displayed at the exact same location on the screen. I'm not sure I want to add a X and Y Position for alerts to the Group & Radio ID files for alerts at this time... But we'll see...

4.) Nope, you can not scan two different Trunk Sites at the same with the 2500 or Dual Receivers. Maybe in time, but not yet...

5.) Actually 99 is the lowest, 50 is the middle... If you are running in Dual Mode, then the GroupID with the "Higher" Priority will take over and the program will switch to it's active channel...

Regards,
Jay

----- Original Message -----
From: "Brian"

> Good afternoon Jay
>
> 1.)Trunk ID Edit
> When I am in Trunk ID Edit and I activate Alert at first the column
> will show "Yes" for the ones I have alert on. I close out of the
> window and go back into it to only see the column now sayes "No" on
> the one's I had alert checked to yes. But when I highlight the row
> the alert button is pressed while the column still is saying no.
>
> 2.)Pocket Beep Alert Setting
> When I try to save the alert I want to hear which is (5) because I
> like that one. I click save close the window and get nothing when a
> alert window comes up. So I open the window back up and the setting I
> had set to are not saved. Everything is set to off and volume is way
> down.
> 3.) Alert window
> Sometimes it's over here sometimes it's over there. Is there anyway
> I can lock this little bugger? So it will always come up were I want
> it to.
> 4.)Scanning (2) banks
> You know I can scan to conventional banks at the same time which is

> so cool. But I can not get Trunk PCR to scan (2) Trunked banks at the
> sametime. If scanning (2) trunked banks at the sametime would one
> consider this then as multi-site?
> 5.) Priority Setting
> Now while (50) "lowest" is the normal setting and as we go down in
> numatical sequence(50,49,48,47,46) priority goes up.Is there anyway
> to automatically goto the channel with the higher priority when the
> alert window comes up? So that audio can be heard.
>
> Again I would like to thank you for the time and effort you have put
> forth in the development of this software. I for one will admit
> this,that had it not been for both Trunk PCR and PcrPro I would have
> not purchased my 2500. I took many months before I did and a lot of
> research on software out there for this receiver and there is nothing
> that even comes close to Trunk Pcr or Pcr Pro.
> Jay you have something big here with these two programs keep up the
> great work.
>
> Thank you for your time
> Brian
>
>
> ---
>
> Yahoo! Groups Links
>
>
>
>

1345. Thanks for answering my ? I have another question as well as a trick

Yahoo group: TrunkPCR
Date: 2009-02-02 15:45:27 UTC
From: Brian
Topic: 1345 Message: 1345

I am thinking about getting another Pcr2500 and would like to know form anyone who has or the experts here.Has anyone experienced any problems with running (2) Pcr2500 on the same laptop computer at the same time? Each will have it's own USB port and own audio system as well as different software packages. I guess the problem would come about with processor/memory usage and maybe software conflicks.

My laptop has
2.0 GHz processor
2.0 GHz memory
350 Gig Hard drive
5 USB ports
Full Duplex sound Card

I know I would only be able to use my linein for one of them for my trunking software but the other 2500 I would run different software for conventional systems. Unless I could get both 2500 to trunk from the one linein off the same sound card by using a (Y-splitter). Then I would have to make
1.) (2) different databases
2.) (2) different directories
3.) (2) different USB paths

Am I correct in thinking this?

Now would this also overdrive my soundcard by doing the above statement?

Trick for those of you who dont know.
I have found out by (Ying) off the speaker jack in the back of the 2500 I can get it to play out of (2) speakers, while yes it is not in stereo it does come out in both speakers now. While the audio signal is split(weaker) if one puts a audio amp between feed out of the 2500 and linein to speaker system level is able to control audio to the desire you want.
If anyone can answer my about questions I would greatly appreciate it

Thank you

Brian

1346. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-02-10 07:55:11 UTC
From: Jay
Topic: 1300 Message: 1346

Hi Eric,

It's nice of you to offer the use of the D-Star module, but I won't need to borrow one now.

"Offsite", a super local nice guy has donated his R2500 for the cause :) and I have the D-Star on the way from Australia that should be here tomorrow or so...
And since it also has the P25 module in it, I can clean that up too. As a matter of fact, I now have the P25 card working better now on 3600 baud (P12) sites :)

Currently I'm looking into adding the USB Audio support, seems that a few recording controls are hidden on the Mixer Control.

Also something not supported by Icom, will be the detection of when the radio is turned On or Off. This will keep the program from freezing...

But at least you'll be able to test the DV feature when I have it ready :)

Regards,
Jay

----- Original Message -----
From: Eric Meth

Here is the about screen.
Yes, the radio will do both P25 and DV. Do you need the DV module to test it with P25?
Eric Meth - ve3ei

1347. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-02-10 13:29:51 UTC
From: Eric Meth - VE3EI
Topic: 1300 Message: 1347

Thank you very much Jay. I also appreciate what you are doing and how you are advancing the knowledge of the PCR2500 for all of us.

I would like to help with the MPT13217 decoding.
I have one system here and several others not to far away and I would like to do some experimentation.
I think you have the remote control capability for the 1500/2500?
I could dedicate one of my radios for experimentation.
I would also like to experiment.
Are there any hints as to how I could listen on MPT1327?

Also. Any hints as to how I could get more audio to the sound card of a new laptop to decode the P25?
It works fine in the Icom mode but does not work in TrunkPCR mode.

Eric Meth - ve3ei

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, February 10, 2009 2:55 AM
Subject: Re: [TrunkPCR] Feature Request?

Hi Eric,

It's nice of you to offer the use of the D-Star module, but I won't need to borrow one now.

"Offsite", a super local nice guy has donated his R2500 for the cause :) and I have the D-Star on the way from Australia that should be here tomorrow or so...
And since it also has the P25 module in it, I can clean that up too. As a matter of fact, I now have the P25 card working better now on 3600 baud (P12) sites :)

Currently I'm looking into adding the USB Audio support, seems that a few recording controls are hidden on the Mixer Control.

Also something not supported by Icom, will be the detection of when the radio is turned On or Off. This will keep the program from freezing...

But at least you'll be able to test the DV feature when I have it ready :)

Regards,
Jay

----- Original Message -----
From: Eric Meth

Here is the about screen.
Yes, the radio will do both P25 and DV. Do you need the DV module to test it with P25?

Eric Meth - ve3ei

1348. Morning Jay

Yahoo group: TrunkPCR
Date: 2009-02-10 14:24:19 UTC
From: Brian
Topic: 1348 Message: 1348

I too also appreciate what you are doing for this software. I hope that you have not forgotten about NAC Decoding?

Brian

1349. Re: [TrunkPCR] NAC Decoding?

Yahoo group: TrunkPCR
Date: 2009-02-12 05:09:16 UTC
From: Jay
Topic: 1349 Message: 1349

Nope haven't forgotten about the NAC.

It looks like the NAC isn't decoded while being parked on the control channel.

Still scanning the local DoD P25 site to see if it's sent during a conversation.

I don't think a "NAC Search" would work to well since there are 4,096 NAC codes. Testing 4 codes a second, sampling each code for 1/4 of a second, would take up to 1,024 seconds (17 minutes) to test all codes for a match.

If the NAC isn't sent during a conversation, we'll have to wait until I get the P25 CC decoding working before knowing it...

Regards,
Jay

----- Original Message -----
From: "Brian"

> I too also appreciate what you are doing for this software. I hope that
> you have not forgotten about NAC Decoding?
>
> Brian

1350. Re: [TrunkPCR] Feature Request?

Yahoo group: TrunkPCR
Date: 2009-02-12 05:28:06 UTC
From: Jay
Topic: 1300 Message: 1350

Thanks Eric, I still haven't forgotten your offer to test MPT1327...
I have an idea on how to fix that decoder, so with the files you sent before, I should be able to get that going as soon as I can change the code and test it :)

For the P25, what do you mean by the term "Icom mode"? or do you mean the Icom program?
The only way I have been able to make it easier to listen to is to increse the volume to about the 2 o'clock position...

Regards,
Jay
----- Original Message -----
From: Eric Meth - VE3EI

Thank you very much Jay. I also appreciate what you are doing and how you are advancing the knowledge of the PCR2500 for all of us.

I would like to help with the MPT13217 decoding.
I have one system here and several others not to far away and I would like to do some experimentation.
I think you have the remote control capability for the 1500/2500?
I could dedicate one of my radios for experimentation.
I would also like to experiment.
Are there any hints as to how I could listen on MPT1327?

Also. Any hints as to how I could get more audio to the sound card of a new laptop to decode the P25?
It works fine in the Icom mode but does not work in TrunkPCR mode.

Eric Meth - ve3ei

1351. Strange behavior Trunk Pcr

Yahoo group: TrunkPCR
Date: 2009-02-18 14:36:18 UTC
From: Brian
Topic: 1351 Message: 1351

Good Morning Jay

I will explain this the best I can.
I load Trunk Pcr and I am scanning a Conventional bank,all is good. I stop scanning the bank and goto file/load bank and load a Trunked Bank. In the main window I now have two tabs. One conventional bank and the other the Trunked bank. Ok no big deal I click the trunked bank tab and do everything I would normally do so I can search the CC AND ALL IS GREAT. So now I click Dual so I get the other window, and I get it. I see the two tabs(conventional and Trunked bank) BUT the second window is able to scan the Conventional bank as the main window is doing the Trunked bank. I get audio from both (Conventional/Trunked bank) Everything works for about 30 to 45 minutes and then Trunk Pcr crashes/freezes up I get the windows report error and just click close. I close Trunk Pcr and reload. Of the five times I have tried to do this only Twice it has been able to reproduces this effect.

Any ideas as too what is happening or does Trunk Pcr have the ability to do this?

Thank you,
Brian

1352. Jay I would like to share with the group

Yahoo group: TrunkPCR
Date: 2009-02-18 14:58:12 UTC
From: Brian
Topic: 1352 Message: 1352

I found some way cool app's for us. The first is Winrad which I have been playing with for a few days now and it seams to responde to the 2500.Found here.. http://digilander.libero.it/i2phd/winrad/ or either google Winrad. It has a open source code so we can play with it. Believe me this is really cool.

The second one I just found and have not played with it much yet because I don't really understand it. It is called Tone Sound Frequency Sweep Generator. Found here..http://www.dxzone.com/cgi-bin/dir/jump2.cgi?ID=17727 Now I don't know much about this program but if someone can teach me or tell me what this program really does that would be great.
Check them out you guys might like them.

Brian

1353. Re: [TrunkPCR] Strange behavior Trunk Pcr

Yahoo group: TrunkPCR
Date: 2009-02-23 01:34:22 UTC
From: Jay
Topic: 1351 Message: 1353

Hey Brian,

This is due to the Dual Window's Bank Tabs not being updated when the changes are made in the main window.
I have this fixed now and the only work around is to exit the program and restart after you make the changes so that the Dual window recognises the change...

Regards,
Jay

----- Original Message -----
From: "Brian" <sjinndoawi00@...>

> Good Morning Jay
>
> I will explain this the best I can.
> I load Trunk Pcr and I am scanning a Conventional bank,all is good. I
> stop scanning the bank and goto file/load bank and load a Trunked
> Bank. In the main window I now have two tabs. One conventional bank
> and the other the Trunked bank. Ok no big deal I click the trunked
> bank tab and do everything I would normally do so I can search the CC
> AND ALL IS GREAT. So now I click Dual so I get the other window, and
> I get it. I see the two tabs(conventional and Trunked bank) BUT the
> second window is able to scan the Conventional bank as the main
> window is doing the Trunked bank. I get audio from both
> (Conventional/Trunked bank) Everything works for about 30 to 45
> minutes and then Trunk Pcr crashes/freezes up I get the windows
> report error and just click close. I close Trunk Pcr and reload. Of
> the five times I have tried to do this only Twice it has been able to
> reproduces this effect.
>
> Any ideas as too what is happening or does Trunk Pcr have the ability
> to do this?
>
> Thank you,
> Brian

1354. Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-02-23 13:40:32 UTC
From: Brian
Topic: 1270 Message: 1354

Thanks for answering my questions.

I have another one.

Today I was running Trunk Pcr both Main as well as Dual windows up and Dump window running. This morning signals were really bad,don't know might be the storms we are getting right now. So I goto the main window and click DSP so I can maybe clean these signals up a little bit. Well Trunk Pcr freezes and on the main window down there in the left corner where you can see it tell you volume level/monitoring(I guess you can call it a status bar message) it is saying this now (RX BUFFER FULL).Trunk Pcr close out all by itself but the receiver is still running(picking up comm's)without Trunk Pcr up and running. So I load up Trunk Pcr again and start it but now get a error message saying that com port is not available check cables make sure receiver is connected all the while I am stilling hearing comm's as if Trunk Pcr is still in control of the receiver but it closed itself out. I have to close the new window out and turn off the reciever and turn it back on again to establish a new connection for Trunk Pcr and reload Trunk bank.

What I was doing when this happened...
1.)Main window up and running
2.)Dual window up and running
3.)Dump window up and running
4.)10 minutes into monitoring Signals very bad sever storm here in south florida
5.) Click DSP want to see if I can clean this up a bit
6.)Message.....RX BUFFER FULL
7.)Trunk Pcr freezes and then closes itself out but still hear audio.
8.)Reload Trunk Pcr but now get error(com port not available,check cables make sure receiver is connected. But I am still hearing audio.

Any Ideas?
Thanks Jay for everything.

Brian

1355. Re: [TrunkPCR] Rx Buffer Full

Yahoo group: TrunkPCR
Date: 2009-02-24 05:11:31 UTC
From: Jay
Topic: 1355 Message: 1355

Yep, this is an ongoing investigation...

For now, after the CC Activty window is open, click the Dump Tab and then the [Pause] Button. The Dump is mainly for debugging purposses anyway and should not be left running when there isn't a need to view it. You can still log the data if you like, but keep the display inactive.

In the language the main program is written in, it doesn't like it too much if you try to have too much all going on at once. And right now, I'm already pushing it to limit...
Visual Basic only likes to be ran in one "thread", but I have 5 of them running, so it gets a bit tricky at times to keep it running smoothly.

It's kinda like plugging in another appliance in a power strip when you already have 10 things plugged into the same outlet. If you overload the circuit, it fries...

So for now, just use what you need to and don't try to overload it...

When it gets overloaded with too many tasks to do, other tasks get put on hold and when it tries to catch up, you get the "RX Buffer Full" because the data input has been stacking up during the hold time.

Jay

----- Original Message -----
From: "Brian"

> Thanks for answering my questions.
>
> I have another one.
>
> Today I was running Trunk Pcr both Main as well as Dual windows up
> and Dump window running. This morning signals were really bad,don't
> know might be the storms we are getting right now. So I goto the main
> window and click DSP so I can maybe clean these signals up a little
> bit. Well Trunk Pcr freezes and on the main window down there in the
> left corner where you can see it tell you volume level/monitoring(I
> guess you can call it a status bar message) it is saying this now (RX
> BUFFER FULL).Trunk Pcr close out all by itself but the receiver is
> still running(picking up comm's)without Trunk Pcr up and running. So
> I load up Trunk Pcr again and start it but now get a error message
> saying that com port is not available check cables make sure receiver
> is connected all the while I am stilling hearing comm's as if Trunk
> Pcr is still in control of the receiver but it closed itself out. I
> have to close the new window out and turn off the reciever and turn
> it back on again to establish a new connection for Trunk Pcr and

> reload Trunk bank.
>
> What I was doing when this happened...
> 1.)Main window up and running
> 2.)Dual window up and running
> 3.)Dump window up and running
> 4.)10 minutes into monitoring Signals very bad sever storm here in
> south florida
> 5.) Click DSP want to see if I can clean this up a bit
> 6.)Message.....RX BUFFER FULL
> 7.)Trunk Pcr freezes and then closes itself out but still hear audio.
> 8.)Reload Trunk Pcr but now get error(com port not available,check
> cables make sure receiver is connected. But I am still hearing audio.
>
> Any Ideas?
> Thanks Jay for everything.
>
> Brian

1356. MPT1327

Yahoo group: TrunkPCR
Date: 2009-03-06 08:49:10 UTC
From: druidstoneuk
Topic: 484 Message: 1356

Jay,

I noticed Eric's offer rgarding MPT1327.
I can quite easily dedicate a PCR1000 here for MPT1327 signals if it would help. In the UK so a huge ammount of systems available ;)

Incidentally I do have an MPT1327 control channel streamed for someone else but that is via a 996T and Proscan (you could access that stream using the free client if all you wanted was the audio).

DS

1357. ICOM PCR-100

Yahoo group: TrunkPCR
Date: 2009-03-06 23:09:37 UTC
From: wguidry
Topic: 1357 Message: 1357

I am a total newbee so please excuse the newness!!! I have purchased a ICOM PCR-100 at a garage sale for $15.00 and I have it working with TrunkPCR. I am trying to learn about the ability to do trunking on this radio. Is it possible? Right now I put in all of the frequencies in a very small group but it is still hard to follow the dialog of the conversations that are happening. Can anyone point me to a source to try and do this or is it not possible on the PCR-100? Thanks in advance.

The GMAN

1358. Re: [TrunkPCR] ICOM PCR-100

Yahoo group: TrunkPCR
Date: 2009-03-07 01:53:18 UTC
From: Jay
Topic: 1357 Message: 1358

Hi Wayne,

In order for the PCR-100 to do trunking, it needs a discriminator tap if it doesn't already have one.
Instruction can be found here:
http://members.cox.net/fiftyone.50/TrunkPcr/pcr100mod/pcr100.html

Jay

----- Original Message -----
From: "wguidry"

> I am a total newbee so please excuse the newness!!! I have purchased a ICOM PCR-100 at a garage sale for $15.00 and I have it working with TrunkPCR. I am trying to learn about the ability to do trunking on this radio. Is it possible? Right now I put in all of the frequencies in a very small group but it is still hard to follow the dialog of the conversations that are happening. Can anyone point me to a source to try and do this or is it not possible on the PCR-100? Thanks in advance.
>
> The GMAN

1359. Re: [TrunkPCR] ICOM PCR-100

Yahoo group: TrunkPCR
Date: 2009-03-07 01:51:18 UTC
From: scosgt@aol.com
Topic: 1357 Message: 1359

You need a radio with a discriminator tap. The TrunkPCR website has directions. or you can purchase almost any scanner and do a tap. The instructions are available on line.

****
A Good Credit Score is 700 or Above. See yours
in just 2 easy steps!
(http://pr.atwola.com/promoclk/100126575x1219957551x1201325337/aol?redir=http:%2F%2Fwww.freecreditreport.com%2Fpm%2Fdefault.aspx%3Fsc%3D668072%26hmpgID%3D62%26bcd%3DfebemailfooterNO62)

1360. External speaker detection problem

Yahoo group: TrunkPCR
Date: 2009-03-07 17:19:08 UTC
From: Ken Bessler
Topic: 1360 Message: 1360

The external/internal stereo/mono dialog box keeps popping up on my setup. I tried removing the external speaker but the problem persists. Help! Is there any way to disable the popup and force TrunkPCR to stay with the assigned settings?

73 de Ken KG0WX - Kadiddlehopper #11808,
Flying Pigs #-1055, Grid EM17ip

_____
Express your personality in color! Preview and select themes for Hotmail®.
http://www.windowslive-hotmail.com/LearnMore/personalize.aspx?ocid=TXT_MSGTX_WL_HM_express_032009#colortheme

1361. Re: [TrunkPCR] MPT1327

Yahoo group: TrunkPCR
Date: 2009-03-07 20:16:04 UTC
From: Jay
Topic: 484 Message: 1361

Hey DS,

Thanks for the offer, when I get the decoder re-written, I just may take
you up on it :)

Regards,
Jay

----- Original Message -----
From: "druidstoneuk"
>

> Jay,
>
> I noticed Eric's offer rgarding MPT1327.
> I can quite easily dedicate a PCR1000 here for MPT1327 signals if it would
help. In the UK so a huge ammount of systems available ;)
>
> Incidentally I do have an MPT1327 control channel streamed for someone
else but that is via a 996T and Proscan (you could access that stream using
the free client if all you wanted was the audio).
>
> DS

1362. Re: [TrunkPCR] External speaker detection problem

Yahoo group: TrunkPCR
Date: 2009-03-08 00:29:32 UTC
From: Jay
Topic: 1360 Message: 1362

Sounds like you may have a bad speaker jack or something floating around in the radio?

The Ext. Speaker dialog would normally only pop-up when you plug-in or un-plug a connector on the PCR-100.
This is a feature designed internally by ICom...

Jay

----- Original Message -----
From: Ken Bessler

The external/internal stereo/mono dialog box keeps popping
up on my setup. I tried removing the external speaker but the
problem persists. Help! Is there any way to disable the popup
and force TrunkPCR to stay with the assigned settings?

73 de Ken KG0WX - Kadiddlehopper #11808,
Flying Pigs #-1055, Grid EM17ip

1363. Re: External speaker detection problem

Yahoo group: TrunkPCR
Date: 2009-03-10 06:36:45 UTC
From: n4umj
Topic: 1360 Message: 1363

As someone who has repaired many of the PCR100's I can say that the speaker jack can fail usually by the plastic cracking on the sides where the two halves of the jack body come together. My repair of the jack was to apply pressure to the plastic part that seperated and bring it back together and at the same time fill up the area with a generous amount of hot glue! Sometimes it will just delaminate again. I think the A/B epoxy may be a better permanent fix but never tried that as it would be very permanent to the board with no possibility of replacement ever!

Yours may be completely seperated and that would be bad news.

That particular jack is made by hosiden and may still be available from ICOM America possibly.

ICOM PartNumber:
6450001960

I have never seen a speaker jack send a discrete signal to a microprocessor indicating plug in status but that's exactly what happens when you insert a speaker plug into the PCR100....Pretty advanced I thought!

Ed
N4UMJ

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Sounds like you may have a bad speaker jack or something floating around in the radio?
>
> The Ext. Speaker dialog would normally only pop-up when you plug-in or un-plug a connector on the PCR-100.
> This is a feature designed internally by ICom...
>
> Jay
>
> ----- Original Message -----
> From: Ken Bessler
>
> The external/internal stereo/mono dialog box keeps popping
> up on my setup. I tried removing the external speaker but the
> problem persists. Help! Is there any way to disable the popup
> and force TrunkPCR to stay with the assigned settings?
>
>
> 73 de Ken KG0WX - Kadiddlehopper #11808,
> Flying Pigs #-1055, Grid EM17ip
>

1364. new with no audio

Yahoo group: TrunkPCR
Date: 2009-03-14 00:43:57 UTC
From: dgsand11
Topic: 1364 Message: 1364

I am very new to trunking and need some instruction to get audio.I can trunk scan and get groups and radios,but I don't know how to get audio.I live in the Cincinnati area and didn't know if the signals,being digital,were able to be decoded for audio.
If this has been discussed before please direct me to proper area.
If anyone would like to e-mail me with info it would be much appreciated.
E-mails should be sent to : dgsand@....
Thanks for any help.

Denny

1365. Re: [TrunkPCR] new with no audio

Yahoo group: TrunkPCR
Date: 2009-03-14 01:45:18 UTC
From: johnstark
Topic: 1364 Message: 1365

Digital audio requires a digital scanner or board if available for your unit.

John

----- Original Message -----
From: dgsand11
To: TrunkPCR@yahoogroups.com
Sent: Friday, March 13, 2009 8:43 PM
Subject: [TrunkPCR] new with no audio

I am very new to trunking and need some instruction to get audio.I can trunk scan and get groups and radios,but I don't know how to get audio.I live in the Cincinnati area and didn't know if the signals,being digital,were able to be decoded for audio.
If this has been discussed before please direct me to proper area.
If anyone would like to e-mail me with info it would be much appreciated.
E-mails should be sent to : dgsand@....
Thanks for any help.

Denny

1366. Re: [TrunkPCR] new with no audio

Yahoo group: TrunkPCR
Date: 2009-03-14 05:39:15 UTC
From: Mirror
Topic: 1364 Message: 1366

I use modified AOR ARD25 to decode the San Diego APCO P-25 digital signals with my PCR1000. What type of scanner are you using?

-=Patrick=-

ohnstark wrote:
>
> Digital audio requires a digital scanner or board if available for
> your unit.
>
> John
>
>
>
> ----- Original Message -----
> *From:* dgsand11 <mailto:dgsand11@...>
> *To:* TrunkPCR@yahoogroups.com <mailto:TrunkPCR@yahoogroups.com>
> *Sent:* Friday, March 13, 2009 8:43 PM
> *Subject:* [TrunkPCR] new with no audio
>
> I am very new to trunking and need some instruction to get audio.I
> can trunk scan and get groups and radios,but I don't know how to
> get audio.I live in the Cincinnati area and didn't know if the
> signals,being digital,were able to be decoded for audio.
> If this has been discussed before please direct me to proper area.
> If anyone would like to e-mail me with info it would be much
> appreciated.
> E-mails should be sent to : dgsand@...
> <mailto:dgsand%40juno.com>.
> Thanks for any help.
>
> Denny
>
>

1367. Morning Jay I need so help

Yahoo group: TrunkPCR
Date: 2009-03-19 11:14:41 UTC
From: Brian
Topic: 1367 Message: 1367

I am asking you this because I know you know a lot about computers and Icom software and I have did everything that I know of to get this to work. It is in reference to my IC-R20 software which is the CS-R20. It is cloning software used to program as well as read from the receiver.Basically it is the only software out there for it to do everything for the R20.Because I am having problems with my computer I want to uninstal/reinstall it. I WANT TO UNINSTALL THIS PROGRAM but I cant get the software to uninstall from my computer by going into the control panel. So I put the Icom CD in hoping that maybe it would just overwrite the existing program but when i CLICK THE EXE setup icon everything loads up. Now I get do I want to completely remove the program,so I click ok. Then I get installshield wizard has has finished uninstalling if I want to install program please run setup again. WELL its not working,its keeps asking me if Iwant to uninstall the program everytime I click the setup exe. Also it still appears in my control panel even though the software tells me that it is now uninstalled when i click yes to uninstall.

Is it possible that there is something wronge with the installshield wizard or is it this Icom software or because I have both my R20 as well as my pcr2500 on the same computer and they share files Ibelieve that I cant uninstall reinstall the CS-R20 Software?
Any ideas or direction as to what I can do would be greatly appreciated.

Thank you for your time
Brian

1368. Re: [TrunkPCR] Morning Jay I need so help

Yahoo group: TrunkPCR
Date: 2009-03-20 04:37:20 UTC
From: Jay
Topic: 1367 Message: 1368

Hi Brian,

This is rather OFF TOPIC and should have been mailed directly or more precisely to the IC-R20 group...
But NO, I haven't a clue on how that program works and all software installers are different...

Jay

----- Original Message -----
From: "Brian"
> I am asking you this because I know you know a lot about computers and Icom software and I have did everything that I know of to get this to work. It is in reference to my IC-R20 software which is the CS-R20. It is cloning software used to program as well as read from the receiver.Basically it is the only software out there for it to do everything for the R20.Because I am having problems with my computer I want to uninstal/reinstall it. I WANT TO UNINSTALL THIS PROGRAM but I cant get the software to uninstall from my computer by going into the control panel. So I put the Icom CD in hoping that maybe it would just overwrite the existing program but when i CLICK THE EXE setup icon everything loads up. Now I get do I want to completely remove the program,so I click ok. Then I get installshield wizard has has finished uninstalling if I want to install program please run setup again. WELL its not working,its keeps asking me if Iwant to uninstall the program everytime I click the setup exe. Also it still appears in my control panel even though the software tells me that it is now uninstalled when i click yes to uninstall.
>
> Is it possible that there is something wronge with the installshield wizard or is it this Icom software or because I have both my R20 as well as my pcr2500 on the same computer and they share files Ibelieve that I cant uninstall reinstall the CS-R20 Software?
> Any ideas or direction as to what I can do would be greatly appreciated.
>
> Thank you for your time
> Brian

1369. NEED SOME HELP HERE GUYS

Yahoo group: TrunkPCR
Date: 2009-03-24 11:12:25 UTC
From: Brian
Topic: 1369 Message: 1369

So I have found a new Control Channel,it's in the 900MHz range. It is percisely 937.337.5 mode is FM But I do not know if its motorola or edacs. So how do I go about getting this done so that I can start catching radio Id's/trunk Id's and a readable signal? Do I just start taking stabs in the dark to figure this out or is there a procedure to it?

Thanks for the help

Brian

1370. Re: Documentation

Yahoo group: TrunkPCR
Date: 2009-04-01 16:09:55 UTC
From: sulurawk
Topic: 1120 Message: 1370

I know this is an old thread, but I stumbled onto the TrunkPCR Wiki page on Radio Reference, and saw the aforementioned wrapping problem. So I decided to overhaul the entire page, added sections and a table of contents.

Since I'm not officially using TrunkPCR yet, maybe someone who is can scan the documentation and make sure it makes sense the way I've laid it out.

http://wiki.radioreference.com/index.php/TrunkPCR

I saved the original in case there's any problems.

I'm in the market for a used PCR-1500 which I will be attempting to use with Linux. If I'm successful, I'll add a section for using TrunkPCR with Wine on Linux.

-n8

--- In TrunkPCR@yahoogroups.com, "Glenn Blum" <kd5dga@...> wrote:
>
> Thats cool , however this maybe a display problem on my end, but I had to scroll far to the right to read. Is there anyway to word wrap the sentences?
> Glenn Blum
> kd5dga
> ----- Original Message -----
> From: jcolson@...
> To: TrunkPCR@...m
> Sent: Sunday, July 13, 2008 9:39 PM
> Subject: [TrunkPCR] Documentation
>
>
> Hello Everyone,
>
> My name is Joseph and I have been using TrunkPCR for a short time. I
> suggested to Jay that I would make a TrunkPCR page on the radio reference
> web page in a attempt to make sort of a manual for this great software.
> Jay has agreed! The URL is
> http://wiki.radioreference.com/index.php/TrunkPCR
> Anyone can edit the web page and I would recommend everyone try their bit
> of editing to help Jay create some documentation for the software. Feel
> free to add some information.
>
> take care,
>
> Joseph
>

1371. HD Crash!

Yahoo group: TrunkPCR
Date: 2009-04-03 01:07:22 UTC
From: Jay
Topic: 1371 Message: 1371

Hey All,

My old case for my Windows95 system took a dump 2 days ago...
The power switch on the front hasn't worked in a month, so I've been unplugging the power cord in and out of the power supply to turn it on or off.
The connector for the 110V on the power supply broke apart yesterday, so I transfered the motherboard, all cards, hard drives and cd drive to an older short tower.
Today when I powered up the system, I heard a squeal which I thought was the cpu fan, but turned out to be one of the hard drives, "the important one!"...
The computer doesn't recognise any hard drives now when it's connected.

Since I've been working on updating TrunkPCR and PCR Pro on the newer PC using the PCR-2500, I have the most current code for those on the new pc. However, the code for PCR Remote and TrunkMON was on the hard drive that crashed. The code for PCR Remote is one year old on the newer pc, but the code for TrunkMON is from laste last October...

I'll have to take a look on my back-up CD's to see when I backed them up last, but I think it was a month or two ago, hopefully not too much more than that...

The bad news is that the database program that keeps track of all donations and stores all the key file data, was on that hard drive too, so I'll have to see when I backed up that on CD as well. Luckily, I still have all the emails from PayPal and users that have sent donations by check, money order or cash. The copy on the newer pc is two years old, so it isn't totally gone :)

I was hoping to release an update for TrunkPCR and PCR Pro this week, but first I'll have to back-up and restore what I can, then rebuild what was lost...

I'll yet you know when opertion is back in working order...

Regards,
Jay

1372. Re: [TrunkPCR] HD Crash!

Yahoo group: TrunkPCR
Date: 2009-04-04 19:58:28 UTC
From: Homer B
Topic: 1371 Message: 1372

Sorry to hear that. Good luck on the restore.

--- On Thu, 4/2/09, Jay <crazycalifornian@...> wrote:
From: Jay <crazycalifornian@...m>
Subject: [TrunkPCR] HD Crash!
To: TrunkPCR@yahoogroups.com
Date: Thursday, April 2, 2009, 9:07 PM

Hey All,

My old case for my Windows95 system took a dump 2 days ago...

The power switch on the front hasn't worked in a month, so I've been

unplugging the power cord in and out of the power supply to turn it on or

off.

The connector for the 110V on the power supply broke apart yesterday, so I

transfered the motherboard, all cards, hard drives and cd drive to an older

short tower.

Today when I powered up the system, I heard a squeal which I thought was the

cpu fan, but turned out to be one of the hard drives, "the important

one!"...

The computer doesn't recognise any hard drives now when it's connected.

Since I've been working on updating TrunkPCR and PCR Pro on the newer PC

using the PCR-2500, I have the most current code for those on the new pc.

However, the code for PCR Remote and TrunkMON was on the hard drive that

crashed. The code for PCR Remote is one year old on the newer pc, but the

code for TrunkMON is from laste last October...

I'll have to take a look on my back-up CD's to see when I backed them up

last, but I think it was a month or two ago, hopefully not too much more

than that...

The bad news is that the database program that keeps track of all donations

and stores all the key file data, was on that hard drive too, so I'll have to see when I backed up that on CD as well. Luckily, I still have all the emails from PayPal and users that have sent donations by check, money order or cash. The copy on the newer pc is two years old, so it isn't totally gone :)

I was hoping to release an update for TrunkPCR and PCR Pro this week, but first I'll have to back-up and restore what I can, then rebuild what was lost...

I'll yet you know when opertion is back in working order...

Regards,

Jay

1373. Good morning Jay

Yahoo group: TrunkPCR
Date: 2009-04-05 14:09:51 UTC
From: Brian
Topic: 1247 Message: 1373

Whats up hope things go well with the new hard drive. Any way I have been trying to update some of my information via web import. Well I am getting this error

2147014836-Failed opening socket for address:66.135.49.47:80(WASError Code=10060)

Is this a TrunkPCR problem or RR site

Thanks for the help

Brian

1374. Re: [TrunkPCR] Good morning Jay

Yahoo group: TrunkPCR
Date: 2009-04-05 21:03:35 UTC
From: Jay
Topic: 1247 Message: 1374

Hey Brian,

Error 10060 means "Connection timed out"...
The problem could be somewhere between your PC and RR.com, including a router or a firewall program...

Jay

----- Original Message -----
From: "Brian"
>
> Whats up hope things go well with the new hard drive. Any way I have been trying to update some of my information via web import. Well I am getting this error
>
> 2147014836-Failed opening socket for address:66.135.49.47:80(WASError Code=10060)
>
> Is this a TrunkPCR problem or RR site
>
> Thanks for the help
>
> Brian

1375. Com Port 18 on IC-R1500

Yahoo group: TrunkPCR
Date: 2009-04-13 01:13:24 UTC
From: Troy
Topic: 1375 Message: 1375

Hello all,

I am trying to get my IC-R1500 to work with TrunkPCR on my desktop. The USB driver is using port 18, but that is not an option for me in TrunkPCR. How do I resolve this problem?

Thanks

1376. Re: [TrunkPCR] Com Port 18 on IC-R1500

Yahoo group: TrunkPCR
Date: 2009-04-13 02:08:18 UTC
From: Jay
Topic: 1375 Message: 1376

Hi Troy,

The current maximum usable COM Port is 16 due to Microsoft's Serial Control.

You can go into the Control Panel's System Properties -> Hardware -> Device Manager and select "Ports (COM & LPT)" and double-click the "CP210x USB to UART Bridge Controller".

Click the [Port Setings] Tab and then the [Advanced] Button and finally change the COM Port Number to "16" or less...

Regards,
Jay

----- Original Message -----
From: "Troy"
>

> Hello all,
>
> I am trying to get my IC-R1500 to work with TrunkPCR on my desktop. The USB driver is using port 18, but that is not an option for me in TrunkPCR. How do I resolve this problem?
>
> Thanks

1377. Re: [TrunkPCR] Com Port 18 on IC-R1500

Yahoo group: TrunkPCR
Date: 2009-04-13 02:13:11 UTC
From: AJ
Topic: 1375 Message: 1377

Hi Troy,

If you go into Device Manager, expand the Ports (Com & LPT) tree, right click on the USB Port 18 and click 'Properties', go to Port Settings, then Advanced you can then change the port to something lower, just make sure it's not in use.

Regards,
AJ.

At 11:13 AM 13/04/2009, you wrote:

>Hello all,
>
>I am trying to get my IC-R1500 to work with TrunkPCR on my desktop. The
>USB driver is using port 18, but that is not an option for me in TrunkPCR.
>How do I resolve this problem?
>
>Thanks

1378. Re: Com Port 18 on IC-R1500

Yahoo group: TrunkPCR
Date: 2009-04-13 11:42:46 UTC
From: Troy
Topic: 1375 Message: 1378

Thanks very much AJ and Jay. Set the com port to 4 and now it's running fine.

--- In TrunkPCR@yahoogroups.com, AJ <scanmil@...> wrote:
>
> Hi Troy,
>
> If you go into Device Manager, expand the Ports (Com & LPT) tree, right
> click on the USB Port 18 and click 'Properties', go to Port Settings, then
> Advanced you can then change the port to something lower, just make sure
> it's not in use.
>
> Regards,
> AJ.
>
>
> At 11:13 AM 13/04/2009, you wrote:
>
>
> >Hello all,
> >
> >I am trying to get my IC-R1500 to work with TrunkPCR on my desktop. The
> >USB driver is using port 18, but that is not an option for me in TrunkPCR.
> >How do I resolve this problem?
> >
> >Thanks
>

1379. Another question...

Yahoo group: TrunkPCR
Date: 2009-04-13 11:49:26 UTC
From: Troy
Topic: 1379 Message: 1379

Hello again,

My system info screen is currently not showing the frequency for alternate/neighbouring sites, but is showing 0x1a9,0x206 and so on. When I used to use this program on my laptop it showed the actual frequency. What am I doing wrong?

FYI the system is a Motorola Omni-Link UHF system.

Thanks again!

1380. Trunk pcr 089 247 and vista

Yahoo group: TrunkPCR
Date: 2009-04-13 13:02:03 UTC
From: charleyw3756
Topic: 1380 Message: 1380

hello all
I had this version running fine on my lenovo laptop with vista sp1. I uninstalled it trying to track a virus problem. After re-installing it I can't get it to run. Nothing happens. I checked the task manager to see if it's running in the background and see nothing. I have scanned the registry to remove all traces of trunkpcr and checked to make sure there are no ini files about. I have tried installig and uninstalling quite a few times with the same result. I am running talkpcr on the same machine with no problems.

regards all

1381. Re: [TrunkPCR] Another question...

Yahoo group: TrunkPCR
Date: 2009-04-13 20:02:29 UTC
From: Jay
Topic: 1379 Message: 1381

Hey Troy,

For UHF Systems, you have to Select Custom or Extended in the Trunk Settings, then fill in either the Custom Freq Plan or Extended Freq Plan by clicking the Trunk->Edit Freq Plan Menu...
Once that is filled in, the 0xNNN values will show the frequency.

Regards,
Jay

----- Original Message -----
From: "Troy"
>
> Hello again,
>
> My system info screen is currently not showing the frequency for alternate/neighbouring sites, but is showing 0x1a9,0x206 and so on. When I used to use this program on my laptop it showed the actual frequency. What am I doing wrong?
>
> FYI the system is a Motorola Omni-Link UHF system.
>
> Thanks again!

1382. Re: [TrunkPCR] Trunk pcr 089 247 and vista

Yahoo group: TrunkPCR
Date: 2009-04-13 21:20:25 UTC
From: Jay
Topic: 1380 Message: 1382

Hi Charley,

Are you using the same key file or none?
If the Registration Info has changed, the program should advise you if that happened, but then it would shut down to protect you from loosing any data...

Regards,
Jay

----- Original Message -----
From: "charleyw3756"
>

> hello all
> I had this version running fine on my lenovo laptop with vista sp1. I uninstalled it trying to track a virus problem. After re-installing it I can't get it to run. Nothing happens. I checked the task manager to see if it's running in the background and see nothing. I have scanned the registry to remove all traces of trunkpcr and checked to make sure there are no ini files about. I have tried installig and uninstalling quite a few times with the same result. I am running talkpcr on the same machine with no problems.
>
> regards all

1383. Re: Trunk pcr 089 247 and vista

Yahoo group: TrunkPCR
Date: 2009-04-14 11:54:06 UTC
From: charleyw3756
Topic: 1380 Message: 1383

Hello Jay
The software is unregistered at the moment. I am not getting any warnings. When I click the icon, absolutely nothing happens.
Before I tried to re-install I made sure the trunkpcr directory was deleted and scanned the registry to remove all traces of trunkpcr.

regards Charley

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Charley,
>
> Are you using the same key file or none?
> If the Registration Info has changed, the program should advise you if that
> happened, but then it would shut down to protect you from loosing any
> data...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "charleyw3756"
> >
>
> > hello all
> > I had this version running fine on my lenovo laptop with vista sp1. I
> uninstalled it trying to track a virus problem. After re-installing it I
> can't get it to run. Nothing happens. I checked the task manager to see if
> it's running in the background and see nothing. I have scanned the registry
> to remove all traces of trunkpcr and checked to make sure there are no ini
> files about. I have tried installig and uninstalling quite a few times with
> the same result. I am running talkpcr on the same machine with no problems.
> >
> > regards all
>

1384. Re: [TrunkPCR] Re: Trunk pcr 089 247 and vista

Yahoo group: TrunkPCR
Date: 2009-04-15 05:35:26 UTC
From: Jay
Topic: 1380 Message: 1384

Is the Icon you are talking about on the DeskTop as a ShortCut to the actual program or the actual program itself as viewed in Windows Explorer?
If it's a shortcut, then make sure the shortcut is actually linked to the program.

The very first thing that should happen is display the Splash Screen with the sequence of the program's start-up. If that doesn't show, it should show some kind of error...

Jay

----- Original Message -----
From: "charleyw3756"

> Hello Jay
> The software is unregistered at the moment. I am not getting any warnings. When I click the icon, absolutely nothing happens.
> Before I tried to re-install I made sure the trunkpcr directory was deleted and scanned the registry to remove all traces of trunkpcr.
>
> regards Charley

1385. Hi There, Need some help with setup

Yahoo group: TrunkPCR
Date: 2009-04-15 09:51:26 UTC
From: Mick
Topic: 1385 Message: 1385

Hi Jay and other Members, I have been very quite for couple years , Now am keen to get up and running trunkPCR ,, I like to know if it will work on 415Mhz band the system i like to use is Motorola <Just need some help with the setup Please Many thanks Mick

1386. Re: [TrunkPCR] Hi There, Need some help with setup

Yahoo group: TrunkPCR
Date: 2009-04-15 19:59:01 UTC
From: Jay
Topic: 1385 Message: 1386

Hi Mick,

Yes, TrunkPCR will work on 400mhz systems.
You just need to define the system as Custom or Extended in the Trunk Settings and then edit the Freq Plan.
If you are not sure about the Freq Plan, go to RadioReference.com and search their database to see if it has already been identified. If it isn't there, please send me your Bank File (.Bnk) of the system and we'll see if we can determine to correct Freq Plan...

Regards,
Jay

----- Original Message -----
From: "Mick"
>

> Hi Jay and other Members, I have been very quite for couple years , Now am keen to get up and running trunkPCR ,, I like to know if it will work on 415Mhz band the system i like to use is Motorola <Just need some help with the setup Please Many thanks Mick

1387. Re: Trunk pcr 089 247 and vista

Yahoo group: TrunkPCR
Date: 2009-04-16 08:47:59 UTC
From: charleyw3756
Topic: 1380 Message: 1387

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>No. I went to the install directory and clicked the application icon.

regards

Charley

> Is the Icon you are talking about on the DeskTop as a ShortCut to the actual
> program or the actual program itself as viewed in Windows Explorer?
> If it's a shortcut, then make sure the shortcut is actually linked to the
> program.
>
> The very first thing that should happen is display the Splash Screen with
> the sequence of the program's start-up. If that doesn't show, it should
> show some kind of error...
>
> Jay
>
> ----- Original Message -----
> From: "charleyw3756"
>
>
> > Hello Jay
> > The software is unregistered at the moment. I am not getting any
> warnings. When I click the icon, absolutely nothing happens.
> > Before I tried to re-install I made sure the trunkpcr directory was
> deleted and scanned the registry to remove all traces of trunkpcr.
> >
> > regards Charley
>

1388. Re: [TrunkPCR] Re: Trunk pcr 089 247 and vista

Yahoo group: TrunkPCR
Date: 2009-04-16 11:26:56 UTC
From: Jay
Topic: 1380 Message: 1388

Ok, just to check, are you clicking it once or twice?
And is the Windows Settings set to Single or Double Click to launch a
program?

Jay

----- Original Message -----
From: "charleyw3756"
>

> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
> No. I went to the install directory and clicked the application icon.
>
> regards
>
> Charley
>
>
> > Is the Icon you are talking about on the DeskTop as a ShortCut to the
actual
> > program or the actual program itself as viewed in Windows Explorer?
> > If it's a shortcut, then make sure the shortcut is actually linked to
the
> > program.
> >
> > The very first thing that should happen is display the Splash Screen
with
> > the sequence of the program's start-up. If that doesn't show, it should
> > show some kind of error...
> >
> > Jay

1389. Re: Trunk pcr 089 247 and vista

Yahoo group: TrunkPCR
Date: 2009-04-16 12:11:43 UTC
From: charleyw3756
Topic: 1380 Message: 1389

It's set to single click. Aftwr thatv didn'y work I right clicked and left clicked open.
regards

charley
--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Ok, just to check, are you clicking it once or twice?
> And is the Windows Settings set to Single or Double Click to launch a
> program?
>
> Jay
>
> ----- Original Message -----
> From: "charleyw3756"
> >
>
> > --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> > No. I went to the install directory and clicked the application icon.
> >
> > regards
> >
> > Charley
> >
> >
> > > Is the Icon you are talking about on the DeskTop as a ShortCut to the
> actual
> > > program or the actual program itself as viewed in Windows Explorer?
> > > If it's a shortcut, then make sure the shortcut is actually linked to
> the
> > > program.
> > >
> > > The very first thing that should happen is display the Splash Screen
> with
> > > the sequence of the program's start-up. If that doesn't show, it should
> > > show some kind of error...
> > >
> > > Jay
>

1390. Troubleshooting Trunking on Windows VISTA

Yahoo group: TrunkPCR
Date: 2009-04-19 01:42:34 UTC
From: scannersrus
Topic: 1390 Message: 1390

Hi Jay and everyone. I bought a new computer with Windows VISTA. After installing Trunk PCR 0.89.247 and registering the software I can scan, listen, etc. When trying to trunk a Motorola II system the highest 1's I get is 89%. I think I have tried everything but I must be missing something. Any help or suggestions will be appreciated. Thanks,

Arnold
KJ4LBJ

1391. Re: [TrunkPCR] Troubleshooting Trunking on Windows VISTA

Yahoo group: TrunkPCR
Date: 2009-04-19 20:39:23 UTC
From: Jay
Topic: 1390 Message: 1391

Hi Arnold,

The 1's percentage, should be in the 45% to 55% range. 89% could mean that you are getting a bunch of noise. Under the Options Menu, click the Show O'Scope to see what your input looks like. It should be similar to the picture shown in the ScreenShots:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrScreen.html

Have you tried different Sampling Rates in the Trunk Settings?
On the Recording Control of your Sound Card's Line-In/Mic Input, did you start off with the Level Slider at the bottom and increment upwards until you get the best Recovery Rate?

Regards,
Jay

----- Original Message -----
From: "scannersrus"
>
> Hi Jay and everyone. I bought a new computer with Windows VISTA.
> After installing Trunk PCR 0.89.247 and registering the software
> I can scan, listen, etc. When trying to trunk a Motorola II system
> the highest 1's I get is 89%. I think I have tried everything but
> I must be missing something. Any help or suggestions will be
> appreciated. Thanks,
>
> Arnold
> KJ4LBJ

1392. Re: Troubleshooting Trunking on Windows VISTA

Yahoo group: TrunkPCR
Date: 2009-04-19 23:39:50 UTC
From: scannersrus
Topic: 1390 Message: 1392

Jay, I have a PCR 2500. I can keep the 1's in the 45 to 55% range but still no motorola ii trunking. The oscilloscope display shows the signal but it goes from top to bottom. I have tried all sample rates with no success. My computer has under Control Panel | Sound | Recording three Microphones shown as working, a Logitec Mic (QuickCam), SB Audigy, and USB Audio CODEC. I do have a Sound Blaster Audigy soundcard in addition to sound device on motherboard.
Thanks,

Arnold
KJ4LBJ
--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Arnold,
>
> The 1's percentage, should be in the 45% to 55% range. 89% could mean that
> you are getting a bunch of noise. Under the Options Menu, click the Show
> O'Scope to see what your input looks like. It should be similar to the
> picture shown in the ScreenShots:
> http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrScreen.html
>
> Have you tried different Sampling Rates in the Trunk Settings?
> On the Recording Control of your Sound Card's Line-In/Mic Input, did you
> start off with the Level Slider at the bottom and increment upwards until
> you get the best Recovery Rate?
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "scannersrus"
> >
> > Hi Jay and everyone. I bought a new computer with Windows VISTA.
> > After installing Trunk PCR 0.89.247 and registering the software
> > I can scan, listen, etc. When trying to trunk a Motorola II system
> > the highest 1's I get is 89%. I think I have tried everything but
> > I must be missing something. Any help or suggestions will be
> > appreciated. Thanks,
> >
> > Arnold
> > KJ4LBJ
>

1393. Re: [TrunkPCR] Re: Troubleshooting Trunking on Windows VISTA

Yahoo group: TrunkPCR
Date: 2009-04-20 02:21:35 UTC
From: Jay
Topic: 1390 Message: 1393

Yep, I have one of those too :)

I would use a Line-In instead of a Mic Input if possible...
Don't use the USB Audio from the 2500 for decoding the Trunking systems, it doesn't have the proper bandwidth of the audio spectrum...

On your Windows Recording Control, use the far left slider labeled "Recording" (Not the balance) and adjust that lower so that the High & Low peaks of the waveform of the signal is visible in the O'Scope Display.

You may have to select to use the "Reverse Polarity" in the Trunk Settings for it to decode.
If your 1's percentage is in the 45 to 55 range, then that may be all you have to change...

Regards,
Jay

----- Original Message -----
From: "scannersrus"
>

> Jay, I have a PCR 2500. I can keep the 1's in the 45 to 55% range but still no motorola ii trunking. The oscilloscope display shows the signal but it goes from top to bottom. I have tried all sample rates with no success. My computer has under Control Panel | Sound | Recording three Microphones shown as working, a Logitec Mic (QuickCam), SB Audigy, and USB Audio CODEC. I do have a Sound Blaster Audigy soundcard in addition to sound device on motherboard.
> Thanks,
>
> Arnold
> KJ4LBJ

1394. Re: Troubleshooting Trunking on Windows VISTA

Yahoo group: TrunkPCR
Date: 2009-04-20 14:32:19 UTC
From: scannersrus
Topic: 1390 Message: 1394

Hi Jay and everyone. After shutting my computer down for a storm last night when I turned everything on this a.m. I cannot get yhe 1's back in the 45 - 55% range. I am trying to use the oscilloScope display but due not know what settings the bottom three boxes should be. I have Plot Saved, Save Plot, in the three boxes 415, -22, and 380 and 2nd Order and 4th Order. I do not have an picture. Again I can hear but not able to trunk. Finally I do not know if this is important, related, whatever, but under the PCR 2500 Options, when I click on Volume/Mixer Settings nothing happens. Under PCR 2500 Trunk | Trunk Settings | Sound Card Settings I have in Playback device (Speakers (USB Audio CODEC)(Stero); Recording Device (Line-in (SB Audigy)(Stereo) and Decoding Device (Line-In(SB Audigy)(Stereo). I have tried different sampling rates and polarity but it is now on 48000 with reversed polarity.
Thanks

Arnold, KJ4LBJ

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Yep, I have one of those too :)
>
> I would use a Line-In instead of a Mic Input if possible...
> Don't use the USB Audio from the 2500 for decoding the Trunking systems, it
> doesn't have the proper bandwidth of the audio spectrum...
>
> On your Windows Recording Control, use the far left slider labeled
> "Recording" (Not the balance) and adjust that lower so that the High & Low
> peaks of the waveform of the signal is visible in the O'Scope Display.
>
> You may have to select to use the "Reverse Polarity" in the Trunk Settings
> for it to decode.
> If your 1's percentage is in the 45 to 55 range, then that may be all you
> have to change...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: "scannersrus"
> >
>
> > Jay, I have a PCR 2500. I can keep the 1's in the 45 to 55% range but
> still no motorola ii trunking. The oscilloscope display shows the signal but
> it goes from top to bottom. I have tried all sample rates with no success.
> My computer has under Control Panel | Sound | Recording three Microphones
> shown as working, a Logitec Mic (QuickCam), SB Audigy, and USB Audio CODEC.

> I do have a Sound Blaster Audigy soundcard in addition to sound device on
> motherboard.
> > Thanks,
> >
> > Arnold
> > KJ4LBJ
>

1395. Re: [TrunkPCR] Re: Troubleshooting Trunking on Windows VISTA

Yahoo group: TrunkPCR
Date: 2009-04-20 18:23:04 UTC
From: Jay
Topic: 1390 Message: 1395

The Bottom half of the OscilloScope Display is ONLY used for adjusting the decoding properties for LTR, so just ignore that part for MOTO :)

For now, just use the TOP Display for setting up your Sound Card.

Clicking on Volume/Mixer Settings should be the same thing as clicking on the Speaker Icon down in the System Tray (Bottom Right of your DeskTop). Not sure why it wouldn't work in Vista...

Jay

----- Original Message -----
From: "scannersrus"
>

> Hi Jay and everyone. After shutting my computer down for a storm last night when I turned everything on this a.m. I cannot get yhe 1's back in the 45 - 55% range. I am trying to use the oscilloScope display but due not know what settings the bottom three boxes should be. I have Plot Saved, Save Plot, in the three boxes 415, -22, and 380 and 2nd Order and 4th Order. I do not have an picture. Again I can hear but not able to trunk. Finally I do not know if this is important, related, whatever, but under the PCR 2500 Options, when I click on Volume/Mixer Settings nothing happens. Under PCR 2500 Trunk | Trunk Settings | Sound Card Settings I have in Playback device (Speakers (USB Audio CODEC)(Stero); Recording Device (Line-in (SB Audigy)(Stereo) and Decoding Device (Line-In(SB Audigy)(Stereo). I have tried different sampling rates and polarity but it is now on 48000 with reversed polarity.
> Thanks
>
> Arnold, KJ4LBJ

1396. Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-04-27 13:26:23 UTC
From: Brian
Topic: 1270 Message: 1396

I am wondering is it going to be possible for both (Trunk PCR) as well as (PCR Pro) to use both VFO'S independently. One VFO searching one range and the other a different one,just like the Icom software, which I dont really like? I think I reported the problem I encounter with PCR Pro when I try to use both VFOS independently. PCR Pro would frezze up and then crash. I would like be able to use both VFOS with both of your programs again(independently.

Brian

1397. If any one is looking

Yahoo group: TrunkPCR
Date: 2009-04-27 15:09:40 UTC
From: Brian
Topic: 1397 Message: 1397

I am selling my IC-R20. It is a Canadian version also unblocked. i have had this for about 3 months.

It comes with

-CS-R20 (cloning software)
-MB-86 Deluxe Spring LOaded swivel belt Clip
-SP-13 (earphone)
-Combo R20 (Booklets)
-LC-158 (carrying case)

I just dont use it that much as I do my 2500.
It is in excellent condition and come in the box it was shipped to me in.

Asking $ 425.00 US dollars/ price is workable

If interested please free feel to contact me

Brian

1398. Re: [TrunkPCR] Using Both Receivers in 2500 - Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-04-27 21:45:20 UTC
From: Jay
Topic: 1398 Message: 1398

Hi Brian,

Yep, you can use either TrunkPCR or PCR Pro to control the 2500's dual Receivers...

You can not use the Main receiver with one program and the Sub Receiver with a 2nd program at the same time if that is what you mean...

Both programs' update should be out within the next week, just finishing up radioreference.com's SOAP Version 2 update along with other additions, changes and fixes...

Regards,
Jay

----- Original Message -----
From: "Brian"

> I am wondering is it going to be possible for both (Trunk PCR) as well as (PCR Pro) to use both VFO'S independently. One VFO searching one range and the other a different one,just like the Icom software, which I dont really like? I think I reported the problem I encounter with PCR Pro when I try to use both VFOS independently. PCR Pro would frezze up and then crash. I would like be able to use both VFOS with both of your programs again(independently.
>
>
> Brian

1399. Re: [TrunkPCR] Using Both Receivers in 2500 - Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-04-28 15:13:22 UTC
From: Brian Veres
Topic: 1398 Message: 1399

Thanks Jay and I look forward to the updates to these great programs.
Now, I am kinda of lost with your statement (you can not use the Main receicer with one program and the Sub Receiver with a 2nd program at the same time)
With the Icom software, I can click Dual reciver icon. Here I have to ability to control both Main and Sub as well as have Both Main and Sub searching two completely different ranges. Lets say the Main receiver is searching frequency range between 150.000MHZ thru 200.000MHZ and Sub Receiver is searching frequency range between 330.000MHZ thru 400.000MHZ at the same time all control within one program (Icom software)
Will the updates to Trunk pcr and Pcr pro do this ?

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Monday, April 27, 2009 5:45:20 PM
Subject: Re: [TrunkPCR] Using Both Receivers in 2500 - Good Morning Jay

Hi Brian,

Yep, you can use either TrunkPCR or PCR Pro to control the 2500's dual Receivers...

You can not use the Main receiver with one program and the Sub Receiver with a 2nd program at the same time if that is what you mean...

Both programs' update should be out within the next week, just finishing up radioreference. com's SOAP Version 2 update along with other additions, changes and fixes...

Regards,
Jay

----- Original Message -----
From: "Brian"

> I am wondering is it going to be possible for both (Trunk PCR) as well as (PCR Pro) to use both VFO'S independently. One VFO searching one range and the other a different one,just like the Icom software, which I dont really like? I think I reported the problem I encounter with PCR Pro when I try to use both VFOS independently. PCR Pro would frezze up and then crash. I would like be able to use both VFOS with both of your programs again(independently .
>
>
> Brian

1400. Control Channel question?

Yahoo group: TrunkPCR
Date: 2009-04-28 19:25:49 UTC
From: Brian
Topic: 1400 Message: 1400

I have found what is I believe a new control channel in the 421.000MHz range. Now I know Trunck Pcr has more control as well as more power then Unitrunker. My question is how do I go about working out what type of system it is(EDACS,LTR,MOTOROLA?)because I dont know... How do I go about trunking it? So I can follow it? All I get when I stop on the frequency is the noise. What do I do?

Brian

1401. Re: [TrunkPCR] Using Both Receivers in 2500 - Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-04-28 20:31:20 UTC
From: Jay
Topic: 1398 Message: 1401

Hi Brian,

They already do this :)

What I said is correct, you can not use the Main Receiver with one program while controlling the SUB Receiver with a different program at the same time...

I didn't say that you can't control the Main and SUB Receiver with the same program at the same time...

You're getting confused :)

Jay
----- Original Message -----
From: Brian Veres

Thanks Jay and I look forward to the updates to these great programs.
Now, I am kinda of lost with your statement (you can not use the Main receicer with one program and the Sub Receiver with a 2nd program at the same time)
With the Icom software, I can click Dual reciver icon. Here I have to ability to control both Main and Sub as well as have Both Main and Sub searching two completely different ranges. Lets say the Main receiver is searching frequency range between 150.000MHZ thru 200.000MHZ and Sub Receiver is searching frequency range between 330.000MHZ thru 400.000MHZ at the same time all control within one program (Icom software)
Will the updates to Trunk pcr and Pcr pro do this ?

Brian

From: Jay
Hi Brian,

Yep, you can use either TrunkPCR or PCR Pro to control the 2500's dual Receivers...

You can not use the Main receiver with one program and the Sub Receiver with a 2nd program at the same time if that is what you mean...

Both programs' update should be out within the next week, just finishing up radioreference. com's SOAP Version 2 update along with other additions, changes and fixes...

Regards,
Jay

1402. Re: [TrunkPCR] Control Channel question?

Yahoo group: TrunkPCR
Date: 2009-04-28 20:48:18 UTC
From: Jay
Topic: 1400 Message: 1402

Hey Brian,

The best way for you to determine what system it is, is by listening...
Do a google search for "Digital Sounds" and you'll find a few ham sites that have many sound files for Moto, Edacs and many many more kinds of digital media...

The diffference between Moto and Edacs is like listening to the motor of a honda and harley, Edacs sounds a bit more "throaty" or rumbly than moto...
LTR is a short data burst that is sent about every 10 seconds. You won't hear the actual data burst, but will just look like someone is keying up their mic...

Regards,
Jay

----- Original Message -----
From: "Brian"

> I have found what is I believe a new control channel in the 421.000MHz range. Now I know Trunck Pcr has more control as well as more power then Unitrunker. My question is how do I go about working out what type of system it is(EDACS,LTR,MOTOROLA?)because I dont know... How do I go about trunking it? So I can follow it? All I get when I stop on the frequency is the noise. What do I do?
>
> Brian

1403. LTR System

Yahoo group: TrunkPCR
Date: 2009-04-29 13:29:54 UTC
From: Brian
Topic: 1403 Message: 1403

Ok I have checked out the digital samples that Jay has told me to do. I now know that 421.XXX.XXX is a LTR System. I hear the timing pulse every so many seconds I hear the key up of the system and then falls silent. Now at times instead of the system key up I will get a readable signal(people talking) then system falls silent again, only get the key of system which I know is timed every 8 seconds I would say.

Now I am a member of Radio Reference and dont really post there for many reason. Not to say RR is a bad thing it's not. It is a very vaulable asset which I do use for research.

While I have a good understanding of Trunking Theory and its applications. I know and have a strong understanding of Radio circurity.and started doing my own mods(dont have the study hand yet when it comes to sodering) This will be my first trunk system that I build from the ground up, and that is Finding the control channel, following the LCN Order, Identifing the groups and making a bank in Trunk Pcr for it. If any one is thinking, why not just download it from Radio Reference and be done with it. Well I dont want to do that because I want to be a asset to myself and not have to rely on other people to do the work for me. Plus it will only help me in the long run

I would like if someone could explain or direct me to a resource for THE LOGISTICS of mapping out a LTR System. LCN ordering, Frequency Stepping,Frequency mapping, logic order of groups, is it passport or mulitnet system...ect

Thank you for your time,

Brian

1404. Re: [TrunkPCR] LTR System

Yahoo group: TrunkPCR
Date: 2009-04-29 21:17:41 UTC
From: Jay
Topic: 1403 Message: 1404

Hey Brian,

LTR systems do not have a control channel like Moto & Edacs...

When you hear those short key-ups or when people are talking, there is data sent in the sub-audible 150hz range. This data contains the LCN of the frequency currently in use and LCN's of other channels, plus a few other codes.

Using the OscilloScope display, when you hear those short key-ups, click the mouse in the display to freeze the waveform. This is the data that still needs to be decoded properly...
The two textboxes that are together are the Upper and Lower Level Detection values and the textbox by itself is the Cut-off frequency in hertz for the Low Pass Filter...
Once these values are determined, LTR trunking will be usefull :)

Jay

----- Original Message -----
From: "Brian"

> Ok I have checked out the digital samples that Jay has told me to do. I now know that 421.XXX.XXX is a LTR System. I hear the timing pulse every so many seconds I hear the key up of the system and then falls silent. Now at times instead of the system key up I will get a readable signal(people talking) then system falls silent again, only get the key of system which I know is timed every 8 seconds I would say.
>
> Now I am a member of Radio Reference and dont really post there for many reason. Not to say RR is a bad thing it's not. It is a very vaulable asset which I do use for research.
>
> While I have a good understanding of Trunking Theory and its applications. I know and have a strong understanding of Radio circurity.and started doing my own mods(dont have the study hand yet when it comes to sodering) This will be my first trunk system that I build from the ground up, and that is Finding the control channel, following the LCN Order, Identifing the groups and making a bank in Trunk Pcr for it. If any one is thinking, why not just download it from Radio Reference and be done with it. Well I dont want to do that because I want to be a asset to myself and not have to rely on other people to do the work for me. Plus it will only help me in the long run
>
> I would like if someone could explain or direct me to a resource for THE LOGISTICS of mapping out a LTR System. LCN ordering, Frequency Stepping,Frequency mapping, logic order of groups, is it passport or

mulitnet system...ect
>
> Thank you for your time,
>
> Brian

1405. Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-05-03 12:30:30 UTC
From: Brian
Topic: 1270 Message: 1405

I would like to thank you for helping me out with teaching me how to do a trunking system.

Now I have a question. I know the system I want to trunk which is a LTR system and I have followed everything you has said. I input the Frequency into Trunk PCR have Bandscope up on the Trunk Pcr main screen. Now when I click options to goto "OscilloScope" so I can see the waveform and do what you said. I can't use "OscilloScope" becasue it is Greyed out. So I can't click it to open it up. Why?

Brian

1406. Also

Yahoo group: TrunkPCR
Date: 2009-05-03 12:45:47 UTC
From: Brian
Topic: 1406 Message: 1406

when I click "controls" my tracking filter is greyed out too. what is tracking filter used for? and why is it greyed out?

Brian

1407. Re: [TrunkPCR] Tracking Filter Greyed Out - was Also

Yahoo group: TrunkPCR
Date: 2009-05-03 19:13:14 UTC
From: Jay
Topic: 1407 Message: 1407

Hey Brian,

That's because that option is only for the PCR-1000 :)
All PCR's have different options, so if it's greyed out, then your PCR doesn't support that option...

The tracking filter is an internal adjustment for tuning the PCR-1000, it allows you to manually tune the RF front end of the radio. It can help reject a strong signal that is causing problems...

Regards,
Jay

----- Original Message -----
From: "Brian"
>

> when I click "controls" my tracking filter is greyed out too. what is tracking filter used for? and why is it greyed out?
>
> Brian

1408. Re: [TrunkPCR] Can't see OscilloScope - was Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-05-03 20:09:21 UTC
From: Jay
Topic: 1408 Message: 1408

Hey Brian,

The "Show OscilloScope" Menu is greyed out when the [Trunk/O'Scope] Button isn't pushed in.
In a Conventional Bank, the [O'Scope] Button is shown, in a Trunking Bank, it will show as [Trunk].
When you click this button. you "Turn ON" the Audio Decoder, which the O'Scope is part of and in turn enables the "Show OscilloScope" Menu.
In a Conventional Bank, you only need to click [O'Scope] Button...

Jay

----- Original Message -----
From: "Brian"
>

> I would like to thank you for helping me out with teaching me how to do a trunking system.
>
> Now I have a question. I know the system I want to trunk which is a LTR system and I have followed everything you has said. I input the Frequency into Trunk PCR have Bandscope up on the Trunk Pcr main screen. Now when I click options to goto "OscilloScope" so I can see the waveform and do what you said. I can't use "OscilloScope" becasue it is Greyed out. So I can't click it to open it up. Why?
>
> Brian

1409. Never mind

Yahoo group: TrunkPCR
Date: 2009-05-03 19:48:38 UTC
From: Brian
Topic: 1409 Message: 1409

I got the OscilloScope Display to work.. I need to Trunk..My bad.. Anyway this is way cool, What does (2nd and 4th) mean in the OscilloScope?

1410. Re: [TrunkPCR] Never mind

Yahoo group: TrunkPCR
Date: 2009-05-03 20:22:20 UTC
From: Jay
Topic: 1409 Message: 1410

The bottom half of the display is for tuning the LTR Decoder, the 2nd Order and 4th Order options is used to select what type of Low Pass Filter is used in the decoder.
Once we have the LTR decoder working, only the output waveform of the filter will be shown and those buttons will be gone...

Jay

----- Original Message -----
From: "Brian"
>

> I got the OscilloScope Display to work.. I need to Trunk..My bad.. Anyway this is way cool, What does (2nd and 4th) mean in the OscilloScope?

1411. I am looking for

Yahoo group: TrunkPCR
Date: 2009-05-04 14:38:01 UTC
From: Brian
Topic: 1411 Message: 1411

Does anyone know of a good basic electroics book? I would like to learn more about electroincs and radios. Things like how to read flow charts, what is a resistor,capacitors,diods,building basic electcal boards things of this nature.

Thanks

Brian

1412. LTR System Jay

Yahoo group: TrunkPCR
Date: 2009-05-04 18:23:19 UTC
From: Brian
Topic: 1412 Message: 1412

I understand now what I need to do. I see these things going on in the "OscilloScope" I have the wave form, I click at system key up. So now I see these dots on a wave form on the bottom half of the window. Some of the dots are white a few are red on the wave. I look down to the boxes, I see (3)... first box has (-240)..second box has (140)..the third has(160) I have 4th order checked. I now click Plot saved and I now get some type of graph I would say and the dots now have lines coming down to them from the top window where the wave form is. Whats going on here?

Whats the difference between (save plot) and (plot saved)?
What do the values mean..(-240)(140)and(160)?
Are these "dots" on the wave status bits?
Why are the "dots" different colors? (some white) and (some red)?

Thanks for your time,

Brian

1413. Whats this mean Jay

Yahoo group: TrunkPCR
Date: 2009-05-04 18:36:14 UTC
From: Brian
Topic: 1413 Message: 1413

When I click the trunk button so the program can do its magic on try to do my LTR System. Well you know down there where I see the 1's that are getting decoded and the the % at which things are getting decoded. I see the strang thing. (-1.$%) Any ideas on this?

Brian

1414. Re: [TrunkPCR] Whats this mean Jay

Yahoo group: TrunkPCR
Date: 2009-05-04 18:50:30 UTC
From: Jay
Topic: 1413 Message: 1414

Yep, just some junk text to be ignored for now...

Jay

----- Original Message -----
From: "Brian"

> When I click the trunk button so the program can do its magic on try to do
my LTR System. Well you know down there where I see the 1's that are getting
decoded and the the % at which things are getting decoded. I see the strang
thing. (-1.$%) Any ideas on this?
>
> Brian

1415. Re: [TrunkPCR] LTR System

Yahoo group: TrunkPCR
Date: 2009-05-04 19:25:59 UTC
From: Jay
Topic: 1403 Message: 1415

Hey Brian,

As stated in the last message of this thread:

The two textboxes that are together are the Upper and Lower Level Detection values and the textbox by itself is the Cut-off frequency in hertz for the Low Pass Filter...

The first two are the trigger levels to detect when the waveform transitions to a new state.
The "Plot Saved" is the waveform of a complete message sent on one of the local LCN sites. You can see that the upper and lower parts of the waveform are not that even and make the decoding a bit tricky.

The white circles are what the program thinks to be the detection levels, the red and yellow circles are the "User Defined" trigger levels.
Once I have something a bit more user friendly to help in deciding the triggers, I'll post an easier method of how to tune LTR :)

Jay

----- Original Message -----
From: "Brian"

> I understand now what I need to do. I see these things going on in the "OscilloScope" I have the wave form, I click at system key up. So now I see these dots on a wave form on the bottom half of the window. Some of the dots are white a few are red on the wave. I look down to the boxes, I see (3)... first box has (-240)..second box has (140)..the third has(160) I have 4th order checked. I now click Plot saved and I now get some type of graph I would say and the dots now have lines coming down to them from the top window where the wave form is. Whats going on here?
>
> Whats the difference between (save plot) and (plot saved)?
> What do the values mean..(-240)(140)and(160)?
> Are these "dots" on the wave status bits?
> Why are the "dots" different colors? (some white) and (some red)?
>
>
> Thanks for your time,
>
> Brian

1416. Re: [TrunkPCR] I am looking for

Yahoo group: TrunkPCR
Date: 2009-05-04 22:40:06 UTC
From: Terry
Topic: 1411 Message: 1416

Brian

The ARRL Handbook, may be a good place to start.
Your local library may have a copy.

ARRL = American Radio Relay League.

>
>Does anyone know of a good basic electroics book?
>I would like to learn more about electroincs and radios.
>Things like how to read flow charts, what is a resistor,
>capacitors,diods,building basic electcal boards things
>of this nature.
>

--
Terry

1417. RE: [TrunkPCR] I am looking for

Yahoo group: TrunkPCR
Date: 2009-05-04 23:58:58 UTC
From: Jack Goetz
Topic: 1411 Message: 1417
Attachments: 1 described; binary payloads are missing from this source WARC

Brian,

Like it was stated the ARRL.ORG has books that can help, but
for a more personal help try finding a local Amateur Radio Operator who may
be able to show or teach what you want. Also local community colleges have
electronic classes in basic and or higher levels.

Jack WA7PKA

Good luck.

1418. Re: [TrunkPCR] I am looking for

Yahoo group: TrunkPCR
Date: 2009-05-05 09:51:06 UTC
From: Jay
Topic: 1411 Message: 1418

If you're a "teach myself" kind of guy, look at radioshack's electronics kits or search eBay for "Electronic Kits". Back when I was 8, I started buying those and the 30 to 150 projects in one.
They'll give you hands on learning and you'll be able to see how things work in real time :)
These will also teach you how to identify different componets and their symbols...

As Jack and Terry pointed out, the ARRL Handbooks are a wealth of information. I have three going back to 1962. The 1962 book helped me to draw a schematic of my old Philco 38-9 desktop after my dad toasted it, trying to hook up an external speaker when I was in 5th grade...

Jay

----- Original Message -----
From: "Brian"
>

> Does anyone know of a good basic electroics book? I would like to learn more about electroincs and radios. Things like how to read flow charts, what is a resistor,capacitors,diods,building basic electcal boards things of this nature.
>
> Thanks
>
> Brian

1419. Thanks

Yahoo group: TrunkPCR
Date: 2009-05-05 15:09:42 UTC
From: Brian
Topic: 1419 Message: 1419

I would like to thank you guys as well as Jay for helping me out and directing me on my path to understanding my hobby.

Hey Jay will the Record feature have voice actived recording or will it just record all the time? I use WavePad which has this feature and I love it. Most recorders I have seen or used just record non stop which makes for very large files becasue of dead space.

Voice active recording is when audio is present it will record and when there isnt any audio the program stops recording.

Thank you

Brian

1420. Re: [TrunkPCR] Audio Redcording - was Thanks

Yahoo group: TrunkPCR
Date: 2009-05-05 20:26:44 UTC
From: Jay
Topic: 1420 Message: 1420

Hey Brian,

Yes the Audio/Sound Recorder works both ways. You can select to have it record all of the time or by squelch control. I have been using it the last week recording some comms while sleeping and instead of having 8 hours with alot of dead space, I end up with 20 to 40 minutes of live action :)

The Timed Recording also works now...

The next release will be available as soon as I can tie up the loose ends.

Regards,
Jay

----- Original Message -----
From: "Brian"

> I would like to thank you guys as well as Jay for helping me out and directing me on my path to understanding my hobby.
>
> Hey Jay will the Record feature have voice actived recording or will it just record all the time? I use WavePad which has this feature and I love it. Most recorders I have seen or used just record non stop which makes for very large files becasue of dead space.
>
> Voice active recording is when audio is present it will record and when there isnt any audio the program stops recording.
>
> Thank you
>
> Brian

1421. cable?

Yahoo group: TrunkPCR
Date: 2009-05-06 17:27:13 UTC
From: Brian
Topic: 1421 Message: 1421

Is it better if I use a stereo cable or a mono for trunker pcr. I am using a stereo cable right now and really dont see any problems . But I thought I would ask

Brian

1422. For all of my brothers here

Yahoo group: TrunkPCR
Date: 2009-05-11 22:19:16 UTC
From: Brian
Topic: 1422 Message: 1422

For those of my brothers here that may not belong to any other groups. I have found out that Icom is going to stop making all there PCR series recievers. At first I didn't believe . I did as much research as I could and didnt find anything stating this as fact so I posted my question on RR. I was answer with a YES Icom will discontinue making the PCR SERIES RECEIVERS. As to why no one really knows.

Brian

1423. Re: [TrunkPCR] For all of my brothers here

Yahoo group: TrunkPCR
Date: 2009-05-11 22:58:09 UTC
From: Lindsay Blanton
Topic: 1422 Message: 1423

I better get on ebay now and pickup some of these radios quick they are a staple of my projects and efforts.

Thanks for the info Brian... I didn¹t even know this was posted on RR.

Warm regards,

--
Lindsay C. Blanton III
President / Owner
RadioReference.com LLC
http://www.radioreference.com

From: Brian <sjinndoawi00@...>
Reply-To: <TrunkPCR@yahoogroups.com>
Date: Mon, 11 May 2009 22:19:16 -0000
To: <TrunkPCR@yahoogroups.com>
Subject: [TrunkPCR] For all of my brothers here

For those of my brothers here that may not belong to any other groups. I have found out that Icom is going to stop making all there PCR series recievers. At first I didn't believe . I did as much research as I could and didnt find anything stating this as fact so I posted my question on RR. I was answer with a YES Icom will discontinue making the PCR SERIES RECEIVERS. As to why no one really knows.

Brian

1424. Re: [TrunkPCR] For all of my brothers here

Yahoo group: TrunkPCR
Date: 2009-05-11 23:08:26 UTC
From: Jay
Topic: 1422 Message: 1424

From the PCR2500 Group:

The PCR2500 is being discontinued. The R2500 is still available. It is just the PCR with a remote head. You can operate the unit as a PCR2500.
Eric Meth - ve3ei

I myself haven't found anything yet on Icom America, Icom Canada or Icom Japan stating this?

Jay

----- Original Message -----
From: "Brian"
>

> For those of my brothers here that may not belong to any other groups. I have found out that Icom is going to stop making all there PCR series recievers. At first I didn't believe . I did as much research as I could and didnt find anything stating this as fact so I posted my question on RR. I was answer with a YES Icom will discontinue making the PCR SERIES RECEIVERS. As to why no one really knows.
>
> Brian

1425. Re: [TrunkPCR] For all of my brothers here

Yahoo group: TrunkPCR
Date: 2009-05-11 23:22:57 UTC
From: RADIOINSTL@aol.com
Topic: 1422 Message: 1425

WOW well anyone who has an upblocked PCR2500 PLEASE email me ASAP I need one for work

Scott _Eastern Daylight Time, crazycalifornian@... writes:

From the PCR2500 Group:

The PCR2500 is being discontinued. The R2500 is still available. It is just the PCR with a remote head. You can operate the unit as a PCR2500.
Eric Meth - ve3ei

I myself haven't found anything yet on Icom America, Icom Canada or Icom Japan stating this?

Jay

----- Original Message -----
From: "Brian"
>

> For those of my brothers here that may not belong to any other groups. I have found out that Icom is going to stop making all there PCR series recievers. At first I didn't believe . I did as much research as I could and
didnt find anything stating this as fact so I posted my question on RR. I was answer with a YES Icom will discontinue making the PCR SERIES RECEIVERS.
As to why no one really knows.
>
> Brian

**********An Excellent Credit Score is 750. See Yours in Just 2 Easy Steps!
(http://pr.atwola.com/promoclk/100126575x1222585010x1201462743/aol?redir=http://www.freecreditreport.com/pm/default.aspx?sc=668072&hmpgID=62&bcd=MayExcfooter51109NO62)

1426. Re: [TrunkPCR] For all of my brothers here

Yahoo group: TrunkPCR
Date: 2009-05-12 00:40:53 UTC
From: Eric Meth - VE3EI
Topic: 1422 Message: 1426
Attachments: 1 described; binary payloads are missing from this source WARC

Here is the latest Icom Communication Receivers Catalog. You will notice the R2500 and the R1500 are still there but the PCR's are gone. Also gone is the R3, as a digital equivalent is not out yet!

Eric Meth - ve3ei
Icom Canada
Technical Support

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, May 11, 2009 7:08 PM
Subject: Re: [TrunkPCR] For all of my brothers here

From the PCR2500 Group:

The PCR2500 is being discontinued. The R2500 is still available. It is just the PCR with a remote head. You can operate the unit as a PCR2500.
Eric Meth - ve3ei

I myself haven't found anything yet on Icom America, Icom Canada or Icom Japan stating this?

Jay

----- Original Message -----
From: "Brian"
>

> For those of my brothers here that may not belong to any other groups. I have found out that Icom is going to stop making all there PCR series recievers. At first I didn't believe . I did as much research as I could and didnt find anything stating this as fact so I posted my question on RR. I was answer with a YES Icom will discontinue making the PCR SERIES RECEIVERS. As to why no one really knows.
>
> Brian

1427. Thanks

Yahoo group: TrunkPCR
Date: 2009-05-12 11:10:19 UTC
From: Brian
Topic: 1419 Message: 1427

Thanks Jay and Eric for answering this topic about the PCR'S. Now I have been thinking about getting that R3 which I see is not going to make the cut. Do you think there is going to be a replacement for the R3 or not? Should I go ahead and get it or wait? decisions decisions...lol

Thanks guys,

Brian

1428. RE: [TrunkPCR] For all of my brothers here

Yahoo group: TrunkPCR
Date: 2009-05-12 14:04:39 UTC
From: Adrian Gutierrez
Topic: 1422 Message: 1428

If you are interested, i am selling a PCR2500, almost new, unblocked, and with UT-122 (P25 DIGITAL UNIT) and UT-118 (D-STAR DIGITAL UNIT) installed.

Just when i bought were transfered to another city. (original package and accesories)

Could you please send me and e-mail and we can tlak about it.

Best regards.

Adrian

To: TrunkPCR@yahoogroups.com
From: RADIOINSTL@...
Date: Mon, 11 May 2009 19:22:57 -0400
Subject: Re: [TrunkPCR] For all of my brothers here

WOW well anyone who has an upblocked PCR2500 PLEASE email me ASAP I need one for work

Scott Eastern Daylight Time, crazycalifornian@... writes:

From the PCR2500 Group:

The PCR2500 is being discontinued. The R2500 is still available. It is just
the PCR with a remote head. You can operate the unit as a PCR2500.
Eric Meth - ve3ei

I myself haven't found anything yet on Icom America, Icom Canada or Icom
Japan stating this?

Jay

----- Original Message -----
From: "Brian"
>

> For those of my brothers here that may not belong to any other groups. I
have found out that Icom is going to stop making all there PCR series
recievers. At first I didn't believe . I did as much research as I could and
didnt find anything stating this as fact so I posted my question on RR. I
was answer with a YES Icom will discontinue making the PCR SERIES RECEIVERS.
As to why no one really knows.
>
> Brian

An Excellent Credit Score is 750. See Yours in Just 2 Easy Steps!

Discover the new Windows Vista
http://search.msn.com/results.aspx?q=windows+vista&mkt=en-US&form=QBRE

1429. From the Horses mouth..... MUST READ

Yahoo group: TrunkPCR
Date: 2009-05-12 15:08:17 UTC
From: Brian
Topic: 1429 Message: 1429

On May 12,2009 at 10:51am Eastern standard time I personal called Icom America. I spoke with the Receiver division support staff. "AS" stated from Icom America... "ALL VERSIONS" of the PCR series are going to be discontinued.. Pcr 1500, Pcr 1500R, Pcr 2500, Pcr 2500R. I ask why and they had no information as to why. I asked if there was something in the works to replace these receivers. They said yes but would not tell me otherwise. I asked if there was a released date, they would not give it to me. All warranties still apply for the original onwers. Also stated that once all supplies for the Pcr series are gone they are gone and will not be replaced. This is right from the horses mouth....

So my brothers NOW is the time to act if you want one of these FINE receivers...

Brian

1430. RE: [TrunkPCR] For all of my brothers here

Yahoo group: TrunkPCR
Date: 2009-05-12 21:06:23 UTC
From: Jack Goetz
Topic: 1422 Message: 1430
Attachments: 1 described; binary payloads are missing from this source WARC

What is the asking price?

1431. Re:From the Horses mouth..... MUST READ

Yahoo group: TrunkPCR
Date: 2009-05-13 19:34:54 UTC
From: William Zaehring
Topic: 1429 Message: 1431

Correct me if I'm wrong!

After reviewing the ICOM webpage, it appears to me that the black box is not being discontinued, you just can't buy it without the control head. Page down from the IC-2500 and you will see that the software is still advertised, making your new IC into a PCR. They probably found themselves with an overstock of control heads and needed a way to get rid of them, at the higher IC-PCR price.

Maybe they do have something else coming out, and the current PCR may conflict with it from a marketing point of view, consequently they are making this adjustment now. Time will tell. From what I can determine, the 1500/2500 black box seems to be very popular. I can't see them discontinuing the line. I know I love my IC-PCR2500. I don't see a need to panic, just be ready to shell out more bux.

73, Bill, W4TEU

1432. Lost Trunk Banks

Yahoo group: TrunkPCR
Date: 2009-05-16 13:34:40 UTC
From: Brian
Topic: 1432 Message: 1432

This morning Jay I get up and want to run Trunk Pcr. I have lost (2) banks. Just a few days ago I was listening/tracking these banks and it had all the info...groups/radio Id's, Control Channel's. But today these two banks show nothing.
I load Trunk PCR select my bank and the bank show Groups=0 Radios=0 but I still have my Control Channels, and my settings are saved for these two trunked banks. I click Trunk button and it's like I have nothing saved as for Groups or Radio Id's but all the other Trunked banks are find. So now I go into C:\Program Files\TrunkPcr\Banks and see this stuff xxx.Bnk,xxx.Rcv,xxx.Rmg,xxx.Tnk,xxx.Ust for these (2)banks. So I know the info is there its just that TrunkPCR will not load it for some reason. Again I was listening/tracking these (2) banks just a few days ago with no problem.Now I back to TrunkPCR click edit trynk ids nothing is there,no gorup info and no radio info. I load another trunk bank and its fine everything for that other trunk bank is there. Its just that these (2) other banks just seamed to disappeared.

Any Ideas?

Thanks

Brian

1433. Re: [TrunkPCR] Lost Trunk Banks

Yahoo group: TrunkPCR
Date: 2009-05-17 04:11:47 UTC
From: Jay
Topic: 1432 Message: 1433

Hey Brian,

If the Group Count or the Radio Count is showing (0), then you won't see anything in the TrunkID Editor since the program didn't Load these for some reason.

If you open the associated .Tnk or .Rcv file in NotePad and look at the 2nd line, it should be:
IdS=nnn, where nnn = some number. Are these showing "0" or some other number?
Also, if you switch back and forth between banks by clicking a different Bank, does the count show a valid number or still Zero?

Thanks,
Jay

----- Original Message -----
From: "Brian" <sjinndoawi00@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Saturday, May 16, 2009 6:34 AM
Subject: [TrunkPCR] Lost Trunk Banks

> This morning Jay I get up and want to run Trunk Pcr. I have lost (2) banks. Just a few days ago I was listening/tracking these banks and it had all the info...groups/radio Id's, Control Channel's. But today these two banks show nothing.
> I load Trunk PCR select my bank and the bank show Groups=0 Radios=0 but I still have my Control Channels, and my settings are saved for these two trunked banks. I click Trunk button and it's like I have nothing saved as for Groups or Radio Id's but all the other Trunked banks are find. So now I go into C:\Program Files\TrunkPcr\Banks and see this stuff xxx.Bnk,xxx.Rcv,xxx.Rmg,xxx.Tnk,xxx.Ust for these (2)banks. So I know the info is there its just that TrunkPCR will not load it for some reason. Again I was listening/tracking these (2) banks just a few days ago with no problem.Now I back to TrunkPCR click edit trynk ids nothing is there,no gorup info and no radio info. I load another trunk bank and its fine everything for that other trunk bank is there. Its just that these (2) other banks just seamed to disappeared.
>
>
> Any Ideas?
>
> Thanks
>
> Brian
>

```
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
```

1434. I Did what you said Jay

Yahoo group: TrunkPCR
Date: 2009-05-17 13:09:01 UTC
From: Brian
Topic: 1434 Message: 1434

Ok I went in C:\Program Files\TrunkPcr\Banks and opened both of my lost banks (.Rcv,.Tnk) Both banks show a (0) for both .Rcv and .Tnk. Why I do not know. Again just a few daya ago I was able to listen/track these banks. Now the two banks in question still have there Trunk setting saved as well as the Control Channels but nothing else. Also I loaded Trunk Pcr and from the main window while clicking on the tabs all bank information is valid(as too Trunk groups/radio Ids) but for some reason I will have two tabs with the same name.

Now should I just delete these two banks and start over again because the information is lost? or maybe uninstall Trunk Pcr and that could fix the problem?

Brian

1435. Re: [TrunkPCR] Lost Trunk Banks - I Did what you said

Yahoo group: TrunkPCR
Date: 2009-05-17 19:34:26 UTC
From: Jay
Topic: 1435 Message: 1435

Hey Brian,

No reason to uninstall and start over, just delete one of the duplicate banks, not both...
Make sure that the Bank you keep has the valid Trunk Settings :)

If the Bank in question had valid Groups and Radios already saved, the program shouldn't wipe out the .Tnk and .Rcv files, it should just over-write the files with updated information as long as you have enough free space on your hard drive...

Regards,
Jay

----- Original Message -----
From: "Brian"

> Ok I went in C:\Program Files\TrunkPcr\Banks and opened both of my lost banks (.Rcv,.Tnk) Both banks show a (0) for both .Rcv and .Tnk. Why I do not know. Again just a few daya ago I was able to listen/track these banks. Now the two banks in question still have there Trunk setting saved as well as the Control Channels but nothing else. Also I loaded Trunk Pcr and from the main window while clicking on the tabs all bank information is valid(as too Trunk groups/radio Ids) but for some reason I will have two tabs with the same name.
>
> Now should I just delete these two banks and start over again because the information is lost? or maybe uninstall Trunk Pcr and that could fix the problem?
>
> Brian

1436. Next Release Date

Yahoo group: TrunkPCR
Date: 2009-05-26 20:39:49 UTC
From: Jay
Topic: 1436 Message: 1436

The Next Release of TrunkPCR is still being worked on.

I know that I've told a few that the next release would be "in another week" or "pretty soon", but
it seems to turn into a few weeks or more depending on what I find that still needs fixing or the new additions that still need a bit more fine tuning (or life in general tosses me a curve like a new woman in my life last month or like last week when my dad passed away)...

One thing that I just found yesterday is that the AFC function was broken when I tried using it on D-Star and P25 sites. All D-Star functions looks to be complete now and some of the P25 functions need to be finished...

A pretty safe bet now would be to say that it should be out next month :-))

Regards,
Jay

1437. Question Jay

Yahoo group: TrunkPCR
Date: 2009-06-01 10:18:39 UTC
From: Brian
Topic: 1437 Message: 1437

Morning Jay,

I just bought a New Desktop because of better processing power and upgradeability(much better sound card processing) I would like to know what do I need to do so I can get both of my programs from my laptop to my desktop(TrunkPCR/PCRPro). I bought both of these programs so they are registered with you.

1438. Re: [TrunkPCR] Question Jay on Registration

Yahoo group: TrunkPCR
Date: 2009-06-01 21:12:24 UTC
From: Jay
Topic: 1438 Message: 1438

Hi Brian,

To clarify, you didn't "buy" TrunkPCR, you sent a "Donation" :)
My records show that you sent a donation on October 2, 2008 for TrunkPCR...

If I sold TrunkPCR, Motorola wouldn't like it too much. So for legal reasons, I can only accept Donations for it's use and in return, I send a key file to update the limits according to the donation...

I don't "sell" my programs, they are Donation-ware...

When you change or add an additional PC, just send the registration for the new PC and I'll send out the key file for it...

I allow 3 keys per user, to use on their personal or work PC's only... The 2nd or 3rd keys are not to be used by friends...

Regards,
Jay

----- Original Message -----
From: "Brian"

> Morning Jay,
>
> I just bought a New Desktop because of better processing power and upgradeability(much better sound card processing) I would like to know what do I need to do so I can get both of my programs from my laptop to my desktop(TrunkPCR/PCRPro). I bought both of these programs so they are registered with you.

1439. Re: [TrunkPCR] Question Jay on Registration

Yahoo group: TrunkPCR
Date: 2009-06-01 22:42:52 UTC
From: Brian Veres
Topic: 1438 Message: 1439

I totally understand Jay and thank you. I will send the info for the new PC soon..

Thank you for you time

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Monday, June 1, 2009 5:12:24 PM
Subject: Re: [TrunkPCR] Question Jay on Registration

Hi Brian,

To clarify, you didn't "buy" TrunkPCR, you sent a "Donation" :)
My records show that you sent a donation on October 2, 2008 for TrunkPCR...

If I sold TrunkPCR, Motorola wouldn't like it too much. So for legal
reasons, I can only accept Donations for it's use and in return, I send a
key file to update the limits according to the donation...

I don't "sell" my programs, they are Donation-ware. ..

When you change or add an additional PC, just send the registration for the
new PC and I'll send out the key file for it....

I allow 3 keys per user, to use on their personal or work PC's only.... The
2nd or 3rd keys are not to be used by friends...

Regards,
Jay

----- Original Message -----
From: "Brian"

> Morning Jay,
>
> I just bought a New Desktop because of better processing power and
upgradeability(much better sound card processing) I would like to know what
do I need to do so I can get both of my programs from my laptop to my
desktop(TrunkPCR/ PCRPro). I bought both of these programs so they are
registered with you.

1440. Here is my info for the new computer

Yahoo group: TrunkPCR
Date: 2009-06-02 10:50:01 UTC
From: Brian
Topic: 1440 Message: 1440

Morning Jay,

Iam running Windows Xp (sp3) on the new computer
Computer name is...HP31460587277
Computer description is.....Shadow
CPU is..... 2.6GHz
Memory is....4Gigs
Hard Drive is.....500Gigs
Anything else?

Also will my new registration work for both Trunk PCR and PCR Pro like you did for me before?

Thank you,

Brian

1441. Re: [TrunkPCR] Here is my info for the new computer

Yahoo group: TrunkPCR
Date: 2009-06-02 19:08:29 UTC
From: Jay
Topic: 1440 Message: 1441

Hey Brian,

Please send the Registration Info (Under the Help Menu), so that I can
create and send out your key file...

Yes, the key file will work for PCR Pro and my other programs...

Regards,
Jay

----- Original Message -----
From: "Brian"

> Morning Jay,
>
> Iam running Windows Xp (sp3) on the new computer
> Computer name is...HP31460587277
> Computer description is.....Shadow
> CPU is..... 2.6GHz
> Memory is....4Gigs
> Hard Drive is.....500Gigs
> Anything else?
>
> Also will my new registration work for both Trunk PCR and PCR Pro like you
did for me before?
>
> Thank you,
>
> Brian

1442. Good morning Jay

Yahoo group: TrunkPCR
Date: 2009-06-05 15:11:25 UTC
From: Brian
Topic: 1247 Message: 1442

ok got my new computer done so now I have two with these beloved program.Since I made a donation for these great programs you said I could have 3 registered copies of TrunckPcr and PCRPro. Well I have one more laptop I would need to do and then thats it. So this weekend I will send you the information for my last registered copies.

Thank you for all you do for these programs. There is really nothing out there that can even come close to the programs you do .

Have a good day

Brian

1443. Tech question for someone to help me with

Yahoo group: TrunkPCR
Date: 2009-06-05 15:35:03 UTC
From: Brian
Topic: 1443 Message: 1443

Ok I have all my UBS ports filled but I have a serial Port connection (9 pin) I need to connect to this Laptop. Now I am wondering can I use my Ethernet port on this laptop? Is there something that is out there to make a Serial prot to Ethernet port? Or this type of connection will not work? Can someone help me out here

Thank you Brian

1444. Re: [TrunkPCR] For all of my brothers here

Yahoo group: TrunkPCR
Date: 2009-05-12 00:42:19 UTC
From: Eric Meth - VE3EI
Topic: 1422 Message: 1444
Attachments: 1 described; binary payloads are missing from this source WARC

Here is the latest Icom Communication Receivers Catalog. You will notice the R2500 and the R1500 are still there but the PCR's are gone. Also gone is the R3, as a digital equivalent is not out yet!

Eric Meth - ve3ei
Icom Canada
Technical Support

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, May 11, 2009 7:08 PM
Subject: Re: [TrunkPCR] For all of my brothers here

From the PCR2500 Group:

The PCR2500 is being discontinued. The R2500 is still available. It is just the PCR with a remote head. You can operate the unit as a PCR2500.
Eric Meth - ve3ei

I myself haven't found anything yet on Icom America, Icom Canada or Icom Japan stating this?

Jay

----- Original Message -----
From: "Brian"
>

> For those of my brothers here that may not belong to any other groups. I have found out that Icom is going to stop making all there PCR series recievers. At first I didn't believe . I did as much research as I could and didnt find anything stating this as fact so I posted my question on RR. I was answer with a YES Icom will discontinue making the PCR SERIES RECEIVERS. As to why no one really knows.
>
> Brian

1445. TrunkPCR version 0.90.252 Now Available

Yahoo group: TrunkPCR
Date: 2009-06-29 08:27:47 UTC
From: Jay
Topic: 1445 Message: 1445

TrunkPCR version 0.90.252 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

This update only has a few Additions, Changes & Fixes:
Feb 22,2009 - -----: Changing COM Port, Doesn't Require Re-Start.
Mar 05,2009 - Added: Pocket Beep Alerts for different functions.
Mar 05,2009 - Fixed: Weather Alerts for 1500/2500's.
Mar 05,2009 - Added: D-Star Support for 2500's.
Displays Current/Last GPS Position using Google Maps...
Mar 12,2009 - -----: Dual Mode Trunking works better in Scan/Search.
Mar 14,2009 - Fixed: Listening to P25 Calls on Moto Simulcast systems.
From Extended->Settings Menu, Set P25 to ON for best results.
Mar 18,2009 - Fixed: Dual DTMF Now Saves to DualDtmf.log.
Mar 18,2009 - Fixed: Associated Windows with Dual Window now close properly.
Mar 21,2009 - Added: Support for RadioReference.com's CD DataBase.
Mar 26,2009 - -----: Frequency Center Indicator now used in DV & P25.
Apr 15,2009 - Fixed: Setting Weather Alert Channels at Startup.
Apr 15,2009 - -----: Moved PCR-1500/2500 Extended Settings to Each Bank.
Apr 15,2009 - Fixed: Setting NAC and SELECT in Extended Settings.
Apr 16,2009 - Added: Squelch Delay in Extended Settings.
Apr 16,2009 - Fixed: Sending Extended Settings to PCR when Changing Banks.
Apr 16,2009 - Added: Most Errors are now Saved to the Error.log file.
Apr 20,2009 - Added: You can now set the TrunkBank for each Selected Group in TrunkID Editor.
Apr 22,2009 - Fixed: Radio Description now properly Trunicated to 60 Chars if too long.
Apr 24,2009 - Fixed: Opening Sound Card Setting in Vista caused a crash.
Apr 28,2009 - -----: Changed how the Sound Recorder Looks and Operates.
May 08,2009 - Fixed: Removed Popping Sound when Recording.
May 11,2009 - Added: OscilloScope Display now shows Full Window for LTR Banks ONLY.
May 13,2009 - Added: Http Proxy Settings for accessing RadioReference.com's SOAP Database.
May 16,2009 - Added: FULL Support for RadioReference.com's SOAP2 Database.
Includes Frequency / CallSign Searches, and Trunk System ID Details.
May 23,2009 - Fixed: AFC Working Again in Both Receivers.
May 23,2009 - -----: AFC Now Enabled by correct Mode & Filter.
May 24,2009 - -----: Spectrum Analyzer Window Position Now Saved.
May 24,2009 - Added: Moved Sound Card Settings/Controls to Audio Menu.
May 24,2009 - -----: Changed some Keyboard Short-Cuts on Menus.
May 30,2009 - Added: List Displays for P25 Calls with P25 Module.
Jun 01,2009 - Added: Support for RadioReference.com's SOAP Version 3.
Jun 02,2009 - Added: RR.com Web Import's Verify / Compare GroupID's to P25 Lists.
Jun 06,2009 - -----: Users that have Donated $60 or more, Now Get Increased Limits.
Jun 06,2009 - Fixed: ReNaming DStar and P25 Log Files when Bank Name is Changed.
Jun 15,2009 - Added: D-Star Terminal Message now shows a *Green* "OK" if CRC Passed.
Jun 28,2009 - Fixed: Recording Device now saved correctly in Sound Card Settings.

Version 0.90.252 Released 06/28/2009

Regards,
Jay

1446. Newbie Questions

Yahoo group: TrunkPCR
Date: 2009-06-13 12:19:42 UTC
From: monkey_man07250
Topic: 1446 Message: 1446

G'day All.....
I have just set up my PCR-100 on TrunkPCR and it seems to be working ok but I have a 245 xlt next to it for comparison and I notice that the PCR-100 has a lag on receive that causes me to miss the second operator speaking (the Uniden receives it all). Is it something I am doing wrong in the setup or is it because the 100 is only a single receiver and get's "hung up" on the transmission tail before it can return to the control frequency and continue to decode?
If this is the case can I set it up to receive the audio from a second receiver to supply the Edacs control data freeing the PCR 100 up to receive the transmissions?
My current setup has the 1's at 45 to 50%, my decode? at 100%, my filter at 15Khz on FSK.
As part of the test setup I only have one memory set for the control frequency and all other trunking frequencies are in the trunking menu frequency setup, not in actual memories in a bank.
Another small problem, the program crashes when editing the bank or lcn no#/Frequency data frequently, this happens on both my XP SP3 computers.
Any help greatly appreciated.

Regards - MM

1447. Modifications

Yahoo group: TrunkPCR
Date: 2009-06-17 12:29:40 UTC
From: Michael E. Bills
Topic: 1447 Message: 1447

Is there any modifications that can be made to the PCR-1000 or IC-PCR2500 to unblock and/or expand the frequency range?

1448. Good Evening Jay

Yahoo group: TrunkPCR
Date: 2009-06-30 00:22:01 UTC
From: Brian
Topic: 1448 Message: 1448

Hi Jay,

I would like to take the time and say these are awesome programs and without a doubt the best trunking software out there.
Now i have come across a few issues with the "new release" and if we could address them.

1.) Trunk Pcr will not remember my com port setting. I always have too goto com port and then click the port number my 2500 is on and I check "keep alive" but when I restart the program I have to do it again

2.) When I click "DUAL" for the second VFO the second receiver comes up I push the "on" button but it stay's red so it is hard to tell if it is on unless I watch the "S-meter

3.) For some reason when I click "Trunk" I get the OscilloScope Display and no Decoding and just the "CC" noise. So I restart Trunk Pcr do it all over again and click Trunk and it start to decode BUT once I get a readable signal "some one keys up and transmits" trunk Pcr Freeezes up and then shuts down so I have to restart again....These are Motorola Type II Smartzone Systems

4.) When setting up my com port number, scan delay,Bank information everything is in the "?" area for what group goes where..ie Bank "A" Bank "B" it will not save my settings.is this be becasue the banks are from the early version and I just left them in the Trunk Pcr folder found on my Hard..

Also Before I installed the New version(0.90.252) I deleted the old version(0.89.247) Could this be casuing my problems?

Thanks for taking the time for everything,

Brian

1449. Re: Tech question for someone to help me with

Yahoo group: TrunkPCR
Date: 2009-06-30 06:25:58 UTC
From: kk7wk
Topic: 1443 Message: 1449

--- In TrunkPCR@yahoogroups.com, "Brian" <sjinndoawi00@...> wrote:
>
> Ok I have all my UBS ports filled but I have a serial Port connection (9 pin) I need to connect to this Laptop. Now I am wondering can I use my Ethernet port on this laptop? Is there something that is out there to make a Serial prot to Ethernet port? Or this type of connection will not work? Can someone help me out here
>
>
> Thank you Brian
>
Hi Brian,

There are devices available that can network-enable a serial port such as the Digi One SP (www.digi.com). However, they are relatively expensive ($129 plus)and I think you would find it easier and way less expensive to get a USB Hub for 10 bucks and use a USB-to-Serial port adapter.

Good luck,

Kurt

1450. TrunkPCR version 0.90.252

Yahoo group: TrunkPCR
Date: 2009-06-30 02:52:51 UTC
From: aasber_1122
Topic: 1450 Message: 1450

Hi Jay,
Thanks for the new release!
I downloaded it and installed with no problems. At first nothing seem to work so I shutdown and restarted a couple of times and still could not get it to monitor any trunk systems. I went back to .89.247, everthing was fine. I then re-installed .90.252 and now everthing appears ok.

I can not explain what happen the first time.
Just thought you would like to know.
Thanks,
Al

1451. Re: [TrunkPCR] Good Evening Jay

Yahoo group: TrunkPCR
Date: 2009-06-30 07:33:17 UTC
From: Jay
Topic: 1448 Message: 1451

Hey Brian,

1) I'm not seeing that problem on this side. If the program closes properly, then it will save the COM Port and any other Bank/Channel settings at this time. The "Keep Alive" should only be used for actual DB9 Serial Comms...

2) The Power Button in the Dual Receiver Display is only used for a second PCR-1000 or PCR-100 and has no effect on the 2500 :)

3) Hmmm, strange... Have you rebooted your PC after the new install???

4) Shouldn't act that way, I'll take a look...

5) only if you deleted you Bank folder and TrunkPcr.ini file???

Thanks,
Jay

----- Original Message -----
From: "Brian"

> Hi Jay,
>
> I would like to take the time and say these are awesome programs and without a doubt the best trunking software out there.
> Now i have come across a few issues with the "new release" and if we could address them.
>
> 1.) Trunk Pcr will not remember my com port setting. I always have too goto com port and then click the port number my 2500 is on and I check "keep alive" but when I restart the program I have to do it again
>
> 2.) When I click "DUAL" for the second VFO the second receiver comes up I push the "on" button but it stay's red so it is hard to tell if it is on unless I watch the "S-meter
>
> 3.) For some reason when I click "Trunk" I get the OscilloScope Display and no Decoding and just the "CC" noise. So I restart Trunk Pcr do it all over again and click Trunk and it start to decode BUT once I get a readable signal "some one keys up and transmits" trunk Pcr Freeezes up and then shuts down so I have to restart again....These are Motorola Type II Smartzone Systems
>
> 4.) When setting up my com port number, scan delay,Bank information everything is in the "?" area for what group goes where..ie Bank "A" Bank "B" it will not save my settings.is this be becasue the banks are from the

early version and I just left them in the Trunk Pcr folder found on my Hard..
>
>
> Also Before I installed the New version(0.90.252) I deleted the old version(0.89.247) Could this be casuing my problems?
>
> Thanks for taking the time for everything,
>
> Brian

1452. Re: [TrunkPCR] Newbie Questions

Yahoo group: TrunkPCR
Date: 2009-06-30 07:41:46 UTC
From: Jay
Topic: 1446 Message: 1452

HI MM,

Don't think you are doing anything wrong, it's just as you say, the lag from when the squelch closes to the time a New Call is detected could be a second or two...

Yes, you can use the decriminator tap audio from a second scanner/radio used to decode the control channel. Just click the "[Dual]" Button and it should work much better :)

Does the bank editing still cause a crash in the new version???

Thanks,
Jay

----- Original Message -----
From: "monkey_man07250"

> G'day All.....
> I have just set up my PCR-100 on TrunkPCR and it seems to be working ok but I have a 245 xlt next to it for comparison and I notice that the PCR-100 has a lag on receive that causes me to miss the second operator speaking (the Uniden receives it all). Is it something I am doing wrong in the setup or is it because the 100 is only a single receiver and get's "hung up" on the transmission tail before it can return to the control frequency and continue to decode?
> If this is the case can I set it up to receive the audio from a second receiver to supply the Edacs control data freeing the PCR 100 up to receive the transmissions?
> My current setup has the 1's at 45 to 50%, my decode? at 100%, my filter at 15Khz on FSK. As part of the test setup I only have one memory set for the control frequency and all other trunking frequencies are in the trunking menu frequency setup, not in actual memories in a bank.
> Another small problem, the program crashes when editing the bank or lcn no#/Frequency data frequently, this happens on both my XP SP3 computers.
> Any help greatly appreciated.
>
> Regards - MM

1453. Re: [TrunkPCR] Good Evening Jay

Yahoo group: TrunkPCR
Date: 2009-06-30 09:46:03 UTC
From: Jay
Topic: 1448 Message: 1453

Oops, when I was checking the Modes for P25, I was assigning a Bank as Conventional if the Mode Selected for a Bank was anything other than P25...

I'll have a fix out this afternoon :)

Thanks,
Jay

----- Original Message -----
From: "Brian"

> Hi Jay,
>
> 3.) For some reason when I click "Trunk" I get the OscilloScope Display and no Decoding and just the "CC" noise. So I restart Trunk Pcr do it all over again and click Trunk and it start to decode BUT once I get a readable signal "some one keys up and transmits" trunk Pcr Freeezes up and then shuts down so I have to restart again....These are Motorola Type II Smartzone Systems.
>
> Thanks for taking the time for everything,
>
> Brian

1454. Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-06-30 11:26:08 UTC
From: Brian
Topic: 1270 Message: 1454

Ok, it's a new day and the computer has had a day to rest...LOL
Anyway this morning TrunkPcr now see the correct com port without a problem. But I am still have these two problems..

1.)instead of the Trunk I get the "O'Scope" button and the only way I can change it to "Trunk" is to goto Trunk settings and click moto and then "O'Scope" changes to Trunk. Which is no big deal thought I would let you know about this.

2.) For some reason the program will not see some of my banks..Of all my banking files Trunk Pcr wont load (2) banks,it is treating them like a conventional system I guess. So I go into where my bakning info is at...C:/programfolders/Trunkpcr/Bank and I see everything is there(xxx.Bnk,xxx.Rvc,xxx.Rmg,xxx.Tnk,xxx.Ust) but it will not load any info for them. All the other Trunk banks are fine,except I have to reassign scan delay, what group goes to what bank ..Like "A" is police info channels..."B" is Dispatches..."C" is EMS...ect..

3.)This didnt happen last night but today it is. When going into Trunk settings and click settings the program will crash.. Not all the time but a few times this mornign it has..Get the hole Trunk Pcr has stopped responding window. Again it is very random and has not happened that much this moroning but it has happened. My idea is maybe something is getting caught up in the cache..

Anyway have a great day I'm sure we will get these little bugs fixed.

Brian

1455. Re: [TrunkPCR] Re: Tech question for someone to help me with

Yahoo group: TrunkPCR
Date: 2009-06-30 11:32:44 UTC
From: Richard Fisher
Topic: 1443 Message: 1455

I have no idea of what you are trying to do, since you didn't say. But you did say that all your USB ports were full. I remember reading that you could keep adding USB switchers till you had about 70 ports. I belive that it is stiill true with USB 2.

Richie

_____
Workers Compensation Legal Advice. Click here
http://thirdpartyoffers.juno.com/TGL2141/fc/BLSrjpTOcqEMo6vKRETWTkZZLdVXGxWTcnKB4EXlw9Fm6Y
sxgH9Qvgoyr0M/

1456. new release

Yahoo group: TrunkPCR
Date: 2009-06-30 15:32:59 UTC
From: Frank Franzoi
Topic: 1456 Message: 1456

Jay:

I guess maybe I'm not recognizing the new capabilities however,
When I installed the new program it no longer recognizes any of my groups set up and working previously.
When I try to go to a working moto group I get the oscil display and have to reset all my settings.
When I go to a working edacs group I get the same thing..
What is up? did I screw up the download again?

Thanks,

Frank
w8azv@...

1457. Re: [TrunkPCR] new release

Yahoo group: TrunkPCR
Date: 2009-06-30 19:17:13 UTC
From: Jay
Topic: 1456 Message: 1457

Hi Frank,

Nope you didn't screw up, I did LOL :-)

When I was making changes to PCR Pro and PCR Mini, I changed the BandPlan to Conventional if any other Mode was selected other than P25...

I have a fix out in the next hour :)

Regards,
Jay
----- Original Message -----
From: Frank Franzoi

Jay:

I guess maybe I'm not recognizing the new capabilities however,
When I installed the new program it no longer recognizes any of my groups set up and working previously.
When I try to go to a working moto group I get the oscil display and have to reset all my settings.
When I go to a working edacs group I get the same thing..
What is up? did I screw up the download again?

Thanks,

Frank

1458. Re: [TrunkPCR] Good Morning Jay

Yahoo group: TrunkPCR
Date: 2009-06-30 19:19:45 UTC
From: Jay
Topic: 1270 Message: 1458

Hey Brian,

Yep, I addressed this in my last reply to you :)

The fix will be out in the next hour :)

Regards,
Jay

----- Original Message -----
From: "Brian"

> Ok, it's a new day and the computer has had a day to rest...LOL
> Anyway this morning TrunkPcr now see the correct com port without a
problem. But I am still have these two problems..
>
>
> 1.)instead of the Trunk I get the "O'Scope" button and the only way I can
change it to "Trunk" is to goto Trunk settings and click moto and then
"O'Scope" changes to Trunk. Which is no big deal thought I would let you
know about this.
>
> 2.) For some reason the program will not see some of my banks..Of all my
banking files Trunk Pcr wont load (2) banks,it is treating them like a
conventional system I guess. So I go into where my bakning info is
at...C:/programfolders/Trunkpcr/Bank and I see everything is
there(xxx.Bnk,xxx.Rvc,xxx.Rmg,xxx.Tnk,xxx.Ust) but it will not load any info
for them. All the other Trunk banks are fine,except I have to reassign scan
delay, what group goes to what bank ..Like "A" is police info channels..."B"
is Dispatches..."C" is EMS...ect..
>
> 3.)This didnt happen last night but today it is. When going into Trunk
settings and click settings the program will crash.. Not all the time but a
few times this mornign it has..Get the hole Trunk Pcr has stopped responding
window. Again it is very random and has not happened that much this moroning
but it has happened. My idea is maybe something is getting caught up in the
cache..
>
>
> Anyway have a great day I'm sure we will get these little bugs fixed.
>
> Brian

1459. TrunkPCR version 0.90.253 Now Available

Yahoo group: TrunkPCR
Date: 2009-06-30 20:26:30 UTC
From: Jay
Topic: 1459 Message: 1459

TrunkPCR version 0.90.253 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

Jun 29,2009 - Fixed: RR.com Web Import - Trunking Sites had Duplicate Freqs for each Site.
Jun 30,2009 - Fixed: Banks Set for Trunking was reset as Conventional.
You'll need to Change Your Trunk Settings or use your BackUp Files...

Version 0.90.253 Released 06/30/2009

Regards,
Jay

1460. Jay

Yahoo group: TrunkPCR
Date: 2009-07-01 00:02:38 UTC
From: Brian
Topic: 1460 Message: 1460

Its not working. Everytime I get a readable P25 signal Trunk Pcr crashes. Also opened up Dual for the ssecond reciever and it crashed again Isnt saving anything when I edit "CC" or scan delay. I got this pop up window telling me to send report so I clicked ok and off it went.

Brian

1461. ok Error I am getting

Yahoo group: TrunkPCR
Date: 2009-07-01 00:26:43 UTC
From: Brian
Topic: 1461 Message: 1461

I keep getting this error

TrackID Error[6] Overflow A, 856.0875,05840,01084,04. It happens when P25 signal comes in. NFM goes to P23 with a RED dot that keeps flashing between colors (red and yellow) I like the pop up window with all the P25 info..TOTALY COOL.Just wish it would work Jay..

For some reason I have to keep setting polarity to normal wont save it along with sound card settings.

Brian

1462. details on errors

Yahoo group: TrunkPCR
Date: 2009-07-01 01:08:11 UTC
From: Brian
Topic: 1462 Message: 1462

Ok Jay,

So let me start.. in my first error i was getting was Track ID Error [6] Overflow A,856.0875,05840,010184,04. This is a Moto type II SmartZone. The Control Channel is 854.587.500. I would only get (1) P25 listing that (P25 pop up window)all the while watching the P25 dot flashing between red,yellow and then Trunk Pcr would crash.

So I went to a different Control Channel 868.150.000. Again Same Moto type II SmarZone format. Recieved (4) transmissions (3) from Fire dispatch (1) from Police dispatch. Recieved same error but it was different....TrackID Error [6] Overflow A,866.3750,03216,03378,04. I again only listed (2)of the (4) transmissions(I did notice when Police dispatch came across trunk Pcr Froze up). This time instead of crashing TrunkPcr when on Hunt for data lost. Searching all my Control Channels for some reason. So I now go to Trunk,settings, and see P25 tab open with P25 OPTIONS (Decoding Not Possible At This Time. Baud Rate has 4800 highligthed and my Polarity is still set to normal(which it should be for my systems)So I click MOTO tab and everything is fine(Baud rate,Polarity)

I restart my computer and reload Trunk Pcr Notice that again I have to go into Trunk,settings and set polarity and Baud rate for these two systems. Run the same test on these two systems with the same results/same errors.

I hope this helps you out. I would like to keep the P25 window..TOTALY COOL

Brian

1463. Re: [TrunkPCR] Jay

Yahoo group: TrunkPCR
Date: 2009-07-01 01:27:32 UTC
From: Jay
Topic: 1460 Message: 1463

Hey Brian,

Could you send me (Directly) the "Error.log" file that has been created in TrunkPCR's install folder?

The "Send Report" goes to microsoft, not to me :)

Jay

----- Original Message -----
From: "Brian"

> Its not working. Everytime I get a readable P25 signal Trunk Pcr crashes. Also opened up Dual for the ssecond reciever and it crashed again Isnt saving anything when I edit "CC" or scan delay. I got this pop up window telling me to send report so I clicked ok and off it went.
>
> Brian

1464. Re: [TrunkPCR] Jay

Yahoo group: TrunkPCR
Date: 2009-07-01 01:45:08 UTC
From: Brian Veres
Topic: 1460 Message: 1464
Attachments: 1 described; binary payloads are missing from this source WARC

here is the erro log that I have

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups..com
Sent: Tuesday, June 30, 2009 9:27:32 PM
Subject: Re: [TrunkPCR] Jay

Hey Brian,

Could you send me (Directly) the "Error.log" file that has been created in TrunkPCR's install folder?

The "Send Report" goes to microsoft, not to me :)

Jay

----- Original Message -----
From: "Brian"

> Its not working. Everytime I get a readable P25 signal Trunk Pcr crashes. Also opened up Dual for the ssecond reciever and it crashed again Isnt saving anything when I edit "CC" or scan delay. I got this pop up window telling me to send report so I clicked ok and off it went.
>
> Brian

1465. Re: [TrunkPCR] ok Error I am getting

Yahoo group: TrunkPCR
Date: 2009-07-01 02:01:27 UTC
From: Jay
Topic: 1461 Message: 1465

Hey Brian,

I'm monitoring a Moto SmartZone with Astro calls and holding on a Group and it's Tracking ok with no crashes...
I'll punch in your data and see what goes...

The "P25" Status indicator will Blink at the Start or End of a P25 Call, Yellow means the P25 Card is "Sampling" the Signal, Green indicates a "Lock" and RED is "OFF"

Thanks,
Jay

----- Original Message -----
From: "Brian"

> I keep getting this error
>
> TrackID Error[6] Overflow A, 856.0875,05840,01084,04. It happens when P25 signal comes in. NFM goes to P23 with a RED dot that keeps flashing between colors (red and yellow) I like the pop up window with all the P25 info..TOTALY COOL.Just wish it would work Jay..
>
> For some reason I have to keep setting polarity to normal wont save it along with sound card settings.
>
> Brian

1466. Re: [TrunkPCR] details on errors

Yahoo group: TrunkPCR
Date: 2009-07-01 02:34:00 UTC
From: Jay
Topic: 1462 Message: 1466

Yep, OK...

If the program crashes before the settings are saved, then they won't be saved...
And yes, you would have to change the settings again...

Jay

----- Original Message -----
From: "Brian"

> Ok Jay,
>
> So let me start.. in my first error i was getting was Track ID Error [6] Overflow A,856.0875,05840,010184,04. This is a Moto type II SmartZone. The Control Channel is 854.587.500. I would only get (1) P25 listing that (P25 pop up window)all the while watching the P25 dot flashing between red,yellow and then Trunk Pcr would crash.
>
> So I went to a different Control Channel 868.150.000. Again Same Moto type II SmarZone format. Recieved (4) transmissions (3) from Fire dispatch (1) from Police dispatch. Recieved same error but it was different....TrackID Error [6] Overflow A,866.3750,03216,03378,04. I again only listed (2)of the (4) transmissions(I did notice when Police dispatch came across trunk Pcr Froze up). This time instead of crashing TrunkPcr when on Hunt for data lost. Searching all my Control Channels for some reason. So I now go to Trunk,settings, and see P25 tab open with P25 OPTIONS (Decoding Not Possible At This Time. Baud Rate has 4800 highligthed and my Polarity is still set to normal(which it should be for my systems)So I click MOTO tab and everything is fine(Baud rate,Polarity)
>
> I restart my computer and reload Trunk Pcr Notice that again I have to go into Trunk,settings and set polarity and Baud rate for these two systems. Run the same test on these two systems with the same results/same errors.
>
> I hope this helps you out. I would like to keep the P25 window..TOTALY COOL
>
>
> Brian
>
>
>
> ----------
>
> Yahoo! Groups Links

>
>
>
>

1467. TrunkPCR version 0.90.254 Now Available

Yahoo group: TrunkPCR
Date: 2009-07-01 07:32:09 UTC
From: Jay
Topic: 1467 Message: 1467

TrunkPCR version 0.90.254 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

This update only has 1 Addition & 1 Fix:

Jun 30,2009 - Added: Test Flag in Decoder DLL to use P25 Decoding or NOT (My Use For Now).
Jun 30,2009 - Fixed: Inadvertently Set Banks for P25 Trunking when P25 Call Heard with P25 Card.
Version 0.90.254 Released 07/01/2009

Regards,
Jay

1468. TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-01 18:09:16 UTC
From: Jay
Topic: 1468 Message: 1468

Hey All,

I just noticed this morning that this version is now freezing after you click the Trunk Button on my XP PC.
But it's still working on Windows 95...

Anyone else seeing this too???

I'll look into this problem later this afternoon and see what's up...

Thanks,
Jay

1469. Re: [TrunkPCR] TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-02 02:00:43 UTC
From: Brian Veres
Topic: 1468 Message: 1469

Yes Jay that is one of my problems also

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, July 1, 2009 2:09:16 PM
Subject: [TrunkPCR] TrunkPCR 0.90.254 Problem?

Hey All,

I just noticed this morning that this version is now freezing after you click the Trunk Button on my XP PC.
But it's still working on Windows 95....

Anyone else seeing this too???

I'll look into this problem later this afternoon and see what's up...

Thanks,
Jay

1470. Re: [TrunkPCR] Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-02 07:43:38 UTC
From: Jay
Topic: 1470 Message: 1470

Ok,

For those who had this problem, There is a real simple fix :-)

1). Open the Bank file (In NotePad) that the program first loads with.
2). Close TrunkPCR if it is running...
3). Change the line where it reads BandPlan=P to -> BandPlan=S
4). Save the Bank file, exit NotePad and restart TrunkPCR, when you click the [Trunk] Button, it should be working :-)

Regards,
Jay
----- Original Message -----
From: Brian Veres

Yes Jay that is one of my problems also

Brian

From: Jay

Hey All,

I just noticed this morning that this version is now freezing after you click the Trunk Button on my XP PC.
But it's still working on Windows 95...

Anyone else seeing this too???

I'll look into this problem later this afternoon and see what's up...

Thanks,
Jay

1471. Re: [TrunkPCR] Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-02 07:53:46 UTC
From: Jay
Topic: 1470 Message: 1471

Brain fart...
Edit the Bank File with the ".Bnk" extension :)

----- Original Message -----
From: Jay

Ok,

For those who had this problem, There is a real simple fix :-)

1). Open the Bank file (In NotePad) that the program first loads with.
2). Close TrunkPCR if it is running...
3). Change the line where it reads BandPlan=P to -> BandPlan=S
4). Save the Bank file, exit NotePad and restart TrunkPCR, when you click the [Trunk] Button, it should be working :-)

Regards,
Jay

1472. Re: Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-02 11:18:34 UTC
From: Brian
Topic: 1470 Message: 1472

For some reason my was BandPlan=8 so I turned (8) to (S) and it will still freeze up and then close. Once I get a P25 transmission TrunkPcr stops responding. All analog is fine TrunkPcr doesn't miss a beat but once P25 comes into play all hell breaks lose.

Also Jay did you get my Error log I sent yesterday morning?
My problems includes
Either of these once P25 comes into play
1.) I get..... TrackID error [6] Overflow A,(with a bunch of numbers)
2.) TrunkPcr will Freeze up and then shut down and Microsoft eroor window comes up.

Anyway Thanks for leting me know where my donation put me it is money well spent. Thanks for taking the time here Jay to address the problems with this update. I know we can get them fixed.

Brian

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Brain fart...
> Edit the Bank File with the ".Bnk" extension :)
>
> ----- Original Message -----
> From: Jay
>
> Ok,
>
> For those who had this problem, There is a real simple fix :-)
>
> 1). Open the Bank file (In NotePad) that the program first loads with.
> 2). Close TrunkPCR if it is running...
> 3). Change the line where it reads BandPlan=P to -> BandPlan=S
> 4). Save the Bank file, exit NotePad and restart TrunkPCR, when you click the [Trunk] Button, it should be working :-)
>
> Regards,
> Jay
>

1473. RE: [TrunkPCR] Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-02 18:53:03 UTC
From: Jack Goetz
Topic: 1470 Message: 1473

Hi Jay,

Not to sound to stupid, how do I get or where do I
find the "bank file" described in your e-mail? I am using Norton Commander
and I cannot seem for find the file.

The problem I have now with the recent fix is it scans
but does not lock on to any transmitted signal and lost my audio as well.

Jack

1474. Re: [TrunkPCR] Re: Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-02 21:16:50 UTC
From: Jay
Topic: 1470 Message: 1474

Hey Brian,

That fix was only if the BandPlan was set to "P" (P25)...

Weird, I've been listening to the Moto Site with Astro, in Dual Mode on the 2500 now for the past 14 hours, even with the Control Channel Activity Window open and it's running perfect...

Yes I got the Error.Log, I even replied to you about it, did you not read it or not get it???

Are you using the Scan Delay's Resume Option? or just holding on a Group? Those would call the TrackID routines, but I haven't had a problem on those. If you are using the Resume Condition, try changing it to "Pause While Present" and "Resume Delay" to None...

One thing you might try is checking ALL of your BANKS that are set for Trunking and make sure that P25 is not selected and if so, change them back to Moto Splinter or 800...

Regards,
Jay

----- Original Message -----
From: "Brian"

> For some reason my was BandPlan=8 so I turned (8) to (S) and it will still freeze up and then close. Once I get a P25 transmission TrunkPcr stops responding. All analog is fine TrunkPcr doesn't miss a beat but once P25 comes into play all hell breaks lose.
>
> Also Jay did you get my Error log I sent yesterday morning?
> My problems includes
> Either of these once P25 comes into play
> 1.) I get..... TrackID error [6] Overflow A,(with a bunch of numbers)
> 2.) TrunkPcr will Freeze up and then shut down and Microsoft eroor window comes up.
>
> Anyway Thanks for leting me know where my donation put me it is money well spent. Thanks for taking the time here Jay to address the problems with this update. I know we can get them fixed.
>
> Brian

1475. Re: [TrunkPCR] Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-02 21:50:18 UTC
From: Jay
Topic: 1470 Message: 1475

Hi Jack,

The Bank File would be in the Banks Folder.

You lost your audio? USB or from the Speaker?

Thanks,
Jay

----- Original Message -----
From: Jack Goetz
Hi Jay,

Not to sound to stupid, how do I get or where do I find the "bank file" described in your e-mail? I am using Norton Commander and I cannot seem for find the file.

The problem I have now with the recent fix is it scans but does not lock on to any transmitted signal and lost my audio as well.

Jack

1477. RE: [TrunkPCR] Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-02 22:33:32 UTC
From: Jack Goetz
Topic: 1470 Message: 1477

Hey Thanks will look for it.

My audio is lost in the speaker section, I have no USB connection for my audio. I am using a PCR 1000. Everything was working fine up to the major update you sent out and subsequent updates. I'll keep trying different attempts at getting to the audio section of the software and see if something is out of selection. I am doing the Moto system and in reverse, I get 95% ones but no recovery rate or indication though the system says it is monitoring. It does not lock on to any signal.

Thanks for your help.

Jack

1478. Jay - disregard last fault report from me please.....

Yahoo group: TrunkPCR
Date: 2009-07-02 23:04:26 UTC
From: monkey_man07250
Topic: 1478 Message: 1478

Jay, don't worry about that fault report, I have since uninstalled trunk pcr, scrubbed the registry and cleared all temp files and it now works after re-installing, I have pausing in the audio and I can hear the control channel data now but I haven't finished doing all the settings yet.
Take Care

Regards - Tony Vk7YBG

1479. Re: [TrunkPCR] Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-02 23:36:26 UTC
From: Jay
Topic: 1470 Message: 1479

Hi Jack,

The 95% Ones a good clue that you are either getting a bunch of noise in the signal or your sound card doesn't like the current Sampling Rate as set from the Trunk Settings.
Try setting the Sampling Rate to a lower value or maybe even check your cable from the PCR's Packet Out jack to your Sound Card's Input...

You can also use the "Show Oscilloscope" under the Audio Menu to visually see how your input looks.

Regards,
Jay

----- Original Message -----
From: Jack Goetz
Hey Thanks will look for it.

My audio is lost in the speaker section, I have no USB connection for my audio. I am using a PCR 1000. Everything was working fine up to the major update you sent out and subsequent updates. I'll keep trying different attempts at getting to the audio section of the software and see if something is out of selection. I am doing the Moto system and in reverse, I get 95% ones but no recovery rate or indication though the system says it is monitoring. It does not lock on to any signal.

Thanks for your help.

Jack

1480. Re: [TrunkPCR] Re: Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-03 02:59:43 UTC
From: Brian Veres
Topic: 1470 Message: 1480

Evening Jay,

Yes everything is set right...MOTO System is 800, Scan Delay is set to no..pause when present is set. all sound setting in sound card set are right. I have even delete all files and installs of version 0..90.254 v and reinstalled them mult restarts, checked all banks(.bkn)It wont see a loaded bank. So I go into were my banks are saved and see (xxx.Bnk,xxx.Rcv,Rmg,xxx.Tnk,xxx.Ust) even open with notepad and all details of my bank information are there but this version will not load them. So I manually type it into the Trunk Pcr window and it changes the numbers. My "CC" freq is 859.28750 but it changes 859 to 858.Just wont except me trying to manually input my Frequency for some reason, even hit enter after I input the frequency and it changes it.I go back into notepad and look..here si what I see.....

```
[BankInfo]
Revision=1
Chnls=4
Mode=5
Filter=2
Step=15
DuplexOffset=600000
Scan=False
ScanDual=False
LastChnl=4
LastDualChnl=1
InactFreqsSec=5
InactPatchSec=5
SysID=0
BandPlan=8
SaveNewIDs=1
SaveHits=1
AssocGroupID=1
AllowContinue=True
ShowUserPic=False
ShowEmergency=False
SystemType=1
SamplesPerSec=44100
SystemBaud=3600
ReversePolarity=True
TrunkIDs=52
TrunkStart=1
BlockAstro=False
HuntControl=True
IDDisplay=0
LCN_BaseFreq=406000000
LCN_OffSet=380
```

```
LCN_StepFreq=25000
[ChnlInfo]
Channel01=857.287500,2,5,16,True,LCN
1,204,79,128,0,False,0,False,0,False,False,False,0,False,False,False,False,False,6000000
Channel02=858.287500,2,5,16,True,LCN
2,204,79,128,0,False,0,False,0,False,False,False,0,False,False,False,False,False,6000000
Channel03=858.287500,2,5,16,True,LCN
3,204,79,128,0,False,0,False,0,False,False,False,0,False,False,False,False,False,6000000
Channel04=858.287500,2,5,16,True,LCN
4,204,79,128,0,False,0,False,0,False,False,False,0,False,False,False,False,False,6000000
Channel05=858.287500,2,5,16,True,LCN
3,204,79,128,0,False,0,False,0,False,False,False,0,False,False,False,False,False,6000000
Channel06=853.787500,2,5,16,True,LCN-6,32,64,128,0,False,0,False,0,False,False,False,0,Fal
se,False,False,False,False,6000000
Channel07=853.812500,2,5,16,True,LCN-7 Control,32,64,128,0,False,0,False,0,False,False,Fal
se,0,False,False,False,False,False,6000000
Channel08=854.587500,2,5,16,True,LCN-8 Control,32,64,128,0,False,0,False,0,False,False,Fal
se,0,False,False,False,False,False,6000000
Channel09=854.662500,2,5,16,True,LCN-9 Control,32,64,128,0,False,0,False,0,False,False,Fal
se,0,False,False,False,False,False,6000000
Channel10=854.687500,2,5,16,True,LCN-10 Control,32,64,128,0,False,0,False,0,False,False,Fa
lse,0,False,False,False,False,False,6000000
Channel11=852.562500,2,5,16,True,LCN
-11,204,79,128,0,False,0,False,0,False,False,False,0,False,False,False,False,False,6000000
Channel12=858.000000,2,5,16,True,LCN-12,204,79,128,0,False,0,False,0,False,False,False,0,F
alse,False,False,False,False,6000000
Channel13=858.000000,2,5,16,True,LCN-13,204,79,128,0,False,0,False,0,False,False,False,0,F
alse,False,False,False,False,6000000
Channel14=858.000000,2,5,16,True,LCN
14,204,79,128,0,False,0,False,0,False,False,False,0,False,False,False,False,False,6000000
[TrunkBanks]
Default=27
Bank_A=Police,False
Bank_B=Law Enforcement,False
Bank_C=Special,False
Bank_D=Astro Digital,False
Bank_E=Emergency,False
Bank_F=Fire/Rescue,False
Bank_G=Government,False
Bank_H=Hospital/Ambulance,False
Bank_I=Investigate,False
Bank_J=Disaster,False
Bank_K=School/Colledge,False
Bank_L=LifeGuard,False
Bank_M=City/Public Works,False
Bank_N=Transportation,False
Bank_O=Military,False
Bank_P=Parks & Recreation,False
Bank_Q=Bank-Q,False
Bank_R=Bank-R,False
```

```
Bank_S=Bank-S,False
Bank_T=Bank-T,False
Bank_U=Bank-U,False
Bank_V=Bank-V,False
Bank_W=Bank-W,False
Bank_X=Bank-X,False
Bank_Y=Bank-Y,False
Bank_Z=Bank-Z,False
Bank_?=New Groups,True
[WatchGroups]
Group1=0
Group2=0
Group3=0
Group4=0
Group5=0
Group6=0
Group7=0
Group8=0
[WatchRadios]
Radio1=0
Radio2=0
Radio3=0
Radio4=0
Radio5=0
Radio6=0
Radio7=0
```

Why it is saying groups=0 I do not know. I even delete all banks and information and went back to "RR" loaded ALL information from"RR" with no problem

This Moto system is astro. was working before versions 0.90.252 / 0.90.253 / 0.90.254. Every time I get a P25 transmission when I can get TrunkPcr to work it Crashes. I even uninstall ALL Icom Drivers and software for the 2500 and reinstalled them thinking mybe there are some broken DLL's. Still I am having the same problems with Trunk Pcr 0.90.254 v . Now PCRPro runs just fine as well as the reinstalled Icom software.

Maybe I got a BAD download which is possible or this version is Unstable for my System I dont know. But If this cant be corrected I have to go back to 0.89.247 v for the time being .

Thank you ,

Brian

P.S You stated tthat you replied to me about getting my error log. Well Brother i never got your reply,sorry.

From: Jay <crazycalifornian@hotmail.com>
To: TrunkPCR@yahoogroups.com
Sent: Thursday, July 2, 2009 5:16:50 PM
Subject: Re: [TrunkPCR] Re: Solution - TrunkPCR 0.90.254 Problem?

Hey Brian,

That fix was only if the BandPlan was set to "P" (P25)...

Weird, I've been listening to the Moto Site with Astro, in Dual Mode on the 2500 now for the past 14 hours, even with the Control Channel Activity Window open and it's running perfect...

Yes I got the Error.Log, I even replied to you about it, did you not read it or not get it???

Are you using the Scan Delay's Resume Option? or just holding on a Group? Those would call the TrackID routines, but I haven't had a problem on those. If you are using the Resume Condition, try changing it to "Pause While Present" and "Resume Delay" to None...

One thing you might try is checking ALL of your BANKS that are set for Trunking and make sure that P25 is not selected and if so, change them back to Moto Splinter or 800...

Regards,
Jay

----- Original Message -----
From: "Brian"

> For some reason my was BandPlan=8 so I turned (8) to (S) and it will still freeze up and then close. Once I get a P25 transmission TrunkPcr stops responding. All analog is fine TrunkPcr doesn't miss a beat but once P25 comes into play all hell breaks lose.
>
> Also Jay did you get my Error log I sent yesterday morning?
> My problems includes
> Either of these once P25 comes into play
> 1.) I get..... TrackID error [6] Overflow A,(with a bunch of numbers)
> 2.) TrunkPcr will Freeze up and then shut down and Microsoft eroor window comes up.
>
> Anyway Thanks for leting me know where my donation put me it is money well spent. Thanks for taking the time here Jay to address the problems with this update. I know we can get them fixed.
>
> Brian

1481. Same problem Different Computer

Yahoo group: TrunkPCR
Date: 2009-07-03 17:41:07 UTC
From: Brian
Topic: 1481 Message: 1481

I installed 0.90.254 on one of the other computers and I get the same problems.....P25 Crashes Trunk Pcr. Is there something wronge with this version. And yes there are Rebanding here i got a conformation email after lunch today. So I dont know what to say Jay. One city is already done and no one seams to know where it went. My friend said he thinks there are at 6.25Khz Spacing now.

Brian

1482. RE: [TrunkPCR] Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-03 17:56:24 UTC
From: Jack Goetz
Topic: 1470 Message: 1482

HI Jay,

Well you know, I went into the bank.bnk file
and changed the "8" to an "s" it did not help. I can change the one's
percentage by going from normal to reverse. In reverse I am in the 90%
range and in normal I am in the 7-10% range.

Now when I first turn on the pcr software (your
trunking program) I have the trunk button and I hear my data channel noise,
when I activate the "Trunk" button all goes quiet and no signals are being
captured as it did before this major fix you did. So I am at a loss as to
what next to do. I have checked all that I can in your program it allows,
but still no audio from my external speaker. The unit is hooked up
properly and I have not change any of that. All that I have done was to
upgrade the software as you put it out.

So if you have any ideas other than go back to
the old version, please let me know.

You have been of great help to me and so many
others. Have a safe 4th and hope to hear from you soon.

Jack

1483. Jay,

Yahoo group: TrunkPCR
Date: 2009-07-03 14:25:35 UTC
From: Brian
Topic: 1483 Message: 1483

Morning,

i was told today that they are rebanding down here for the next 3 or so weeks. This might by why I am having problems with P25 . I now know after this morning that ALL info at "rr' will be out date for my systems. Which explains now to me why I cant get one of my Banks because the "CC's' are different as of the start of this week. This morning besides Bank one now Banks two is gone meaning different "CC" are in place for them. As for ID's I dont know. The guys on my group told me this. Besides my County there county is Rebanding and they are having the same problems with there rigs/software.

Could this rebanding be causing my errors with the P25 rebanding ?

Brian

1484. No problems

Yahoo group: TrunkPCR
Date: 2009-07-03 20:11:31 UTC
From: Brian
Topic: 1484 Message: 1484

Aafternoon Jay,

Well I went back to 0.89.247v and Trunk Pcr runs GREAT. P25 and everything work fine on both computers. So I will use this verision until you fix 0.90.254 v.

Thanks for everything and have a great 4th

Brian

1485. Re: [TrunkPCR] Solution - TrunkPCR 0.90.254 Problem?

Yahoo group: TrunkPCR
Date: 2009-07-03 21:43:42 UTC
From: Jay
Topic: 1470 Message: 1485

Hi Jack,

Like I was telling Brian, The solution was if the BandPlan was set to "P" then change it to "S" (UpperCase)...

Did you take a look at the OscilloScope to see what you sound input looks like???
Did you read and follow the reply I sent to you last???

The 90% Ones is a clue that your input to the Sound Card is BAD or your Sampling Rate needs to be set lower...

Until you can get that straightened out, you won't get any decode...

So please check out your input and take a look at the audio on the O'Scope :)

Regards,
Jay
----- Original Message -----
From: Jack Goetz

HI Jay,
Well you know, I went into the bank.bnk file and changed the "8" to an "s" it did not help. I can change the one's percentage by going from normal to reverse. In reverse I am in the 90% range and in normal I am in the 7-10% range.

Now when I first turn on the pcr software (your trunking program) I have the trunk button and I hear my data channel noise, when I activate the "Trunk" button all goes quiet and no signals are being captured as it did before this major fix you did. So I am at a loss as to what next to do. I have checked all that I can in your program it allows, but still no audio from my external speaker. The unit is hooked up properly and I have not change any of that. All that I have done was to upgrade the software as you put it out.

So if you have any ideas other than go back to the old version, please let me know.

You have been of great help to me and so many others. Have a safe 4th and hope to hear from you soon.

Jack

1486. Re: [TrunkPCR] Same problem Different Computer

Yahoo group: TrunkPCR
Date: 2009-07-03 21:50:25 UTC
From: Jay
Topic: 1481 Message: 1486

If I knew that there was a known problem with the program, do you really think I would release it???

When it works for me, it should be ok for others :)
But since we all have different programs on our PC's or different hardware or more USB devices, there are bound to be reasons for it not to work the same on other PC's...

Jay

----- Original Message -----
From: "Brian"

> I installed 0.90.254 on one of the other computers and I get the same problems.....P25 Crashes Trunk Pcr. Is there something wronge with this version. And yes there are Rebanding here i got a conformation email after lunch today. So I dont know what to say Jay. One city is already done and no one seams to know where it went. My friend said he thinks there are at 6.25Khz Spacing now.
>
>
> Brian

1487. Re: [TrunkPCR] Jay,

Yahoo group: TrunkPCR
Date: 2009-07-03 21:55:22 UTC
From: Jay
Topic: 1483 Message: 1487

Afternoon,

Nope, I don't think that rebanding is the issue...
It has to do with something that I just can't see at the moment :-)

If you could send me (Off List - Directly to my email address) your
TrunkPcr.ini file and zip up your Bank folder, then maybe that will help :-)

Jay

----- Original Message -----
From: "Brian"

> Morning,
>
> i was told today that they are rebanding down here for the next 3 or so
weeks. This might by why I am having problems with P25 . I now know after
this morning that ALL info at "rr' will be out date for my systems. Which
explains now to me why I cant get one of my Banks because the "CC's' are
different as of the start of this week. This morning besides Bank one now
Banks two is gone meaning different "CC" are in place for them. As for ID's
I dont know. The guys on my group told me this. Besides my County there
county is Rebanding and they are having the same problems with there
rigs/software.
>
> Could this rebanding be causing my errors with the P25 rebanding ?
>
> Brian

1488. Re: [TrunkPCR] No problems

Yahoo group: TrunkPCR
Date: 2009-07-03 21:58:09 UTC
From: Jay
Topic: 1484 Message: 1488

Cool, ok... Well as long as that version works ok for you, use that for the time being until we can resolve the P25 Crashing Issue...

Thanks and Y'all have a Great Weekend!!!

And by all means, don't drink and drive :-)

Take care,
Jay

----- Original Message -----
From: "Brian"

> Aafternoon Jay,
>
> Well I went back to 0.89.247v and Trunk Pcr runs GREAT. P25 and everything work fine on both computers. So I will use this verision until you fix 0.90.254 v.
>
> Thanks for everything and have a great 4th
>
> Brian

1489. Version problems with PCR-100

Yahoo group: TrunkPCR
Date: 2009-07-03 22:11:12 UTC
From: monkey_man07250
Topic: 1489 Message: 1489

OK, I have uninstalled 0.90.254 as it seems to be doing an awful lot of strange things and the wave device out of range error that I told you not to worry about now keeps occurring requiring an uninstall and re-install to get it going, I have re-loaded 0.89.247 and although it freezes the graphics occassionally it does work. Jay, do you have an earlier "bare bones" version of the software that works with Edacs, has less bells and whistles and works well with a pcr 100? (a big ask maybe? - sorry if I am being a pain in the....)

Best Regards - Tony Vk7YBG

1490. Re: [TrunkPCR] Version problems with PCR-100

Yahoo group: TrunkPCR
Date: 2009-07-03 22:37:12 UTC
From: Jay
Topic: 1489 Message: 1490

Hey Tony,

There are some older versions in the file section of this yahoo group to try.

Regards,
Jay

----- Original Message -----
From: "monkey_man07250"

> OK, I have uninstalled 0.90.254 as it seems to be doing an awful lot of strange things and the wave device out of range error that I told you not to worry about now keeps occurring requiring an uninstall and re-install to get it going, I have re-loaded 0.89.247 and although it freezes the graphics occassionally it does work. Jay, do you have an earlier "bare bones" version of the software that works with Edacs, has less bells and whistles and works well with a pcr 100? (a big ask maybe? - sorry if I am being a pain in the....)
>
> Best Regards - Tony Vk7YBG

1491. Stable Versions of TrunkPCR

Yahoo group: TrunkPCR
Date: 2009-07-04 00:54:41 UTC
From: Jay
Topic: 1491 Message: 1491

Hey All,

If you still have an install zip file of what you would consider as a stable version, please upload it to the Files Section of this Group in the Previous Versions folder.

Be sure to check that what you upload isn't there already :-)

Thanks,
Jay

1492. Good Morning Everyone

Yahoo group: TrunkPCR
Date: 2009-07-04 13:56:44 UTC
From: Brian
Topic: 1492 Message: 1492

Good morning Jay and Everyone else,

I just Uploaded these versions for people who are needing them.....(0.88.236,0.89.242,0.89.243,0.89.246,0.89.247) all are Stable and I have use them with no problem.

If you uninstall any version of Trunk Pcr you should ALSO clean your registry with a cleaner(actually your should clean it every time with any software uninstall). I use CCleaner(google it). Then Restart your system to Flash it(Restart Dumps everything out of memory,Caches)Once done go ahead and install your version you want to use and everything should be ok. I do this everytime and have NEVER had any problems.

Also Jay I will get that stuff you ask me for Sunday night email direct to you. It was a long night and I have stuff to do today. So Sunday I will zip that stuff up for you and send it.

Have a great 4th every,

Brian

1493. TrunkPCR version 0.90.255 Now Available

Yahoo group: TrunkPCR
Date: 2009-07-05 01:02:03 UTC
From: Jay
Topic: 1493 Message: 1493

TrunkPCR version 0.90.255 Now Available for Downloading here:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

This update has 2 Changes and 1 Fix...

NOTE: Moto Type-I Support *should* be finished in the next major update.

Jul 02,2009 - -----: Changed Registration Form to say that a User Should
ONLY Send After Initial Donation is made.
Jul 04,2009 - Fixed: Loading Dual Window would cause a crash in certain
circumstances.
Jul 04,2009 - -----: Changed Help Menu -> Trunking Information to
@...

Version 0.90.255 Released 07/04/2009

Regards,
Jay

1494. Re: Version problems with PCR-100

Yahoo group: TrunkPCR
Date: 2009-07-05 03:14:19 UTC
From: monkey_man07250
Topic: 1489 Message: 1494

Thanks Jay, I am having lots fun with this program :-)

Regards - Tony Vk7YBG

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Tony,
>
> There are some older versions in the file section of this yahoo group to
> try.
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "monkey_man07250"
>
>
> > OK, I have uninstalled 0.90.254 as it seems to be doing an awful lot of
> strange things and the wave device out of range error that I told you not to
> worry about now keeps occurring requiring an uninstall and re-install to get
> it going, I have re-loaded 0.89.247 and although it freezes the graphics
> occassionally it does work. Jay, do you have an earlier "bare bones" version
> of the software that works with Edacs, has less bells and whistles and works
> well with a pcr 100? (a big ask maybe? - sorry if I am being a pain in
> the....)
> >
> > Best Regards - Tony Vk7YBG
>

1495. Trunk Groups.

Yahoo group: TrunkPCR
Date: 2009-07-05 06:48:07 UTC
From: w8azv
Topic: 1495 Message: 1495

Jay,
Is there anyway of loading a saved Trunk ID File back from Excel once it's been saved. I set up a master Trunk ID File for a bank and would like to reload the master after I save and or print the latest happenings. Right now and maybe I've had one to many but I can't seem to figure out how to do it. If it can be done?
Help & Thanks for the great software & Support.

Frank
w8azv@...

1496. Re: [TrunkPCR] Trunk Groups.

Yahoo group: TrunkPCR
Date: 2009-07-05 07:15:32 UTC
From: Jay
Topic: 1495 Message: 1496

Yes, if you can save it back in the same format...

Otherwise you'll have to wait until I can add the CSV Import (which is on the ToDo List :))...

Regards,
Jay

----- Original Message -----
From: "w8azv"

> Jay,
> Is there anyway of loading a saved Trunk ID File back from Excel once it's been saved. I set up a master Trunk ID File for a bank and would like to reload the master after I save and or print the latest happenings. Right now and maybe I've had one to many but I can't seem to figure out how to do it. If it can be done?
> Help & Thanks for the great software & Support.
>
> Frank
> w8azv@...

1497. Re: [TrunkPCR] Trunk Groups.

Yahoo group: TrunkPCR
Date: 2009-07-05 13:16:38 UTC
From: Frank Franzoi
Topic: 1495 Message: 1497

Thanks Jay, I guess thats the problem. I am at a loss on how to bring it back? Any Ideas?
Frank

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Sunday, July 5, 2009 12:15:32 AM
Subject: Re: [TrunkPCR] Trunk Groups.

Yes, if you can save it back in the same format...

Otherwise you'll have to wait until I can add the CSV Import (which is on the ToDo List :))...

Regards,
Jay

----- Original Message -----
From: "w8azv"

> Jay,
> Is there anyway of loading a saved Trunk ID File back from Excel once it's been saved. I set up a master Trunk ID File for a bank and would like to reload the master after I save and or print the latest happenings. Right now and maybe I've had one to many but I can't seem to figure out how to do it. If it can be done?
> Help & Thanks for the great software & Support.
>
> Frank
> w8azv@yahoo. com

1498. Re: [TrunkPCR] Trunk Groups.

Yahoo group: TrunkPCR
Date: 2009-07-05 20:14:41 UTC
From: Jay
Topic: 1495 Message: 1498

Hey Frank,

Hmmm, it could be a problem to do it manually...
I'll see if I can get the CSV Import done in the next couple of days :)

What details are you saving in your Master List?
Group/Radio ID, Description and what else?

Thanks,
Jay
----- Original Message -----
From: Frank Franzoi

Thanks Jay, I guess thats the problem. I am at a loss on how to bring it back? Any Ideas?
Frank

From: Jay
Yes, if you can save it back in the same format...

Otherwise you'll have to wait until I can add the CSV Import (which is on
the ToDo List :))...

Regards,
Jay

----- Original Message -----
From: "w8azv"

> Jay,
> Is there anyway of loading a saved Trunk ID File back from Excel once it's
been saved. I set up a master Trunk ID File for a bank and would like to
reload the master after I save and or print the latest happenings. Right now
and maybe I've had one to many but I can't seem to figure out how to do it.
If it can be done?
> Help & Thanks for the great software & Support.
>
> Frank
> w8azv@yahoo. com

1499. Re: [TrunkPCR] Trunk Groups.

Yahoo group: TrunkPCR
Date: 2009-07-06 01:27:32 UTC
From: Frank Franzoi
Topic: 1495 Message: 1499

Jay,
Here in the LV area we have two major systems.
1. Is the Southern Nevada Communications Council which is a Moto system which handles all EMS, Henderson and North Las Vegas Police and all Clark County fire and emergency preparedness systems.

2. Is the Nevada Shared Radio system which is an Edac system which handles all State systems such as the State Police.

What I have done on each of these systems is set up Groups based on my order of importance for monitoring.
For example. On the Moto system I want to monitor the Henderson Police only. So I set up a master Trunk group with only their freq monitored with all others locked out. I have the following groups set up like this:
Henderson Police
North Las Vegas Police
EMS
LV Fire
Henderson Fire
What I have is a complete listing of all the Trunk ID's, Trunk Bank, Priority, and Description for the system and I lock out the ones not appropiate for the group.
It works well except now I have to go into each when I reach the max hits on each or when I want to save info and reset the hits and erase all the radios or do anything to the file that I want to save.
I realize that this seems like a lot of work however, with large systems that we have here unless you lock out what you don't want it becomes impossible to track what you are interested in. So this was the way I figured out to give me some control. The idea being if I have a master group of info I can reload it with 0 info, monitor it for as long as I want, or until max hits has happened then save or delete the file and start over.
I hope this makes sense. It does to me but right now it's alot of work which could be changed if I could reload a master copy of the info upon demand.

Frank

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Sunday, July 5, 2009 1:14:41 PM
Subject: Re: [TrunkPCR] Trunk Groups.

Hey Frank,

Hmmm, it could be a problem to do it manually...
I'll see if I can get the CSV Import done in the next couple of days :)

What details are you saving in your Master List?
Group/Radio ID, Description and what else?

Thanks,
Jay
----- Original Message -----
>From: Frank Franzoi
>
>Thanks Jay, I guess thats the problem. I am at a loss on how to bring it back? Any
Ideas?
>Frank
>
>
>

>From: Jay Yes, if you can save it back in the same format...
>
>Otherwise you'll have to wait until I can add the CSV Import (which is on
>the ToDo List :))...
>
>Regards,
>Jay
>
>----- Original Message -----
>From: "w8azv"
>
>> Jay,
>> Is there anyway of loading a saved Trunk ID File back from Excel once it's
>been saved. I set up a master Trunk ID File for a bank and would like to
>reload the master after I save and or print the latest happenings. Right now
>and maybe I've had one to many but I can't seem to figure out how to do it.
>If it can be done?
>> Help & Thanks for the great software & Support.
>>
>> Frank
>> w8azv@yahoo. com
>
>
>

1500. Jay

Yahoo group: TrunkPCR
Date: 2009-07-10 12:58:41 UTC
From: Brian
Topic: 1460 Message: 1500

Morning Jay,

Have you come across why I am having the problems I am having with Trunk Pcr and P25? i have done everything just short of reimaging my Hard Drive. I will stay with version 0.90.255 with the update and just use it for analog. Also I sent the error log a few days ago did you get it?

Brian

1501. Re: [TrunkPCR] Jay

Yahoo group: TrunkPCR
Date: 2009-07-10 18:42:19 UTC
From: Jay
Topic: 1460 Message: 1501

Hi Brian,

Nope haven't found that problem yet!

And I haven't received the error.log from a few days ago either...

How about the TrunkPcr.ini file and zipped up bank folder???

Thanks,
Jay

----- Original Message -----
From: "Brian"

> Morning Jay,
>
> Have you come across why I am having the problems I am having with Trunk Pcr and P25? i have done everything just short of reimaging my Hard Drive. I will stay with version 0.90.255 with the update and just use it for analog. Also I sent the error log a few days ago did you get it?
>
> Brian

1502. Re: [TrunkPCR] Trunk Groups.

Yahoo group: TrunkPCR
Date: 2009-07-10 18:48:20 UTC
From: Jay
Topic: 1495 Message: 1502

Hey Frank,

The CSV Import is about half way done now :)

To change the Hits back to zero, use the Trunk ID Editor and Highlight ALL Groups you want to change and use the Mouse to Right-Click to bring up the Menu of Options :)

Regards,
Jay

----- Original Message -----
From: Frank Franzoi

Jay,
Here in the LV area we have two major systems.
1. Is the Southern Nevada Communications Council which is a Moto system which handles all EMS, Henderson and North Las Vegas Police and all Clark County fire and emergency preparedness systems.

2. Is the Nevada Shared Radio system which is an Edac system which handles all State systems such as the State Police.

What I have done on each of these systems is set up Groups based on my order of importance for monitoring.
For example. On the Moto system I want to monitor the Henderson Police only. So I set up a master Trunk group with only their freq monitored with all others locked out. I have the following groups set up like this:
Henderson Police
North Las Vegas Police
EMS
LV Fire
Henderson Fire
What I have is a complete listing of all the Trunk ID's, Trunk Bank, Priority, and Description for the system and I lock out the ones not appropiate for the group.
It works well except now I have to go into each when I reach the max hits on each or when I want to save info and reset the hits and erase all the radios or do anything to the file that I want to save.
I realize that this seems like a lot of work however, with large systems that we have here unless you lock out what you don't want it becomes impossible to track what you are interested in. So this was the way I figured out to give me some control. The idea being if I have a master group of info I can reload it with 0 info, monitor it for as long as I want, or until max hits has happened then save or delete the file and start over.
I hope this makes sense. It does to me but right now it's alot of work which could be changed if I could reload a master copy of the info upon demand.

Frank

1503. Re: [TrunkPCR] Trunk Groups.

Yahoo group: TrunkPCR
Date: 2009-07-10 19:24:01 UTC
From: Frank Franzoi
Topic: 1495 Message: 1503

Jay,
Just a note when using the trunk ID editor and you hightlight a line, then left click to bring up the options,
When you use the clear hits option it clears the Alert field.. (makes it 0).
Frank...

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Friday, July 10, 2009 11:48:20 AM
Subject: Re: [TrunkPCR] Trunk Groups.

Hey Frank,

The CSV Import is about half way done now :)

To change the Hits back to zero, use the Trunk ID Editor and Highlight ALL Groups you want to change and use the Mouse to Right-Click to bring up the Menu of Options :)

Regards,
Jay

----- Original Message -----
>From: Frank Franzoi
>
>Jay,
>Here in the LV area we have two major systems.
>1. Is the Southern Nevada Communications Council which is a Moto system which handles all EMS, Henderson and North Las Vegas Police and all Clark County fire and emergency preparedness systems.
>
>2. Is the Nevada Shared Radio system which is an Edac system which handles all State systems such as the State Police.
>
>What I have done on each of these systems is set up Groups based on my order of importance for monitoring.
>For example. On the Moto system I want to monitor the Henderson Police only. So I set up a master Trunk group with only their freq monitored with all others locked out. I have the following groups set up like this:
>Henderson Police
>North Las Vegas Police
>EMS
>LV Fire
>Henderson Fire
>What I have is a complete listing of all the Trunk ID's, Trunk Bank, Priority, and Description for the system and I lock out the ones not appropiate for the group.

>It works well except now I have to go into each when I reach the max hits on each
>or when I want to save info and reset the hits and erase all the radios or do anything to the file that I want to save.
>I realize that this seems like a lot of work however, with large systems that we have here unless you lock out what you don't want it becomes impossible to track what you are interested in. So this was the way I figured out to give me some control. The idea being if I have a master group of info I can reload it with 0 info, monitor it for as long as I want, or until max hits has happened then save or delete the file and start over.
>I hope this makes sense. It does to me but right now it's alot of work which could be changed if I could reload a master copy of the info upon demand.
>
>Frank
>

1504. Re: [TrunkPCR] Trunk Groups.

Yahoo group: TrunkPCR
Date: 2009-07-10 19:27:55 UTC
From: Frank Franzoi
Topic: 1495 Message: 1504

I'm sorry I meant right click.... not to sharp this a.m.
Frank

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Friday, July 10, 2009 11:48:20 AM
Subject: Re: [TrunkPCR] Trunk Groups.

Hey Frank,

The CSV Import is about half way done now :)

To change the Hits back to zero, use the Trunk ID Editor and Highlight ALL Groups you want to change and use the Mouse to Right-Click to bring up the Menu of Options :)

Regards,
Jay

----- Original Message -----
>From: Frank Franzoi
>
>Jay,
>Here in the LV area we have two major systems.
>1. Is the Southern Nevada Communications Council which is a Moto system which handles all EMS, Henderson and North Las Vegas Police and all Clark County fire and emergency preparedness systems.
>
>2. Is the Nevada Shared Radio system which is an Edac system which handles all State systems such as the State Police.
>
>What I have done on each of these systems is set up Groups based on my order of importance for monitoring.
>For example. On the Moto system I want to monitor the Henderson Police only. So I set up a master Trunk group with only their freq monitored with all others locked out. I have the following groups set up like this:
>Henderson Police
>North Las Vegas Police
>EMS
>LV Fire
>Henderson Fire
>What I have is a complete listing of all the Trunk ID's, Trunk Bank, Priority, and Description for the system and I lock out the ones not appropiate for the group.
>It works well except now I have to go into each when I reach the max hits on each
>or when I want to save info and reset the hits and erase all the radios or do anything to the file that I want to save.

>I realize that this seems like a lot of work however, with large systems that we have here unless you lock out what you don't want it becomes impossible to track what you are interested in. So this was the way I figured out to give me some control. The idea being if I have a master group of info I can reload it with 0 info, monitor it for as long as I want, or until max hits has happened then save or delete the file and start over.
>I hope this makes sense. It does to me but right now it's alot of work which could be changed if I could reload a master copy of the info upon demand.
>
>Frank
>

1505. Re: [TrunkPCR] Trunk Groups.

Yahoo group: TrunkPCR
Date: 2009-07-10 19:34:07 UTC
From: Jay
Topic: 1495 Message: 1505

Ooops :)

The display column is what I'm clearing wrong, the Alert Flag itself isn't changed...

I'l fix this shortly...

Thanks,
Jay
----- Original Message -----
From: Frank Franzoi

Jay,
Just a note when using the trunk ID editor and you hightlight a line, then left click to bring up the options,
When you use the clear hits option it clears the Alert field.. (makes it 0).
Frank...

1506. I have a Question Men

Yahoo group: TrunkPCR
Date: 2009-07-28 15:18:19 UTC
From: Brian
Topic: 1506 Message: 1506

I am thinking about getting the (UT-118 D-Star logic board). Now is it worth the money (215.00) and is D-Star going to be in wide use? I am having a hard time trying to decide if it is worth it.

Brian

1507. Re: [TrunkPCR] I have a Question Men

Yahoo group: TrunkPCR
Date: 2009-07-30 18:34:58 UTC
From: Jay
Topic: 1506 Message: 1507

I bought one on eBay for $150, so look around for better prices.

Even though I got it for adding support, I do enjoy listening to the conversations on what's happening in my local area. And since a bunch of D-Star Reflectors can all be linked together, you'll be able to hear Hams all over the globe

The guy that replied to you on RR.com about this, must not be an avid scanner enthusiast?
I use my radios to listen/monitor to all sorts of stuff, even all of the HAM Bands, so adding the DV module was just like adding another scanner to the collection.

Since you have already spent $800 for the PCR, $200 for the P25 Module, another $150 to $200 would just be another investment to make your PCR all that more valuable :-)

Jay

----- Original Message -----
From: "Brian"

> I am thinking about getting the (UT-118 D-Star logic board). Now is it worth the money (215.00) and is D-Star going to be in wide use? I am having a hard time trying to decide if it is worth it.
>
> Brian

1508. Re: [TrunkPCR] I have a Question Men

Yahoo group: TrunkPCR
Date: 2009-07-30 19:33:20 UTC
From: Brian Veres
Topic: 1506 Message: 1508

Whats up Brother,

Yea, I seen that and you can also have the P25 card installed as well as the D-Star installed at the same time in the 2500. P25(UT-122) Main receiver / DTMF(UT-108) or D-Star(UT-118) in the Sub receiver. I am seriously weight my options with the D-Star. Universal Radio has the D-Star listed at 200 so with shipping I will be looking 215 to 220. So I will look around money is getting tight for me as it is with everyone with the economy.

Any thing come up yet with that P25 problem I am having? I have been trying different things and still nothing at all. Crashes everytime for me. But I take it as a learning experience that will increase my knowledge of radios and computers. I am very serious about what I do as you well know from all of my computers and Radios I use. Icoms are the only radios I use now.

Thanks for everything Jay

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Thursday, July 30, 2009 2:34:58 PM
Subject: Re: [TrunkPCR] I have a Question Men

I bought one on eBay for $150, so look around for better prices.

Even though I got it for adding support, I do enjoy listening to the conversations on what's happening in my local area. And since a bunch of D-Star Reflectors can all be linked together, you'll be able to hear Hams all over the globe

The guy that replied to you on RR.com about this, must not be an avid scanner enthusiast?
I use my radios to listen/monitor to all sorts of stuff, even all of the HAM Bands, so adding the DV module was just like adding another scanner to the collection.

Since you have already spent $800 for the PCR, $200 for the P25 Module, another $150 to $200 would just be another investment to make your PCR all that more valuable :-)

Jay

----- Original Message -----
From: "Brian"

> I am thinking about getting the (UT-118 D-Star logic board). Now is it worth the money (215.00) and is D-Star going to be in wide use? I am having a hard time trying to decide if it is worth it.
>
> Brian

1509. Re: I have a Question Men - P25 Crashing

Yahoo group: TrunkPCR
Date: 2009-07-30 20:24:11 UTC
From: Jay
Topic: 1506 Message: 1509

Hey Brian,

Nope, haven't had a chance yet to see what your problem is...
My oldest Daughter and GrandSon have been out visiting, so they have been my priority :)

No need to keep asking, I'll let ya know if I find anything...
So for now, just keep the [ ] Block Astro Calls Checked :)

Regards,
Jay

--- In TrunkPCR@yahoogroups.com, Brian Veres <sjinndoawi00@...> wrote:
>
> Whats up Brother,
>
> Any thing come up yet with that P25 problem I am having? I have been trying different things and still nothing at all. Crashes everytime for me. But I take it as a learning experience that will increase my knowledge of radios and computers. I am very serious about what I do as you well know from all of my computers and Radios I use. Icoms are the only radios I use now.
>
> Thanks for everything Jay
>
> Brian

1510. Re: [TrunkPCR] Re: I have a Question Men - P25 Crashing

Yahoo group: TrunkPCR
Date: 2009-07-31 00:32:05 UTC
From: Brian Veres
Topic: 1506 Message: 1510

No problem, Jay. You do a lot for us

Thanks

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Thursday, July 30, 2009 4:24:11 PM
Subject: [TrunkPCR] Re: I have a Question Men - P25 Crashing

Hey Brian,

Nope, haven't had a chance yet to see what your problem is...
My oldest Daughter and GrandSon have been out visiting, so they have been my priority :)

No need to keep asking, I'll let ya know if I find anything...
So for now, just keep the [ ] Block Astro Calls Checked :)

Regards,
Jay

--- In TrunkPCR@yahoogroup s.com, Brian Veres <sjinndoawi00@ ...> wrote:
>
> Whats up Brother,
>
> Any thing come up yet with that P25 problem I am having? I have been trying different things and still nothing at all. Crashes everytime for me. But I take it as a learning experience that will increase my knowledge of radios and computers. I am very serious about what I do as you well know from all of my computers and Radios I use. Icoms are the only radios I use now.
>
> Thanks for everything Jay
>
> Brian

1511. Morning Jay, is it possible?

Yahoo group: TrunkPCR
Date: 2009-08-03 14:56:57 UTC
From: Brian
Topic: 1511 Message: 1511

Would it be possible in the near future for TrunkPCR to be able to do Mulit-site trunking? (watching two control channels)Some like the Unidens can do. I don't know if GRE can mulit-site.

How hard would it be for Either of your programs (PCRPro/TrunkPCR) to do Digital FM radio stations?

I was reading some of the older post. And it doesn't sound like NAC decoding will be possible. If remember right some one said it would take like 17 minutes to go through all possible NAC codes.

Thanks for your input Jay

Brian

1512. Dumb question I'm sure

Yahoo group: TrunkPCR
Date: 2009-08-04 01:44:56 UTC
From: Neal
Topic: 1512 Message: 1512

Hello to the group. For the life of me I cannot remember how to download a trunked system file from the radio reference site.

I did a search in the messages and did not see what I was looking for.

Can someone point me in the right direction, Please?

I have moved to a Vista based lap top and it has been a challenge compared to what I was used to in an XP machine.

Thanks in advance,

Neal Linder
(KC8OMO)

1513. Re: [TrunkPCR] Dumb question I'm sure

Yahoo group: TrunkPCR
Date: 2009-08-04 22:25:28 UTC
From: Frank Franzoi
Topic: 1512 Message: 1513

Neal,

I just got through downloading Nevada files and the function works just fine.
1. Use Web Import in the file function.
2. It brings a log in function for radio reference.
Log in using your Username & Password (Note: you have to be a premium subscriber to do this)
3. Just enter the Type of system and location info and it should bring up what you need.

I hope this is what you need.. It works really well and a very easy way to get the files you need.
Frank
W8AZV

From: Neal <neallinder@...>
To: TrunkPCR@yahoogroups.com
Sent: Monday, August 3, 2009 6:44:56 PM
Subject: [TrunkPCR] Dumb question I'm sure

Hello to the group. For the life of me I cannot remember how to download a trunked system file from the radio reference site.

I did a search in the messages and did not see what I was looking for.

Can someone point me in the right direction, Please?

I have moved to a Vista based lap top and it has been a challenge compared to what I was used to in an XP machine.

Thanks in advance,

Neal Linder
(KC8OMO)

1514. RE: [TrunkPCR] Dumb question I'm sure

Yahoo group: TrunkPCR
Date: 2009-08-04 22:29:33 UTC
From: Neal Linder
Topic: 1512 Message: 1514

I guess that would explain it. I am no longer a premium subscriber and I was before.

Thanks

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Frank Franzoi
Sent: Tuesday, August 04, 2009 6:25 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Dumb question I'm sure

Neal,

I just got through downloading Nevada files and the function works just fine.

1. Use Web Import in the file function.

2. It brings a log in function for radio reference.

Log in using your Username & Password (Note: you have to be a premium subscriber to do this)

3. Just enter the Type of system and location info and it should bring up what you need.

I hope this is what you need.. It works really well and a very easy way to get the files you need.

Frank

W8AZV

From: Neal <neallinder@...>
To: TrunkPCR@yahoogroups.com
Sent: Monday, August 3, 2009 6:44:56 PM
Subject: [TrunkPCR] Dumb question I'm sure

Hello to the group. For the life of me I cannot remember how to download a trunked system file from the radio reference site.

I did a search in the messages and did not see what I was looking for.

Can someone point me in the right direction, Please?

I have moved to a Vista based lap top and it has been a challenge compared to what I was used to in an XP machine.

Thanks in advance,

Neal Linder
(KC8OMO)

1515. Re: [TrunkPCR] Morning Jay, is it possible?

Yahoo group: TrunkPCR
Date: 2009-08-05 19:17:07 UTC
From: Jay
Topic: 1511 Message: 1515

Hey Brian,

(Reply Inside)

----- Original Message -----
From: "Brian"

> Would it be possible in the near future for TrunkPCR to be able to do
Mulit-site trunking? (watching two control channels)Some like the Unidens
can do. I don't know if GRE can mulit-site.

Sure, as long as you have two PCR's running the program from a different
folder :)
For the 2500, TrunkPCR is in an updating phase that will allow you to use
the MAIN Receiver in Trunking, while using the SUB Receiver in Conventional
mode.
Eventually, the SUB Receiver will allow Trunking using a different Trunk
System, but that will be down the road...

> How hard would it be for Either of your programs (PCRPro/TrunkPCR) to do
Digital FM radio stations?

As long as you have the Added Hardware, I don't see why not. But if you mean
by software, then nope.

> I was reading some of the older post. And it doesn't sound like NAC
decoding will be possible. If remember right some one said it would take
like 17 minutes to go through all possible NAC codes.

Yes, that is what I figured out and replied to on Feb 11th:
(I don't think a "NAC Search" would work to well since there are 4,096 NAC
codes. Testing 4 codes a second, sampling each code for 1/4 of a second,
would take up to 1,024 seconds (17 minutes) to test all codes for a match.)

And that could be up to 17 Minutes of Monitoring an Active Voice Channel, so
the actual time may be even longer...
You would have to have it start a search and then come back an hour later to
see if it found a match.

> Thanks for your input Jay
>
> Brian

Regards,
Jay

1516. Re: [TrunkPCR] Morning Jay, is it possible?

Yahoo group: TrunkPCR
Date: 2009-08-06 10:31:50 UTC
From: Brian Veres
Topic: 1511 Message: 1516

thanks Jay

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, August 5, 2009 12:17:07 PM
Subject: Re: [TrunkPCR] Morning Jay, is it possible?

Hey Brian,

(Reply Inside)

----- Original Message -----
From: "Brian"

> Would it be possible in the near future for TrunkPCR to be able to do
Mulit-site trunking? (watching two control channels)Some like the Unidens
can do. I don't know if GRE can mulit-site.

Sure, as long as you have two PCR's running the program from a different
folder :)
For the 2500, TrunkPCR is in an updating phase that will allow you to use
the MAIN Receiver in Trunking, while using the SUB Receiver in Conventional
mode.
Eventually, the SUB Receiver will allow Trunking using a different Trunk
System, but that will be down the road...

> How hard would it be for Either of your programs (PCRPro/TrunkPCR) to do
Digital FM radio stations?

As long as you have the Added Hardware, I don't see why not. But if you mean
by software, then nope.

> I was reading some of the older post. And it doesn't sound like NAC
decoding will be possible. If remember right some one said it would take
like 17 minutes to go through all possible NAC codes.

Yes, that is what I figured out and replied to on Feb 11th:
(I don't think a "NAC Search" would work to well since there are 4,096 NAC
codes. Testing 4 codes a second, sampling each code for 1/4 of a second,
would take up to 1,024 seconds (17 minutes) to test all codes for a match.)

And that could be up to 17 Minutes of Monitoring an Active Voice Channel, so
the actual time may be even longer...
You would have to have it start a search and then come back an hour later to
see if it found a match.

> Thanks for your input Jay
>
> Brian

Regards,
Jay

1517. Error message

Yahoo group: TrunkPCR
Date: 2009-08-09 18:07:37 UTC
From: David Guretzki
Topic: 1517 Message: 1517

Hi Jay. I'm getting this error message when I try to begin trunking. I've had the program working well, but then it just started doing this.

MMResult: waveInopen returns A device ID has been used that is out of range for your system

Any tips?

David

1518. RE: [TrunkPCR] Error message

Yahoo group: TrunkPCR
Date: 2009-08-10 14:03:50 UTC
From: David Guretzki
Topic: 1517 Message: 1518

I reinstalled and everything seems to be working fine now.

DG

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of David Guretzki
Sent: Sunday, August 09, 2009 12:08 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Error message [html][spf]

Hi Jay. I'm getting this error message when I try to begin trunking. I've had the program working well, but then it just started doing this.

MMResult: waveInopen returns A device ID has been used that is out of range for your system

Any tips?

David

1519. How do I trunk a new Control Channel?

Yahoo group: TrunkPCR
Date: 2009-08-10 13:43:51 UTC
From: Brian
Topic: 1519 Message: 1519

Ok I have found a new Control Channel in the 700.xxx.xxx range. I know it is a Motorola system by listening to it. How do I go about setting up a bank for this Control Channel? Or how do I get it to trunk this new Control Channel? Do I just go to that frequency and just click the Trunk button, is it that easy?

Brian

1520. Re: [TrunkPCR] Error message

Yahoo group: TrunkPCR
Date: 2009-08-10 18:45:07 UTC
From: Jay
Topic: 1517 Message: 1520

Hi David,

This can be fixed by a few ways:
1) In the Sound Card Setup, Change your Decoding Device.
2) Close and restart the program.
3) Reboot your PC...

Regards,
Jay

----- Original Message -----
From: "David Guretzki"

> Hi Jay. I'm getting this error message when I try to begin trunking. I've
had the program working well, but then it just started doing this.
>
> MMResult: waveInopen returns A device ID has been used that is out of
range for your system
>
> Any tips?
>
> David

1521. Re: [TrunkPCR] How do I trunk a new Control Channel?

Yahoo group: TrunkPCR
Date: 2009-08-10 19:18:38 UTC
From: Jay
Topic: 1519 Message: 1521

Hey Brian,

Kinda easy,
1) In the Trunk Settings, set this as a Moto System.
2) Select "Extended Freq Plan".
3) Click the Trunk Button and then the Manual Button.
4) Click the Control Button and let the display fill up with calls and channels.

You will see that the frequencies will show a 0xNNNN hexadecimal number instead of an actual number.
The Extended Freq Plan will need editing after we determine what the order is...

After you get the most amount of channels showing up, send me each the 0x numbers (Reply on the list for this one) and specify which one is the control channel.

I will then be able to walk you through how to set up the Freq Plan...

Regards,
Jay

----- Original Message -----
From: "Brian"
>

> Ok I have found a new Control Channel in the 700.xxx.xxx range. I know it is a Motorola system by listening to it. How do I go about setting up a bank for this Control Channel? Or how do I get it to trunk this new Control Channel? Do I just go to that frequency and just click the Trunk button, is it that easy?
>
> Brian

1522. Re: [TrunkPCR] How do I trunk a new Control Channel?

Yahoo group: TrunkPCR
Date: 2009-08-11 01:38:53 UTC
From: Brian Veres
Topic: 1519 Message: 1522

Cool Jay and Thanks.. I will work on it ..But you want me to (reply on list for this?)

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Monday, August 10, 2009 3:18:38 PM
Subject: Re: [TrunkPCR] How do I trunk a new Control Channel?

Hey Brian,

Kinda easy,
1) In the Trunk Settings, set this as a Moto System.
2) Select "Extended Freq Plan".
3) Click the Trunk Button and then the Manual Button.
4) Click the Control Button and let the display fill up with calls and channels.

You will see that the frequencies will show a 0xNNNN hexadecimal number instead of an actual number.
The Extended Freq Plan will need editing after we determine what the order is...

After you get the most amount of channels showing up, send me each the 0x numbers (Reply on the list for this one) and specify which one is the control channel.

I will then be able to walk you through how to set up the Freq Plan...

Regards,
Jay

----- Original Message -----
From: "Brian"
>

> Ok I have found a new Control Channel in the 700.xxx.xxx range. I know it is a Motorola system by listening to it. How do I go about setting up a bank for this Control Channel? Or how do I get it to trunk this new Control Channel? Do I just go to that frequency and just click the Trunk button, is it that easy?
>
> Brian

Messages in this topic (2) Reply (via web post) | Start a new topic
Messages | Files | Photos | Links | Database | Members | Calendar
MARKETPLACE

Mom Power: Discover the community of moms doing more for their families, for the world and for each other

Change settings via the Web (Yahoo! ID required)
Change settings via email: Switch delivery to Daily Digest | Switch format to Traditional
Visit Your Group | Yahoo! Groups Terms of Use | Unsubscribe
Recent Activity
* 2
New MembersVisit Your Group
Sell Online
Start selling with
our award-winning
e-commerce tools.
Yahoo! Groups
Small Business Group
Ask questions,
share experiences
Cat Groups
on Yahoo! Groups
Share pictures &
stories about cats.
.

__,_.._,___

1523. Hey men.. Here is a interesting read with great information

Yahoo group: TrunkPCR
Date: 2009-08-11 02:08:07 UTC
From: Brian
Topic: 1523 Message: 1523

Going through some of my old notes and stuff and thought everyone here would like this information about Buffer overruns and stuff like that...

Why drop-outs occur....

Processing of streaming data in real-time is a very challenging task for Windows based applications and device drivers. This is because by design Windows is not a real-time operating system. There is no guarantee that certain (periodic) actions can be executed in a timely manner.

Audio or video data streams transferred from or to an external device are typically handled by a kernel-mode device driver. Data processing in such device drivers is interrupt-driven. Typically, the external hardware periodically issues interrupts to request the driver to transfer the next block of data. In Windows NT based systems (Windows 2000 and better) there is a specific interrupt handling mechanism. A device driver cannot process data immediately in its interrupt routine. It has to schedule a Deferred Procedure Call (DPC) which basically is a callback routine that will be called by the operating system as soon as possible. Any data transfer performed by the device driver takes place in the context of this callback routine, named DPC for short.

The operating system maintains DPCs scheduled by device drivers in a queue. There is one DPC queue per CPU available in the system. At certain points the kernel checks the DPC queue and if no interrupt is to be processed and no DPC is currently running the first DPC will be un-queued and executed. DPC queue processing happens before the dispatcher selects a thread and assigns the CPU to it. So, a Deferred Procedure Call has a higher priority than any thread in the system.

Note that the Deferred Procedure Call concept exists in kernel mode only. Any user-mode code (Windows applications) runs in the context of a thread. Threads are managed and scheduled for execution by the dispatcher.

While there is a pre-emptive multitasking for threads, DPCs are executed sequentially according to the first in, first out nature of a DPC queue. Thus, a sort of cooperative multitasking scheme exists for Deferred Procedure Calls. If any DPC runs for an excessive amount of time then other DPCs will be delayed by that amount of time. Consequently, the latency of a particular DPC is defined as the sum of the execution time of all DPCs queued in front of that DPC. In order to achieve reasonable DPC latencies, in the Windows Device Driver Kit (DDK) documentation Microsoft recommends to return from a DPC routine as quick as possible. Any lengthy operation and specifically loops that wait for a hardware state change (polling) are strongly discouraged.

Unfortunately, many existing device drivers do not conform to this advice. Such drivers spend an excessive amount of time in their DPC routines, causing an exceptional large latency for any other driver's DPCs. For a device driver that handles data streams in real-time it is crucial that a DPC scheduled from its interrupt routine is executed before the hardware issues the next interrupt. If the DPC is delayed and runs after the next interrupt occurred, typically a hardware buffer overrun occurs.

Great inforamtion for us because we use software to run our Receivers.

Brian

1524. Re: [TrunkPCR] How do I trunk a new Control Channel?

Yahoo group: TrunkPCR
Date: 2009-08-11 02:10:59 UTC
From: Jay
Topic: 1519 Message: 1524

Yep, so ALL can learn :)

Jay
----- Original Message -----
From: Brian Veres

Cool Jay and Thanks.. I will work on it ..But you want me to (reply on list for this?)

Brian

From: Jay
Hey Brian,

Kinda easy,
1) In the Trunk Settings, set this as a Moto System.
2) Select "Extended Freq Plan".
3) Click the Trunk Button and then the Manual Button.
4) Click the Control Button and let the display fill up with calls and channels.

You will see that the frequencies will show a 0xNNNN hexadecimal number instead of an actual number.
The Extended Freq Plan will need editing after we determine what the order is...

After you get the most amount of channels showing up, send me each the 0x numbers (Reply on the list for this one) and specify which one is the control channel.

I will then be able to walk you through how to set up the Freq Plan...

Regards,
Jay

1525. Error message: wave in start

Yahoo group: TrunkPCR
Date: 2009-08-12 01:06:15 UTC
From: danoman33
Topic: 1525 Message: 1525

I have been trying to figure this out myself but after three days of failure I think it's time to ask the expert.

MMResult:WaveInStart returns This function is not supported.

I've changed everything I can think of related to the program and my sound card. (Creative labs Audigy 2) Windows XP home.

I tried versions .245 and .255 without any luck.

I have my PCR-2500 audio out to the line in and the packet out to the microphone input. I am not using USB audio.

Thanks in advance
Daniel

1526. Re: [TrunkPCR] Error message: wave in start

Yahoo group: TrunkPCR
Date: 2009-08-12 18:33:34 UTC
From: Jay
Topic: 1525 Message: 1526

Hi Daniel,

Have you tried different Sampling Rates? If you are trying 48000 or 96000 and your sound card doesn't support these rates, that could give you this error...
44100 should work, of not try 22050...

There should also be a MMSYSTEM Error code, can you tell me what that is or send me the Error.log file that has been created in TrunkPcr's Install folder?

In the Sound Card Setup (Under the Audio Menu), have you tried different Devcices that are shown in the Decoding List?

Thanks,
Jay

----- Original Message -----
From: "danoman33"

> I have been trying to figure this out myself but after three days of failure I think it's time to ask the expert.
>
> MMResult:WaveInStart returns This function is not supported.
>
> I've changed everything I can think of related to the program and my sound card. (Creative labs Audigy 2) Windows XP home.
>
> I tried versions .245 and .255 without any luck.
>
> I have my PCR-2500 audio out to the line in and the packet out to the microphone input. I am not using USB audio.
>
> Thanks in advance
> Daniel

1527. Re: Error message: wave in start

Yahoo group: TrunkPCR
Date: 2009-08-14 02:51:11 UTC
From: danoman33
Topic: 1525 Message: 1527

Thanks for your help Jay but I've come to the conclusion that it's time to mount a clean image to both my drives. I've got other issues going on here. I'll start from scratch this weekend and hopefully get it working. Once I get your program up and running I will register it.

Thanks again
Daniel

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Daniel,
>
> Have you tried different Sampling Rates? If you are trying 48000 or 96000
> and your sound card doesn't support these rates, that could give you this
> error...
> 44100 should work, of not try 22050...
>
> There should also be a MMSYSTEM Error code, can you tell me what that is or
> send me the Error.log file that has been created in TrunkPcr's Install
> folder?
>
> In the Sound Card Setup (Under the Audio Menu), have you tried different
> Devcices that are shown in the Decoding List?
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "danoman33"
>
>
> > I have been trying to figure this out myself but after three days of
> failure I think it's time to ask the expert.
> >
> > MMResult:WaveInStart returns This function is not supported.
> >
> > I've changed everything I can think of related to the program and my sound
> card. (Creative labs Audigy 2) Windows XP home.
> >
> > I tried versions .245 and .255 without any luck.
> >
> > I have my PCR-2500 audio out to the line in and the packet out to the
> microphone input. I am not using USB audio.
> >
> > Thanks in advance

> > Daniel
>

1528. Re: Error message: wave in start

Yahoo group: TrunkPCR
Date: 2009-09-09 04:04:50 UTC
From: danoman33
Topic: 1525 Message: 1528

I really hate to bother you again Jay but I'm at my wits end with this error message.

What I've done so far.
Clean install of Windows XP (SP3)
Latest Creative Audigy 2 drivers
Current software and firmware for the 2500
Installed Trunk88 and verified proper operation of recording levels

If I set the sound card settings for "decoding device" to anything other than USB I get the error.

-- Error Occured: 09-08-2009 - 22:03:45--
MMResult: WaveInStart returns This function is not supported. Use the Capabilities function to determine which functions and messages the driver supports.: Err[0] ->

With "decoding device" set to usb I get 50% 1's and zero recovery rate but no error message.

I have no recording controls listed in my audio properties for USB just playback.

As I try different settings TrunkPCR locks up and I have to use the "reset" button to reboot the PC.

I played around with the debug window tonight and noticed when I cycle the power button on TrunkPCR the last four items in the left column are listed as BAD COMMANDS in the right column.

```
In:> 6.........................BAD COMMAND
Cmd:> K10062475000050200........BAD COMMAND
Cmd:> JA201.....................BAD COMMAND
Cmd:> G301......................BAD COMMAND
In:> 12........................Auto Started
```

Don't know if that means anything. Just noticed it while I was typing this message.

Any guidance will be greatly appreciated.

Daniel

--- In TrunkPCR@yahoogroups.com, "danoman33" <danoman3@...> wrote:
>
> Thanks for your help Jay but I've come to the conclusion that it's time to mount a clean image to both my drives. I've got other issues going on here. I'll start from scratch this weekend and hopefully get it working. Once I get your program up and running I will register it.
>
> Thanks again
> Daniel

>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> >
> > Hi Daniel,
> >
> > Have you tried different Sampling Rates? If you are trying 48000 or 96000
> > and your sound card doesn't support these rates, that could give you this
> > error...
> > 44100 should work, of not try 22050...
> >
> > There should also be a MMSYSTEM Error code, can you tell me what that is or
> > send me the Error.log file that has been created in TrunkPcr's Install
> > folder?
> >
> > In the Sound Card Setup (Under the Audio Menu), have you tried different
> > Devcices that are shown in the Decoding List?
> >
> > Thanks,
> > Jay
> >
> > ----- Original Message -----
> > From: "danoman33"
> >
> >
> > > I have been trying to figure this out myself but after three days of
> > failure I think it's time to ask the expert.
> > >
> > > MMResult:WaveInStart returns This function is not supported.
> > >
> > > I've changed everything I can think of related to the program and my sound
> > card. (Creative labs Audigy 2) Windows XP home.
> > >
> > > I tried versions .245 and .255 without any luck.
> > >
> > > I have my PCR-2500 audio out to the line in and the packet out to the
> > microphone input. I am not using USB audio.
> > >
> > > Thanks in advance
> > > Daniel
> >
>

1529. Re: [TrunkPCR] Re: Error message: wave in start

Yahoo group: TrunkPCR
Date: 2009-09-11 19:45:20 UTC
From: Jay
Topic: 1525 Message: 1529

Hey Daniel,

Hmmmm, ok...

Can you tell me what the device names are, that are listed for the "Decoding Device" ?

I'll have to make a little program to test your Sound Card's Capabilities and see what's not working...

Thanks,
Jay

----- Original Message -----
From: "danoman33" <danoman3@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Tuesday, September 08, 2009 9:04 PM
Subject: [TrunkPCR] Re: Error message: wave in start

> I really hate to bother you again Jay but I'm at my wits end with this error message.
>
> What I've done so far.
> Clean install of Windows XP (SP3)
> Latest Creative Audigy 2 drivers
> Current software and firmware for the 2500
> Installed Trunk88 and verified proper operation of recording levels
>
> If I set the sound card settings for "decoding device" to anything other than USB I get the error.
>
> -- Error Occured: 09-08-2009 - 22:03:45--
> MMResult: WaveInStart returns This function is not supported. Use the Capabilities function to determine which functions and messages the driver supports.: Err[0] ->
>
> With "decoding device" set to usb I get 50% 1's and zero recovery rate but no error message.
>
> I have no recording controls listed in my audio properties for USB just playback.
>
> As I try different settings TrunkPCR locks up and I have to use the "reset" button to reboot the PC.
>
> I played around with the debug window tonight and noticed when I cycle the

power button on TrunkPCR the last four items in the left column are listed as BAD COMMANDS in the right column.

```
>
> In:> 6.........................BAD COMMAND
> Cmd:> K10062475000050200........BAD COMMAND
> Cmd:> JA201....................BAD COMMAND
> Cmd:> G301.....................BAD COMMAND
> In:> 12........................Auto Started
```

>
> Don't know if that means anything. Just noticed it while I was typing this message.
>
> Any guidance will be greatly appreciated.
>
> Daniel

1530. Re: Error message: wave in start

Yahoo group: TrunkPCR
Date: 2009-09-12 01:05:13 UTC
From: danoman33
Topic: 1525 Message: 1530

Thanks in advance for your help Jay,

I really want to get this up and running so I can trunk the new P25 700 system they have here in Louisiana. (I just blew the money for a P25 module for my 2500)
The device names listed are as follows:
Wave Mapper
SB Audigy 2 Audio [A000] [Stereo]
USB Audio CODEC [Stereo]

Trunk88 reports my input is reversed. (I've tried it both ways with no luck)
MY next step was to enable my motherboard audio and try that.

Thanks again
Daniel

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Daniel,
>
> Hmmmm, ok...
>
> Can you tell me what the device names are, that are listed for the "Decoding
> Device" ?
>
> I'll have to make a little program to test your Sound Card's Capabilities
> and see what's not working...
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "danoman33" <danoman3@...>
> To: <TrunkPCR@yahoogroups.com>
> Sent: Tuesday, September 08, 2009 9:04 PM
> Subject: [TrunkPCR] Re: Error message: wave in start
>
>
> > I really hate to bother you again Jay but I'm at my wits end with this
> error message.
> >
> > What I've done so far.
> > Clean install of Windows XP (SP3)
> > Latest Creative Audigy 2 drivers
> > Current software and firmware for the 2500
> > Installed Trunk88 and verified proper operation of recording levels
> >

> > If I set the sound card settings for "decoding device" to anything other
> than USB I get the error.
> >
> > -- Error Occured: 09-08-2009 - 22:03:45--
> > MMResult: WaveInStart returns This function is not supported. Use the
> Capabilities function to determine which functions and messages the driver
> supports.: Err[0] ->
> >
> > With "decoding device" set to usb I get 50% 1's and zero recovery rate but
> no error message.
> >
> > I have no recording controls listed in my audio properties for USB just
> playback.
> >
> > As I try different settings TrunkPCR locks up and I have to use the
> "reset" button to reboot the PC.
> >
> > I played around with the debug window tonight and noticed when I cycle the
> power button on TrunkPCR the last four items in the left column are listed
> as BAD COMMANDS in the right column.
> >
> > In:> 6.....BAD COMMAND
> > Cmd:> K10062475000050200.....BAD COMMAND
> > Cmd:> JA201.....BAD COMMAND
> > Cmd:> G301.....BAD COMMAND
> > In:> 12.....Auto Started
> >
> > Don't know if that means anything. Just noticed it while I was typing
> this message.
> >
> > Any guidance will be greatly appreciated.
> >
> > Daniel
>

1531. Re: [TrunkPCR] Re: Error message: wave in start

Yahoo group: TrunkPCR
Date: 2009-09-12 02:12:14 UTC
From: Jay
Topic: 1525 Message: 1531

Hi Daniel,

Are you running a version of TrunkPcr that let's you click the [Trunk] Button when the Trunk Settings are set for P25? If so, then that would be the problem...
P25 Trunking isn't working yet, you can park the frequency on a P25 Voice Channel or have it Scan a bank who's channels are set to P25 to listen to P25 Calls for now...

If the site is a Moto Astro/Analog site, then we still have a problem...

Jay

----- Original Message -----
From: "danoman33"

> Thanks in advance for your help Jay,
>
> I really want to get this up and running so I can trunk the new P25 700 system they have here in Louisiana. (I just blew the money for a P25 module for my 2500)
> The device names listed are as follows:
> Wave Mapper
> SB Audigy 2 Audio [A000] [Stereo]
> USB Audio CODEC [Stereo]
>
> Trunk88 reports my input is reversed. (I've tried it both ways with no luck)
> MY next step was to enable my motherboard audio and try that.
>
>
> Thanks again
> Daniel

1532. Help

Yahoo group: TrunkPCR
Date: 2009-09-24 16:01:13 UTC
From: sjinndoawi00
Topic: 1532 Message: 1532

I have a PYC file extension (Python script) I cant run the program. I get the windows doesn't recognize file. So how or where do I get the application to be able to run/install/use this program that is written in Python script?

It is a radio application

Thanks

Brian

1533. Evening Jay

Yahoo group: TrunkPCR
Date: 2009-10-04 21:26:02 UTC
From: sjinndoawi00
Topic: 1533 Message: 1533

Can we get a hint of what you are working on for updates/upgrades for TrunkPCR?
Also did you say you were working on TrunkPCR sub reciever having the ability to be on a different frequency while Main would be on another?

Brian

1534. Re: [TrunkPCR] TrunkPcr Update Status; was: Evening Jay

Yahoo group: TrunkPCR
Date: 2009-10-05 02:52:44 UTC
From: Jay
Topic: 1534 Message: 1534

Since the last "Public" Release, this is what I've been doing:

Jul 10,2009 - Fixed: Clearing Hits Column In TrunkID Editor from Menu.
Jul 10,2009 - Fixed: Setting Propper Columns In TrunkID Editor when NEW GroupID is Added.
Jul 10,2009 - Fixed: Setting Propper Columns In TrunkID Editor when NEW RadioID is Added.
Jul 10,2009 - Added: Setting Alert for Selected Groups from Menu.
Jul 10,2009 - Added: Setting Alert for Selected Radios from Menu.
Jul 12,2009 - Fixed: Clearing P25 Call History now replaces header text.
Jul 12,2009 - -----: For a Pure P25 Site, YOU NOW NEED TO SET IT in the Trunk Settings as P25!!!
The Decoder still isn't finished, but this will help to Identify the Site.
Jul 12,2009 - Added: Import CSV files to Banks.
Jul 12,2009 - Added: Import CSV files to Groups & Radios.
Jul 15,2009 - Added: ByPass External Speaker Plug-In Notification for PCR-100 (*** Not Recommended ***).
Aug 10,2009 - Fixed: Timed Recorder Auto Start / Stopping.
Aug 11,2009 - -----: Timed Recording can now be stopped by Un-Checking Enable CheckBox.
Aug 11,2009 - -----: Sound Recorder won't be shown if Timed Recording in Progress.
Aug 11,2009 - Added: Delete Wave File Button in Sound Recorder.
Aug 12,2009 - Fixed: Recording Device ID now used when checking WaveFormat in Sound Recorder.
Sep 28,2009 - -----: Changed two Scan Status Indicator Colors so that CTCSS Tone isn't mistaken as activated.

And yes, an option for the PCR-2500/R2500 is to have the SUB Receiver do it's own thing while trunking. For "Dual" operation, the 2500 setup would need a separate Audio Source in this configuration...

I'm also working on PCR Pro, PCR Remote, TrunkMON and the Scanner Contruction Set...
My *Spare* time isn't just devoted to my Programming Hobby, I'm a TV'holic, so I'll watch TV while working on the programs (more TV than programming). But when it come to watching Blue-Ray/DVD movies, the PC goes in stand-by since my HD TV is also my PC Monitor :)

Jay

----- Original Message -----
From: "sjinndoawi00"

> Can we get a hint of what you are working on for updates/upgrades for TrunkPCR?
> Also did you say you were working on TrunkPCR sub reciever having the ability to be on a different frequency while Main would be on another?
>
> Brian

1535. Re: [TrunkPCR] TrunkPcr Update Status; was: Evening Jay

Yahoo group: TrunkPCR
Date: 2009-10-05 12:40:07 UTC
From: Brian Veres
Topic: 1534 Message: 1535

Thank you Jay for answeing my question

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Sun, October 4, 2009 10:52:44 PM
Subject: Re: [TrunkPCR] TrunkPcr Update Status; was: Evening Jay

Since the last "Public" Release, this is what I've been doing:

Jul 10,2009 - Fixed: Clearing Hits Column In TrunkID Editor from Menu.
Jul 10,2009 - Fixed: Setting Propper Columns In TrunkID Editor when NEW GroupID is Added.
Jul 10,2009 - Fixed: Setting Propper Columns In TrunkID Editor when NEW RadioID is Added.
Jul 10,2009 - Added: Setting Alert for Selected Groups from Menu.
Jul 10,2009 - Added: Setting Alert for Selected Radios from Menu.
Jul 12,2009 - Fixed: Clearing P25 Call History now replaces header text.
Jul 12,2009 - -----: For a Pure P25 Site, YOU NOW NEED TO SET IT in the Trunk Settings as P25!!!
The Decoder still isn't finished, but this will help
to Identify the Site.
Jul 12,2009 - Added: Import CSV files to Banks.
Jul 12,2009 - Added: Import CSV files to Groups & Radios.
Jul 15,2009 - Added: ByPass External Speaker Plug-In Notification for PCR-100 (*** Not Recommended ***).
Aug 10,2009 - Fixed: Timed Recorder Auto Start / Stopping.
Aug 11,2009 - -----: Timed Recording can now be stopped by Un-Checking Enable CheckBox.
Aug 11,2009 - -----: Sound Recorder won't be shown if Timed Recording in Progress.
Aug 11,2009 - Added: Delete Wave File Button in Sound Recorder.
Aug 12,2009 - Fixed: Recording Device ID now used when checking WaveFormat in Sound Recorder.
Sep 28,2009 - -----: Changed two Scan Status Indicator Colors so that CTCSS Tone isn't mistaken as activated.

And yes, an option for the PCR-2500/R2500 is to have the SUB Receiver do it's own thing while trunking. For "Dual" operation, the 2500 setup would need a separate Audio Source in this configuration. ..

I'm also working on PCR Pro, PCR Remote, TrunkMON and the Scanner Contruction Set...
My *Spare* time isn't just devoted to my Programming Hobby, I'm a TV'holic,

so I'll watch TV while working on the programs (more TV than programming) .
But when it come to watching Blue-Ray/DVD movies, the PC goes in stand-by
since my HD TV is also my PC Monitor :)

Jay

----- Original Message -----
From: "sjinndoawi00"

> Can we get a hint of what you are working on for updates/upgrades for
TrunkPCR?
> Also did you say you were working on TrunkPCR sub reciever having the
ability to be on a different frequency while Main would be on another?
>
> Brian

1536. Good Evening Jay

Yahoo group: TrunkPCR
Date: 2009-10-26 01:59:49 UTC
From: sjinndoawi00
Topic: 1448 Message: 1536

Jay,

after tearing down a laptop as you well know and making some changes I would like to know how to use TrunkPcr to it's fullest. I am hoping you can instruct me in the application/art of using TrunkPcr in building Trunk systems banks within TrunkPcr after a (CC) is found. I do not have a understanding of how to do it with TrunkPcr. Lets say I have found a Motorla system. How do I collect the data from the (CC)? how do I identify groups? how do I structure the bank within TrunkPcr so that it is searchable/scanable after the data has been collected? how do I dissimulate between 3600 and 9600 buad,with the program?

I believe I have a sound understanding now of Trunking Theory as well as Trunking Application and the mathmatics behind it. From Hex to Dec and back as well as the Theorems of RF technology.

Now I am in pursuit of understanding the software I use.

Thank you,

Brian

1537. Re: [TrunkPCR] How do I trunk a new Control Channel?

Yahoo group: TrunkPCR
Date: 2009-10-26 05:03:52 UTC
From: Jay
Topic: 1519 Message: 1537

Hey Brian,

Have you collected a few channels on this 700 mhz system yet?
We're all waiting :-)

Might as well send the control channel (LCN Number and 0xNNNN data) info to the list...

Jay

----- Original Message -----
From: Brian Veres

Cool Jay and Thanks.. I will work on it ..But you want me to (reply on list for this?)

Brian

From: Jay
Hey Brian,

Kinda easy,
1) In the Trunk Settings, set this as a Moto System.
2) Select "Extended Freq Plan".
3) Click the Trunk Button and then the Manual Button.
4) Click the Control Button and let the display fill up with calls and channels.

You will see that the frequencies will show a 0xNNNN hexadecimal number instead of an actual number.
The Extended Freq Plan will need editing after we determine what the order is...

After you get the most amount of channels showing up, send me each the 0x numbers (Reply on the list for this one) and specify which one is the control channel.

I will then be able to walk you through how to set up the Freq Plan...

Regards,
Jay

----- Original Message -----
From: "Brian"
>

> Ok I have found a new Control Channel in the 700.xxx.xxx range. I know it is a Motorola system by listening to it. How do I go about setting up a bank for this Control Channel? Or how do I get it to trunk this new Control

Channel? Do I just go to that frequency and just click the Trunk button, is it that easy?
>
> Brian

1538. Re: [TrunkPCR] How do I trunk a new Control Channel?

Yahoo group: TrunkPCR
Date: 2009-10-26 13:26:19 UTC
From: Brian Veres
Topic: 1519 Message: 1538

Yes I have found the (CC's) but I am trying to figure out how now to collect the data with TrunkPcr. Do I click the Trunk button or Manual? and how will TrunkPcr Save this Data and to where will it save the Data?

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Mon, October 26, 2009 1:03:52 AM
Subject: Re: [TrunkPCR] How do I trunk a new Control Channel?

Hey Brian,

Have you collected a few channels on this 700 mhz system yet?
We're all waiting :-)

Might as well send the control channel (LCN Number and 0xNNNN data) info to the list...

Jay

----- Original Message -----
>From: Brian Veres
>
>Cool Jay and Thanks.. I will work on it ..But you want me to (reply on list for this?)
>
>Brian
>
>
>

>From: Jay Hey Brian,
>
>Kinda easy,
>1) In the Trunk Settings, set this as a Moto System.
>2) Select "Extended Freq Plan".
>3) Click the Trunk Button and then the Manual Button.
>4) Click the Control Button and let the display fill up with calls and
>channels.
>
>You will see that the frequencies will show a 0xNNNN hexadecimal number
>instead of an actual number.
>The Extended Freq Plan will need editing after we determine what the order
>is...
>
>After you get the most amount of channels showing up, send me each the 0x
>numbers (Reply on the list for this one) and specify which one is the
>control channel.

>
>I will then be able to walk you through how to set up the Freq Plan...
>
>Regards,
>Jay
>
>----- Original Message -----
>From: "Brian"
>>
>
>> Ok I have found a new Control Channel in the 700.xxx.xxx range. I know it
>is a Motorola system by listening to it. How do I go about setting up a bank
>for this Control Channel? Or how do I get it to trunk this new Control
>Channel? Do I just go to that frequency and just click the Trunk button, is
>it that easy?
>>
>> Brian
>
>
>

1539. Re: [TrunkPCR] How do I trunk a new Control Channel?

Yahoo group: TrunkPCR
Date: 2009-10-26 20:30:53 UTC
From: Jay
Topic: 1519 Message: 1539

Hey Brian,

To figure out the Freq Plan for this 700mhz system, you'll have to follow these steps:
1.) In the Trunk Settings, set it to MOTO, "Extended" and System Type II.
2.) Set the Channel to the Active Control Channel.
3.) Click the Trunk Button, then Manual. Check the Polarity until you get a good recovery rate.
4.) Click the Control Button to Display the Channel Activity.
5.) Wait awhile untill you have a few channels in the Display.
6.) Write down the numbers in the the LCN Column and the Frequency Column for each channel. You should have an entry like "0xNNNN" in the Freq Column, where the NNNN is a hexadecimal number...

If you click the File Menu->Save Bank, this data will also be saved in the Bank's ".Bnk" file under the [FreqPlan] Section...

After you have most of the channels info, send this list of LCN's and 0xNNNN Numbers to this yahoo group.
When this is completed, we can show you how to convert the 0xNNNN number to an actual Frequency then set up your Freq Plan properly :-)

Jay

----- Original Message -----
From: Brian Veres

Yes I have found the (CC's) but I am trying to figure out how now to collect the data with TrunkPcr. Do I click the Trunk button or Manual? and how will TrunkPcr Save this Data and to where will it save the Data?

From: Jay
Hey Brian,

Have you collected a few channels on this 700 mhz system yet?
We're all waiting :-)

Might as well send the control channel (LCN Number and 0xNNNN data) info to the list...

Jay

1540. Lesson #1

Yahoo group: TrunkPCR
Date: 2009-10-27 01:58:40 UTC
From: sjinndoawi00
Topic: 1540 Message: 1540

Good Evening Jay,

Ok, here are my Spec's

Mode=NFM
Step=12.5kHz
Filter=15kHz
S-Units=5
Freq=705.250.000
Descr...Very strong Humming just like a Moto system . constant,no burst(like data). I recorded the sound and compaired it to a knowen Moto System and sound the same but not as tinty(if that makes any sense)

I also have 2 more just like this following the same spec's....
1.) 735.250.000
2.) 786.400.000

I have followed your list and the only problem I have is I can't find (Set the Channel to the Active Control Channel)

Brian

1541. Re: [TrunkPCR] Lesson #1

Yahoo group: TrunkPCR
Date: 2009-10-27 05:41:28 UTC
From: Jay
Topic: 1540 Message: 1541

Hey Brian,

"Set the Channel to the Active Control Channel" Means to do just that using the program. I'm guessing that you have 705.250mhz, 735.250mhz and 786.400mhz saved into three (3) different channels, right? So then one of those freqs would be an "Active Control Channel" if it really is a Moto System... So just change the channel that has the strongest signal and sounds right.

If you have a paid subscription to RadioReference.com, you can use the Web Import feature to Search for those freqs under the Option Menu->Advanced Search...

if it is a 3600 Baud Moto System, you will easily see this after clicking the Trunk Button and changing the Polarity, Input Level... You can also use the built-in O'Scope to see if the waveforms look the same...

You can also upload a recording of this frequency to the group so that we can help to identify the signal.

An Edacs signal will sound a bit more "Throaty" than a Moto 3600 Baud signal and if you listen to a known 9600 Baud Moto Astro, you will definately hear the difference...

It could also be something totally different than a trunking channel...

Jay

----- Original Message -----
From: "sjinndoawi00"

> Good Evening Jay,
>
> Ok, here are my Spec's
>
> Mode=NFM
> Step=12.5kHz
> Filter=15kHz
> S-Units=5
> Freq=705.250.000
> Descr...Very strong Humming just like a Moto system . constant,no burst(like data). I recorded the sound and compaired it to a knowen Moto System and sound the same but not as tinty(if that makes any sense)
>
> I also have 2 more just like this following the same spec's....
> 1.) 735.250.000
> 2.) 786.400.000

>
> I have followed your list and the only problem I have is I can't find (Set the Channel to the Active Control Channel)
>
> Brian

1542. Re: [TrunkPCR] Good Evening Jay

Yahoo group: TrunkPCR
Date: 2009-10-27 21:38:10 UTC
From: Jay
Topic: 1448 Message: 1542

Hey Brian,

(Answers with-in)

----- Original Message -----
From: "sjinndoawi00"

> Jay,
>
> Lets say I have found a Motorla system.
> How do I collect the data from the (CC)?

Collect what data?

> how do I identify groups?

By listening to the calls to hear who is who or download from Radioreference.com...

> how do I structure the bank within TrunkPcr so that it is searchable/scanable after the data has been collected?

That's up to the user how they want to structure the Trunk Banks ([A] to [Z]). It doesn't matter what Groups are assigned to a Trunk Bank. They will search/scan the same no matter where they are placed...

> how do I dissimulate between 3600 and 9600 buad,with the program?

By listening to the signal or watching the display in the built-in O'Scope...

> Thank you,
>
> Brian

Jay

1543. Upload

Yahoo group: TrunkPCR
Date: 2009-10-28 10:47:52 UTC
From: sjinndoawi00
Topic: 1543 Message: 1543

Good Morning Jay,

I have uploaded the sound file of 705.250.000.

Brian

1544. To Big

Yahoo group: TrunkPCR
Date: 2009-10-28 11:01:49 UTC
From: sjinndoawi00
Topic: 1544 Message: 1544

I have to re-record the file,it is too big. 33 Mb's(3 minutes worth of recording) and I can only upload 1520kb's it is telling me.

Brian

1545. Re: To Big

Yahoo group: TrunkPCR
Date: 2009-10-28 19:25:19 UTC
From: Jay
Topic: 1544 Message: 1545

You can either record in PCM, 8,000 hz, 8 bits, Mono or use a different recorder that can record in mp3...

--- "sjinndoawi00" wrote:
>
> I have to re-record the file,it is too big. 33 Mb's(3 minutes worth of recording) and I can only upload 1520kb's it is telling me.
>
> Brian

1546. Getting started - PCR100

Yahoo group: TrunkPCR
Date: 2009-10-29 13:49:59 UTC
From: twoube
Topic: 1546 Message: 1546

Hello,

I have a ICOM pcr100 that I want to modify with the discriminator tap....I've found some instructions to accomplish that, but wonder if there's a "Getting started with TrunkPCR for Idiots" to get me going with this software?

I've been reading the postings and while I understand some of the terminology, much goes over my head. I am experienced with radio and electronics in general.

Thanks
John

1547. Re: [TrunkPCR] Getting started - PCR100

Yahoo group: TrunkPCR
Date: 2009-10-29 18:58:45 UTC
From: Jay
Topic: 1546 Message: 1547

Hi John,

If what your looking for isn't covered on the help page:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrHelp.html

or in this message list, please ask away, we're all here to help ;-)

Regards,
Jay

----- Original Message -----
From: "twoube"

> Hello,
>
> I have a ICOM pcr100 that I want to modify with the discriminator
tap....I've found some instructions to accomplish that, but wonder if
there's a "Getting started with TrunkPCR for Idiots" to get me going with
this software?
>
> I've been reading the postings and while I understand some of the
terminology, much goes over my head. I am experienced with radio and
electronics in general.
>
> Thanks
> John

1548. Here ya go Jay

Yahoo group: TrunkPCR
Date: 2009-10-30 02:13:11 UTC
From: sjinndoawi00
Topic: 1548 Message: 1548

Here it is I converted and cut it down in size.

The spec's

File Size= 217 kb
Bit Rate= 8 bits
Audio sample size= 8 bit
Channels= 1 (mono)
Audio sample rate= 8khz
Audio format= PCM

Hope this works for ya.
Uploaded 10/29/09

Brian

1549. Re: [TrunkPCR] Here ya go Jay

Yahoo group: TrunkPCR
Date: 2009-10-30 04:07:14 UTC
From: Jay
Topic: 1548 Message: 1549

Hey Brian,

Well, looking at it on the scope looks like it has the characteristics of an FSK modulated signal, but that's about as far as it goes...
It sounds more like a sub-carrier of a TV station or other interference...

Do a Frequency search by state at: http://www.perconcorp.com/icom/
Enter 700.000 for the Start Freq and 750.000 for the End Freq and Choose the PCR2500 format so you can see the longer description. If it doesn't display in your web browser, open it in notepad...

You might find the culprit in that search...

If not, take a look here so you can listen to the different sounds of control channels:

Jay

----- Original Message -----
From: "sjinndoawi00"

> Here it is I converted and cut it down in size.
>
> The spec's
>
> File Size= 217 kb
> Bit Rate= 8 bits
> Audio sample size= 8 bit
> Channels= 1 (mono)
> Audio sample rate= 8khz
> Audio format= PCM
>
> Hope this works for ya.
> Uploaded 10/29/09
>
> Brian

1550. Re: [TrunkPCR] Here ya go Jay

Yahoo group: TrunkPCR
Date: 2009-10-30 04:08:13 UTC
From: Jay
Topic: 1548 Message: 1550

OOps, digital mode audio samples here:
http://www.kb9ukd.com/digital/

1551. Re: Here ya go Jay

Yahoo group: TrunkPCR
Date: 2009-10-31 18:37:00 UTC
From: sjinndoawi00
Topic: 1548 Message: 1551

Thanks Jay I will look into it...

Brian

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hey Brian,
>
> Well, looking at it on the scope looks like it has the characteristics of an
> FSK modulated signal, but that's about as far as it goes...
> It sounds more like a sub-carrier of a TV station or other interference...
>
> Do a Frequency search by state at: http://www.perconcorp.com/icom/
> Enter 700.000 for the Start Freq and 750.000 for the End Freq and Choose the
> PCR2500 format so you can see the longer description. If it doesn't display
> in your web browser, open it in notepad...
>
> You might find the culprit in that search...
>
> If not, take a look here so you can listen to the different sounds of
> control channels:
>
> Jay
>
> ----- Original Message -----
> From: "sjinndoawi00"
>
>
> > Here it is I converted and cut it down in size.
> >
> > The spec's
> >
> > File Size= 217 kb
> > Bit Rate= 8 bits
> > Audio sample size= 8 bit
> > Channels= 1 (mono)
> > Audio sample rate= 8khz
> > Audio format= PCM
> >
> > Hope this works for ya.
> > Uploaded 10/29/09
> >
> > Brian
>

1552. Error

Yahoo group: TrunkPCR
Date: 2009-11-07 15:10:25 UTC
From: sjinndoawi00
Topic: 1552 Message: 1552

Good Morning Jay,

I just started to get this error and it was never happening before....

TrackID Error [6] Overflow A, 858.6125,06480,05713,04

TrunkPcr will just freeze up and I have to click the search button again to get it to work

I am using that second update you sent me that works for my desktop remember the P25 Problem I was having.

1553. 3 Errors

Yahoo group: TrunkPCR
Date: 2009-11-07 15:28:30 UTC
From: sjinndoawi00
Topic: 1553 Message: 1553

Also I am getting this error

TrackID Error [6] Overflow A, 868.6750,03216,03378,04 (I just wanted to run a different bank and still get this error but it has a diffenert frequency)

other errors

MMResult: waveInAddBuffer returns [5] The specified device handle is invalid

MMResult: waveInAddBuffer returns [33] Cannot perform this operation while media data is still playing. Reset the device, or wait until the data is finished playing.
This keeps coming up every time I click "ok" window just keeps poping up and cant close out TrunkPcr because I cant move my mouse fast enough to close TrunkPcr (What does this mean and what is going on??)

All the errors started happening last night

Thank you,
Brian

1554. Re: [TrunkPCR] 3 Errors

Yahoo group: TrunkPCR
Date: 2009-11-08 19:25:37 UTC
From: Jay
Topic: 1553 Message: 1554

Hey Brian,

Thanks for the report...
Yep, already have these noted after I added more error reporting from the decoder dll.

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Also I am getting this error
>
> TrackID Error [6] Overflow A, 868.6750,03216,03378,04 (I just wanted to run a different bank and still get this error but it has a diffenert frequency)
>
> other errors
>
> MMResult: waveInAddBuffer returns [5] The specified device handle is invalid
>
> MMResult: waveInAddBuffer returns [33] Cannot perform this operation while media data is still playing. Reset the device, or wait until the data is finished playing.
> This keeps coming up every time I click "ok" window just keeps poping up and cant close out TrunkPcr because I cant move my mouse fast enough to close TrunkPcr (What does this mean and what is going on??)
>
> All the errors started happening last night
>
> Thank you,
> Brian

1555. Thanks for all the work you put in

Yahoo group: TrunkPCR
Date: 2009-11-14 14:23:43 UTC
From: weeksben1
Topic: 1555 Message: 1555

Jay,

As a satisfied customer and user of your software. I wanted to take this opportunity to thank you for the all the hard work you've put in to making quality software. Please keep up the great work.

1556. Sound files uploaded

Yahoo group: TrunkPCR
Date: 2009-11-19 02:27:54 UTC
From: sjinndoawi00
Topic: 1556 Message: 1556

Can you guys help me out here.. I uploaded 8 sound files. Here is my worksheet and what I believe these files to be.

11/18/09
Receiver=PCR 2500
Control Software= PcrPro software

Frequency Range= 930.000.000 to 940.000.000
Mode= FM
Filter= 15Khz
Stepping= 12.5Khz

I had Diversity Antennas going

Hits=
931.837.500 (Data) 35 SEC RECORDING
S Uints= 3

935.262.500 (I have NO idea what the hell this is) 35 sec recording
S units= 9

935.725.000 (DATA) 35 SEC RECORDING
S units= 3

937.362.500 (Believed to be Control Channel) 35 sec recording
S Units= 2

937.450.000 (Believe to be EDACS 4800 Control Channel) 55 sec recording
S Units= 3

937.487.500 (Believed to be EDACS 4800 Control Channel) 35 sec recording
S Units= 8

937.512.500 (Believed to be Motorola (which type??) Control Channel) 35 sec recording
S Uints= +1

939.787.500 (Believe to be Motorola (WHICH TYPE??) Control Channel) 35 sec recording
S Uints= +20 Almost

Thank you,

Brian

1557. Re: [TrunkPCR] Sound files uploaded

Yahoo group: TrunkPCR
Date: 2009-11-19 03:43:03 UTC
From: Jay
Topic: 1556 Message: 1557

Answered with-in...

----- Original Message -----
From: "sjinndoawi00"

> Can you guys help me out here.. I uploaded 8 sound files. Here is my worksheet and what I believe these files to be.

> 931.837.500 (Data) 35 SEC RECORDING
Definately Pager...

> 935.262.500 (I have NO idea what the hell this is) 35 sec recording
???

> 935.725.000 (DATA) 35 SEC RECORDING
I have a few stations down here with that same protocol, but unknown.

> 937.362.500 (Believed to be Control Channel) 35 sec recording
Sounds like a moto control channel?

> 937.450.000 (Believe to be EDACS 4800 Control Channel) 55 sec recording
Maybe Edacs?

> 937.487.500 (Believed to be EDACS 4800 Control Channel) 35 sec recording
Weak Edacs?

> 937.512.500 (Believed to be Motorola (which type??) Control Channel) 35 sec recording
Sounds like a moto control channel?

> 939.787.500 (Believe to be Motorola (WHICH TYPE??) Control Channel) 35 sec recording
Sounds like a moto control channel?

> Thank you,
>
> Brian

Jay

1558. Jay

Yahoo group: TrunkPCR
Date: 2009-11-19 03:36:08 UTC
From: sjinndoawi00
Topic: 1460 Message: 1558

Evening Jay,

I think there is a bug in trunk pcr or I might be doing somthing wrong. I am following your steps on how to trunk a control channel.

1.) In the Trunk Settings, set it to MOTO, "Extended" and System Type II.
2.) Set the Channel to the Active Control Channel.
3.) Click the Trunk Button, then Manual. Check the Polarity until you get a good recovery rate.
4.) Click the Control Button to Display the Channel Activity.
5.) Wait awhile until you have a few channels in the Display.
6.) Write down the numbers in the LCN Column and the Frequency Column for each channel. You should have an entry like "0xNNNN" in the Freq Column, where the NNNN is a hexadecimal number...

I do step (1) all is fine,I them open frequency selector to set my frequency,all is fine step (2)
I am cant fine (2) Set the channel to the active control channel. So i skip this step and goto step (3). Well the moment I click (Trunk button)my frequency resets itself in trunkPCR to the default which is 102.100000 for new bank.
Any Ideas??

Brian

1559. Re: [TrunkPCR] Jay

Yahoo group: TrunkPCR
Date: 2009-11-19 04:04:16 UTC
From: Jay
Topic: 1460 Message: 1559

Hey Brian,

#2 means that you (assuming you have the frequency Stored in a channel), change to the where the frequency is saved in a certain channel.

If you tried to Trunk, when just Tuned to a Freq and the Freq wasn't saved into a channel, this could happen...

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Evening Jay,
>
> I think there is a bug in trunk pcr or I might be doing somthing wrong. I am following your steps on how to trunk a control channel.
>
> 1.) In the Trunk Settings, set it to MOTO, "Extended" and System Type II.
> 2.) Set the Channel to the Active Control Channel.
> 3.) Click the Trunk Button, then Manual. Check the Polarity until you get a good recovery rate.
> 4.) Click the Control Button to Display the Channel Activity.
> 5.) Wait awhile until you have a few channels in the Display.
> 6.) Write down the numbers in the LCN Column and the Frequency Column for each channel. You should have an entry like "0xNNNN" in the Freq Column, where the NNNN is a hexadecimal number...
>
> I do step (1) all is fine,I them open frequency selector to set my frequency,all is fine step (2)
> I am cant fine (2) Set the channel to the active control channel. So i skip this step and goto step (3). Well the moment I click (Trunk button)my frequency resets itself in trunkPCR to the default which is 102.100000 for new bank.
> Any Ideas??
>
> Brian

1560. Interesting Note

Yahoo group: TrunkPCR
Date: 2009-11-19 12:45:37 UTC
From: sjinndoawi00
Topic: 1560 Message: 1560

Morning Jay and All

This morning running the 2500 again in the search range from last night. But this time I refined my search to 937.512.500 - 940.000.000. Something interesting happened, at 939.200.000 I get comm's, only one side, but comm's. Had 5 hits so within 10 minutes. Now the questions are first and foremost

1.) Where is the Control Channel?
2.) What type of system is this?

Brian

1561. Re: [TrunkPCR] Interesting Note

Yahoo group: TrunkPCR
Date: 2009-11-19 21:36:46 UTC
From: Jay
Topic: 1560 Message: 1561

Hey Brian,

You have two very usefull tools at hand to find out what this is in TrunkPCR...

Under the Help Menu, There is the Frequency Search using PerCon.
Under the File Menu->Web Import, if you are a paid member on RadioReference.com, you can use it's Frequency Search under the Options Menu in the RR.com Web Import...

But I will tell you that from 929.000 mhz to 932.000 mhz, it's all pagers and no trunking systems in this range... These pagers are of the Pocsag and Flex flavor, you can use a program called PDW which decodes these comms to verify the data type...

Also, not every frequency that sounds like digital data is a trunking control channel. There are various other digital protocols such as MDC4800, RD-LAP, Taxi MDT, Telemetry, MPT1327, Acars, ATCS, AIS, Wefax, AX-25 and many, many more :)

Go to: http://www.kb9ukd.com/digital/ and downlaod the different digital mode audio samples so you can reference them in the future...

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Morning Jay and All
>
> This morning running the 2500 again in the search range from last night. But this time I refined my search to 937.512.500 - 940.000.000. Something interesting happened, at 939.200.000 I get comm's, only one side, but comm's. Had 5 hits so within 10 minutes.
> Now the questions are first and foremost
>
> 1.) Where is the Control Channel?
> 2.) What type of system is this?
>
> Brian

1562. Re: [TrunkPCR] Interesting Note

Yahoo group: TrunkPCR
Date: 2009-11-19 22:57:39 UTC
From: Terry
Topic: 1560 Message: 1562

MPT1327 _IS_ a Trunked Radio protocol - common in Europe, Asia, and Australia, and gaining some acceptance in the United States.

--
Comint

> Also, not every frequency that sounds like digital data is a trunking
> control channel. There are various other digital protocols such as MDC4800,
> RD-LAP, Taxi MDT, Telemetry, MPT1327, Acars, ATCS, AIS, Wefax, AX-25 and
> many, many more :)
>

1563. Ok Jay

Yahoo group: TrunkPCR
Date: 2009-11-20 02:43:10 UTC
From: sjinndoawi00
Topic: 1563 Message: 1563

Evening Jay

Ok have everything worked out and channels stored. Following your directions

1.) In the Trunk Settings, set it to MOTO, "Extended" and System Type II.
2.) Set the Channel to the Active Control Channel.
3.) Click the Trunk Button, then Manual. Check the Polarity until you get a good recovery rate.
4.) Click the Control Button to Display the Channel Activity.
5.) Wait awhile until you have a few channels in the Display.
6.) Write down the numbers in the LCN Column and the Frequency Column for each channel. You should have an entry like "0xNNNN" in the Freq Column, where the NNNN is a hexadecimal number...

Question.
Line #3 I understand everything but this now. (Check the Polarity until you get a good recovery rate.)
1.) What is a good recovery rate? (I am getting 0.0% to 10.0%)
2.) Checking the Polarity (There is only Normal/Reversed) I have played with both and only get (0.0% to 10.0%)recovery
3.) Is it possible to be off Frequency and have bad recovery rate?

Thank you for the information about the sound files and where to go, I am in the process of downloading them on the other computer.

Brian

1564. 939.200.000

Yahoo group: TrunkPCR
Date: 2009-11-20 03:10:20 UTC
From: sjinndoawi00
Topic: 1564 Message: 1564

Evening Jay and Everyone,

I have uploaded the sound file of 939.200.000 It has only one side of comms, so it is evident that it is part of a Trunked System. In the hole time of recording I do get both sides of comms but it is so hit and miss.

Now I am reseaching and following the sites jay has directed me to and while "RR" has this frequency range 900.000 to 950.000 marked as EDACS my "CC's" dont sound like a EDACS system. They sound more like Motorola. Upon refining my search range (937.000.000 to 940.000.000) I was able to produce 939.200.000 with comms but again only one side of comms most of the time.

1.) Now is it possible to have a conventional system up this high in frequency (900MHz range?)
2.) While I have some white noise when they key up is it possible that the reason why I only get one side of comms is that the signal is weak? But I am seeing my S-Units at 3 when they key up.
3.) LTR Systems dont go this high up or do they?

File Spec's

Total time monitoring 939.200.000= 25 minutes
Total time of Recording comms= 2 minutes 5 seconds

Brian

1565. Re: [TrunkPCR] Interesting Note

Yahoo group: TrunkPCR
Date: 2009-11-20 22:01:18 UTC
From: Jay
Topic: 1560 Message: 1565

Yep, I was in the Motorola mind set when I typed that :)

----- Original Message -----
From: "Terry"

> MPT1327 _IS_ a Trunked Radio protocol - common in Europe, Asia, and
> Australia, and gaining some acceptance in the United States.
>
> --
> Comint
>
> > Also, not every frequency that sounds like digital data is a trunking
> > control channel. There are various other digital protocols such as
MDC4800,
> > RD-LAP, Taxi MDT, Telemetry, MPT1327, Acars, ATCS, AIS, Wefax, AX-25 and
> > many, many more :)

1566. Where do I start?

Yahoo group: TrunkPCR
Date: 2009-11-21 00:17:01 UTC
From: Brent Bottoms
Topic: 1566 Message: 1566

Greetings All,

I seem to be having trouble navigating through the Trunk PCR software. Can anyone tell me where to start?

I am trying to set my PCR-1000 up for Motorola Smartnet II, and can't seem to figure out how to enter control channel and talk frequencies in the memory banks.

Thanks in advance.

Brent Bottoms

Sent from my iPhone

1567. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-11-22 00:51:49 UTC
From: Jay
Topic: 1566 Message: 1567

Hi Brent,

First, you will have to Add a Channel (Edit Menu) for all Control Channels and Talk Freqs and set the Freq, Mode (FM) & Filter (15khz) to these channels. Don't forget to Click the [Store] Button to save these settings...

If it's a Moto Site and in the 800mhz or 900mhz range, just set this in the Trunk Settings.
If it's in another range, you'll have to select either the [Custom] or [Extended] BandPlan. Custom if you only have one entry or Extended if there is multiple entries...

If it's Edacs or other, you will have to edit the FreqPlan under the Trunk Menu, and enter the LCN and Freq for each channel...

Regards,
Jay

----- Original Message -----
From: "Brent Bottoms"
>
> Greetings All,
>
> I seem to be having trouble navigating through the Trunk PCR software. Can anyone tell me where to start?
>
> I am trying to set my PCR-1000 up for Motorola Smartnet II, and can't seem to figure out how to enter control channel and talk frequencies in the memory banks.
>
> Thanks in advance.
>
> Brent Bottoms

1568. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-11-23 01:02:20 UTC
From: Brent Bottoms
Topic: 1566 Message: 1568

Thanks Jay! That seemed to work, but now I think I messed up some where else. After I programed all of my freqs in a bank and set up my trunking peramiters, I hit the trunk button and get a message that says somthing about an invalaid code.

Any ideas?

Sent from my iPhone

On Nov 21, 2009, at 18:51, "Jay" <crazycalifornian@...> wrote:

Hi Brent,

First, you will have to Add a Channel (Edit Menu) for all Control Channels and Talk Freqs and set the Freq, Mode (FM) & Filter (15khz) to these channels. Don't forget to Click the [Store] Button to save these settings...

If it's a Moto Site and in the 800mhz or 900mhz range, just set this in the Trunk Settings.
If it's in another range, you'll have to select either the [Custom] or [Extended] BandPlan. Custom if you only have one entry or Extended if there is multiple entries...

If it's Edacs or other, you will have to edit the FreqPlan under the Trunk Menu, and enter the LCN and Freq for each channel...

Regards,
Jay

----- Original Message -----
From: "Brent Bottoms"
>
> Greetings All,
>
> I seem to be having trouble navigating through the Trunk PCR software. Can anyone tell me where to start?
>
> I am trying to set my PCR-1000 up for Motorola Smartnet II, and can't seem to figure out how to enter control channel and talk frequencies in the memory banks.
>
> Thanks in advance.
>
> Brent Bottoms

1569. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-11-23 01:28:12 UTC
From: Jay
Topic: 1566 Message: 1569

In the install folder of TrunkPCR there might be a file named "Error.log", if so please post it.
Otherwise, can you be a bit more specific about the message?
Something like Invalid SoundCard or ???

Thanks,
Jay

----- Original Message -----

Thanks Jay! That seemed to work, but now I think I messed up some where else. After I programed all of my freqs in a bank and set up my trunking peramiters, I hit the trunk button and get a message that says somthing about an invalaid code.

Any ideas?

1570. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-11-23 16:59:31 UTC
From: Brent Bottoms
Topic: 1566 Message: 1570
Attachments: 1 described; binary payloads are missing from this source WARC

Hello Jay,

Here is my error log.

Thanks

Brent

--- On Sun, 11/22/09, Jay <crazycalifornian@...> wrote:

From: Jay <crazycalifornian@hotmail.com>
Subject: Re: [TrunkPCR] Where do I start?
To: TrunkPCR@...m
Date: Sunday, November 22, 2009, 7:28 PM

In the install folder of TrunkPCR there might be a file named
"Error.log", if so please post it.
Otherwise, can you be a bit more specific about the
message?
Something like Invalid SoundCard or ???

Thanks,
Jay

----- Original Message -----

Thanks Jay! That seemed to work, but now I think I messed up some
where else. After I programed all of my freqs in a bank and set up my
trunking peramiters, I hit the trunk button and get a message that says
somthing about an invalaid code.

Any ideas?

1573. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-11-24 22:54:23 UTC
From: Brent Bottoms
Topic: 1566 Message: 1573

Hello Jay,
Here is the specific error code:
MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->

I get this error code when I hit the trunk button.

I have read nothing but good revues on your software and am anxious to get it working on my computer.

Thanks again for all of your help.

Brent

--- On Sun, 11/22/09, Jay <crazycalifornian@...> wrote:

From: Jay <crazycalifornian@...>
Subject: Re: [TrunkPCR] Where do I start?
To: TrunkPCR@yahoogroups.com
Date: Sunday, November 22, 2009, 7:28 PM

In the install folder of TrunkPCR there might be a file named "Error.log", if so please post it.
Otherwise, can you be a bit more specific about the message?
Something like Invalid SoundCard or ???

Thanks,
Jay

----- Original Message -----

Thanks Jay! That seemed to work, but now I think I messed up some where else. After I programed all of my freqs in a bank and set up my trunking peramiters, I hit the trunk button and get a message that says somthing about an invalaid code.

Any ideas?

1574. I know this is off topic

Yahoo group: TrunkPCR
Date: 2009-11-25 16:51:35 UTC
From: sjinndoawi00
Topic: 1574 Message: 1574

Anyone,

How do you figure Bandwidth? Is there a set procedure to figure this or a formual? Is it dependent on frequency range (like 800 MHz range is this size in bandwidth) or (400 MHz range is this size in bandwidth)

Any help would be great

Brian

1575. is this right?

Yahoo group: TrunkPCR
Date: 2009-11-25 18:16:30 UTC
From: sjinndoawi00
Topic: 1575 Message: 1575

```
If center frequency= 857.212.500 (readable signal))
and spacing is=12.5 kHz
then I could figure Bandwidth like this

Upper Band
857.212.500 + 12.5= 869.712.5 (Upper Band)

Lower Band
857.212.500 - 12.5= 844.712.5 (Lower Band)

Would this work for finding my bandwidth?

Brian
```

1576. Maybe I said this wrong look again at this

Yahoo group: TrunkPCR
Date: 2009-11-25 19:50:53 UTC
From: sjinndoawi00
Topic: 1576 Message: 1576

ok,
Center Frequqency = 857.212.5 (This is a readable signal)

if may stepping is 12.5kHz (because of spacing requirements)

then the formual would be this for Bandwidth

857.212.500 + 12.5 = 869.7125 (Upper Band) top of Bandwidth

and

857.212.500 - 12.5 = 844.7125 (lower Band) bottom of bandwidth

then the difference from the upper Band and lower Band would be the Bandwidth

869.7125 - 844.7125 = 25Hz(Bandwidth)

Sorry Jay to post so much. I am just trying to understand this.

Any help on the subject of how to figure Bandwidth or formualate would be great

Brian

1577. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-11-25 23:01:12 UTC
From: Jay
Topic: 1566 Message: 1577

Hi Brent,

You can check your Sound Card Settings under the Audio Menu and verify the Devices are correct. If they are go ahead and click the [Accept] Button...
If this doesn't work, you can 1) restart the Program, 2) Reboot your PC and Try again or 3) Download a previous version in the File Section of this group.

The message you noted, cropepd up in the latest update after adding error checking...

Regards,
Jay

----- Original Message -----
From: Brent Bottoms

Hello Jay,
Here is the specific error code:
MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->

I get this error code when I hit the trunk button.

I have read nothing but good revues on your software and am anxious to get it working on my computer.

Thanks again for all of your help.

Brent

1578. Re: [TrunkPCR] I know this is off topic

Yahoo group: TrunkPCR
Date: 2009-11-26 05:30:07 UTC
From: Terry
Topic: 1574 Message: 1578

> How do you figure Bandwidth? Is there a set procedure to figure this or a formual? Is it dependent on frequency range (like 800 MHz range is this size in bandwidth) or (400 MHz range is this size in bandwidth)
>
Depends on the context in which you are using the word.

Step, Spacing, etc are used interchangeably, and usually incorrectly.

As a general Rule of Thumb, as far as use with channel frequencies in scanners is concerned., the bandwidth is the Center Frequency plus or minus Half the Step or Spacing.

If you have more than Half the Step, then each Channel would be impinging on the space of the 'next-door' Channels.

~~~~~~

Your 857.212500 example is partly right, but you got a bit mixed up with Megahertz and Kilohertz.

>
>Center Frequqency = 857.212.5 (This is a readable signal)
>

857.212500 is MHz (Megahertz)

>
>if may stepping is 12.5kHz (because of spacing requirements)
>

12.5 kHz is 0.0125 MHz (I believe the Steps in the 800 MHz Band are 25 kHz)

>
>then the formual would be this for Bandwidth
>
>857.212.500 + 12.5 = 869.7125 (Upper Band) top of Bandwidth
>

857.212500 + 0.0125 = 857.225 (Upper Band edge)

>
>and
>
>857.212.500 - 12.5 = 844.7125 (lower Band) bottom of bandwidth
>

857.212.500 - 0.0125 = 857.200 (Lower Band edge)
~~~~~~

>
>then the difference from the upper Band and lower Band would be the Bandwidth
>
>869.7125 - 844.7125 = 25Hz(Bandwidth)
>

857.225 - 857.200 = 0.0250 MHz = 25 kHz

--
Comint

1579. Re: [TrunkPCR] I know this is off topic

Yahoo group: TrunkPCR
Date: 2009-11-26 11:59:09 UTC
From: Brian Veres
Topic: 1574 Message: 1579

Thank you Terry

So it is half of the spacing.Then I could say this.
if spacing is 25kHz / 2 = 0.1250 kHz (wouldn't this be (hz))
if spacing is 15kHz / 2 = 0.0750 kHz(wouldn't this be (hz))
if spacing is 6.25kHz / 2 = 0.03125 kHz(wouldn't this be (hz))

I guess my confusion arises when we look at the decimal point. At what point then does it become a whole number (GHz,MHz).

Is this right??
1.000.000.000= GHz
100.000.000= MHz
000.001.000= kHz
000.000.001= hz

What I am finding is that Bandwidth is measured in (hz) That is what I am reading.

Why I am asking this question is this. When working with a waterfall I have noticed that bandwidth has a great affect on the readablity of a signal. Some of my software that I use will ask me for Bandwidth (range set up) and I am all over the board when doing the setup.If I do not set it up right , my readablity of the signal greatly diminishes as to were I will be picking up another signal (adjacent to my original signal) or the signal just fades out and I can't read it anymore.

So if you or anyone else could help me out I would Greatly appreciate it.

Brian

From: Terry <comint@...>
To: TrunkPCR@yahoogroups.com
Sent: Thu, November 26, 2009 12:30:07 AM
Subject: Re: [TrunkPCR] I know this is off topic

> How do you figure Bandwidth? Is there a set procedure to figure this or a formual? Is it dependent on frequency range (like 800 MHz range is this size in bandwidth) or (400 MHz range is this size in bandwidth)
>
Depends on the context in which you are using the word.

Step, Spacing, etc are used interchangeably, and usually incorrectly.

As a general Rule of Thumb, as far as use with channel frequencies in
scanners is concerned., the bandwidth is the Center Frequency plus or
minus Half the Step or Spacing.

If you have more than Half the Step, then each Channel would be
impinging on the space of the 'next-door' Channels.

~~~~~~

Your 857.212500 example is partly right, but you got a bit mixed up with
Megahertz and Kilohertz.

>
>Center Frequqency = 857.212.5 (This is a readable signal)
>

857.212500 is MHz (Megahertz)

>
>if may stepping is 12.5kHz (because of spacing requirements)
>

12.5 kHz is 0.0125 MHz (I believe the Steps in the 800 MHz Band are 25 kHz)

>
>then the formual would be this for Bandwidth
>
>857.212.500 + 12.5 = 869.7125 (Upper Band) top of Bandwidth
>

857.212500 + 0.0125 = 857.225 (Upper Band edge)

>
>and
>
>857.212.500 - 12.5 = 844.7125 (lower Band) bottom of bandwidth
>

857.212.500 - 0.0125 = 857.200 (Lower Band edge)

>
>then the difference from the upper Band and lower Band would be the Bandwidth
>
>869.7125 - 844.7125 = 25Hz(Bandwidth)
>

857.225 - 857.200 = 0.0250 MHz = 25 kHz

--
Comint
~~~~~~

1580. Jay Help

Yahoo group: TrunkPCR
Date: 2009-11-26 20:08:08 UTC
From: sjinndoawi00
Topic: 1580 Message: 1580

Hello Jay,

Ok one of the frequencies is a Motorola Type II . I followed everything you have said to Truck the Control Channel. Trunk Pcr just worked great, never missed a beat. I clicked the ContrOL Button on TrunkPcr and got the Control window. Ok I am watching and learning how to convert Hex to Dec for radio Id's and I am understanding how to do this now. But now I see something else I dont understand, frequencies are not frequencies. Ok lost here I see things like (0x332,0x3cb,0x3de,0x173. Let me show you..

Control Tab opened
L... Frequ...
818 0x332
971 0x3cb
990 0x3de
10... 0x3f3

So I go to my System Info tab
L... Freuq... Info
147 0x093 Cell#02...
371 0x173 Cell#03...
07... 0x2ef Cell#04...
08... 0x332 Cell#04...
09... 0x3de Cell#04...

Hope you see something because I dont understand this or what to do next too convert these into number frequiencies.

Brian

1581. Re: [TrunkPCR] Jay Help

Yahoo group: TrunkPCR
Date: 2009-11-26 23:01:53 UTC
From: Jay
Topic: 1580 Message: 1581

Hey Brian,

If this site is in the 900 mhz range, just click the [900] Button in the Trunk Settings...
Otherwise, the 0xNNNN hex number is the LCN coded in hex.

To figure out the BandPlan for this, you can do some math to get the actual frequency.
As the norm, 380 is the default Offset used for calculations.
Since you didn't specify what the frequency is for the Control Channel or it's LCN, I'll use LCN 390 - 940.1250mhz as the Control Channels freq and 12.5khz for the Step Freq in this example:

Actual Frequency = BaseFreq + (LCN - 380) * Step

LCN's BaseFreq + (LCN - Offset) * Step =
Frequency
------ ----------- --------------------- -----------------
----
380 = 940.000 + (380-380) = 0 * 12.5khz = 0.0 = 940.0000
390 = 940.000 + (390-380) = 10 * 12.5khz = 125.0 = 940.1250
818 = 940.000 + (818-380) = 438 * 12.5khz = 5475.0 = 945.4750
971 = 940.000 + (971-380) = 591 * 12.5khz = 7387.5 = 947.3875
990 = 940.000 + (990-380) = 610 * 12.5khz = 7625.0 = 947.6250
1011 = 940.000 + (1011-380) = 631 * 12.5khz = 7887.5 = 947.8875

So in this example you would use the [Custom] BandPlan and use the following Table:
Base = 940.000
Offset = 380
Step = 12.5

To figure out YOUR Base Freq with a known Control Channel Freq and LCN do the following:
LCN - 380 = xxx
CC Frequency - (xxx * 12.5) = Base Freq

From the Above example:
390 - 380 = 10
940.1250 - (10 * 12.5khz) = 940.0000

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Hello Jay,
>
> Ok one of the frequencies is a Motorola Type II . I followed everything you have said to Truck the Control Channel. Trunk Pcr just worked great, never missed a beat. I clicked the ContrOL Button on TrunkPcr and got the Control window. Ok I am watching and learning how to convert Hex to Dec for radio Id's and I am understanding how to do this now. But now I see something else I dont understand, frequencies are not frequencies. Ok lost here I see things like (0x332,0x3cb,0x3de,0x173. Let me show you..
>
> Control Tab opened
> L... Frequ...
> 818 0x332
> 971 0x3cb
> 990 0x3de
> 10... 0x3f3
>
> So I go to my System Info tab
> L... Freuq... Info
> 147 0x093 Cell#02...
> 371 0x173 Cell#03...
> 07... 0x2ef Cell#04...
> 08... 0x332 Cell#04...
> 09... 0x3de Cell#04...
>
> Hope you see something because I dont understand this or what to do next too convert these into number frequiencies.
>
> Brian

1582. Re: [TrunkPCR] I know this is off topic

Yahoo group: TrunkPCR
Date: 2009-11-27 01:39:05 UTC
From: Terry
Topic: 1574 Message: 1582

Kilohertz / Megahertz confusion again.

> So it is half of the spacing.Then I could say this.
> if spacing is 25kHz / 2 = 0.1250 kHz (wouldn't this be (hz))
> if spacing is 15kHz / 2 = 0.0750 kHz (wouldn't this be (hz))
> if spacing is 6.25kHz / 2 = 0.03125 kHz (wouldn't this be (hz))
>

25kHz / 2 = 12.5kHz and also equals 0.01250 MHz or 12500 Hz (or
12,500 Hz)

15kHz / 2 = 7.5 kHz and also equals 0.00750 MHz or 7500 Hz (or 7,500 Hz)

6.25kHz / 2 = 3.125 kHz and also equals 0.003125 MHz or 3125 Hz (or
3,125 Hz)
.
.
.
> I guess my confusion arises when we look at the decimal point. At what
> point then does it become a whole number (GHz,MHz).
>
> Is this right??
> 1.000.000.000= GHz
> 100.000.000= MHz
> 000.001.000= kHz
> 000.000.001= hz
>
NO (an example of why using decimal points (instead of commas) as
separators is a bad idea, although I know it is common in European
countries)

1,000,000,000 Hz = 1 GHz
1,000,000 Hz = 1 MHz
1,000 Hz = 1 kHz

thus, for example

1296.8 MHz equals 1,296,800,000 Hz or 1.2968 GHz

--
Comint

1583. Program Crashing

Yahoo group: TrunkPCR
Date: 2009-11-30 06:00:20 UTC
From: Jim Conrad
Topic: 1583 Message: 1583

Hi,

I just installed to latest version a couple days ago. Worked great the day it was installed. Very impressive software. The problem I am having now is that when the program starts it doesn't detect the sound card. When I go to the pull down menu and try and click on the sound card configuration choice the program crashes every time now.

I know I do not have an issue with the sound card because it runs fine with Winamp and also Shipplotter (Marine AIS decoder). Rock solid with both those programs.

Any help would be appreciated.

Thanks .. Jim

<:><:><:>

1584. Re: [TrunkPCR] Program Crashing

Yahoo group: TrunkPCR
Date: 2009-12-01 20:59:39 UTC
From: Jay
Topic: 1583 Message: 1584

Hi Jim,

Which OS are you using?
When you click on the Drop-Down List, which item are you selecting?
Does the Item show (Mono), (Stereo) or nothing?

One thing you can try is to edit the TrunkPcr.ini file in NotePad and change
the following to:
DeviceIn=0
DeviceOut=0
RecDeviceIn=0

Thanks,
Jay

----- Original Message -----
From: "Jim Conrad"

> Hi,
>
> I just installed to latest version a couple days ago. Worked great
> the day it was installed. Very impressive software. The problem I am
> having now is that when the program starts it doesn't detect the
> sound card. When I go to the pull down menu and try and click on the
> sound card configuration choice the program crashes every time now.
>
> I know I do not have an issue with the sound card because it runs
> fine with Winamp and also Shipplotter (Marine AIS decoder). Rock
> solid with both those programs.
>
> Any help would be appreciated.
>
> Thanks .. Jim

1585. I am selling

Yahoo group: TrunkPCR
Date: 2009-12-02 19:54:01 UTC
From: sjinndoawi00
Topic: 1585 Message: 1585

I have to sell these (2)

R20
The R20 model I have is R20-11-GOVT (Unblocked) it comes with the CS-R20 software with cable,MB-86(Deluxe spring-loaded swivel belt clip),SP-13 (Black mono earphone),COMBO-R20(Nifty 12 laminated page mini-manual),LC-158(Icom carrying case), USB to serial port cable, the speical cable i had to order from Ebay that connects the R20 to the computer,plus with everything that came with the box(charger,antenna)
I am asking 450 dollars I will take care of shipping

Digital Scout
It is from Optoelectronics and I have the Optosuite PRO software and the programming cable from Optoelectronics that connects the Digital Scout to a computer.
I am asking 475 dollars I will take care of shipping

Brian

1586. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-03 02:39:08 UTC
From: Brent Bottoms
Topic: 1566 Message: 1586

Hello Jay,

I finally got it to work, I think. I had to buy a USB sound card, and that part works great. However, I seem to be having trouble with tracking Garland Texas Motorola System. When I start the Trunk mode, I hear it trying to lock on specific talk groups, but the freqencies that show up, are up in the old 860 MHZ range. My system, according to the Radio Refference web site has rebanded to 851MHZ and up. Any suggestions?

Thanks so much.

Brent

Sent from my iPhone

On Nov 25, 2009, at 17:01, "Jay" <crazycalifornian@...> wrote:

Hi Brent,

You can check your Sound Card Settings under the Audio Menu and verify the Devices are correct. If they are go ahead and click the [Accept] Button...
If this doesn't work, you can 1) restart the Program, 2) Reboot your PC and Try again or 3) Download a previous version in the File Section of this group.

The message you noted, cropepd up in the latest update after adding error checking...

Regards,
Jay

----- Original Message -----
From: Brent Bottoms
Hello Jay,
Here is the specific error code:
MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->

I get this error code when I hit the trunk button.

I have read nothing but good revues on your software and am anxious to get it working on my computer.

Thanks again for all of your help.

Brent

1587. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-04 02:42:10 UTC
From: Jay
Topic: 1566 Message: 1587

Hi Brent,

In the Trunk Settings, you'll need to click the [Extended] button, then edit the Freq Plan...

What site is this for? and in what state & city?

Thanks,
Jay
----- Original Message -----
From: Brent Bottoms

Hello Jay,

I finally got it to work, I think. I had to buy a USB sound card, and that part works great. However, I seem to be having trouble with tracking Garland Texas Motorola System. When I start the Trunk mode, I hear it trying to lock on specific talk groups, but the freqencies that show up, are up in the old 860 MHZ range. My system, according to the Radio Refference web site has rebanded to 851MHZ and up. Any suggestions?

Thanks so much.

Brent

1588. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-04 01:14:25 UTC
From: Brent Bottoms
Topic: 1566 Message: 1588

Hi Jay,
I was just wondering if the software may not be compatible with the new band plans now in place. Just by chance, I set up a bank with a city in my area that has not changed their frequs. to the new 850 MHZ range yet, and the software performed beatifully. Then again, I could be doing somthing wrong.

Thanks so much for all the hard work that you put into this!

Brent

Sent from my iPhone

On Nov 25, 2009, at 17:01, "Jay" <crazycalifornian@...> wrote:

Hi Brent,

You can check your Sound Card Settings under the Audio Menu and verify the Devices are correct. If they are go ahead and click the [Accept] Button...
If this doesn't work, you can 1) restart the Program, 2) Reboot your PC and Try again or 3) Download a previous version in the File Section of this group.

The message you noted, cropepd up in the latest update after adding error checking...

Regards,
Jay

----- Original Message -----
From: Brent Bottoms
Hello Jay,
Here is the specific error code:
MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->

I get this error code when I hit the trunk button.

I have read nothing but good revues on your software and am anxious to get it working on my computer.

Thanks again for all of your help.

Brent

1589. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-04 02:50:09 UTC
From: Jay
Topic: 1566 Message: 1589

TrunkPCR is compatible :)
You just need to edit the Freq Plan after selecting the [Custom] or [Extended] Option in the Trunk Settings...

Jay
----- Original Message -----
From: Brent Bottoms

Hi Jay,
I was just wondering if the software may not be compatible with the new band plans now in place. Just by chance, I set up a bank with a city in my area that has not changed their frequs. to the new 850 MHZ range yet, and the software performed beatifully. Then again, I could be doing somthing wrong.

Thanks so much for all the hard work that you put into this!

Brent

1590. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-04 03:44:25 UTC
From: Brent Bottoms
Topic: 1566 Message: 1590

Thanks Jay,

Just a couple more questions. In the extended freq plan, I would enter 851mhz for my base frq. Is this correct?
What would be the value for offset, step, lcn low and lcn high?
I'm guessing from being a ham radio operator, offset has to do with repeater input/output freq spacing. And the step values are just the freq spacing in kHz. Correct?
But what is LCN low and LCN high?
This is for the motorola system for the city of Garland Texas public safety system.

Again, I can't thank you enough for all your help! This is really great software!

Thanks
Brent

Sent from my iPhone

On Dec 3, 2009, at 20:42, "Jay" <crazycalifornian@...> wrote:

Hi Brent,

In the Trunk Settings, you'll need to click the [Extended] button, then edit the Freq Plan...

What site is this for? and in what state & city?

Thanks,
Jay
----- Original Message -----
From: Brent Bottoms
Hello Jay,

I finally got it to work, I think. I had to buy a USB sound card, and that part works great. However, I seem to be having trouble with tracking Garland Texas Motorola System. When I start the Trunk mode, I hear it trying to lock on specific talk groups, but the freqencies that show up, are up in the old 860 MHZ range. My system, according to the Radio Refference web site has rebanded to 851MHZ and up. Any suggestions?

Thanks so much.

Brent

1591. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-04 05:07:09 UTC
From: Jay
Topic: 1566 Message: 1591

Hi Brent,

Take a look at message#1581 , Subj: Jay Help...
It will guide you on how to set this up...

I looked on RadioReference.com and the BandPlan isn't shown, so you'll need to figure this out. If you need help after reading that message, please post the LCN (from the CC Activity, Control Tab) and the frequency of an active control channel and if you can, the LCN's for the other 9 channels...

The Offset would be a decimal number, normally in the range of 380 to 759.
The Step is the Step Frequency (in khz) of the channel spacing.
The LCN Low & LCN High are decimal numbers in the range from 0 to 759, they describe the "Logical Channel Number" with-in a range of Frequencies.

Regards,
Jay

----- Original Message -----
From: Brent Bottoms

Thanks Jay,

Just a couple more questions. In the extended freq plan, I would enter 851mhz for my base frq. Is this correct?
What would be the value for offset, step, lcn low and lcn high?
I'm guessing from being a ham radio operator, offset has to do with repeater input/output freq spacing. And the step values are just the freq spacing in kHz. Correct?
But what is LCN low and LCN high?
This is for the motorola system for the city of Garland Texas public safety system.

Again, I can't thank you enough for all your help! This is really great software!

Thanks
Brent

Sent from my iPhone

On Dec 3, 2009, at 20:42, "Jay" <crazycalifornian@...> wrote:

Hi Brent,

In the Trunk Settings, you'll need to click the [Extended] button, then edit the Freq Plan...

What site is this for? and in what state & city?

Thanks,
Jay

----- Original Message -----
From: Brent Bottoms

Hello Jay,

I finally got it to work, I think. I had to buy a USB sound card, and that part works great. However, I seem to be having trouble with tracking Garland Texas Motorola System. When I start the Trunk mode, I hear it trying to lock on specific talk groups, but the freqencies that show up, are up in the old 860 MHZ range. My system, according to the Radio Refference web site has rebanded to 851MHZ and up. Any suggestions?

Thanks so much.

Brent

1592. Re: [TrunkPCR] Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-07 23:30:47 UTC
From: Brent Bottoms
Topic: 1566 Message: 1592

Hi Jay,
Here is the information that I was able to get from the CC Activity Log:
Garland Texas Public Safety Freqency Plan----

Frq		LCN
851.850		447
851.875		467
852.700		473
852.750		509
852.800		511
852.850		513
852.875	Control	514*
853.225	Control	528*
853.450	Control	537*
853.500	Control	539*

* the control frequency changes every day. I believe they swap around, and revert back to voice channels.
Not sure what I am doing wrong, but I am unable to figure out how to build the custom freq. plan.

Thanks for you help.

Brent

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Thu, December 3, 2009 9:07:09 PM
Subject: Re: [TrunkPCR] Where do I start?

Hi Brent,

Take a look at message#1581 , Subj: Jay Help...
It will guide you on how to set this up...

I looked on RadioReference. com and the BandPlan isn't shown, so you'll need to figure this out. If you need help after reading that message, please post the LCN (from the CC Activity, Control Tab) and the frequency of an active control channel and if you can, the LCN's for the other 9 channels...

The Offset would be a decimal number, normally in the range of 380 to 759.
The Step is the Step Frequency (in khz) of the channel spacing.
The LCN Low & LCN High are decimal numbers in the range from 0 to 759, they describe the "Logical Channel Number" with-in a range of Frequencies.

Regards,
Jay

----- Original Message -----
>From: Brent Bottoms
>
>Thanks Jay,
>
>
>Just a couple more questions. In the extended freq plan, I would enter 851mhz for my base frq. Is this correct?
>What would be the value for offset, step, lcn low and lcn high?
>I'm guessing from being a ham radio operator, offset has to do with repeater input/output freq spacing. And the step values are just the freq spacing in kHz. Correct?
>But what is LCN low and LCN high?
>This is for the motorola system for the city of Garland Texas public safety system.
>
>
>Again, I can't thank you enough for all your help! This is really great software!
>
>
>Thanks
>Brent
>
>Sent from my iPhone
>
>On Dec 3, 2009, at 20:42, "Jay" <crazycalifornian@ hotmail.com> wrote:
>
>
>
>>Hi Brent,
>>
>>In the Trunk Settings, you'll need to click the [Extended] button, then edit the Freq Plan...
>>
>>What site is this for? and in what state & city?
>>
>>Thanks,
>>Jay
>>----- Original Message -----
>>>From: Brent Bottoms
>>>
>>>Hello Jay,
>>>
>>>
>>>I finally got it to work, I think. I had to buy a USB sound card, and that part works great. However, I seem to be having trouble with tracking Garland Texas Motorola System. When I start the Trunk mode, I hear it trying to lock on specific talk groups, but the freqencies that show up, are up in the old 860 MHZ range. My system, according to the Radio Refference web site has rebanded to 851MHZ and up. Any suggestions?
>>>
>>>
>>>Thanks so much.
>>>

```
>>>
>>>Brent
>
```

1593. Re: [TrunkPCR] 800 mhz Rebanding. was Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-08 02:07:33 UTC
From: Jay
Topic: 1593 Message: 1593

Hi Brent,

After searching RadioReference.com, I found the right answer at:
http://www.radioreference.com/forums/utah-radio-discussion-forum/125682-custom-band-plan-s-rebanded-systems.html

The "new" numbers start at 440, so 851.0250 MHz is now channel 440.
Lo Chan Hi Chan Offset Base Freq Step
440 559 440 851.025000 25.000

So in the Trunk Settings, select the [Custom] option and in the Freq Plan Editor
Enter:
Base = 851.025
Offset = 440
Step = 25

So from your table below, I applied the above Freq Plan and came up with the correct frequencies. Looks like you may have had the wrong freq for the first three (3) entries, but the rest works out...

Give it and try and let us know your results :)

Regards,
Jay
----- Original Message -----
From: Brent Bottoms

Hi Jay,
Here is the information that I was able to get from the CC Activity Log:
Garland Texas Public Safety Freqency Plan----
Frq LCN
851.850 447 - 440 = 7 * 0.25 = 0.175 + 851.025 = 851.200
851.875 467 - 440 = 27 * 0.25 = 0.675 + 851.025 = 851.700
852.700 473 - 440 = 33 * 0.25 = 0.825 + 851.025 = 851.850
852.750 509 - 440 = 69 * 0.25 = 1.725 + 851.025 = 852.750
852.800 511 - 440 = 71 * 0.25 = 1.775 + 851.025 = 852.800
852.850 513 - 440 = 73 * 0.25 = 1.825 + 851.025 = 852.850
852.875 Control 514* - 440 = 74 * 0.25 = 1.850 + 851.025 = 852.875
853.225 Control 528* - 440 = 88 * 0.25 = 2.200 + 851.025 = 853.225
853.450 Control 537* - 440 = 97 * 0.25 = 2.425 + 851.025 = 853.450
853.500 Control 539* - 440 = 99 * 0.25 = 2.475 + 851.025 = 853.500
* the control frequency changes every day. I believe they swap around, and revert back to voice channels.
Not sure what I am doing wrong, but I am unable to figure out how to build the custom freq. plan.

Thanks for you help.

Brent

1594. Re: [TrunkPCR] 800 mhz Rebanding. was Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-08 02:32:57 UTC
From: Brent Bottoms
Topic: 1593 Message: 1594

Jay,
You rock!!!! This is so cool!
Now I will probably purchase a PCR 2500!
Thanks for your help and all your work on this software.

Brent

Sent from my iPhone

On Dec 7, 2009, at 20:07, "Jay" <crazycalifornian@...> wrote:

Hi Brent,

After searching RadioReference.com, I found the right answer at:
http://www.radioreference.com/forums/utah-radio-discussion-forum/125682-custom-band-plan-s-rebanded-systems.html

The "new" numbers start at 440, so 851.0250 MHz is now channel 440.
Lo Chan Hi Chan Offset Base Freq Step
440 559 440 851.025000 25.000
So in the Trunk Settings, select the [Custom] option and in the Freq Plan Editor
Enter:
Base = 851.025
Offset = 440
Step = 25

So from your table below, I applied the above Freq Plan and came up with the correct frequencies. Looks like you may have had the wrong freq for the first three (3) entries, but the rest works out...

Give it and try and let us know your results :)

Regards,
Jay
----- Original Message -----
From: Brent Bottoms
Hi Jay,
Here is the information that I was able to get from the CC Activity Log:
Garland Texas Public Safety Freqency Plan----
Frq LCN
851.850 447 - 440 = 7 * 0.25 = 0.175 + 851.025 = 851.200
851.875 467 - 440 = 27 * 0.25 = 0.675 + 851.025 = 851.700
852.700 473 - 440 = 33 * 0.25 = 0.825 + 851.025 = 851.850
852.750 509 - 440 = 69 * 0.25 = 1.725 + 851.025 = 852.750
852.800 511 - 440 = 71 * 0.25 = 1.775 + 851.025 = 852.800
852.850 513 - 440 = 73 * 0.25 = 1.825 + 851.025 = 852.850
852.875 Control 514* - 440 = 74 * 0.25 = 1.850 + 851.025 = 852.875

853.225 Control 528* - 440 = 88 * 0.25 = 2.200 + 851.025 = 853.225
853.450 Control 537* - 440 = 97 * 0.25 = 2.425 + 851.025 = 853.450
853.500 Control 539* - 440 = 99 * 0.25 = 2.475 + 851.025 = 853.500
* the control frequency changes every day. I believe they swap around, and revert back to voice channels.
Not sure what I am doing wrong, but I am unable to figure out how to build the custom freq. plan.

Thanks for you help.

Brent

1595. Sound Card BIG Problems

Yahoo group: TrunkPCR
Date: 2009-12-08 16:32:37 UTC
From: sjinndoawi00
Topic: 1595 Message: 1595

Does anyone know about sound cards. You see last night I was recalibrating my sound card.. Timing signal (1 sec pips) in the 10.000 MHz range. Had to re-adjust for my waterfall it was off. Well for some reason I kept get "OVERLOAD" from my calibration softwware while I was adjusting the sound card THEN all of the sudden everything went blank, every piece of software just stop decoding, waterfall went blank, TrunkPCR wont decode,other software just sits there like in a idle mode. After numorous shut downs and restarts no software will decode, I really mean every piece of software I run for DSP will not decode anything but Yet I still get sound from my computer speakers. Any Ideas whats going on here?

Brian

1596. Re: [TrunkPCR] Sound Card BIG Problems

Yahoo group: TrunkPCR
Date: 2009-12-08 21:26:32 UTC
From: Jay
Topic: 1595 Message: 1596

Hey Brian,

One thing you can try is go into the Control Panel's Hardware Devce Manager and "Disable" your sound card by selecting the "Do not use this device (disable)" in the drop-down combo box and click OK and reboot your PC.

Then do just the reverse after it reboots and "Enable" it and reboot again...

Don't know if this will fix it, but it couldn't hurt :)

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Does anyone know about sound cards. You see last night I was recalibrating my sound card.. Timing signal (1 sec pips) in the 10.000 MHz range. Had to re-adjust for my waterfall it was off. Well for some reason I kept get "OVERLOAD" from my calibration softwware while I was adjusting the sound card THEN all of the sudden everything went blank, every piece of software just stop decoding, waterfall went blank, TrunkPCR wont decode,other software just sits there like in a idle mode. After numorous shut downs and restarts no software will decode, I really mean every piece of software I run for DSP will not decode anything but Yet I still get sound from my computer speakers. Any Ideas whats going on here?
>
> Brian

1597. Re: [TrunkPCR] Sound Card BIG Problems

Yahoo group: TrunkPCR
Date: 2009-12-08 21:45:57 UTC
From: Brian Veres
Topic: 1595 Message: 1597

Tanks Jay I will try that. Whats the chances of overloading my input and now it wont work? My levels were low and I use Line input ((not mic) so there isnt the issues of +20 boost going on))

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Tue, December 8, 2009 4:26:32 PM
Subject: Re: [TrunkPCR] Sound Card BIG Problems

Hey Brian,

One thing you can try is go into the Control Panel's Hardware Devce Manager and "Disable" your sound card by selecting the "Do not use this device (disable)" in the drop-down combo box and click OK and reboot your PC.

Then do just the reverse after it reboots and "Enable" it and reboot again...

Don't know if this will fix it, but it couldn't hurt :)

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Does anyone know about sound cards. You see last night I was recalibrating my sound card.. Timing signal (1 sec pips) in the 10.000 MHz range. Had to re-adjust for my waterfall it was off. Well for some reason I kept get "OVERLOAD" from my calibration softwware while I was adjusting the sound card THEN all of the sudden everything went blank, every piece of software just stop decoding, waterfall went blank, TrunkPCR wont decode,other software just sits there like in a idle mode. After numorous shut downs and restarts no software will decode, I really mean every piece of software I run for DSP will not decode anything but Yet I still get sound from my computer speakers. Any Ideas whats going on here?
>
> Brian

1598. Re: [TrunkPCR] Sound Card BIG Problems

Yahoo group: TrunkPCR
Date: 2009-12-09 00:46:21 UTC
From: Jay
Topic: 1595 Message: 1598

I've never heard of someone overloading the Line-Input to the point that it would blow a sound card, so your chances on this would be low I think...

Have you tried the Sound Recorder in Window's Accessoriers->Entertainment to see if that works?
Have you swapped out your audio cable from the radio to sound card?

Jay

----- Original Message -----
From: Brian Veres

Tanks Jay I will try that. Whats the chances of overloading my input and now it wont work? My levels were low and I use Line input ((not mic) so there isnt the issues of +20 boost going on))

Brian

From: Jay
Hey Brian,

One thing you can try is go into the Control Panel's Hardware Devce Manager and "Disable" your sound card by selecting the "Do not use this device (disable)" in the drop-down combo box and click OK and reboot your PC.

Then do just the reverse after it reboots and "Enable" it and reboot again...

Don't know if this will fix it, but it couldn't hurt :)

Regards,
Jay

1599. TrunkPCR Crashing on Start

Yahoo group: TrunkPCR
Date: 2009-12-09 15:36:07 UTC
From: Lindsay C. Blanton III
Topic: 1599 Message: 1599

Folks,

I recently installed a new video adapter in my computer, and now I am unable to get TrunkPCR to start. The computer is running Windows XP SP3.

Whenever I start TrunkPCR, the application loads and immediately crashes when you mouse over any part of the TrunkPCR window. The crash occurs in ModName kernel32.dll, Offset 00012afb.

Any ideas? I'm unable to get TrunkPCR to work at all now... :(
--
Lindsay C. Blanton III
President / Owner
RadioReference.com LLC
http://www.radioreference.com

1600. Re: [TrunkPCR] Sound Card BIG Problems

Yahoo group: TrunkPCR
Date: 2009-12-09 13:51:17 UTC
From: Brian Veres
Topic: 1595 Message: 1600

I have heard that you can blow a sound crad but it isnt that easy. Anyway I got it working last night after about 3 hours which was a job. All DSP software is working again but have the same issue showing up with trying to calibrate for my sound card for my waterfall (Overloading.) What I know is somewhere or somehow my input levels are to high but how to adjust them to be with in acceptable limits for all DSP software.That is the question now.

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Tue, December 8, 2009 7:46:21 PM
Subject: Re: [TrunkPCR] Sound Card BIG Problems

I've never heard of someone overloading the Line-Input to the point that it would blow a sound card, so your chances on this would be low I think...

Have you tried the Sound Recorder in Window's Accessoriers->Entertainment to see if that works?
Have you swapped out your audio cable from the radio to sound card?

Jay

----- Original Message -----
>From: Brian Veres
>Tanks Jay I will try that. Whats the chances of overloading my input and now it wont work? My levels were low and I use Line input ((not mic) so there isnt the issues of +20 boost going on))
>
>Brian
>
>
>

>From: Jay
>Hey Brian,
>
>One thing you can try is go into the Control Panel's Hardware Devce Manager
>and "Disable" your sound card by selecting the "Do not use this device
>(disable)" in the drop-down combo box and click OK and reboot your PC.
>
>Then do just the reverse after it reboots and "Enable" it and reboot
>again...
>
>Don't know if this will fix it, but it couldn't hurt :)
>

>Regards,
>Jay
>
>

1601. Re: [TrunkPCR] TrunkPCR Crashing on Start

Yahoo group: TrunkPCR
Date: 2009-12-10 18:30:16 UTC
From: Vinicius Ferreira de Oliveira
Topic: 1599 Message: 1601

Try installing the driver generic video adapter.
This seems to be conflict between the video drivers.
Uninstall the video drivers and install others.
Usually in these cases the drivers "Generic" solve.

Em Qua, 2009-12-09 às 07:36 -0800, Lindsay C. Blanton III escreveu:

>
>
> Folks,
>
> I recently installed a new video adapter in my computer, and now I am
> unable to get TrunkPCR to start. The computer is running Windows XP
> SP3.
>
> Whenever I start TrunkPCR, the application loads and immediately
> crashes when you mouse over any part of the TrunkPCR window. The crash
> occurs in ModName kernel32.dll, Offset 00012afb.
>
> Any ideas? I'm unable to get TrunkPCR to work at all now... :(
> --
> Lindsay C. Blanton III
> President / Owner
> RadioReference.com LLC
> http://www.radioreference.com
>
>
>
>
>

1602. Re: [TrunkPCR] 800 mhz Rebanding. was Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-17 03:20:48 UTC
From: Brent Bottoms
Topic: 1593 Message: 1602

Hello All,

I got Trunk PCR running just fine with one exception. After about 11/2-2 hours of running, my computer screen will go blank, and the program seems to shut down. Anybody have any suggestions as to what may be causing this?

Thanks

Brent
Sent from my iPhone

On Dec 7, 2009, at 20:07, "Jay" <crazycalifornian@...> wrote:

Hi Brent,

After searching RadioReference.com, I found the right answer at:
http://www.radioreference.com/forums/utah-radio-discussion-forum/125682-custom-band-plan-s-rebanded-systems.html

The "new" numbers start at 440, so 851.0250 MHz is now channel 440.
Lo Chan Hi Chan Offset Base Freq Step
440 559 440 851.025000 25.000
So in the Trunk Settings, select the [Custom] option and in the Freq Plan Editor
Enter:
Base = 851.025
Offset = 440
Step = 25

So from your table below, I applied the above Freq Plan and came up with the correct frequencies. Looks like you may have had the wrong freq for the first three (3) entries, but the rest works out...

Give it and try and let us know your results :)

Regards,
Jay
----- Original Message -----
From: Brent Bottoms
Hi Jay,
Here is the information that I was able to get from the CC Activity Log:
Garland Texas Public Safety Freqency Plan----
Frq LCN
851.850 447 - 440 = 7 * 0.25 = 0.175 + 851.025 = 851.200
851.875 467 - 440 = 27 * 0.25 = 0.675 + 851.025 = 851.700
852.700 473 - 440 = 33 * 0.25 = 0.825 + 851.025 = 851.850
852.750 509 - 440 = 69 * 0.25 = 1.725 + 851.025 = 852.750
852.800 511 - 440 = 71 * 0.25 = 1.775 + 851.025 = 852.800

852.850 513 - 440 = 73 * 0.25 = 1.825 + 851.025 = 852.850
852.875 Control 514* - 440 = 74 * 0.25 = 1.850 + 851.025 = 852.875
853.225 Control 528* - 440 = 88 * 0.25 = 2.200 + 851.025 = 853.225
853.450 Control 537* - 440 = 97 * 0.25 = 2.425 + 851.025 = 853.450
853.500 Control 539* - 440 = 99 * 0.25 = 2..475 + 851.025 = 853.500
* the control frequency changes every day. I believe they swap around, and revert back to voice channels.
Not sure what I am doing wrong, but I am unable to figure out how to build the custom freq. plan.

Thanks for you help.

Brent

1603. Re: [TrunkPCR] 800 mhz Rebanding. was Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-20 09:03:50 UTC
From: Jay
Topic: 1593 Message: 1603

----- Original Message -----
From: Brent Bottoms
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, December 16, 2009 7:20 PM
Subject: Re: [TrunkPCR] 800 mhz Rebanding. was Where do I start?

Hello All,

I got Trunk PCR running just fine with one exception. After about 11/2-2 hours of running, my computer screen will go blank, and the program seems to shut down. Anybody have any suggestions as to what may be causing this?

Thanks

Brent
Sent from my iPhone

On Dec 7, 2009, at 20:07, "Jay" <crazycalifornian@hotmail..com> wrote:

Hi Brent,

After searching RadioReference.com, I found the right answer at:
http://www.radioreference.com/forums/utah-radio-discussion-forum/125682-custom-band-plan-s-rebanded-systems.html

The "new" numbers start at 440, so 851.0250 MHz is now channel 440.
Lo Chan Hi Chan Offset Base Freq Step
440 559 440 851.025000 25.000

So in the Trunk Settings, select the [Custom] option and in the Freq Plan Editor
Enter:
Base = 851.025
Offset = 440
Step = 25

So from your table below, I applied the above Freq Plan and came up with the correct frequencies. Looks like you may have had the wrong freq for the first three (3) entries, but the rest works out...

Give it and try and let us know your results :)

Regards,
Jay
----- Original Message -----
From: Brent Bottoms

Hi Jay,
Here is the information that I was able to get from the CC Activity Log:

Garland Texas Public Safety Freqency Plan----
Frq LCN
851.850 447 - 440 = 7 * 0.25 = 0.175 + 851.025 = 851.200
851.875 467 - 440 = 27 * 0.25 = 0.675 + 851.025 = 851.700
852.700 473 - 440 = 33 * 0.25 = 0.825 + 851.025 = 851.850
852.750 509 - 440 = 69 * 0.25 = 1.725 + 851.025 = 852.750
852.800 511 - 440 = 71 * 0.25 = 1.775 + 851.025 = 852.800
852.850 513 - 440 = 73 * 0.25 = 1.825 + 851.025 = 852.850
852.875 Control 514* - 440 = 74 * 0.25 = 1.850 + 851.025 = 852.875
853.225 Control 528* - 440 = 88 * 0.25 = 2.200 + 851.025 = 853.225
853.450 Control 537* - 440 = 97 * 0.25 = 2.425 + 851.025 = 853.450
853.500 Control 539* - 440 = 99 * 0.25 = 2.475 + 851.025 = 853.500
* the control frequency changes every day. I believe they swap around, and revert back to voice channels.
Not sure what I am doing wrong, but I am unable to figure out how to build the custom freq. plan.

Thanks for you help.

Brent

1604. Re: [TrunkPCR] 800 mhz Rebanding. was Where do I start?

Yahoo group: TrunkPCR
Date: 2009-12-20 09:06:07 UTC
From: Jay
Topic: 1593 Message: 1604

It could be that the version you are running isn't stable enough for your pc.
You can check the file section of this yahoo group for an earlier version and try one of those...

Jay
----- Original Message -----
From: Brent Bottoms

Hello All,

I got Trunk PCR running just fine with one exception. After about 11/2-2 hours of running, my computer screen will go blank, and the program seems to shut down. Anybody have any suggestions as to what may be causing this?

Thanks

Brent

1605. Jay, how do I

Yahoo group: TrunkPCR
Date: 2009-12-24 19:27:24 UTC
From: sjinndoawi00
Topic: 1605 Message: 1605

Happy holidays Jay and all

While I have a few free hours I have 3 questions.

1.) How do I set up Group watch?
2.) How do I set up Radio watch?
3.) What is User Status/Message? How do I set that up also?

So that I can monitor Groups(s) or Radio(s) or User Status/Message with in a system.

Thank you,

Brian

1606. Re: [TrunkPCR] Jay, how do I

Yahoo group: TrunkPCR
Date: 2009-12-25 00:54:16 UTC
From: Jay
Topic: 1605 Message: 1606

Hey Brian,

For the Group & Radio Watch, all that is needed is to enter the ID's in the appropriate section in the Trunk Settings...
There are 8 entries available for each, just type in an ID in one of the textboxes and press enter on the keyboard to save it...

The User Status Updates display will show something like:
Responding, On Scene, Enroute, Back in Station or other...
There is an associated ".Ust" file created for each Trunking Bank in the "Banks" Folder that can be edited in NotePad. RadioReference.com will show these on some sites on the web page...

The Radio Messages display will show something like:
Ready To Clear Event, Request a Call, At Court or other...
There is an associated ".Rmg" file created for each Trunking Bank in the "Banks" Folder that can be edited in NotePad...

For the above two files, only 8 entries are allowed for each...

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Happy holidays Jay and all
>
> While I have a few free hours I have 3 questions.
>
> 1.) How do I set up Group watch?
> 2.) How do I set up Radio watch?
> 3.) What is User Status/Message? How do I set that up also?
>
> So that I can monitor Groups(s) or Radio(s) or User Status/Message with in a system.
>
> Thank you,
>
> Brian

1607. Wishing You All..

Yahoo group: TrunkPCR
Date: 2009-12-25 00:57:38 UTC
From: Jay
Topic: 1607 Message: 1607

Hope you and yours have a Merry Christmas and a better New Year :)

Jay

1608. Morning Jay

Yahoo group: TrunkPCR
Date: 2009-12-27 14:29:17 UTC
From: sjinndoawi00
Topic: 1348 Message: 1608

Jay,

Ok I understand how to use Group/Radio Watch now. But I dont know how to use or active User Status/ Message within TrunkPCR. I went into notepad like you said and edited the message that I wanted, but now how do you use or active (User Status/ Message) within TrunkPCR? How will this feature work once a readible signal comes in, or should I say Tag the message too a frequency?

Brian

1609. Re: [TrunkPCR] User Status / Radio Messages, was Morning Jay

Yahoo group: TrunkPCR
Date: 2009-12-28 00:52:22 UTC
From: Jay
Topic: 1609 Message: 1609

Hey Brian,

The User Status / Radio Messages are active by default, when a user (Radio) updates their status or sends a message, you'll see it in the display...

There is no way of tying these messages to a frequency, since they are just a pre-determined status message. If you have ever seen a MDC 9100 Terminal, they have buttons labeled as "Responding", "Arrived Scene", Etc. They press a button which transmits their status or pre-determined message...

Same thing as in the Misc List, you'll see dozens of status messages, but nothing that ties them to a frequency...

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"
>
> Jay,
>
>
> Ok I understand how to use Group/Radio Watch now. But I dont know how to use or active User Status/ Message within TrunkPCR. I went into notepad like you said and edited the message that I wanted, but now how do you use or active (User Status/ Message) within TrunkPCR? How will this feature work once a readible signal comes in, or should I say Tag the message too a frequency?
>
> Brian

1610. PCR2500

Yahoo group: TrunkPCR
Date: 2009-12-29 18:29:18 UTC
From: andy.kunik
Topic: 740 Message: 1610

Hey All,

I am new the this group however I've been a trunkPCR user for several years. I am monitoring the local trunk system here in Charlotte, NC with the PCR1000. I really love this control software! It works way better than my other scanners.

I will be moving to a nearby county that uses a P25 simulcast system. So I have been trying to decide what scanner to buy for monitoring this system. From the reviews I have read none of the currently avaliable scanners do a very good job with simulcast.

My question: is anyone in this group using a PCR2500 in dual dirvisity receive mode to monitor P25 simulcast? Or is it even possible? I would like to hear from a current user or two before making the investment.

Thanks,

Andy, AE8J

1611. Re: [TrunkPCR] User Status / Radio Messages, was Morning Jay

Yahoo group: TrunkPCR
Date: 2009-12-29 14:12:33 UTC
From: Brian Veres
Topic: 1609 Message: 1611

Morning Jay,

Well they must not use this feature were I am at because if it works/active by default I dont see anything.

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Sun, December 27, 2009 7:52:22 PM
Subject: Re: [TrunkPCR] User Status / Radio Messages, was Morning Jay

Hey Brian,

The User Status / Radio Messages are active by default, when a user (Radio) updates their status or sends a message, you'll see it in the display...

There is no way of tying these messages to a frequency, since they are just a pre-determined status message. If you have ever seen a MDC 9100 Terminal, they have buttons labeled as "Responding" , "Arrived Scene", Etc. They press a button which transmits their status or pre-determined message...

Same thing as in the Misc List, you'll see dozens of status messages, but nothing that ties them to a frequency...

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"
>
> Jay,
>
>
> Ok I understand how to use Group/Radio Watch now. But I dont know how to use or active User Status/ Message within TrunkPCR. I went into notepad like you said and edited the message that I wanted, but now how do you use or active (User Status/ Message) within TrunkPCR? How will this feature work once a readible signal comes in, or should I say Tag the message too a frequency?
>
> Brian

1612. the A5/1 privacy algorithm (GSM) has been deciphered

Yahoo group: TrunkPCR
Date: 2009-12-30 16:59:03 UTC
From: freedellboy2007
Topic: 1612 Message: 1612

Did you know that the vast majority of calls carried out on the 3.5 billion GSM connections in the world today are protected by a 21-year old 64-bit encryption algorithm? You should now, given that the A5/1 privacy algorithm, devised in 1988, has been deciphered by German computer engineer Karsten Nohl and published as a torrent for fellow code cracking enthusiasts and less benevolent forces to exploit. Worryingly, Karsten and his crew of merry men obtained the binary codes by simple brute force -- they fed enough random strings of numbers in to effectively guess the password. The GSM Association -- which has had a 128-bit A5/3 key available since 2007, but found little takeup from operators -- has responded by having a whinge about Mr. Nohl's intentions and stating that operators could just modify the existing code to re-secure their networks. Right, only a modified 64-bit code is just as vulnerable to cracking as the one that just got cracked. It's important to note that simply having the code is not in itself enough to eavesdrop on a call, as the cracker would be faced with just a vast stream of digital communications -- but Karsten comes back to reassure us that intercepting software is already available in customizable open source varieties. So don't be like Tiger, keep your truly private conversations off the airwaves, at least for a while.

1613. Re: [TrunkPCR] the A5/1 privacy algorithm (GSM) has been deciphered

Yahoo group: TrunkPCR
Date: 2009-12-31 02:44:01 UTC
From: Brian Veres
Topic: 1612 Message: 1613

I hate to tell you this but it is old news just because you are reading it now on RR doesn't mean its new. Actually the the GSM Code was found faulty back in the early part of 2000 and the code was found in the late 1990's. So this posting is like 10 years to late. they even know that the A5/2 key is weak and possibly A5/3 is too. There are programs out there that track even CDMA. So I don't know why people get all worked up over this or want to listen to cell phones. If you are a true Surveillence technician you know there are more way than one to get your information then cell phones. Also the hole encryption / I want to listen to cell phones / I want to listen to the police is not only getting old, it really shows your liminited skills or ability.

ANY Wireless communication is not saft no matter how many times you encode it or encrypt it anymore. If the technology / software exist to make this happen, then the technology / software exist to break it.

Brian

From: freedellboy2007 <adriangutierrezsamudio@...>
To: TrunkPCR@yahoogroups.com
Sent: Wed, December 30, 2009 8:59:03 AM
Subject: [TrunkPCR] the A5/1 privacy algorithm (GSM) has been deciphered

Did you know that the vast majority of calls carried out on the 3..5 billion GSM connections in the world today are protected by a 21-year old 64-bit encryption algorithm? You should now, given that the A5/1 privacy algorithm, devised in 1988, has been deciphered by German computer engineer Karsten Nohl and published as a torrent for fellow code cracking enthusiasts and less benevolent forces to exploit. Worryingly, Karsten and his crew of merry men obtained the binary codes by simple brute force -- they fed enough random strings of numbers in to effectively guess the password. The GSM Association -- which has had a 128-bit A5/3 key available since 2007, but found little takeup from operators -- has responded by having a whinge about Mr. Nohl's intentions and stating that operators could just modify the existing code to re-secure their networks. Right, only a modified 64-bit code is just as vulnerable to cracking as the one that just got cracked. It's important to note that simply having the code is not in itself enough to eavesdrop on a call, as the cracker would be faced with just a vast stream of digital communications -- but Karsten comes back to reassure us that intercepting software is already available in customizable open source varieties. So don't be like Tiger, keep your truly private conversations off the airwaves, at least for a while.

1614. Re: Wishing You All..

Yahoo group: TrunkPCR
Date: 2010-01-01 19:14:12 UTC
From: jdami123
Topic: 1607 Message: 1614

Hapy New Year, Jay!

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hope you and yours have a Merry Christmas and a better New Year :)
>
> Jay
>

1615. Re: Wishing You All..

Yahoo group: TrunkPCR
Date: 2010-01-01 19:15:02 UTC
From: jdami123
Topic: 1607 Message: 1615

*Happy.... LOL!

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hope you and yours have a Merry Christmas and a better New Year :)
>
> Jay
>

1616. Re: PCR2500

Yahoo group: TrunkPCR
Date: 2010-01-01 19:35:39 UTC
From: jdami123
Topic: 740 Message: 1616

Running a PCR2500 here.

The receiver tracks just fine with Jay's s/w on a simulcast system... but the problem lies in decoding the P25 signals in this environment.

At least in our mixed system here in SoCal, P25 signals come thru really garbled and broken.

Icom tech says this is to be expected.

Sad, because for pure P25 systems this receiver provides generally flawless decoding... the best I've ever heard.

I have several consumer P25 scanners for the mixed system and the best overall so far is the PSR500/PSR600.

Also, please recall that an optional P25 decoder board must be installed in the PCR2500. And if you get a "cell blocked" US model, you may find the blocked ranges include parts of the public service bands you want to monitor. (several threads here address this unfortunate circumstance).

Hope this is helpful, Andy.

-rb-

--- In TrunkPCR@yahoogroups.com, "andy.kunik" <andy.kunik@...> wrote:
>
> Hey All,
>
> I am new the this group however I've been a trunkPCR user for several
> years. I am monitoring the local trunk system here in Charlotte, NC
> with the PCR1000. I really love this control software! It works
> way better than my other scanners.
>
> I will be moving to a nearby county that uses a P25 simulcast system.
> So I have been trying to decide what scanner to buy for monitoring
> this system. From the reviews I have read none of the currently
> avaliable scanners do a very good job with simulcast.
>
> My question: is anyone in this group using a PCR2500 in dual dirvisity
> receive mode to monitor P25 simulcast? Or is it even possible?
> I would like to hear from a current user or two before making the
> investment.
>
> Thanks,
>
> Andy, AE8J

>

1617. Re: [TrunkPCR] Re: PCR2500

Yahoo group: TrunkPCR
Date: 2010-01-02 01:04:44 UTC
From: Patrick Bigelbach
Topic: 740 Message: 1617

rb:

Which SoCal system are you monitoring? SanDiegoRCS?

I use TrunkPCR with a PCR1000 and an old Radio Shack scanner with discriminator tap for the control channel, and a modified AOR ARD-25 to decode the P25 voice and it works very well on SanDiegoRCS where I monitor mostly P25 talkgroups.

I'm not exactly sure what a simulcast system is, or if SanDiegoRCS fits into that category, but thought I would give my $0.02.

--
-=Patrick=-

-----Original Message-----
From: jdami123 <jdami123@...>
Reply-to: TrunkPCR@yahoogroups.com
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: PCR2500
Date: Fri, 01 Jan 2010 19:35:39 -0000

Running a PCR2500 here.

The receiver tracks just fine with Jay's s/w on a simulcast system... but the problem lies in decoding the P25 signals in this environment.

At least in our mixed system here in SoCal, P25 signals come thru really garbled and broken.

Icom tech says this is to be expected.

Sad, because for pure P25 systems this receiver provides generally flawless decoding... the best I've ever heard.

I have several consumer P25 scanners for the mixed system and the best overall so far is the PSR500/PSR600.

Also, please recall that an optional P25 decoder board must be installed in the PCR2500. And if you get a "cell blocked" US model, you may find the blocked ranges include parts of the public service bands you want to monitor. (several threads here address this unfortunate circumstance).

Hope this is helpful, Andy.

-rb-

--- In TrunkPCR@yahoogroups.com, "andy.kunik" <andy.kunik@...> wrote:
>

> Hey All,
>
> I am new the this group however I've been a trunkPCR user for several
> years. I am monitoring the local trunk system here in Charlotte, NC
> with the PCR1000. I really love this control software! It works
> way better than my other scanners.
>
> I will be moving to a nearby county that uses a P25 simulcast system.
> So I have been trying to decide what scanner to buy for monitoring
> this system. From the reviews I have read none of the currently
> avaliable scanners do a very good job with simulcast.
>
> My question: is anyone in this group using a PCR2500 in dual dirvisity
> receive mode to monitor P25 simulcast? Or is it even possible?
> I would like to hear from a current user or two before making the
> investment.
>
> Thanks,
>
> Andy, AE8J
>

1618. Re: [TrunkPCR] Re: Wishing You All..

Yahoo group: TrunkPCR
Date: 2010-01-02 05:38:09 UTC
From: Jay
Topic: 1607 Message: 1618

Back at ya :-)

----- Original Message -----
From: "jdami123"
>

> Hapy New Year, Jay!
>
> --- "Jay" wrote:
> >
> > Hope you and yours have a Merry Christmas and a better New Year :)
> >
> > Jay

1622. Re: PCR2500

Yahoo group: TrunkPCR
Date: 2010-01-05 23:32:40 UTC
From: jdami123
Topic: 740 Message: 1622

Hi Patrick,

Yep, it's the dreaded SD-RCS... LOL!

I think P25 decoding for this system depends quite a bit on location.

This is a very squirrelly signal in our part of town, down here among all the reflective surfaces and cell towers.

Decoding quality varies throughout the day, and from day to day.

And here, antenna choice and siting also make a big difference.

The Diamond Discone (D-130JN) at 40 ft on the roof is a poor SD-RCS signal source... likely because it is a perfect target for multipath signals.

The best performer is an R/S three segment mag mount antenna mounted deep within the protective walls of our structure.

But even moving this antenna a few inches makes a difference.

Over time, and with great tedium, I found the optimum placement for this antenna is on a 5 foot high shelf next to a printer and about three inches from a vertical metallic floor-to-ceiling post. <Arrrgh!>

Others around the area have found RCS to be problematic, too... so you are in a good place, it seems.

At any rate, for SD-RCS here, ranked by goodness from best to worst, we observe

PSR500/PSR600
BCD996T
R8500/ARD-25
AR5000/ARD-25
BCD396T
PCR2500

But again, for UHF pure P25 systems we can receive here, the PCR2500 generally is flawless, and the ARD-25 combinations listed above run a close second.

-rb-
PS: I'd be very interested in hearing about your ARD-25 mods... I've always felt that unit should do a better job on RCS.

--- In TrunkPCR@yahoogroups.com, Patrick Bigelbach <patrick@...> wrote:
>
> rb:
>
> Which SoCal system are you monitoring? SanDiegoRCS?

>
> I use TrunkPCR with a PCR1000 and an old Radio Shack scanner with
> discriminator tap for the control channel, and a modified AOR ARD-25 to
> decode the P25 voice and it works very well on SanDiegoRCS where I
> monitor mostly P25 talkgroups.
>
> I'm not exactly sure what a simulcast system is, or if SanDiegoRCS fits
> into that category, but thought I would give my $0.02.
>
> --
> -=Patrick=-
>
>
>
>
> -----Original Message-----
> From: jdami123 <jdami123@...>
> Reply-to: TrunkPCR@yahoogroups.com
> To: TrunkPCR@yahoogroups.com
> Subject: [TrunkPCR] Re: PCR2500
> Date: Fri, 01 Jan 2010 19:35:39 -0000
>
>
>
>
> Running a PCR2500 here.
>
> The receiver tracks just fine with Jay's s/w on a simulcast system...
> but the problem lies in decoding the P25 signals in this environment.
>
> At least in our mixed system here in SoCal, P25 signals come thru really
> garbled and broken.
>
> Icom tech says this is to be expected.
>
> Sad, because for pure P25 systems this receiver provides generally
> flawless decoding... the best I've ever heard.
>
> I have several consumer P25 scanners for the mixed system and the best
> overall so far is the PSR500/PSR600.
>
> Also, please recall that an optional P25 decoder board must be installed
> in the PCR2500. And if you get a "cell blocked" US model, you may find
> the blocked ranges include parts of the public service bands you want to
> monitor. (several threads here address this unfortunate circumstance).
>
> Hope this is helpful, Andy.
>
> -rb-
>

> --- In TrunkPCR@yahoogroups.com, "andy.kunik" <andy.kunik@> wrote:
> >
> > Hey All,
> >
> > I am new the this group however I've been a trunkPCR user for several
> > years. I am monitoring the local trunk system here in Charlotte, NC
> > with the PCR1000. I really love this control software! It works
> > way better than my other scanners.
> >
> > I will be moving to a nearby county that uses a P25 simulcast system.
> > So I have been trying to decide what scanner to buy for monitoring
> > this system. From the reviews I have read none of the currently
> > avaliable scanners do a very good job with simulcast.
> >
> > My question: is anyone in this group using a PCR2500 in dual dirvisity
> > receive mode to monitor P25 simulcast? Or is it even possible?
> > I would like to hear from a current user or two before making the
> > investment.
> >
> > Thanks,
> >
> > Andy, AE8J
> >
>

1624. Re: [TrunkPCR] Re: PCR2500

Yahoo group: TrunkPCR
Date: 2010-01-06 05:05:24 UTC
From: Patrick Bigelbach
Topic: 740 Message: 1624

WOW, I guess I have lucked living up in North County!

The ARD-25 mod is pretty easy....You find the FM detector chip and cut the trace going to the input of the detector and inject a voltage matched packet-out (baseband) signal from the PCR at the input pin of the detector chip.

To match the voltage I take a 1M POT connected between ground and VCC with the arm (center connector of the POT) connected to input signal and detector input. I found VCC on the expansion connector on the ARD-25 mainboard. Then adjust the POT until you hear clear voice.

When I first bought the ARD-25 I could not believe that it only had an IF input, so I googled around and found this mod. Having nothing else to loose I successfully attempted it.

I have been very happy with quality, but if the software switches to a talkgroup midstream, then I may hear .25 seconds of garble.

I can fire up the media server and give you a URL to listen to it using media player over the Internet if you are ever interested.

Disclaimer*
Doing this mod may damage your equipment...Do so at your own risk

--
-=Patrick=-

-----Original Message-----
From: jdami123 <jdami123@...>
Reply-to: TrunkPCR@yahoogroups.com
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Re: PCR2500
Date: Tue, 05 Jan 2010 23:32:40 -0000

Hi Patrick,

Yep, it's the dreaded SD-RCS... LOL!

I think P25 decoding for this system depends quite a bit on location.

This is a very squirrelly signal in our part of town, down here among all the reflective surfaces and cell towers.

Decoding quality varies throughout the day, and from day to day.

And here, antenna choice and siting also make a big difference.

The Diamond Discone (D-130JN) at 40 ft on the roof is a poor SD-RCS signal source... likely because it is a perfect target for multipath signals.

The best performer is an R/S three segment mag mount antenna mounted deep within the protective walls of our structure.

But even moving this antenna a few inches makes a difference.

Over time, and with great tedium, I found the optimum placement for this antenna is on a 5 foot high shelf next to a printer and about three inches from a vertical metallic floor-to-ceiling post. <Arrrgh!>

Others around the area have found RCS to be problematic, too... so you are in a good place, it seems.

At any rate, for SD-RCS here, ranked by goodness from best to worst, we observe

PSR500/PSR600
BCD996T
R8500/ARD-25
AR5000/ARD-25
BCD396T
PCR2500

But again, for UHF pure P25 systems we can receive here, the PCR2500 generally is flawless, and the ARD-25 combinations listed above run a close second.

-rb-
PS: I'd be very interested in hearing about your ARD-25 mods... I've always felt that unit should do a better job on RCS.

--- In TrunkPCR@yahoogroups.com, Patrick Bigelbach <patrick@...> wrote:
>
> rb:
>
> Which SoCal system are you monitoring? SanDiegoRCS?
>
> I use TrunkPCR with a PCR1000 and an old Radio Shack scanner with
> discriminator tap for the control channel, and a modified AOR ARD-25
to
> decode the P25 voice and it works very well on SanDiegoRCS where I
> monitor mostly P25 talkgroups.
>
> I'm not exactly sure what a simulcast system is, or if SanDiegoRCS
fits
> into that category, but thought I would give my $0.02.
>
> --
> -=Patrick=-
>

>
>
>
> -----Original Message-----
> From: jdami123 <jdami123@...>
> Reply-to: TrunkPCR@yahoogroups.com
> To: TrunkPCR@yahoogroups.com
> Subject: [TrunkPCR] Re: PCR2500
> Date: Fri, 01 Jan 2010 19:35:39 -0000
>
>
>
>
> Running a PCR2500 here.
>
> The receiver tracks just fine with Jay's s/w on a simulcast system...
> but the problem lies in decoding the P25 signals in this environment.
>
> At least in our mixed system here in SoCal, P25 signals come thru
really
> garbled and broken.
>
> Icom tech says this is to be expected.
>
> Sad, because for pure P25 systems this receiver provides generally
> flawless decoding... the best I've ever heard.
>
> I have several consumer P25 scanners for the mixed system and the best
> overall so far is the PSR500/PSR600.
>
> Also, please recall that an optional P25 decoder board must be
installed
> in the PCR2500. And if you get a "cell blocked" US model, you may find
> the blocked ranges include parts of the public service bands you want
to
> monitor. (several threads here address this unfortunate circumstance).
>
> Hope this is helpful, Andy.
>
> -rb-
>
> --- In TrunkPCR@yahoogroups.com, "andy.kunik" <andy.kunik@> wrote:
> >
> > Hey All,
> >
> > I am new the this group however I've been a trunkPCR user for
several
> > years. I am monitoring the local trunk system here in Charlotte, NC
> > with the PCR1000. I really love this control software! It works
> > way better than my other scanners.

> >
> > I will be moving to a nearby county that uses a P25 simulcast
system.
> > So I have been trying to decide what scanner to buy for monitoring
> > this system. From the reviews I have read none of the currently
> > avaliable scanners do a very good job with simulcast.
> >
> > My question: is anyone in this group using a PCR2500 in dual
dirvisity
> > receive mode to monitor P25 simulcast? Or is it even possible?
> > I would like to hear from a current user or two before making the
> > investment.
> >
> > Thanks,
> >
> > Andy, AE8J
> >
>

1629. Newbie questions

Yahoo group: TrunkPCR
Date: 2010-01-10 21:02:53 UTC
From: Mark Seelbinder
Topic: 1629 Message: 1629

I've been monitoring the group for a few weeks, and will probably give TrunkPCR a try (with a PCR-1000). My immediate desire is to monitor the EDACS system in Kansas City, MO.

I've looked for an FAQ, but haven't stumbled upon it yet ... so, a couple of questions

1) What are the computer hardware and operating system requirements to run the program?

2) I think I remember reading somewhere that to both trunk track and record, you need two sound cards ... did I read that correctly?

Thanks. I'm always impressed by products where there is personalized service through a forum such as this.

Mark

1630. sound card and or usb connection

Yahoo group: TrunkPCR
Date: 2010-01-18 04:13:30 UTC
From: kb3aaj
Topic: 1630 Message: 1630

does the data jack in the back of the pcr2500 have to be connected to the sound card when the unit is connected using a usb connection

1631. Re: [TrunkPCR] sound card and or usb connection

Yahoo group: TrunkPCR
Date: 2010-01-19 02:58:00 UTC
From: Jay
Topic: 1630 Message: 1631

For Trunking, Yes...

Other decoders can be used with the USB Audio, but you need to adjust the
USB Levels using Icom's program first...

Regards,
Jay

----- Original Message -----
From: "kb3aaj"
>

> does the data jack in the back of the pcr2500 have to be connected to the
sound card when the unit is connected using a usb connection

1632. 2 questions

Yahoo group: TrunkPCR
Date: 2010-01-21 02:00:28 UTC
From: sjinndoawi00
Topic: 1632 Message: 1632

Evening Jay and all.

I am reading on one of my P25 sites that I follow and I am reading that.
AMBE is slated to replace the IMBE codec in Phase 2 of APCO 25. My two questions are.

1.) How will this affect the Trunking Software with the changing from IMBE to AMBE in Phase 2?

2.) Is't AMBE backwards compatible with IMBE, and if so, will the Trunking software still work once Phase 2 is implemented?

I don't know if Phase 2 has started or is done so I might be behind in this posting but I thought I would be a topic of great discussion.

Brian

1633. Sound card problem

Yahoo group: TrunkPCR
Date: 2010-01-22 18:21:37 UTC
From: lvanland@swbell.net
Topic: 1633 Message: 1633

I recently switched TrunkPCR back to my Dell XP laptop and am receiving the error message" MMResult: waveInOpen returns a device ID has been used that is out of range for your system" when I click on the Trunk button. TrunkPCR had previously been working fine on this laptop.

I found previous posts (early 2005) about this problem, but the only suggestions were to check for another program using the sound card. I either don't know how, or cannot find anything else using the sound card. Any suggestion will be appreciated.

1634. Re: [TrunkPCR] Sound card problem

Yahoo group: TrunkPCR
Date: 2010-01-23 01:21:45 UTC
From: Peter McCubbin
Topic: 1633 Message: 1634

I'm getting this same problem with my laptop. It had previously been fine, but started after upgrading to Win 7. Works fine in non trunk mode. Peter

lvanland@... wrote:
>
>
> I recently switched TrunkPCR back to my Dell XP laptop and am
> receiving the error message" MMResult: waveInOpen returns a device ID
> has been used that is out of range for your system" when I click on
> the Trunk button. TrunkPCR had previously been working fine on this
> laptop.
>
> I found previous posts (early 2005) about this problem, but the only
> suggestions were to check for another program using the sound card. I
> either don't know how, or cannot find anything else using the sound
> card. Any suggestion will be appreciated.
>
>

1635. Re: [TrunkPCR] Sound card problem

Yahoo group: TrunkPCR
Date: 2010-01-23 13:21:09 UTC
From: Brent Bottoms
Topic: 1633 Message: 1635

I fixed this same problem by using an external USB sound card. Works great!

Sent from my iPhone

1636. Error and Problem

Yahoo group: TrunkPCR
Date: 2010-01-24 13:01:19 UTC
From: sjinndoawi00
Topic: 1636 Message: 1636

Good Mornign Jay,

For some reason this morning TrunkPCR keeps giving me this error

Error Occured: 01-24-2010 - 07:46:09
TrackID: Err [6] -> Overflow

This is happening on (2) of my systems systems. TrunkPCR will freeze up and not respond then close out.

Or I will get a transmission (comms) with no Error and TrunkPCR will freeze up.

Any Ideas,
Brian

1637. Re: [TrunkPCR] Sound card problem

Yahoo group: TrunkPCR
Date: 2010-01-24 20:28:36 UTC
From: Peter McCubbin
Topic: 1633 Message: 1637

Thanks for the info Brent, but I am hoping there's maybe a solution possible with my existing hardware. The on board sound card seems to work fine otherwise. Thanks again. Peter

Brent Bottoms wrote:
>
>
> I fixed this same problem by using an external USB sound card. Works
> great!
>
> Sent from my iPhone
>
>

1638. Re: [TrunkPCR] Sound card problem

Yahoo group: TrunkPCR
Date: 2010-01-24 20:48:28 UTC
From: Jay
Topic: 1633 Message: 1638

Have you selected the correct Decoding Device in the Sound Card Setup?

Guess one of these days, I'll buy the Win7 CD and see what gives...

Regards,
Jay

----- Original Message -----
From: Peter McCubbin

Thanks for the info Brent, but I am hoping there's maybe a solution possible with my existing hardware. The on board sound card seems to work fine otherwise. Thanks again.
Peter

1639. Re: [TrunkPCR] Error and Problem

Yahoo group: TrunkPCR
Date: 2010-01-24 20:50:25 UTC
From: Jay
Topic: 1636 Message: 1639

Hey Brian,

I'll send you a test version to see where the error is exactly located...

Thanks,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Good Mornign Jay,
>
> For some reason this morning TrunkPCR keeps giving me this error
>
> Error Occured: 01-24-2010 - 07:46:09
> TrackID: Err [6] -> Overflow
>
> This is happening on (2) of my systems systems. TrunkPCR will freeze up
and not respond then close out.
>
> Or I will get a transmission (comms) with no Error and TrunkPCR will
freeze up.
>
> Any Ideas,
> Brian

1640. Re: [TrunkPCR] Error and Problem

Yahoo group: TrunkPCR
Date: 2010-01-25 00:19:31 UTC
From: Brian Veres
Topic: 1636 Message: 1640

Jay,

No problem. I wonder if that unknown"OSW" we talked about last week that I am getting now has anything to do with this.

Brian

_____
From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Sun, January 24, 2010 3:50:25 PM
Subject: Re: [TrunkPCR] Error and Problem

Hey Brian,

I'll send you a test version to see where the error is exactly located...

Thanks,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Good Mornign Jay,
>
> For some reason this morning TrunkPCR keeps giving me this error
>
> Error Occured: 01-24-2010 - 07:46:09
> TrackID: Err [6] -> Overflow
>
> This is happening on (2) of my systems systems. TrunkPCR will freeze up
and not respond then close out.
>
> Or I will get a transmission (comms) with no Error and TrunkPCR will
freeze up.
>
> Any Ideas,
> Brian

1641. Sound Card Problems

Yahoo group: TrunkPCR
Date: 2010-01-25 18:07:32 UTC
From: lvanland@swbell.net
Topic: 1641 Message: 1641

Jay,
When I try to select Sound Card Settings TrunkPCR closes. No error message, nothing. It just goes away.. I am using V 0.90.255 running XP Pro.

Thanks,

1642. Re: Sound card problem

Yahoo group: TrunkPCR
Date: 2010-01-25 00:49:01 UTC
From: lvanland@swbell.net
Topic: 1633 Message: 1642

On my XP laptop, TrunkPCR closes when I try to select Sound Card Setup. No error message, nothing. It just goes away. Any suggestions?

Thanks

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Have you selected the correct Decoding Device in the Sound Card Setup?
>
> Guess one of these days, I'll buy the Win7 CD and see what gives...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: Peter McCubbin
>
> Thanks for the info Brent, but I am hoping there's maybe a solution possible with my existing hardware. The on board sound card seems to work fine otherwise. Thanks again.
Peter
>

1643. Re: [TrunkPCR] Sound Card Problems

Yahoo group: TrunkPCR
Date: 2010-01-25 20:26:57 UTC
From: Brian Veres
Topic: 1641 Message: 1643

You need to have the receiver on when doing settings. In fact you have to have your PCR 1500/2500 on Before starting ANY version of Jays software and get it running.
So turn "ON" your PCR1500/2500 first then start the software and "THEN" do your setting...ie (sound card,usb port settings,baud rate...ect)

Brian

From: "lvanland@..." <lvanland@...>
To: TrunkPCR@yahoogroups.com
Sent: Mon, January 25, 2010 1:07:32 PM
Subject: [TrunkPCR] Sound Card Problems

Jay,
When I try to select Sound Card Settings TrunkPCR closes. No error message, nothing. It just goes away.. I am using V 0.90.255 running XP Pro.

Thanks,

1644. RE: [TrunkPCR] Sound Card Problems

Yahoo group: TrunkPCR
Date: 2010-01-25 22:10:07 UTC
From: Louis H. VanLandingham
Topic: 1641 Message: 1644

The receiver is on before loading TrunkPCR. The software goes away when I click on Sound Card Settings.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Brian Veres
Sent: Monday, January 25, 2010 2:27 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Sound Card Problems

You need to have the receiver on when doing settings. In fact you have to have your PCR 1500/2500 on Before starting ANY version of Jays software and get it running.
So turn "ON" your PCR1500/2500 first then start the software and "THEN" do your setting....ie (sound card,usb port settings,baud rate...ect)

Brian

From: "lvanland@..." <lvanland@...>
To: TrunkPCR@yahoogroups.com
Sent: Mon, January 25, 2010 1:07:32 PM
Subject: [TrunkPCR] Sound Card Problems

Jay,
When I try to select Sound Card Settings TrunkPCR closes. No error message, nothing. It just goes away.. I am using V 0.90.255 running XP Pro.

Thanks,

1645. Re: [TrunkPCR] Sound card problem

Yahoo group: TrunkPCR
Date: 2010-01-25 23:46:13 UTC
From: Peter McCubbin
Topic: 1633 Message: 1645

Jay, I checked the Sound Card Setup and verified that I've got the correct decoding device. Cheers, Peter

Jay wrote:
>
>
> Have you selected the correct Decoding Device in the Sound Card Setup?
>
> Guess one of these days, I'll buy the Win7 CD and see what gives...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> *From:* Peter McCubbin <mailto:petermccubbin@...> Thanks for
> the info Brent, but I am hoping there's maybe a solution possible
> with my existing hardware. The on board sound card seems to work
> fine otherwise. Thanks again. Peter
>
>

1646. Re: [TrunkPCR] Sound card problem

Yahoo group: TrunkPCR
Date: 2010-01-27 02:55:50 UTC
From: Jay
Topic: 1633 Message: 1646

Gotcha,

I'll upload an Alpha test version to the group in a couple more days, so we can see where the error is...

Regards,
Jay

----- Original Message -----
From: Peter McCubbin

Jay, I checked the Sound Card Setup and verified that I've got the correct decoding device.
Cheers, Peter

1647. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2010-01-30 02:21:02 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 1647

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /TrunkPcr.zip
Uploaded by : craazyc <crazycalifornian@...>
Description : TrunkPcr 0.90.259 Alpha

You can access this file at the URL:
http://groups.yahoo.com/group/TrunkPCR/files/TrunkPcr.zip

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/l/us/yahoo/groups/original/members/forms/general.htmlfiles

Regards,

craazyc <crazycalifornian@...>
```

1648. TrunkPcr 0.90.259 Alpha

Yahoo group: TrunkPCR
Date: 2010-01-30 02:26:35 UTC
From: Jay
Topic: 1648 Message: 1648

Hey All,

TrunkPcr 0.90.259 Alpha as been uploaded to the group.
This version has a bunch more error checking and reporting added...

I have also started support for decoding Left & Right channels from the Line-In. Right now, just set Left Channel in the Trunk Settings as the right channel doesn't decode anything and only is displayed in the O'Scope...

Please let me know if something isn't working as good as before or if your past problem is working...

Thanks,
Jay

1649. Re: [TrunkPCR] TrunkPcr 0.90.259 Alpha

Yahoo group: TrunkPCR
Date: 2010-01-31 23:41:35 UTC
From: Peter McCubbin
Topic: 1648 Message: 1649

Jay,
I've now installed 0.90.259 Alpha. When I click on "Trunk' I still get 'MM Result: wave InOpen returns A device ID has been used that is out of range for your system'. The only other thing I notice is that now, when I try to open the 'Sound Card Settings' I get a message 'Trunk PCR has stopped working'. Previously the dialogue would open. Otherwise, conventional operation seems to be fine. If I can provide any other info let me know. Best Regards, Peter

Jay wrote:
>
>
> Hey All,
>
> TrunkPcr 0.90.259 Alpha as been uploaded to the group.
> This version has a bunch more error checking and reporting added...
>
> I have also started support for decoding Left & Right channels from
> the Line-In. Right now, just set Left Channel in the Trunk Settings
> as the right channel doesn't decode anything and only is displayed in
> the O'Scope...
>
> Please let me know if something isn't working as good as before or if
> your past problem is working...
>
> Thanks,
> Jay
>

1650. Re: [TrunkPCR] TrunkPcr 0.90.259 Alpha

Yahoo group: TrunkPCR
Date: 2010-02-01 00:35:10 UTC
From: Peter McCubbin
Topic: 1648 Message: 1650

Jay,
I should have mentioned that my previous version was 89.242. I'm
running Win 7. Peter

Jay wrote:
>
>
> Hey All,
>
> TrunkPcr 0.90.259 Alpha as been uploaded to the group.
> This version has a bunch more error checking and reporting added...
>
> I have also started support for decoding Left & Right channels from
> the Line-In. Right now, just set Left Channel in the Trunk Settings
> as the right channel doesn't decode anything and only is displayed in
> the O'Scope...
>
> Please let me know if something isn't working as good as before or if
> your past problem is working...
>
> Thanks,
> Jay
>

1651. Re: [TrunkPCR] TrunkPcr 0.90.259 Alpha

Yahoo group: TrunkPCR
Date: 2010-02-01 01:10:05 UTC
From: Jay
Topic: 1648 Message: 1651

Hey Peter,

Thanks for the info...
That is strange, any error should have been caught by the new error handler.

Was there an Error.log file created in the install folder?

Thanks,
Jay

----- Original Message -----
From: Peter McCubbin

Jay,
I've now installed 0.90.259 Alpha. When I click on "Trunk' I still get 'MM Result: wave InOpen returns A device ID has been used that is out of range for your system'. The only other thing I notice is that now, when I try to open the 'Sound Card Settings' I get a message 'Trunk PCR has stopped working'. Previously the dialogue would open. Otherwise, conventional operation seems to be fine. If I can provide any other info let me know.

I should have mentioned that my previous version was 89.242. I'm running Win 7.

Best Regards, Peter

1652. Re: [TrunkPCR] TrunkPcr 0.90.259 Alpha

Yahoo group: TrunkPCR
Date: 2010-02-01 02:59:19 UTC
From: Jay
Topic: 1648 Message: 1652

I did find one error, that if you didn't turn on the 1500/2500 first and you have the decoding or recording device set to a "now non-existant" device, it would display an error, but the program didn't crash...

Jay

----- Original Message -----
From: Peter McCubbin
Jay,
I should have mentioned that my previous version was 89.242. I'm running Win 7. Peter

1653. TrunkPcr 0.90.259 alpha/sound card problem

Yahoo group: TrunkPCR
Date: 2010-02-04 17:33:43 UTC
From: lvanland@swbell.net
Topic: 1653 Message: 1653

Jay,

I have installed TrunkPCR V 0.90.259 on my Dell Inspiron 2650 running XP Pro. I received an error message when I first attempted to click on Sound Card Settings, but it let me see the Setting Screen. I selected the proper settings, and the program has been working perfectly for 3 days

Error Log under V 0.90.255, which just closed when I clicked on the Sound Card Settings:

-- Error Occured: 01-21-2010 - 15:30:47--
MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->

-- Error Occured: 01-21-2010 - 16:05:02--
MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->

-- Error Occured: 01-25-2010 - 10:40:18--
StartWave-: Err[0] ->

-- Error Occured: 01-25-2010 - 10:40:18--
Record-Failed to Start WaveInput!: Err[0] ->

-- Error Occured: 01-25-2010 - 10:43:09--
MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->

Error Log under V 0.90.259 alpha:

-- Error Occured: 02-01-2010 - 13:12:53 --
FrmSoundCardSet -> Fill_InDev at Line: 35, Error: 380 -> Invalid property value

-- Error Occured: 02-01-2010 - 13:12:58 --
FrmSoundCardSet -> Fill_OutDev at Line: 28, Error: 380 -> Invalid property value

Thanks for the quick fix!

Louis

1654. Re: [TrunkPCR] TrunkPcr 0.90.259 Alpha

Yahoo group: TrunkPCR
Date: 2010-02-01 01:22:30 UTC
From: Peter McCubbin
Topic: 1648 Message: 1654

Jay,
Not sure where to look for the install folder but I did a search on
Error.log and came up with no results. Peter

Jay wrote:
>
>
> Hey Peter,
>
> Thanks for the info...
> That is strange, any error should have been caught by the new error
> handler.
>
> Was there an Error.log file created in the install folder?
>
> Thanks,
> Jay
>
>
> ----- Original Message -----
> *From:* Peter McCubbin <mailto:petermccubbin@...>Jay,
> I've now installed 0.90.259 Alpha. When I click on "Trunk' I
> still get 'MM Result: wave InOpen returns A device ID has been
> used that is out of range for your system'. The only other thing
> I notice is that now, when I try to open the 'Sound Card Settings'
> I get a message 'Trunk PCR has stopped working'. Previously the
> dialogue would open. Otherwise, conventional operation seems to
> be fine. If I can provide any other info let me know.
>
> I should have mentioned that my previous version was 89.242. I'm
> running Win 7.
> Best Regards, Peter
>
>

1655. Re: [TrunkPCR] TrunkPcr 0.90.259 Alpha

Yahoo group: TrunkPCR
Date: 2010-02-01 03:13:36 UTC
From: Peter McCubbin
Topic: 1648 Message: 1655

Jay,
I've made sure the radio (PCR1000) is turned on first, but I just
get a crash when I click on 'Sound Card Setting' so I don't really know
what device is set. If the radio's off, same thing. Cheers, Peter

Jay wrote:
>
>
> I did find one error, that if you didn't turn on the 1500/2500 first
> and you have the decoding or recording device set to a "now
> non-existant" device, it would display an error, but the program
> didn't crash...
>
> Jay
>
>
> ----- Original Message -----
> *From:* Peter McCubbin <mailto:petermccubbin@...>
> Jay,
> I should have mentioned that my previous version was 89.242.
> I'm running Win 7. Peter
>
>

1656. Re: [TrunkPCR] TrunkPcr 0.90.259 alpha/sound card problem

Yahoo group: TrunkPCR
Date: 2010-02-05 01:15:45 UTC
From: Jay
Topic: 1653 Message: 1656

Thanks Louis...

I found those last two errors two days ago :)
Been running a modified decoder dll the past 72 hours without a problem too...
Looks like the Affiliation List works best when 800 or less radios are displayed for some odd reason...

Thanks again,
Jay

----- Original Message -----
From: <Louis>
> Jay,
>
> I have installed TrunkPCR V 0.90.259 on my Dell Inspiron 2650 running XP Pro. I received an error message when I first attempted to click on Sound Card Settings, but it let me see the Setting Screen. I selected the proper settings, and the program has been working perfectly for 3 days
>
> Error Log under V 0.90.255, which just closed when I clicked on the Sound Card Settings:
>
> -- Error Occured: 01-21-2010 - 15:30:47--
> MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->
>
> -- Error Occured: 01-21-2010 - 16:05:02--
> MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->
>
> -- Error Occured: 01-25-2010 - 10:40:18--
> StartWave-: Err[0] ->
>
> -- Error Occured: 01-25-2010 - 10:40:18--
> Record-Failed to Start WaveInput!: Err[0] ->
>
> -- Error Occured: 01-25-2010 - 10:43:09--
> MMResult: waveInOpen returns A device ID has been used that is out of range for your system.: Err[0] ->
>
> Error Log under V 0.90.259 alpha:
>
>
> -- Error Occured: 02-01-2010 - 13:12:53 --
> FrmSoundCardSet -> Fill_InDev at Line: 35, Error: 380 -> Invalid property

value
>
> -- Error Occured: 02-01-2010 - 13:12:58 --
> FrmSoundCardSet -> Fill_OutDev at Line: 28, Error: 380 -> Invalid property
value
>
>
> Thanks for the quick fix!
>
> Louis

1657. Re: [TrunkPCR] TrunkPcr 0.90.259 Alpha

Yahoo group: TrunkPCR
Date: 2010-02-05 01:18:40 UTC
From: Jay
Topic: 1648 Message: 1657

Hey Peter,

That would be the folder where you installed the program or a temp folder where you extracted TrunkPCR V 0.90.259...

Regards,
Jay
----- Original Message -----
From: Peter McCubbin

Jay,
Not sure where to look for the install folder but I did a search on Error.log and came up with no results. Peter

1658. TrunkPCR version 0.90.254 Now Available

Yahoo group: TrunkPCR
Date: 2010-02-09 06:03:14 UTC
From: Jay
Topic: 1467 Message: 1658

TrunkPCR version 0.90.254 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

This update has a few Changes, Additions and Fixes...

NOTE: Moto Type-I Support *should* be finished in the next major update.

Jul 10,2009 - Fixed: Clearing Hits Column In TrunkID Editor from Menu.
Jul 10,2009 - Fixed: Setting Propper Columns In TrunkID Editor when NEW GroupID is Added.
Jul 10,2009 - Fixed: Setting Propper Columns In TrunkID Editor when NEW RadioID is Added.
Jul 10,2009 - Added: Setting Alert for Selected Groups from Menu.
Jul 10,2009 - Added: Setting Alert for Selected Radios from Menu.
Jul 12,2009 - Fixed: Clearing P25 Call History now replaces header text.
Jul 12,2009 - -----: For a Pure P25 Site, YOU NOW NEED TO SET IT in the Trunk Settings as P25!!!
The Decoder still isn't finished, but this will help to Identify the Site.
Jul 12,2009 - Added: Import CSV files to Banks.
Jul 12,2009 - Added: Import CSV files to Groups & Radios.
Jul 15,2009 - Added: ByPass External Speaker Plug-In Notification for PCR-100 (*** Not Recommended ***).
Aug 10,2009 - Fixed: Timed Recorder Auto Start / Stopping.
Aug 11,2009 - -----: Timed Recording can now be stopped by Un-Checking Enable CheckBox.
Aug 11,2009 - -----: Sound Recorder won't be shown if Timed Recording in Progress.
Aug 11,2009 - Added: Delete Wave File Button in Sound Recorder.
Aug 12,2009 - Fixed: Recording Device ID now used when checking WaveFormat in Sound Recorder.
Sep 28,2009 - -----: Changed two Scan Status Indicator Colors so that CTCSS Tone isn't mistaken as activated.
Oct 21,2009 - Fixed: Timed Recorder Didn't disply correct info after Deleting a Selection.
Nov 06,2009 - Added: Support for RadioReference.com's SOAP2 v4, v5 & v6.
Nov 06,2009 - Added: Options Menu -> "Show My Audio Feeds" MenuItem in RadioReference.com's Web Import.
Nov 22,2009 - Added: Error Trapping in Sound Card Settings.
Nov 23,2009 - Fixed: Trunk Button un-clicked while Hunting for Control Channel wouldn't stop.
Dec 09,2009 - Fixed: Window Positioning on screens larger than 1280 by 1024.
Dec 23,2009 - Added: Support for RadioReference.com's SOAP2 v7.
Jan 20,2010 - Added: A Bunch More Error Checking and Reporting.
Feb 01,2010 - Fixed: Validation of Sound Devices in Sound Card Settings.

Version 0.90.260 Released 02/08/2010

Regards,
Jay

1659. PCR-1000 VS PCR-2500??

Yahoo group: TrunkPCR
Date: 2010-02-09 12:39:56 UTC
From: mike_motor_bike
Topic: 1659 Message: 1659

I have a PCR-1000 right now and listen to trunking systems, police ext.
I was wondering what the PCR-2500 can do more of? Digital?

I live in the Toronto, Ontario Canada area. If I was to get a digital receiver wouuld I actually hear anything. Do they scramble it?

What other stuff can I listen to in this area?

Thanks
Mike

1660. Re: Newbie questions

Yahoo group: TrunkPCR
Date: 2010-02-09 12:43:31 UTC
From: mike_motor_bike
Topic: 1629 Message: 1660

Hey Mark,

Maybe check out some info I put in the "Files" section. I have a PCR-1000 also and with this program I am able to get the EDACs stuff in my area. Works great.

--- In TrunkPCR@yahoogroups.com, "Mark Seelbinder" <mseelbinder@...> wrote:
>
> I've been monitoring the group for a few weeks, and will probably give TrunkPCR a try (with a PCR-1000). My immediate desire is to monitor the EDACS system in Kansas City, MO.
>
> I've looked for an FAQ, but haven't stumbled upon it yet ... so, a couple of questions
>
> 1) What are the computer hardware and operating system requirements to run the program?
>
> 2) I think I remember reading somewhere that to both trunk track and record, you need two sound cards ... did I read that correctly?
>
> Thanks. I'm always impressed by products where there is personalized service through a forum such as this.
>
> Mark
>

1661. Re: [TrunkPCR] Newbie questions

Yahoo group: TrunkPCR
Date: 2010-02-10 01:27:52 UTC
From: Jay
Topic: 1629 Message: 1661

Hi Mark,

Sorry for the late reply, I thought I answered you before...

1) The minumum requirements is Windows 95 with at least 256 megs of memory, using a Pentium 1 CPU...

2) Yes, to record the conversations while trunking, you need two sound cards, one for the trunking decoder and the other for recording...

There is a help section for TrunkPCR at:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrHelp.html

Regards,
Jay

----- Original Message -----
From: Mark Seelbinder

I've been monitoring the group for a few weeks, and will probably give TrunkPCR a try (with a PCR-1000). My immediate desire is to monitor the EDACS system in Kansas City, MO.

I've looked for an FAQ, but haven't stumbled upon it yet ... so, a couple of questions

1) What are the computer hardware and operating system requirements to run the program?

2) I think I remember reading somewhere that to both trunk track and record, you need two sound cards ... did I read that correctly?

Thanks. I'm always impressed by products where there is personalized service through a forum such as this.

Mark

1662. Re: [TrunkPCR] PCR-1000 VS PCR-2500??

Yahoo group: TrunkPCR
Date: 2010-02-13 10:08:00 UTC
From: Jay
Topic: 1659 Message: 1662

The only thing "Extra" you'll get as far as Digital goes, is receiving Motorola P25 Calls if you have the UT-122 P25 Module (some calls may be "scrambled"), or Listening to Ham Radio Operators who use D-Star if you get the UT-118 Module...

You can check out RadoReference.com's online database to see what is around to listen to...

Regards,
Jay

----- Original Message -----
From: "mike_motor_bike"

> I have a PCR-1000 right now and listen to trunking systems, police ext.
> I was wondering what the PCR-2500 can do more of? Digital?
>
> I live in the Toronto, Ontario Canada area. If I was to get a digital receiver wouuld I actually hear anything. Do they scramble it?
>
> What other stuff can I listen to in this area?
>
> Thanks
> Mike

1663. Re: TrunkPCR version 0.90.254 Now Available

Yahoo group: TrunkPCR
Date: 2010-02-13 19:35:00 UTC
From: jdami123
Topic: 1467 Message: 1663

260 seems really stable, Jay... no probs at all with RCS!

-rb-

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> TrunkPCR version 0.90.254 Now Available for Downloading from homepage:
> http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html
>
> This update only has 1 Addition & 1 Fix:
>
> Jun 30,2009 - Added: Test Flag in Decoder DLL to use P25 Decoding or NOT (My Use For Now).
> Jun 30,2009 - Fixed: Inadvertently Set Banks for P25 Trunking when P25 Call Heard with P25 Card.
> Version 0.90.254 Released 07/01/2009
>
> Regards,
> Jay
>

1664. TrunkPCR version 0.90.262 Now Available

Yahoo group: TrunkPCR
Date: 2010-02-23 02:16:03 UTC
From: Jay
Topic: 1664 Message: 1664

TrunkPCR version 0.90.262 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

This update has Three Changes, One Addition and Two Fixes...

NOTE: Moto Type-I Support *should* be finished in the next major update.

Feb 14,2010 - Fixed: Changing Tab Descriptions in Timed Recorder when
Selection is Inserted or Removed.
Feb 14,2010 - Fixed: Setting Date Time Picker's Date in Timed Recorder
when Changing Tabs.
Feb 14,2010 - -----: Recording will now Stop when Timed Recorder's Stop
Time has been set to a time that has already passed.
Feb 14,2010 - -----: When Timed Recorder is Recording, Display is now
Updated to reflect the Recording Bank & Channel.
Feb 15,2010 - -----: Chaneged how 8.33 Khz Stepping Adjusts Frequecy.
Feb 16,2010 - Added: [Use Current] Button in Timed Recorder that sets the
Recording Bank & Channel to the Current Setting.

Version 0.90.262 Released 02/22/2010

Regards,
Jay

1665. Re: [TrunkPCR] APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-02-23 03:20:08 UTC
From: Jay
Topic: 1665 Message: 1665

San Diego now has a new 700mhz site up and running with Phase II and I can tell you that my Pro-96 can not track it...

----- Original Message -----
From: "sjinndoawi00"

> Evening Jay and all.
>
> I am reading on one of my P25 sites that I follow and I am reading that.
> AMBE is slated to replace the IMBE codec in Phase 2 of APCO 25. My two questions are.
>
>
> 1.) How will this affect the Trunking Software with the changing from IMBE to AMBE in Phase 2?
>
> 2.) Is't AMBE backwards compatible with IMBE, and if so, will the Trunking software still work once Phase 2 is implemented?
>
> I don't know if Phase 2 has started or is done so I might be behind in this posting but I thought I would be a topic of great discussion.
>
> Brian

1666. Re: [TrunkPCR] APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-02-25 12:25:49 UTC
From: Brian Veres
Topic: 1665 Message: 1666

Good Morning Jay,

I too am facing this problem soon "Phase II." Is there any chance there will be a FIX within TrunkPCR to handle this. Or do you have any ideas on what might be done to fix this so that TrunkPCR can Track these systems once the change to "Phase II" is done?

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Mon, February 22, 2010 10:20:08 PM
Subject: Re: [TrunkPCR] APCO 25 Phase II - was: 2 questions

San Diego now has a new 700mhz site up and running with Phase II and I can tell you that my Pro-96 can not track it...

----- Original Message -----
From: "sjinndoawi00"

> Evening Jay and all.
>
> I am reading on one of my P25 sites that I follow and I am reading that.
> AMBE is slated to replace the IMBE codec in Phase 2 of APCO 25. My two questions are.
>
>
> 1.) How will this affect the Trunking Software with the changing from IMBE to AMBE in Phase 2?
>
> 2.) Is't AMBE backwards compatible with IMBE, and if so, will the Trunking software still work once Phase 2 is implemented?
>
> I don't know if Phase 2 has started or is done so I might be behind in this posting but I thought I would be a topic of great discussion.
>
> Brian

1667. Re: [TrunkPCR] APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-02-25 22:47:27 UTC
From: Jay
Topic: 1665 Message: 1667

Tracking the Phase II will just take time, I'm sure after I get the Phase I tracking working, it will just be a few more steps to Phase II...

The Phase II signal looks like short and long spikes above and below the center line in the O'Scope Display.

When I park the Pro96 on the control channel NOW, it will display BEE00, SYS375, T0101 and the decode accuracy from 94 to 99% :)
So it does look like it does decode the Phase II, but might just need the proper programming to set the freq plan in order to track it...

Jay
----- Original Message -----
From: Brian Veres

Good Morning Jay,

I too am facing this problem soon "Phase II." Is there any chance there will be a FIX within TrunkPCR to handle this. Or do you have any ideas on what might be done to fix this so that TrunkPCR can Track these systems once the change to "Phase II" is done?

Brian

1668. Re: [TrunkPCR] APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-02-26 15:34:32 UTC
From: Brian Veres
Topic: 1665 Message: 1668

Morning Jay,

Now will Phase I and Phase II be interchangable. What I mean is if 1 system is still Phase I that you are monitoring and then you went on to a different system and its Phase II will there be a tab in the settings to set up this system "as" Phase I or Phase II or will TrunkPCR do like a auto-detec and then switch from Phase I or Phase II?

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Thu, February 25, 2010 5:47:27 PM
Subject: Re: [TrunkPCR] APCO 25 Phase II - was: 2 questions

Tracking the Phase II will just take time, I'm sure after I get the Phase I tracking working, it will just be a few more steps to Phase II...

The Phase II signal looks like short and long spikes above and below the center line in the O'Scope Display.

When I park the Pro96 on the control channel NOW, it will display BEE00, SYS375, T0101 and the decode accuracy from 94 to 99% :)
So it does look like it does decode the Phase II, but might just need the proper programming to set the freq plan in order to track it...

Jay
----- Original Message -----
>From: Brian Veres
>
>Good Morning Jay,
>
>I too am facing this problem soon "Phase II." Is there any chance there will be a FIX within TrunkPCR to handle this. Or do you have any ideas on what might be done to fix this so that TrunkPCR can Track these systems once the change to "Phase II" is done?
>
>Brian

1669. Re: [TrunkPCR] APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-02-26 21:35:07 UTC
From: Jay
Topic: 1665 Message: 1669

Short answer, Yes!

I was running another program on the XP box yesterday, testing two sites, one with Phase I and the other with Phase II and both decoded fine using the same settings...

So both will be interchangable and will not need different settings :-)

Jay

----- Original Message -----
From: Brian Veres

Morning Jay,

Now will Phase I and Phase II be interchangable. What I mean is if 1 system is still Phase I that you are monitoring and then you went on to a different system and its Phase II will there be a tab in the settings to set up this system "as" Phase I or Phase II or will TrunkPCR do like a auto-detec and then switch from Phase I or Phase II?

Brian

1670. Re: APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-02-27 22:03:35 UTC
From: jdami123
Topic: 1665 Message: 1670

Hi Jay,

Exploring and just found a link to another region's experience in rolling out their 700 MHz system.

I'm wondering if the FDMA/TDMA issue they talk about will become problematic here, as well.

The thread is long but there is some good stuff later on (toward page 5).

http://forums.radioreference.com/maryland-radio-discussion-forum/156820-pg-countys-p25-system.html

Three excerpts stand out and *may* be applicable to the SD-UAIS effort...

1) "The county's system uses two digital formats ☐ FDMA (frequency division multiple access), which is what most digital public safety radio networks currently use, and TDMA (time division multiple access), which doubles the capacity of each voice channel."

2) "The problem for scanner listeners is that no scanner currently decodes TDMA. To further complicate matters, it may take years before one does! The public safety TDMA standards have not yet been adopted, so it is unlikely a scanner manufacturer will commit to a TDMA scanner at this point."

3) "If you have a digital scanner that can receive 700 MHz, such as the BCD396T/996T, BCD396XT/996XT, PSR-500/600 or PRO-106/197, you can try to monitor the FDMA portion of the county's new system."

Hope this is useful.

-rb-

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> San Diego now has a new 700mhz site up and running with Phase II and I can
> tell you that my Pro-96 can not track it...
>

>

1671. Re: [TrunkPCR] Re: APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-02-27 23:56:18 UTC
From: Jay
Topic: 1665 Message: 1671

Hey RB,

Interesting reading :)

So far I have only seen FDMA on the system, but if they add a TDMA plan, it will be fun to decode :)
In the USAF, we used TDMA on the microwave links, so I do understand the theory of operation...

Jay

----- Original Message -----
From: "jdami123"

Hi Jay,

Exploring and just found a link to another region's experience in rolling out their 700 MHz system.

I'm wondering if the FDMA/TDMA issue they talk about will become problematic here, as well.

The thread is long but there is some good stuff later on (toward page 5).

http://forums.radioreference.com/maryland-radio-discussion-forum/156820-pg-countys-p25-system.html

Three excerpts stand out and *may* be applicable to the SD-UAIS effort...

1) "The county's system uses two digital formats - FDMA (frequency division multiple access), which is what most digital public safety radio networks currently use, and TDMA (time division multiple access), which doubles the capacity of each voice channel."

2) "The problem for scanner listeners is that no scanner currently decodes TDMA. To further complicate matters, it may take years before one does! The public safety TDMA standards have not yet been adopted, so it is unlikely a scanner manufacturer will commit to a TDMA scanner at this point."

3) "If you have a digital scanner that can receive 700 MHz, such as the BCD396T/996T, BCD396XT/996XT, PSR-500/600 or PRO-106/197, you can try to monitor the FDMA portion of the county's new system."

Hope this is useful.

-rb-

1672. Re: [TrunkPCR] Re: APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-02-28 05:36:23 UTC
From: Brian Veres
Topic: 1665 Message: 1672

You are the "MAN" Jay. I am glad we have someone like you in are corner.

Brian

_____
From: Jay <crazycalifornian@hotmail.com>
To: TrunkPCR@yahoogroups.com
Sent: Sat, February 27, 2010 6:56:18 PM
Subject: Re: [TrunkPCR] Re: APCO 25 Phase II - was: 2 questions

Hey RB,

Interesting reading :)

So far I have only seen FDMA on the system, but if they add a TDMA plan, it will be fun to decode :)
In the USAF, we used TDMA on the microwave links, so I do understand the theory of operation...

Jay

----- Original Message -----
From: "jdami123"

Hi Jay,

Exploring and just found a link to another region's experience in rolling out their 700 MHz system.

I'm wondering if the FDMA/TDMA issue they talk about will become problematic here, as well.

The thread is long but there is some good stuff later on (toward page 5).

http://forums. radioreference. com/maryland- radio-discussion -forum/156820- pg-c ountys-p25-system. html

Three excerpts stand out and *may* be applicable to the SD-UAIS effort...

1) "The county's system uses two digital formats - FDMA (frequency division multiple access), which is what most digital public safety radio networks currently use, and TDMA (time division multiple access), which doubles the capacity of each voice channel."

2) "The problem for scanner listeners is that no scanner currently decodes TDMA. To further complicate matters, it may take years before one does! The public safety TDMA standards have not yet been adopted, so it is unlikely a scanner manufacturer will commit to a TDMA scanner at this point."

3) "If you have a digital scanner that can receive 700 MHz, such as the BCD396T/996T, BCD396XT/996XT, PSR-500/600 or PRO-106/197, you can try to monitor the FDMA portion of the county's new system."

Hope this is useful.

-rb-

1673. output filter bypass

Yahoo group: TrunkPCR
Date: 2010-02-28 18:04:43 UTC
From: danoman33
Topic: 1673 Message: 1673

Just wanted to post an FYI regarding P25 data decoding on the packet out jack for those who may not know about it.

I bypassed the output filter per the following link and drastically improved my recovery rate.

http://www.r00t.cz/HW/R2500

You will need a VERY small soldering iron as the locations are quite small.

1674. Re: [TrunkPCR] output filter bypass

Yahoo group: TrunkPCR
Date: 2010-02-28 23:57:11 UTC
From: Jay
Topic: 1673 Message: 1674

Yep, I saw that a couple of weeks ago on his site, but haven't tried it yet...

Don't forget the low wattage iron too so you don't destroy the pcb trace :)

Jay

----- Original Message -----
From: "danoman33"

> Just wanted to post an FYI regarding P25 data decoding on the packet out jack for those who may not know about it.
>
> I bypassed the output filter per the following link and drastically improved my recovery rate.
>
> http://www.r00t.cz/HW/R2500
>
> You will need a VERY small soldering iron as the locations are quite small.

1675. Re: [TrunkPCR] output filter bypass

Yahoo group: TrunkPCR
Date: 2010-03-01 00:55:10 UTC
From: Jay
Topic: 1673 Message: 1675

After looking at the service manual, I'm not sure I would do it as this wire bypass connects the Packet Out's directly to some IC's. So if you get some stray voltage from your sound card, you could end up frying part of your PCR, like I did with my old BC895XLT many years ago...

Pages to look at on the service manual are:
Page 49 - Parts Layout (Top Center)
Page 60 - Schematic (Bottom Left)

This mod connects the Packet Out's to R13 / R2013 respectively for MAIN / SUB...

I would tie a 0.01 uf Non-Polorized Capacitor from R13 / R2013 to the Middle of the three bigger solder pads of the Packet Out Jacks for saftey reasons and skip the direct wire bypass...

Jay

1676. Please check your About Screen

Yahoo group: TrunkPCR
Date: 2010-03-02 22:38:48 UTC
From: Jay
Topic: 1676 Message: 1676

Hi All,

For those who have a 1500 or 2500, if you could, please check your About Screen and let me know what your "Country Code" is displaying. And does it match your PCR?

Thanks,
Jay

1678. Re: Please check your About Screen

Yahoo group: TrunkPCR
Date: 2010-03-03 03:13:36 UTC
From: danoman33
Topic: 1676 Message: 1678

Jay,

My 2500 shows "FCC USA" and I have a blocked "25" model US unit.

Dan

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi All,
>
> For those who have a 1500 or 2500, if you could, please check your About
> Screen and let me know what your "Country Code" is displaying. And does it
> match your PCR?
>
> Thanks,
> Jay
>

1679. Re: [TrunkPCR] Please check your About Screen

Yahoo group: TrunkPCR
Date: 2010-03-03 03:35:53 UTC
From: Leigh
Topic: 1676 Message: 1679

Hi Jay,

Mine shows FCC JPN which I think agrees since mine is from Japan. BTW, I'm going to make another donation...your product is tops!

Leigh Sedgwick (Mike)
K7PI
Mercer Island, WA
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, March 02, 2010 2:38 PM
Subject: [TrunkPCR] Please check your About Screen

Hi All,

For those who have a 1500 or 2500, if you could, please check your About Screen and let me know what your "Country Code" is displaying. And does it match your PCR?

Thanks,
Jay

1680. Re: [TrunkPCR] Please check your About Screen

Yahoo group: TrunkPCR
Date: 2010-03-03 12:27:23 UTC
From: Nand
Topic: 1676 Message: 1680

Hi Jay,

Mine reads Japan. It did remove some diodes originally. I believe that in the past it read Denmark with the same diodes removed.

Nand.

On Tue, Mar 2, 2010 at 10:35 PM, Leigh <bipi@...> wrote:

>
>
> Hi Jay,
>
> Mine shows FCC JPN which I think agrees since mine is from Japan. BTW, I'm
> going to make another donation...your product is tops!
>
> Leigh Sedgwick (Mike)
> K7PI
> Mercer Island, WA
>
> ----- Original Message -----
> *From:* Jay <crazycalifornian@...>
> *To:* TrunkPCR@...m
> *Sent:* Tuesday, March 02, 2010 2:38 PM
> *Subject:* [TrunkPCR] Please check your About Screen
>
>
>
> Hi All,
>
> For those who have a 1500 or 2500, if you could, please check your About
> Screen and let me know what your "Country Code" is displaying. And does it
> match your PCR?
>
> Thanks,
> Jay
>
>
>

1681. Re: [TrunkPCR] Please check your About Screen

Yahoo group: TrunkPCR
Date: 2010-03-04 00:14:59 UTC
From: N7BEF@comcast.net
Topic: 1676 Message: 1681

Jay,

My country shows Japan. I purchased my unblocked 2500 from Japan.

Steve

----- Original Message -----
From: "Jay" <crazycalifornian@hotmail.com>
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, March 2, 2010 2:38:48 PM GMT -08:00 US/Canada Pacific
Subject: [TrunkPCR] Please check your About Screen

Hi All,

For those who have a 1500 or 2500, if you could, please check your About Screen and let me know what your "Country Code" is displaying. And does it match your PCR?

Thanks,
Jay

1682. Re: Please check your About Screen

Yahoo group: TrunkPCR
Date: 2010-03-04 00:23:43 UTC
From: Al Asber
Topic: 1676 Message: 1682

Jay,
My 2500 shows "Japan", but it's a "USA".
Also the Firmware and COM protocol both show 0 (0x00)

Also the "Installed Options" shows no P23, even though I have it installed.
Thanks,
Al

1683. Re: [TrunkPCR] Re: Please check your About Screen

Yahoo group: TrunkPCR
Date: 2010-03-04 00:31:29 UTC
From: Jay
Topic: 1676 Message: 1683

Ok, I guess I should have said to turn the PCR ON before checking :-)

Thanks,
Jay
----- Original Message -----
From: Al Asber
Jay,
My 2500 shows "Japan", but it's a "USA".
Also the Firmware and COM protocol both show 0 (0x00)

Also the "Installed Options" shows no P23, even though I have it installed.
Thanks,
Al

1684. Re: [TrunkPCR] Re: Please check your About Screen

Yahoo group: TrunkPCR
Date: 2010-03-04 01:37:02 UTC
From: Al Asber
Topic: 1676 Message: 1684

Ya, at first I just checked the about dialog, thinking it might be cached and then decided I should connect the USB and turn on the radio, and still got the same results. But I had left the about dialog open.

This time I closed and reopened it and it shows "FCC USA" and the entries are populated correctly.
Al

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Wed, March 3, 2010 7:31:29 PM
Subject: Re: [TrunkPCR] Re: Please check your About Screen

Ok, I guess I should have said to turn the PCR ON before checking :-)

Thanks,
Jay
----- Original Message -----
>From: Al Asber
>Jay,
>My 2500 shows "Japan", but it's a "USA".
>Also the Firmware and COM protocol both show 0 (0x00)
>
>Also the "Installed Options" shows no P23, even though I have it installed.
>Thanks,
>Al

1685. Re: APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-03-04 06:25:20 UTC
From: k6cdo
Topic: 1665 Message: 1685

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> San Diego now has a new 700mhz site up and running with Phase II and I can
> tell you that my Pro-96 can not track it...

The City of San Diego 700 MHz TRS is P25 Phase I, NOT Phase II.
Neither the City nor the RCS has subscriber radios that are Phase II compatible.

Don

1686. Re: [TrunkPCR] Re: APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-03-04 07:21:43 UTC
From: Jay
Topic: 1665 Message: 1686

By looking at the modulation of the two systems, there is a BIG diference
between the two...
Two totally different signals on the O'Scope... Could've fooled me...

Jay

----- Original Message -----
From: "k6cdo"
>
> "Jay" wrote:
> >
> > San Diego now has a new 700mhz site up and running with Phase II and I
can
> > tell you that my Pro-96 can not track it...
>
> The City of San Diego 700 MHz TRS is P25 Phase I, NOT Phase II.
> Neither the City nor the RCS has subscriber radios that are Phase II
compatible.
>
> Don

1687. Re: [TrunkPCR] Re: APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-03-04 13:31:08 UTC
From: Don Root
Topic: 1665 Message: 1687

Jay wrote:
> By looking at the modulation of the two systems, there is a BIG diference
> between the two...
> Two totally different signals on the O'Scope... Could've fooled me...
>
> Jay
>

Are you looking at the control channel, or a voice channel?

The existing RCS and City voice systems use a 3600 baud control methodology that is digital modulation on an analog/digital mixed-mode transmitter. P25 Phase I is pure digital, with a 9600 baud control channel. The voice signal is also a pure digital carrier, in an 8 kHz envelope. P25 Phase II looks similar to a cell phone carrier (now typically 3 or 4 slot TDMA in 25-30 kHz), but is two-slot TDMA in a 12.5 kHz envelope.

Hope this helps.

Don

1688. Re: [TrunkPCR] Re: APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-03-04 23:02:11 UTC
From: Jay
Topic: 1665 Message: 1688

Hey Don,

Yep, I know about the RCS and SD City using 3600 baud, I've been decoding these for the past 8 years :)

It's definately the Control Channel... And is definately 9600 BPS...

The difference in modulation of the CC's I am refering to is the DoD P25 site on 385.350 mhz and the new P25 site on 771.48125 mhz... The stream of symbols on the new 700 site are grouped much tighter and look more like spikes. Maybe one uses C4FM while the other uses QPSK?

Thanks for the clarification on TDMA :)

Jay

----- Original Message -----
From: "Don Root"
>
> Are you looking at the control channel, or a voice channel?
>
> The existing RCS and City voice systems use a 3600 baud control
> methodology that is digital modulation on an analog/digital mixed-mode
> transmitter. P25 Phase I is pure digital, with a 9600 baud control
> channel. The voice signal is also a pure digital carrier, in an 8 kHz
> envelope. P25 Phase II looks similar to a cell phone carrier (now
> typically 3 or 4 slot TDMA in 25-30 kHz), but is two-slot TDMA in a 12.5
> kHz envelope.
>
> Hope this helps.
>
> Don

1689. Re: [TrunkPCR] Re: APCO 25 Phase II - was: 2 questions

Yahoo group: TrunkPCR
Date: 2010-03-05 01:44:09 UTC
From: Don Root
Topic: 1665 Message: 1689

Jay wrote:
> It's definately the Control Channel... And is definately 9600 BPS...
>
> The difference in modulation of the CC's I am refering to is the DoD P25
> site on 385.350 mhz and the new P25 site on 771.48125 mhz... The stream of
> symbols on the new 700 site are grouped much tighter and look more like
> spikes. Maybe one uses C4FM while the other uses QPSK?
>
> Thanks for the clarification on TDMA :)
>

Jay,

I have not had a chance to look at either system on the air. To my knowledge, both are identical as far as Motorola's implementation of P25.

The City system is still in the optimization phase of deployment and has not been accepted by the City, which means that digital test patterns for coverage mapping and bit-error rate determination are being transmitted; this may be what you have been seeing.

Don

1690. TrunkPCR version 0.90.263 Now Available

Yahoo group: TrunkPCR
Date: 2010-03-06 05:53:20 UTC
From: Jay
Topic: 1690 Message: 1690

TrunkPCR version 0.90.263 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

This update has One Fix...

NOTE: Moto Type-I Support *should* be finished in the next major update.

Mar 05,2010 - Fixed: Importing GroupID's from RR.com Web Import.
Version 0.90.263 Released 03/05/2010

Regards,
Jay

1691. PCR 1000 and windows 7 ???

Yahoo group: TrunkPCR
Date: 2010-03-07 06:51:21 UTC
From: DisgruntledDan
Topic: 1691 Message: 1691

Will it work? I have tried and tried but I can't get it working. HELP

1692. Re: [TrunkPCR] Re: Please check your About Screen

Yahoo group: TrunkPCR
Date: 2010-03-07 22:47:59 UTC
From: Jay
Topic: 1676 Message: 1692

Thanks to those who have replied :)

It seems that some PCR's return "DENmark" for the unblocked versions, even if they are from CANada or other Countries. Weird...

Thanks again,
Jay

1693. Can't add Alpha characters in the Trunk Settings just numerical

Yahoo group: TrunkPCR
Date: 2010-03-10 03:00:51 UTC
From: sjinndoawi00
Topic: 1693 Message: 1693

Evening Jay

I am trying to "Watch these group ID's" in my Trunk Settings. The group I am trying to Watch is this ...67B0
For some reason I can't put any Alpha characters in such as the "B". I can put in the 67 and 0 but no letters. This is a new group that has come up within the past week. I guess you can say I can't input any Alphanumeric in the "Watch These Group ID's". I don't know if this happens with "Watch These Radio ID's"

Any ideas?

Brian

1694. Re: [TrunkPCR] Can't add Alpha characters in the Trunk Settings just numerical

Yahoo group: TrunkPCR
Date: 2010-03-10 04:08:12 UTC
From: Jay
Topic: 1693 Message: 1694

Yep I know...
When you place the mouse over these textboxes, do you see a small message (Tool Tip) pop-up?

Guess I could add two buttons to select either HEX or Decimal Input...

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Evening Jay
>
> I am trying to "Watch these group ID's" in my Trunk Settings. The group I am trying to Watch is this ...67B0
> For some reason I can't put any Alpha characters in such as the "B". I can put in the 67 and 0 but no letters. This is a new group that has come up within the past week. I guess you can say I can't input any Alphanumeric in the "Watch These Group ID's". I don't know if this happens with "Watch These Radio ID's"
>
> Any ideas?
>
> Brian

1695. Re: [TrunkPCR] Can't add Alpha characters in the Trunk Settings just numerical

Yahoo group: TrunkPCR
Date: 2010-03-10 14:10:07 UTC
From: Brian Veres
Topic: 1693 Message: 1695

Jay,

  No tool tip pop-up. If you could please add the two buttons for either (hex or dec)

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Tue, March 9, 2010 11:08:12 PM
Subject: Re: [TrunkPCR] Can't add Alpha characters in the Trunk Settings just numerical

Yep I know...
When you place the mouse over these textboxes, do you see a small message
(Tool Tip) pop-up?

Guess I could add two buttons to select either HEX or Decimal Input...

Regards,
Jay

----- Original Message -----
From: "sjinndoawi00"

> Evening Jay
>
> I am trying to "Watch these group ID's" in my Trunk Settings. The group
I am trying to Watch is this ...67B0
> For some reason I can't put any Alpha characters in such as the "B". I
can put in the 67 and 0 but no letters. This is a new group that has come up
within the past week. I guess you can say I can't input any Alphanumeric in
the "Watch These Group ID's". I don't know if this happens with "Watch These
Radio ID's"
>
> Any ideas?
>
> Brian

1696. lockout and radio ID's

Yahoo group: TrunkPCR
Date: 2010-03-14 15:06:31 UTC
From: syl_dussureault
Topic: 1696 Message: 1696

Hi JAY,

It's a lot of time that I used your software, so after all your update I have two questions or I should say two problems.

I locked out some groups but now I want to see the list of this lockout groups to unlock some of them, How do you that??? where can I see all the list of my lockout groups??

second problem; When I popup the CONTROL CHANNEL ACTIVITY in the control area I can see the radio Id's in HEX, how can I put in decimal. I had the same problem with group ID's but I found how to put it in AFS. So is it a way to put it in DEC instead of HEX.

Thanks

Sylvain
VE2JER

1697. TrunkPCR version 0.90.265 Now Available

Yahoo group: TrunkPCR
Date: 2010-04-10 21:11:24 UTC
From: Jay
Topic: 1697 Message: 1697

TrunkPCR version 0.90.265 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has a Two Changes and One Fix...

Mar 06,2010 - -----: Default Mode in Trunk Settings now set to NFM.
Version 0.90.264 Released 03/15/2010 (Not Posted)

Apr 07,2010 - Fixed: Setting Minimum Date Allowed of Date Time Picker in
Timed Recorder.
Apr 07,2010 - -----: Clearing Record Enable in Timed Recorder when a
"Single" Recording has Finished.
Version 0.90.265 Released 04/10/2010

Regards,
Jay

1698. Running Trunk PCR on XP Pro X64 Bit

Yahoo group: TrunkPCR
Date: 2010-04-15 20:00:37 UTC
From: wannnabe1054
Topic: 1698 Message: 1698

I thought id post this for anyone whos having trouble getting Jays program to work on a X64 Bit System.I think his program is awsome! but could only get it to work on my X32 bit computer,which is fast,but my X64 is soo much faster and i was getting tired of going back and forth between both.This driver worked for me.Here are the specs on it: Windows 2000/XP/2003/NT/XP AMD 64-bit/2003 AMD 64-bit.I have a MSI mother board with nVIDA nFORCE 4 SLI "Intel Edition" North Bridge Chipset and it works! Ill try uploading it to the files.Hope this helps someone here in the group. Ray

1699. Cannot Scan Memory Bank

Yahoo group: TrunkPCR
Date: 2010-04-25 16:38:09 UTC
From: cherisknight
Topic: 1699 Message: 1699

Hi, new to TrunkPCR. I just upgraded to Windows 7 and found this program may work with my PCR-1500. I imported a couple of banks and when I try to Scan, I get a popup with "You don't have ANY banks selected"

Also, I have not been able to get USB audio to work, so I'm using a connector from the receiver to my sound card Line In.

Any help would be greatly appreciated.

Thanks!

1700. Re: [TrunkPCR] Cannot Scan Memory Bank

Yahoo group: TrunkPCR
Date: 2010-04-25 18:03:33 UTC
From: Jay
Topic: 1699 Message: 1700

In the main display, you'll see a checkbox called "Scan Bank" within the Bank Info frame, click this to include this bank in conventional scanning...

The USB Audio from a 1500 or 2500 doesn't work at the moment due to ICom's *Hidden* level adjustments. Once I have the propper device code to access it, I'll be able to add this support...

Jay

----- Original Message -----
From: "cherisknight"

> Hi, new to TrunkPCR. I just upgraded to Windows 7 and found this program may work with my PCR-1500. I imported a couple of banks and when I try to Scan, I get a popup with "You don't have ANY banks selected"
>
> Also, I have not been able to get USB audio to work, so I'm using a connector from the receiver to my sound card Line In.
>
> Any help would be greatly appreciated.
>
> Thanks!

1701. Noob Questions and Clarifications.

Yahoo group: TrunkPCR
Date: 2010-05-02 08:24:53 UTC
From: pez_pda
Topic: 1701 Message: 1701

Hi Jay,

NOOB ALERT!

For starters, been in this group for several years, but have never had time to set up anything or post much. I do enjoy reading the posts when I have the time, but sadly, don't understand too much.

Had my PCR1000 radio for several years, but just never had much time to play with it and don't know too much about it or it's capabilites. I do know it is obsolete and has been for a few years.

I live in Michigan, and a few years ago, I read the state would be switching to (since has switched to) the Michigan Public safety comm system (MPSCS). This discouraged me in that I believed the PCR1000 would be useless. I can currently monitor some analog channels in some of the smaller towns, but can no longer listen to state operations.

But reading up on it here and other sites, I may be able to receive this?

According to radio reference, MPSCS uses APCO 25 Phase I system, a.k.a Project 25 Phase I (FDMA). I am not clear on the terminology, but is Phase I and what is refered to in this group as "Moto 1" the same thing?

I understand that APCO 25 this is digital system.
Reading a few posts that some areas are going to phase II whatever that means!

For starters, I have the standard ICOM PCR1000 "vanilla" US model.
I also have the optional UT-106 DSP but have never installed it.

Bottom line questions:

1) Will the IC-PCR1000 running TrunkPCR be able to monitor the MPSCS since it is still phase I?

2) If so, is the digital conversion done with the packet output to the soundcard and converted/demodulated in the TrunkPCR software?

3) Or, is the UT-106 needed for the digital conversion of the APCO 25 system? Is the UT-106 just a digital signal processor (DSP) for filtering noise?

4) Am I on the right track or should I abandon the idea and admit defeat.

Again, thanks in advance for your patience with my noobieness.

Tom

1702. RE: [TrunkPCR] Cannot Scan Memory Bank

Yahoo group: TrunkPCR
Date: 2010-04-25 19:57:17 UTC
From: Jack Goetz
Topic: 1699 Message: 1702

Jay, I have ran into some of the same issues, however,
the check box for scanning the group at times doesn't always work. It isn't
available though it shows it can be checked.

1703. Re: [TrunkPCR] Cannot Scan Memory Bank

Yahoo group: TrunkPCR
Date: 2010-05-02 10:22:38 UTC
From: Jay
Topic: 1699 Message: 1703

If the Bank is set for Trunking, then "Scan Bank" will show as greyed out and you won't be able to check it...

I'll eventually have the scanning working for both conventional and trunking banks, think I just have one more phase left to complete before this part is finished :-)

Jay

P.S. Sorry for the late posting of your message, it was another one that I never got the notification for :(
----- Original Message -----
From: Jack Goetz

Jay, I have ran into some of the same issues, however, the check box for scanning the group at times doesn't always work. It isn't available though it shows it can be checked.

1704. Re: [TrunkPCR] Noob Questions and Clarifications.

Yahoo group: TrunkPCR
Date: 2010-05-02 18:31:24 UTC
From: Jay
Topic: 1701 Message: 1704

If the site is a pure P25 site (No Analog), then TrunkPCR won't help right now. As soon as I can finish the P25 Control Channel decoder, you will be able to watch the comms...

In order to listen to the P25 calls, you can check out DSD:
http://forums.radioreference.com/trunking-control-channel-decoding/179709-dsd-1-3-mbelib-1-2-released.html

You need linux to compile the source code. You can install Ubuntu with-in a windows partition :)

With the PCR-1000's Packet Out, you can connect it to the sound card to decode the P25 audio...

Jay

----- Original Message -----
From: "pez_pda"

> Hi Jay,
>
> ***NOOB ALERT!***
>
> For starters, been in this group for several years, but have never had time to set up anything or post much. I do enjoy reading the posts when I have the time, but sadly, don't understand too much.
>
> Had my PCR1000 radio for several years, but just never had much time to play with it and don't know too much about it or it's capabilites. I do know it is obsolete and has been for a few years.
>
> I live in Michigan, and a few years ago, I read the state would be switching to (since has switched to) the Michigan Public safety comm system (MPSCS). This discouraged me in that I believed the PCR1000 would be useless. I can currently monitor some analog channels in some of the smaller towns, but can no longer listen to state operations.
>
> But reading up on it here and other sites, I may be able to receive this?
>
> According to radio reference, MPSCS uses APCO 25 Phase I system, a.k.a Project 25 Phase I (FDMA). I am not clear on the terminology, but is Phase I and what is refered to in this group as "Moto 1" the same thing?
>
> I understand that APCO 25 this is digital system.
> Reading a few posts that some areas are going to phase II whatever that means!

>
> For starters, I have the standard ICOM PCR1000 "vanilla" US model.
> I also have the optional UT-106 DSP but have never installed it.
>
> Bottom line questions:
>
> 1) Will the IC-PCR1000 running TrunkPCR be able to monitor the MPSCS since
it is still phase I?
>
> 2) If so, is the digital conversion done with the packet output to the
soundcard and converted/demodulated in the TrunkPCR software?
>
> 3) Or, is the UT-106 needed for the digital conversion of the APCO 25
system? Is the UT-106 just a digital signal processor (DSP) for filtering
noise?
>
> 4) Am I on the right track or should I abandon the idea and admit defeat.
>
> Again, thanks in advance for your patience with my noobieness.
>
> Tom

1705. Unfortunate Circumstance

Yahoo group: TrunkPCR
Date: 2010-05-03 23:32:36 UTC
From: Brian
Topic: 1705 Message: 1705

Well Men,

Unfortunately I lost my job today and I must sell this PCR2500, to help make ends meet. It is in mint condition and I still have the box it came along with the other boxes for the cards I have installed. The PCR 2500 comes with the UT-108 (DTMF decoder), UT-122 (APCO25 Digital vocie decoder)and the UT-106 (Notch Filter.) All of these are installed in the PCR2500. There are NO Mods to it it is still in it's original state and RUNS fine. I paid altogether over 1,200.00 dollars for it.
I am asking 850.00 dollars.

Brian

1706. TrunkPCR v265 - "Watching..." hang

Yahoo group: TrunkPCR
Date: 2010-05-03 21:48:17 UTC
From: Lindsay C. Blanton III
Topic: 1706 Message: 1706
Attachments: 3 described; binary payloads are missing from this source WARC

Hey folks, I'm having a nasty little problem where TrunkPCR v265 is hanging on talkgroups after a set of calls completes. The system being monitored is an EDACS ProVoice system. The behavior is, after 10-15 minutes or so, a call grant will end and trunkPCR will hang on "Waiting...." on that talkgroup. Clicking "Search" resuming the scanning method, however within a few short minutes we'll see a hang again.

I've got a couple screenshots here of what the interface looks like...

Any ideas?

1707. Re: Noob Questions and Clarifications.

Yahoo group: TrunkPCR
Date: 2010-05-04 12:01:21 UTC
From: pez_pda
Topic: 1701 Message: 1707

Thanks for the good info, Jay.

Well, it sounds like there is hope so I will give it a try.

I read that forum for ProVoice/DSD... Ironically, I do have one machine loaded with an older version of Ubuntu. It works, but I can never find many device drivers for it.

It appears from the posts in that forum, that if you could port something like DSD to Windows for the ICOM, you would become a National Hero, and they would erect bronze statues of your likeness in parks across America ;)

Thanks again... I will give it a try.

Tom

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> If the site is a pure P25 site (No Analog), then TrunkPCR won't help right
> now. As soon as I can finish the P25 Control Channel decoder, you will be
> able to watch the comms...
>
> In order to listen to the P25 calls, you can check out DSD:
> http://forums.radioreference.com/trunking-control-channel-decoding/179709-ds
> d-1-3-mbelib-1-2-released.html
>
> You need linux to compile the source code. You can install Ubuntu with-in a
> windows partition :)
>
> With the PCR-1000's Packet Out, you can connect it to the sound card to
> decode the P25 audio...
>
> Jay
>
>
> ----- Original Message -----
> From: "pez_pda"
>
>
> > Hi Jay,
> >
> > ***NOOB ALERT!***
> >
> > For starters, been in this group for several years, but have never had
> time to set up anything or post much. I do enjoy reading the posts when I
> have the time, but sadly, don't understand too much.
> >

> > Had my PCR1000 radio for several years, but just never had much time to
> play with it and don't know too much about it or it's capabilites. I do
> know it is obsolete and has been for a few years.
> >
> > I live in Michigan, and a few years ago, I read the state would be
> switching to (since has switched to) the Michigan Public safety comm system
> (MPSCS). This discouraged me in that I believed the PCR1000 would be
> useless. I can currently monitor some analog channels in some of the smaller
> towns, but can no longer listen to state operations.
> >
> > But reading up on it here and other sites, I may be able to receive this?
> >
> > According to radio reference, MPSCS uses APCO 25 Phase I system, a.k.a
> Project 25 Phase I (FDMA). I am not clear on the terminology, but is Phase
> I and what is refered to in this group as "Moto 1" the same thing?
> >
> > I understand that APCO 25 this is digital system.
> > Reading a few posts that some areas are going to phase II whatever that
> means!
> >
> > For starters, I have the standard ICOM PCR1000 "vanilla" US model.
> > I also have the optional UT-106 DSP but have never installed it.
> >
> > Bottom line questions:
> >
> > 1) Will the IC-PCR1000 running TrunkPCR be able to monitor the MPSCS since
> it is still phase I?
> >
> > 2) If so, is the digital conversion done with the packet output to the
> soundcard and converted/demodulated in the TrunkPCR software?
> >
> > 3) Or, is the UT-106 needed for the digital conversion of the APCO 25
> system? Is the UT-106 just a digital signal processor (DSP) for filtering
> noise?
> >
> > 4) Am I on the right track or should I abandon the idea and admit defeat.
> >
> > Again, thanks in advance for your patience with my noobieness.
> >
> > Tom
>

1708. Re: [TrunkPCR] TrunkPCR v265 - "Watching..." hang

Yahoo group: TrunkPCR
Date: 2010-05-05 18:00:44 UTC
From: Jay
Topic: 1706 Message: 1708

Hey Lindsay,

That sure is a strange problem, I've never seen the "Watching" scroller on both lines at the same time.
I'll take a look and see if I can spot the error...

Thanks,
Jay

----- Original Message -----
From: "Lindsay C. Blanton III"
>
> Hey folks, I'm having a nasty little problem where TrunkPCR v265 is hanging on talkgroups after a set of calls completes. The system being monitored is an EDACS ProVoice system. The behavior is, after 10-15 minutes or so, a call grant will end and trunkPCR will hang on "Waiting...." on that talkgroup. Clicking "Search" resuming the scanning method, however within a few short minutes we'll see a hang again.
>
> I've got a couple screenshots here of what the interface looks like...
>
> Any ideas?

1709. Help Trunkpcr

Yahoo group: TrunkPCR
Date: 2010-05-05 18:58:31 UTC
From: Domingo
Topic: 1709 Message: 1709

Hola a todos.

Alguien sabe donde puedo conseguir el manual del TrunkPcr(1000)

Muchas gracias

1710. Re: [TrunkPCR] Help Trunkpcr

Yahoo group: TrunkPCR
Date: 2010-05-05 20:03:31 UTC
From: Jay
Topic: 1709 Message: 1710

Hola Domingo,

No hay un manual, sin embargo, si algo no est? cubierto en la P?gina de Ayuda o en este grupo que est? teniendo un problema con, por favor h?ganoslo saber:)

Un cordial saludo,
Jay

Hello Domingo,

There is not a manual yet, if something is not covered on the Help Page or in this Group that you are having a problem with, please let us know :)

Regards,
Jay

----- Original Message -----
From: "Domingo"
>

> Hola a todos.
>
> Alguien sabe donde puedo conseguir el manual del TrunkPcr(1000)
>
> Muchas gracias

>Hello everyone.
>
>Anyone know where I can get the manual TrunkPcr (1000)
>
>Thank you very much

1711. Re: [TrunkPCR] TrunkPCR v265 - "Watching..." hang [3 Attachments]

Yahoo group: TrunkPCR
Date: 2010-05-14 05:35:09 UTC
From: Jay
Topic: 1711 Message: 1711

Hey Lindsay,

What are the "Scan Settings" set for?

From the Options -> Scan Delay Menu, might be best for now to set the "When Signal is Detected" to "Pause While Present" and the "Resume Condition" to "Loss of Signal" if that will work for ProVoice...

Jay

----- Original Message -----
From: "Lindsay C. Blanton III"
>
> Hey folks, I'm having a nasty little problem where TrunkPCR v265 is hanging on talkgroups after a set of calls completes. The system being monitored is an EDACS ProVoice system. The behavior is, after 10-15 minutes or so, a call grant will end and trunkPCR will hang on "Waiting...." on that talkgroup. Clicking "Search" resuming the scanning method, however within a few short minutes we'll see a hang again.
>
> I've got a couple screenshots here of what the interface looks like...
>
> Any ideas?

1712. Re: [TrunkPCR] TrunkPCR v265 - "Watching..." hang

Yahoo group: TrunkPCR
Date: 2010-05-14 05:53:52 UTC
From: Jay
Topic: 1706 Message: 1712

```
Make that Controls -> Scan Delay Menu
```

1713. Rebanding Help

Yahoo group: TrunkPCR
Date: 2010-05-20 00:16:45 UTC
From: Brian
Topic: 1713 Message: 1713

Men,

They have finished Rebanding down here in South Florida and I am trying to understand how to redo my Trunking banks in order for Trunk PCR to work again because I get NOTHING. So I assume I now change in my Trunk Settings

1.)Motorola Options from 800 MHz to Custom,right?
2.)Go to "Custom Frequency Plan Editor" and change these settings as well,right?
3.) What is my Base Frequency, is that my NEW Control Channel? My LCN Offset is what, 380 or 440? Step is either 25 or 12.5 kHz?

I did see on RR the NEW Control Channels and even did the math so that I understand how to get them and have them in Trunk PCR but Trunk PCR just keeps searching through the NEW Control Channels and not picking up anything.

Any help would be GREAT.

Brian

1714. Re: [TrunkPCR] Rebanding Help

Yahoo group: TrunkPCR
Date: 2010-05-20 18:13:58 UTC
From: Jay
Topic: 1713 Message: 1714

If the ReBanded frequencies are still in the 800 mhz range and you are using version 265, all you should have to do is change the Moto Options from [800] to [ReBanded]...
If that isn't working for you, let me know...

For Trunking Information, check out:
http://wiki.radioreference.com/index.php/Trunking

It explains all about how this all works and specifically "Determining Base/Step/Offset for VHF/UHF Motorola Systems"...

Jay

----- Original Message -----
From: "Brian"
>

> Men,
>
> They have finished Rebanding down here in South Florida and I am trying to understand how to redo my Trunking banks in order for Trunk PCR to work again because I get NOTHING. So I assume I now change in my Trunk Settings
>
> 1.)Motorola Options from 800 MHz to Custom,right?
> 2.)Go to "Custom Frequency Plan Editor" and change these settings as well,right?
> 3.) What is my Base Frequency, is that my NEW Control Channel? My LCN Offset is what, 380 or 440? Step is either 25 or 12.5 kHz?
>
> I did see on RR the NEW Control Channels and even did the math so that I understand how to get them and have them in Trunk PCR but Trunk PCR just keeps searching through the NEW Control Channels and not picking up anything.
>
> Any help would be GREAT.
>
> Brian
>

1715. TrunkPCR version 0.90.270 Now Available

Yahoo group: TrunkPCR
Date: 2010-06-04 19:30:25 UTC
From: Jay
Topic: 1715 Message: 1715

TrunkPCR version 0.90.270 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Three Changes, Five Additions and Ten Fixes...

May 17,2010 - -----: Changed priority of Squelch Close notification in Trunking.
May 19,2010 - Added: "Call End Notification" when Inactive Call "Times-Out" and Still sitting on a Voice Channel.
May 19,2010 - Fixed: Displaying Recovery Rate / %1's in Correct Window when in Dual Mode.
May 20,2010 - Fixed: Setting Date Time Pickers Correct Date in Timed Recorder.
May 20,2010 - Added: Clicking the Channel Hits Indicator, now brings up the Channel Hit Editor.
May 20,2010 - Added: Separate Frequency display in Timed Recorder.
May 23,2010 - Fixed: Importing Moto Sites from RR.com's Web Import, that have been Rebanded.
May 23,2010 - Added: Two Channel Decoder Inputs for Edacs (Sound Card Left/Right Channels).
May 24,2010 - Fixed: Setting the ReBanded Flag in the decoder dll.
May 27,2010 - -----: EDACS Dotting Sequence detector "# of Times Detected" uses Lower Values.
May 28,2010 - Fixed: Setting the Inactive TimeOuts when Trunk Settings is loaded.
Jun 02,2010 - Fixed: Adding New Selction in Timed Recorder, Min - Max Date Error.
Jun 02,2010 - Fixed: Removing Last Selction in Timed Recorder wasn't Updating Current Selection.
Jun 03,2010 - Fixed: Retrying a Recording in Timed Recorder from failed attempt.
Jun 03,2010 - Fixed: Timed Recorder now Recording Again with all Regional Settings...
Jun 03,2010 - Added: Option to Invert Colors in Sweep Picture before Printing.
Jun 03,2010 - -----: Mode & Filter Changed per PCR Model for Timed Recordings.
Jun 04,2010 - Fixed: When a Timed Recording is Completed, PCR Set Back to Current Bank and Channel.

Version 0.90.270 Released 06/04/2010

Regards,
Jay

1716. Instructions For Dual Edacs Decoding

Yahoo group: TrunkPCR
Date: 2010-06-04 21:30:05 UTC
From: Jay
Topic: 1716 Message: 1716

Hook up the MAIN Receiver's Packet Out to the Right Channel of the Line-In (Voice Channel).

Hook up the SUB Receiver's Packet Out to the Leftt Channel of the Line-In (Control Channel).

In the Sound Card Setup's Decoder Settings, click (YES) in "Allow Both Channels", then click Accept.

In the Trunk Settings' Decoder Options, choose the two (2) Decode Channels and leave the Low Pass Filter settings as they are and the "Use LPF" checkboxes UnChecked...

In the Trunk Settings' EDACS Options, the "Number of Times Detected" can be anywhere from 2 to 60, 20 seems ok for me, but with a cleaner signal, you might be able to use 10 or so. This now detects how many Dotting Tone Frame-Syncs are detected instead of the number of cycles the Dotting Tone Frequency is heard...

If you have any problems/questions, let me know...

Regards,
Jay

1717. TrunkPCR version 0.90.271 Now Available

Yahoo group: TrunkPCR
Date: 2010-06-24 05:19:27 UTC
From: Jay
Topic: 1717 Message: 1717

TrunkPCR version 0.90.271 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Five Changes, One Addition and Two Fixes...

Jun 07,2010 - Fixed: Setting Minimum Date of DateTimePicker in Timed
Recorder with all Regional Settings.
Jun 12,2010 - -----: COM Ports Now Selectable up to COM255.
Jun 12,2010 - -----: Now Displays ALL Available COM Ports.
Jun 13,2010 - -----: Timed Recorder Current Date now Displayed per
Default Regional Setting.
Jun 20,2010 - -----: Squelch Responds to Actual PCR Model.
Jun 20,2010 - Added: DTCS Squelch Selector.
Jun 20,2010 - Fixed: CTCSS and DTCS Squelch Search in Main & Dual
Display.
Jun 23,2010 - -----: Decoder Channels now Set to One if Receiver Type is
Set to Single.

Version 0.90.271 Released 06/23/2010

Regards,
Jay

1718. CSV files

Yahoo group: TrunkPCR
Date: 2010-06-30 12:49:38 UTC
From: centers46
Topic: 1718 Message: 1718

Can someone post a CSV file for Trunked frequencies, and one for just regular scanner frequencies?

1719. Re: [TrunkPCR] CSV files

Yahoo group: TrunkPCR
Date: 2010-07-01 19:58:37 UTC
From: Jay
Topic: 1718 Message: 1719

If you are using the CSV Import Tool, there wouldn't be any difference...

Trunked Frequencies would be different in your area from other areas...

Jay

----- Original Message -----
From: "centers46"
>

> Can someone post a CSV file for Trunked frequencies, and one for just
regular scanner frequencies?

1720. Re: CSV files

Yahoo group: TrunkPCR
Date: 2010-07-05 21:40:00 UTC
From: centers46
Topic: 1718 Message: 1720

Thanks Jay
I was hoping to see an example to see how the order of how the data was positioned in the CSV file.
I think the first position in the CSV file is the channel number, then Name, then Sub Name, then Frequency (is this the trunk frequency)?
Then there's Dup, and then there is Offset (is this even used for trunking)?

So as you can see, examining a CSV file would answer a lot of questions. Do you have one you could post?

Thanks again.
Steve

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> If you are using the CSV Import Tool, there wouldn't be any difference...
>
> Trunked Frequencies would be different in your area from other areas...
>
> Jay
>
> ----- Original Message -----
> From: "centers46"
> >
>
> > Can someone post a CSV file for Trunked frequencies, and one for just
> regular scanner frequencies?
>

1721. Re: [TrunkPCR] Re: CSV files

Yahoo group: TrunkPCR
Date: 2010-07-05 23:10:12 UTC
From: Jay
Topic: 1718 Message: 1721

If you are using the CSV Import Tool, the order of the data doesn't matter. You simply select which entry is which and it will read the CSV file accordingly...

You should only be concerned with the Channel Settings of a Scan Bank, weather defined as a Conventional Bank or a Trunking Bank. A Channel is a Channel...

The CSV Import Tool doesn't deal with the data as what is in the Trunk Settings...
The *Only* thing you can import with regards to Trunking is the Group ID and Radio ID Info...

I don't have any CSV files as samples, these are usually created by users who organize their info from an app like Excel...

Regards,
Jay

----- Original Message -----
From: "centers46"

> Thanks Jay
> I was hoping to see an example to see how the order of how the data was positioned in the CSV file.
> I think the first position in the CSV file is the channel number, then Name, then Sub Name, then Frequency (is this the trunk frequency)?
> Then there's Dup, and then there is Offset (is this even used for trunking)?
>
> So as you can see, examining a CSV file would answer a lot of questions. Do you have one you could post?
>
> Thanks again.
> Steve

1722. Help Jay

Yahoo group: TrunkPCR
Date: 2010-07-05 23:11:26 UTC
From: Brian
Topic: 1722 Message: 1722

Good evening Jay,

I am trying to watch these Group ID's. So I went into settings to input the alphanumeric chacters and it will not take them,only takes the numeric. Example...(Group ID is...EB50 and EB70) I cant get Trunk PCR take take this. Also "Watch These Radio ID's doesn't take alphanumerica chacters either..

Any help would be great

Brian

1723. Re: [TrunkPCR] Help Jay

Yahoo group: TrunkPCR
Date: 2010-07-06 02:29:20 UTC
From: Jay
Topic: 1722 Message: 1723

Remember my last reply?
They currently only accept Decimal Input, so you will have to convert them using the calculator in windows or change the display to Decimal to see the decimal number of the Group ID's...
Eventually I'll change this, but haven't yet...

Regards,
Jay

----- Original Message -----
From: "Brian"

> Good evening Jay,
>
> I am trying to watch these Group ID's. So I went into settings to input the alphanumeric chacters and it will not take them,only takes the numeric. Example...(Group ID is...EB50 and EB70) I cant get Trunk PCR take take this. Also "Watch These Radio ID's doesn't take alphanumerica chacters either..
>
> Any help would be great
>
> Brian

1724. Re: [TrunkPCR] Help Jay

Yahoo group: TrunkPCR
Date: 2010-07-06 21:13:28 UTC
From: Brian Veres
Topic: 1722 Message: 1724

LOL...See what happens when you don't listen to the professor. My fault Jay.

Thanks for everything,
Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Mon, July 5, 2010 10:29:20 PM
Subject: Re: [TrunkPCR] Help Jay

Remember my last reply?
They currently only accept Decimal Input, so you will have to convert them using the calculator in windows or change the display to Decimal to see the decimal number of the Group ID's...
Eventually I'll change this, but haven't yet...

Regards,
Jay

----- Original Message -----
From: "Brian"

> Good evening Jay,
>
> I am trying to watch these Group ID's. So I went into settings to input the alphanumeric chacters and it will not take them,only takes the numeric. Example...(Group ID is...EB50 and EB70) I cant get Trunk PCR take take this. Also "Watch These Radio ID's doesn't take alphanumerica chacters either..
>
> Any help would be great
>
> Brian

1725. Re: [TrunkPCR] Help Jay

Yahoo group: TrunkPCR
Date: 2010-07-07 20:15:33 UTC
From: Jay
Topic: 1722 Message: 1725

No problemo :-)

I'll be sure to bump that up on the ToDo list...

Regards,
Jay

----- Original Message -----
From: Brian Veres

LOL...See what happens when you don't listen to the professor. My fault Jay.

Thanks for everything,
Brian

1726. TrunkPCR version 0.90.272 Now Available

Yahoo group: TrunkPCR
Date: 2010-07-18 18:57:02 UTC
From: Jay
Topic: 1726 Message: 1726

TrunkPCR version 0.90.272 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Five Changes, Four Additions and Five Fixes...

Jun 26,2010 - -----: Some Possible Recording Errors are now logged to Error.log instead of a Message Box.
Jun 26,2010 - -----: Changed a few lines of code in Timed Recorder to eliminate some possible Min/Max Date Errors.
Jun 26,2010 - -----: Squelch Responds to Actual PCR Model when in Emulation Mode.
Jun 26,2010 - Added: Current Timed Recording Length now shown in TitleBar.
Jun 26,2010 - Fixed: Wave File is now Closed Properly when Recording is finished.
Jun 27,2010 - Fixed: Wave Buffers Memory is now released when Recording is finished.
Jun 28,2010 - Fixed: Timed Recorder Min/Max Date Errors when Passing Midnight.
Jun 29,2010 - Added: More Error Trapping in Play Wave File Routines.
Jul 08,2010 - Fixed: Displaying Channels in Import Bank Tool after Importing FQL Files.
Jul 08,2010 - -----: In Import Bank Tool, the Pop-Up Menu now activated by Right-Clicking in Channel List.
Jul 08,2010 - -----: In Import Bank Tool, the "Import To" Menus moved to separate Menu.
Jul 18,2010 - Fixed: Poping Sound when using "Digital Call End" in Trunk Settings.
Jul 18,2010 - Added: Hex Input for Group & Radio Watch in Trunk Settings.
Jul 18,2010 - Added: AFS Input for Group Watch in Trunk Settings.

Version 0.90.272 Released 07/18/2010

Regards,
Jay

1727. For the☐ SERIOUS☐ Radio/Scanner person

Yahoo group: TrunkPCR
Date: 2010-07-20 22:47:33 UTC
From: Brian
Topic: 1727 Message: 1727

MUST sell all equipment I would like to sell as a package. This package includes,
1.) ICOM PCR 2500 Communication Receiver installed with (UT-122) P-25 card,(UT-106) DSP Receive Unit and (UT-108) DTMF card. I have the software as well as the manual and the original boxes the unit came shipped in. In "mint condition"
2.) Ramsey Speech Scrambler/Descrambler (Factory Assembled.) I have the original box it shipped in, the power adaptor as well as the manual. In "mint condition"
3.) Optoelectronics "Digital Scout." I have the original box it shipped in. As well as the OptoSuite Pro software, Power cord and the interface cable to the computer. In "mint condition"
4.) Jim Professional Series (M-75) Pre-Amplifier with Variable gain. I have the manual and power cord. In "mint condition"
5.) Motorola "XTN series" radio. I have the base charger, power cord, and holster. In "mint condition"
6.) RHS1000 (75-1750 MHz) antenna kit, this is a Diamond antenna kit, very hard to come by. I have the case as well as the manual. In "mint condition"
7.) Omni-directional "desktop" discone antenna. Comes with the tool to take out leads if needed. In mint condition.
8.) Assorted BNC connectors, Radio Shack mono speaker, 100ft RG 8X cable (Never use) a few different antennas and a MFJ -1720c switcher.
I have pictures if you want to see anything. I am asking $1,500.00 for everything. I will pay shipping.
Please feel free to contact me if interested.
Sjinndoawi00@...

1728. Ebay Link

Yahoo group: TrunkPCR
Date: 2010-07-21 23:09:12 UTC
From: Brian
Topic: 1728 Message: 1728

Friends,

Here is the link to my Ebay listing if anyone is interested in my radio packaged.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110563025682&ssPageName=STRK:MESELX:IT

Thank you,

Brian

1729. WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2010-07-27 21:45:04 UTC
From: lvanland@swbell.net
Topic: 1729 Message: 1729

I have installed TrunkPCR and PCRPro on my new Win 7 Home Premium computer. Both programs appear to work, but neither will connect to the radio and neither Program Folder has the RegInfo.txt file. Both programs show this error message when I click the power button:"Radio Not Responding. Please Check Comport Settings, Power and Cables, Then Try Again." The Comport setting shows Com 3, which is exactly what the Silicon Labs CP210X USB to UART Bridge shows in Device Manager. The CP210X is the driver specified by ICOM and was installed through Win7 when I first turned the radio on.

Any help will be appreciated.

1730. Re: [TrunkPCR] WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2010-07-28 03:13:19 UTC
From: Nand
Topic: 1729 Message: 1730

Here is what works for me in Win7 and where to get it for Vista and Win7

http://domtoren.com/990/Capture_a.JPG

http://domtoren.com/990/Capture_b.JPG

http://domtoren.com/WinVista.zip

Nand.

On Tue, Jul 27, 2010 at 5:45 PM, lvanland@... <lvanland@...>wrote:

>
>
>
> I have installed TrunkPCR and PCRPro on my new Win 7 Home Premium
> computer. Both programs appear to work, but neither will connect to the
> radio and neither Program Folder has the RegInfo.txt file. Both
> programs show this error message when I click the power button:"Radio
> Not Responding. Please Check Comport Settings, Power and Cables, Then
> Try Again." The Comport setting shows Com 3, which is exactly what the
> Silicon Labs CP210X USB to UART Bridge shows in Device Manager. The
> CP210X is the driver specified by ICOM and was installed through Win7
> when I first turned the radio on.
>
> Any help will be appreciated.
>
>
>

1731. Re: [TrunkPCR] WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2010-07-28 03:21:05 UTC
From: Nand
Topic: 1729 Message: 1731

Be sure to first remove the version that is there now.
My computer > Properties > Device Manager > Ports > CP210x > Driver tab > Uninstall.

On Tue, Jul 27, 2010 at 11:13 PM, Nand <n.romijn@...> wrote:

> Here is what works for me in Win7 and where to get it for Vista and Win7
>
> http://domtoren.com/990/Capture_a.JPG
>
> http://domtoren.com/990/Capture_b.JPG
>
> http://domtoren.com/WinVista.zip
>
> Nand.
>
>
>
>

1732. Re: WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2010-07-28 19:01:52 UTC
From: lvanland@swbell.net
Topic: 1729 Message: 1732

Oops! The program is working, but it still will not create a RegInfo.txt file. Any suggestions Jay?

--- In TrunkPCR@yahoogroups.com, Nand <n.romijn@...> wrote:
>
> Be sure to first remove the version that is there now.
> My computer > Properties > Device Manager > Ports > CP210x > Driver tab >
> Uninstall.
>
> On Tue, Jul 27, 2010 at 11:13 PM, Nand <n.romijn@...> wrote:
>
> > Here is what works for me in Win7 and where to get it for Vista and Win7
> >
> > http://domtoren.com/990/Capture_a.JPG
> >
> > http://domtoren.com/990/Capture_b.JPG
> >
> > http://domtoren.com/WinVista.zip
> >
> > Nand.
> >
> >
> >
> >
>

1733. Re: WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2010-07-28 17:11:37 UTC
From: lvanland@swbell.net
Topic: 1729 Message: 1733

THANKS! Nand, your solution worked perfectly.

--- In TrunkPCR@yahoogroups.com, Nand <n.romijn@...> wrote:
>
> Be sure to first remove the version that is there now.
> My computer > Properties > Device Manager > Ports > CP210x > Driver tab >
> Uninstall.
>
> On Tue, Jul 27, 2010 at 11:13 PM, Nand <n.romijn@...> wrote:
>
> > Here is what works for me in Win7 and where to get it for Vista and Win7
> >
> > http://domtoren.com/990/Capture_a.JPG
> >
> > http://domtoren.com/990/Capture_b.JPG
> >
> > http://domtoren.com/WinVista.zip
> >
> > Nand.
> >
> >
> >
> >
>

1734. Re: [TrunkPCR] Re: WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2010-07-28 19:36:32 UTC
From: Jay
Topic: 1729 Message: 1734

After you open the Registration window and click the [Send Reg] Button, if the file isn't created, then you can take a screen capture and paste that into a email and send that to me instead...

Regards,
Jay

----- Original Message -----
From: <lvanland@>

> Oops! The program is working, but it still will not create a RegInfo.txt file. Any suggestions Jay?

1735. "Tech Showcase" - New digital scanner

Yahoo group: TrunkPCR
Date: 2010-07-29 00:32:14 UTC
From: Neal Linder
Topic: 1735 Message: 1735

"Tech Showcase" (October) on Uniden's groundbreaking new scanner, the HomePatrol.*

You can check out Tom's preview of the HomePatrol now on YouTube at <http://www.youtube.com/watch?v=i3AFlGTh7G8> http://www.youtube.com/watch?v=i3AFlGTh7G8.

1736. Re: [TrunkPCR] "Tech Showcase" - New digital scanner

Yahoo group: TrunkPCR
Date: 2010-07-29 14:54:16 UTC
From: johnstark
Topic: 1735 Message: 1736

see also www.HomePatrol.com

John

----- Original Message -----
From: Neal Linder
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, July 28, 2010 8:32 PM
Subject: [TrunkPCR] "Tech Showcase" - New digital scanner

"Tech Showcase" (October) on Uniden's groundbreaking new scanner, the HomePatrol.*

You can check out Tom's preview of the HomePatrol now on YouTube at
http://www.youtube.com/watch?v=i3AFlGTh7G8.

1737. Re: [TrunkPCR] "Tech Showcase" - New digital scanner

Yahoo group: TrunkPCR
Date: 2010-08-08 17:00:10 UTC
From: Steve Smith
Topic: 1735 Message: 1737

$1000...yikes!
>
>
>
> "Tech Showcase" (October) on Uniden's groundbreaking new scanner, the
> HomePatrol.*
>
> You can check out Tom's preview of the HomePatrol now on YouTube at
> http://www.youtube.com/watch?v=i3AFlGTh7G8
> <http://www.youtube.com/watch?v=i3AFlGTh7G8>.
>
>

1738. Re: [TrunkPCR] "Tech Showcase" - New digital scanner

Yahoo group: TrunkPCR
Date: 2010-08-08 23:26:52 UTC
From: johnstark
Topic: 1735 Message: 1738

The Home Patrol won't be $1000, and until they are FCC approved no price can be set, but it will probably in the $500 range...

John

----- Original Message -----
From: "Steve Smith" <ssmith39@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Sunday, August 08, 2010 1:00 PM
Subject: Re: [TrunkPCR] "Tech Showcase" - New digital scanner

> $1000...yikes!
>>
>>
>>
>> "Tech Showcase" (October) on Uniden's groundbreaking new scanner, the
>> HomePatrol.*
>>
>> You can check out Tom's preview of the HomePatrol now on YouTube at
>> http://www.youtube.com/watch?v=i3AFlGTh7G8
>> <http://www.youtube.com/watch?v=i3AFlGTh7G8>.
>>
>>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

1739. Where's Jay?

Yahoo group: TrunkPCR
Date: 2010-08-13 13:15:13 UTC
From: Frank Franzoi
Topic: 1739 Message: 1739

Jay, I sent a change of computer msg to you with no response using microsoft outlook did you recieve it? I miss my pcr.. Thanks
Frank w8azv@yahoo.com

1740. Re: [TrunkPCR] Where's Jay?

Yahoo group: TrunkPCR
Date: 2010-08-13 22:17:26 UTC
From: Jay
Topic: 1739 Message: 1740

Hi Frank,

Try Resending, I haven't received anything from you in awhile...

Jay

----- Original Message -----
From: Frank Franzoi
To: trunkpcr@yahoogroups.com
Sent: Friday, August 13, 2010 6:15 AM
Subject: [TrunkPCR] Where's Jay?

Jay, I sent a change of computer msg to you with no response using microsoft outlook did you recieve it? I miss my pcr.. Thanks
Frank w8azv@...

1741. Auto recording with TrunkPCR

Yahoo group: TrunkPCR
Date: 2010-09-17 23:01:38 UTC
From: russham3345
Topic: 1741 Message: 1741

Hello all, have newly acquired PCR100 and new to TrunkPCR. Have tried TalkPCR but more taken with extra functions of TrunkPCR - only problem seems to be with audio recording. When squelch opens and recording starts I seem to get a lot of scratchy type interference, even after squelch closes. Have tried adjusting recording levels both up and down, also tried different sampling rates but same result - anyone else experience this or have any ideas on solution. No problems with audio recording on TalkPCR and with my Uniden/Butel setup. Running modern PC with Windows XP.
Any pointers appreciated, Russell.

1742. Auto record problem

Yahoo group: TrunkPCR
Date: 2010-09-24 10:40:43 UTC
From: russham3345
Topic: 1742 Message: 1742

Hello Jay,
Wonder if you could help - running in conventional mode with modern dual core PC/Windows XP: ("An Error Occured in FrmSoundRec-> Record-Btn at Line:27 Error number 53-File not found"), also record sometimes not closing after squlech closes and delay has expired.
Cheers, Russell

1743. Re: [TrunkPCR] Auto record problem

Yahoo group: TrunkPCR
Date: 2010-09-25 12:26:03 UTC
From: Jay
Topic: 1742 Message: 1743

Hi Russel,

That might be caused by scanning/searching...
I only have the recorder configured for single channel or timed recording.
Recording on stopped channels/frequencies is on the ToDo list, but haven't
had time yet to implement it. One of these days I will :-)

Regards,
Jay

----- Original Message -----
From: "russham3345"

> Hello Jay,
> Wonder if you could help - running in conventional mode with modern dual
core PC/Windows XP: ("An Error Occured in FrmSoundRec-> Record-Btn at
Line:27 Error number 53-File not found"), also record sometimes not closing
after squlech closes and delay has expired.
> Cheers, Russell

1744. Re: [TrunkPCR] Auto recording with TrunkPCR

Yahoo group: TrunkPCR
Date: 2010-09-25 12:43:21 UTC
From: Jay
Topic: 1741 Message: 1744

Is this happening when you are searching/scanning or just when you are recording a single channel or using the timed recording?

TalkPCR and Butel Soft use totally different code for recording, it's like comparing a Dodge or Ford with GM. They all run on the same gas, but we all use different engines :-)
What may work on one model, doesn't guarantee another will operate the same way...
Totally different animals, so there is no comparison...

Thanks,
Jay

----- Original Message -----
From: "russham3345"

> Hello all, have newly acquired PCR100 and new to TrunkPCR. Have tried TalkPCR but more taken with extra functions of TrunkPCR - only problem seems to be with audio recording. When squelch opens and recording starts I seem to get a lot of scratchy type interference, even after squelch closes. Have tried adjusting recording levels both up and down, also tried different sampling rates but same result - anyone else experience this or have any ideas on solution. No problems with audio recording on TalkPCR and with my Uniden/Butel setup. Running modern PC with Windows XP.
> Any pointers appreciated, Russell.

1745. Re: [TrunkPCR] Auto record problem

Yahoo group: TrunkPCR
Date: 2010-09-25 20:58:17 UTC
From: Russell Monahan
Topic: 1742 Message: 1745

Many thanks Jay,

That explains it.....it's on scanning/searching it happens.....thought maybe I had something configured wrong (except trying to auto record on searching/scanning!!!) - will keep lookout if you manage to get that done on your ToDo list -would be icing on the cake for me but understand my wants will not be everyone elses.

Thanks again Jay.

----- Original Message -----
From: "Jay" <crazycalifornian@...>
To: <TrunkPCR@yahoogroups.com>
Sent: Saturday, September 25, 2010 1:26 PM
Subject: Re: [TrunkPCR] Auto record problem

> Hi Russel,
>
> That might be caused by scanning/searching...
> I only have the recorder configured for single channel or timed recording.
> Recording on stopped channels/frequencies is on the ToDo list, but haven't
> had time yet to implement it. One of these days I will :-)
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "russham3345"
>
>
>> Hello Jay,
>> Wonder if you could help - running in conventional mode with modern dual
> core PC/Windows XP: ("An Error Occured in FrmSoundRec-> Record-Btn at
> Line:27 Error number 53-File not found"), also record sometimes not
> closing
> after squlech closes and delay has expired.
>> Cheers, Russell
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>

>

1746. How to use dual-receiver in IC-R2500 when trunking?

Yahoo group: TrunkPCR
Date: 2010-09-27 00:31:57 UTC
From: ken.long78
Topic: 1746 Message: 1746

Hello TrunkPCR users. I'm sure this question has been asked (and answered) a thousand times, but nonetheless I am unable to find the answer by searching the group.

I want to use the secondary receiver in my IC-R2500 to constantly listen to the control channel, and have the primary receiver switch to the active channel when a signal is found.

Can someone tell me what I need to configure in TrunkPCR to have this behavior?

thanks,
Ken

1747. Re: [TrunkPCR] How to use dual-receiver in IC-R2500 when trunking?

Yahoo group: TrunkPCR
Date: 2010-09-27 01:33:32 UTC
From: Jay
Topic: 1746 Message: 1747

Hi Ken,

Simple enough...

1) Under the Options Menu, Click "Select Dual Radio" and select the "Icom PCR-2500 MON" to use the SUB/Dual Receiver as the Control Channel Monitor.

2) Connect the PCR-2500's SUB Packet-Out to your Sound Card's Line-In or Mic Input.

3) Click the [Dual] Receiver type button after clicking the power button...

Regards,
Jay

----- Original Message -----
From: "ken.long78"

> Hello TrunkPCR users. I'm sure this question has been asked (and answered) a thousand times, but nonetheless I am unable to find the answer by searching the group.
>
> I want to use the secondary receiver in my IC-R2500 to constantly listen to the control channel, and have the primary receiver switch to the active channel when a signal is found.
>
> Can someone tell me what I need to configure in TrunkPCR to have this behavior?
>
> thanks,
> Ken

1748. Re: [TrunkPCR] How to use dual-receiver in IC-R2500 when trunking?

Yahoo group: TrunkPCR
Date: 2010-09-27 01:44:17 UTC
From: Jay
Topic: 1746 Message: 1748

Continued...

4) Park the SUB/Dual receiver on the Active Control Channel.

5) Set the Main receiver to a frequency that is *Always* quiet...

1749. Suffolk County, NY

Yahoo group: TrunkPCR
Date: 2010-09-27 14:19:38 UTC
From: theoldcop
Topic: 1749 Message: 1749

I was wondering if someone might take the time out to take a look here
http://www.radioreference.com/apps/db/?sid=722
and advise me as to the best way to set this up. I am having issues with talkgroups cutting out in mid-conversation(despite my delay settings)and I think it might be the way I have the trunk settings set up (rebanded).

Thanks for your time.

John (PCR-1000)

1750. Re: [TrunkPCR] Suffolk County, NY

Yahoo group: TrunkPCR
Date: 2010-09-27 21:29:23 UTC
From: Jay
Topic: 1749 Message: 1750

Hi John,

Would that be on Analog, Digital or both types where it's cutting out?

The normal Scan Delay settings under the Controls Menu should be [Pause While Present] and the Resume Delay set to Zero/None...

Normally, the Trunking would resume when the squelch has closed...

Jay

----- Original Message -----
From: "theoldcop"

> I was wondering if someone might take the time out to take a look here
> http://www.radioreference.com/apps/db/?sid=722
> and advise me as to the best way to set this up. I am having issues with talkgroups cutting out in mid-conversation(despite my delay settings)and I think it might be the way I have the trunk settings set up (rebanded).
>
> Thanks for your time.
>
> John (PCR-1000)

1751. Re: [TrunkPCR] Suffolk County, NY

Yahoo group: TrunkPCR
Date: 2010-09-27 21:45:13 UTC
From: John Schneider
Topic: 1749 Message: 1751

Hello Jay,

It's not so much cutting out as the software just begins going into the search mode right in the middle of a transmission (all are analog). I'm not hooked up at the moment but I'll check your delay settings against mine and see if that doesn't fix the problem.

Do you think I have to set up a custom Motorola setup based on the Suffolk 800mHz system or will choosing "rebanded" be sufficient?

John
Ps Thanks for the quick response!

-------Original Message-------

From: Jay
Date: 09/27/10 17:29:58
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Suffolk County, NY

Hi John,

Would that be on Analog, Digital or both types where it's cutting out?

The normal Scan Delay settings under the Controls Menu should be [Pause While Present] and the Resume Delay set to Zero/None...

Normally, the Trunking would resume when the squelch has closed...

Jay

----- Original Message -----
From: "theoldcop"

> I was wondering if someone might take the time out to take a look here
> http://www.radioreference.com/apps/db/?sid=722
> and advise me as to the best way to set this up. I am having issues with talkgroups cutting out in mid-conversation(despite my delay settings)and I think it might be the way I have the trunk settings set up (rebanded).
>
> Thanks for your time.
>
> John (PCR-1000)

1752. Re: [TrunkPCR] Suffolk County, NY

Yahoo group: TrunkPCR
Date: 2010-09-28 04:02:46 UTC
From: Jay
Topic: 1749 Message: 1752

Hi John,

If it's going back into search mode in mid conversation, then it sounds like the Scan Delay Settings may be different.

After looking through the RR.com threads, looks like the initial "ReBanded" freq plan is a bit different than what is now used...

You'll have to edit the Freq Plan to use the new tables until I can make the chanegs in the program...

Base Offset LcnLO LcnHI Step
851.025000 440 440 559 25.000
851.012500 0 000 719 25.000
848.000000 0 720 759 25.000
846.625000 0 815 831 25.000
868.975000 958 958 958 25.000
843.400000 0 961 1022 25.000

Regards,
Jay

----- Original Message -----
From: John Schneider

Hello Jay,

It's not so much cutting out as the software just begins going into the search mode right in the middle of a transmission (all are analog). I'm not hooked up at the moment but I'll check your delay settings against mine and see if that doesn't fix the problem.

Do you think I have to set up a custom Motorola setup based on the Suffolk 800mHz system or will choosing "rebanded" be sufficient?

John
Ps Thanks for the quick response!

1753. Re: [TrunkPCR] Suffolk County, NY

Yahoo group: TrunkPCR
Date: 2010-09-28 03:36:51 UTC
From: scosgt@aol.com
Topic: 1749 Message: 1753

Look on Radio Reference. They are in the middle of rebanding and others have reported similar issues with other radios.

In a message dated 9/27/2010 10:19:58 P.M. Eastern Daylight Time, thecop@... writes:

Hello Jay,

It's not so much cutting out as the software just begins going into the search mode right in the middle of a transmission (all are analog). I'm not hooked up at the moment but I'll check your delay settings against mine and see if that doesn't fix the problem.

Do you think I have to set up a custom Motorola setup based on the Suffolk 800mHz system or will choosing "rebanded" be sufficient?

John
Ps Thanks for the quick response!

-------Original Message-------

From: _Jay_ (mailto:crazycalifornian@...)
Date: 09/27/10 17:29:58
To: _TrunkPCR@yahoogroups.com_ (mailto:TrunkPCR@yahoogroups.com)
Subject: Re: [TrunkPCR] Suffolk County, NY

Hi John,

Would that be on Analog, Digital or both types where it's cutting out?

The normal Scan Delay settings under the Controls Menu should be [Pause While Present] and the Resume Delay set to Zero/None...

Normally, the Trunking would resume when the squelch has closed...

Jay

----- Original Message -----
From: "theoldcop"

> I was wondering if someone might take the time out to take a look here
> _http://www.radioreference.com/apps/db/?sid=722_
(http://www.radioreference.com/apps/db/?sid=722)
> and advise me as to the best way to set this up. I am having issues with talkgroups cutting out in mid-conversation(despite my delay settings)and I think it might be the way I have the trunk settings set up (rebanded).
>
> Thanks for your time.

>
> John (PCR-1000)

1754. Re: How to use dual-receiver in IC-R2500 when trunking?

Yahoo group: TrunkPCR
Date: 2010-09-28 04:59:32 UTC
From: ken.long78
Topic: 1746 Message: 1754

Thanks Jay, worked great!

Ken

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Continued...
>
> 4) Park the SUB/Dual receiver on the Active Control Channel.
>
> 5) Set the Main receiver to a frequency that is *Always* quiet...
>

1755. Bulk Edit

Yahoo group: TrunkPCR
Date: 2010-09-28 13:16:48 UTC
From: theoldcop
Topic: 1755 Message: 1755

Hello again ;)

I downloaded ARTCC freq.'s from here,
http://www.radioreference.com/apps/db/?aid=2248
and they populated the TrunkPcr bank as NFM (not a clue as to why this happened).
I was wondering if there was a way to perform a bulk edit to change all of the modes to AM at one shot. I tried via the Edit>Bank/Channel List. I can change the mode per/channel, but only temporarily.

John
PS Sorry to return to the forum with all of these problems, but I appreciate your help.

1756. Setting PCR-2500 modulation type for hybrid systems

Yahoo group: TrunkPCR
Date: 2010-09-29 03:28:45 UTC
From: ken.long78
Topic: 1756 Message: 1756

When listening to a hybrid Motorola type II system, I notice in the control channel monitor (using "Dump") that there are two types of calls shown, "II" (FM analog) and "Astro" (P25 digital). Most times TrunkPCR switches the radio to P25 mode when switching to an "Astro" call, but on occasion it stays in NFM mode, and thus all I hear is a burst of digital noise.

Why is it not consistent in going to digital mode even it when it shows the call as "Astro"?

Also, if I check "Block Astro Digital" in the trunk settings, does this make TrunkPCR ignore ALL digital calls? And if so, is this the case in both Scan and Search modes?

thanks,
Ken

1757. Re: [TrunkPCR] Bulk Edit

Yahoo group: TrunkPCR
Date: 2010-09-29 07:40:04 UTC
From: Jay
Topic: 1755 Message: 1757

Hi John,

Not a problem, always glad to help out :-)

Hmmm, looks like you found a bug with the RR.com Import... I'll fix that soon...

As far as the bulk editing goes, that doesn't exist yet, but I'll see what I can do :)

Thanks for the report,
Jay

----- Original Message -----
From: "theoldcop"

> Hello again ;)
>
> I downloaded ARTCC freq.'s from here,
> http://www.radioreference.com/apps/db/?aid=2248
> and they populated the TrunkPcr bank as NFM (not a clue as to why this happened).
> I was wondering if there was a way to perform a bulk edit to change all of the modes to AM at one shot. I tried via the Edit>Bank/Channel List. I can change the mode per/channel, but only temporarily.
>
> John
> PS Sorry to return to the forum with all of these problems, but I appreciate your help.

1758. Re: [TrunkPCR] Setting PCR-2500 modulation type for hybrid systems

Yahoo group: TrunkPCR
Date: 2010-09-29 07:58:08 UTC
From: Jay
Topic: 1756 Message: 1758

Hi Ken,

When monitoring the control channel, a new group can be added when a call is made or when the program sees that a new group's call is already in progress. If it's the latter, then the program doesn't know if it's an analog or digital group, but will set it to analog as the default...

To change the Digital/Analog flag, open the Trunk ID Editor, select which groups you want to change, right-click on the selected groups and click the "Set Group Type" and change to Analog or Digital...

And yes, if you check the "Block Astro Digital" checkbox, then the digital calls will be blocked (as long as you have the groups flag set as digital)...

Regards,
Jay

----- Original Message -----
From: "ken.long78"

> When listening to a hybrid Motorola type II system, I notice in the control channel monitor (using "Dump") that there are two types of calls shown, "II" (FM analog) and "Astro" (P25 digital). Most times TrunkPCR switches the radio to P25 mode when switching to an "Astro" call, but on occasion it stays in NFM mode, and thus all I hear is a burst of digital noise.
>
> Why is it not consistent in going to digital mode even it when it shows the call as "Astro"?
>
> Also, if I check "Block Astro Digital" in the trunk settings, does this make TrunkPCR ignore ALL digital calls? And if so, is this the case in both Scan and Search modes?
>
> thanks,
> Ken

1759. "DG" column

Yahoo group: TrunkPCR
Date: 2010-09-30 02:25:27 UTC
From: ken.long78
Topic: 1759 Message: 1759

Jay, in "Trunk ID Edit", what does the "DG" column do?

1760. Re: [TrunkPCR] "DG" column

Yahoo group: TrunkPCR
Date: 2010-09-30 04:12:31 UTC
From: Jay
Topic: 1759 Message: 1760

Tells you if the Group is set to Digital(Yes), Analog(No) or not set(?)...

----- Original Message -----
From: "ken.long78"

> Jay, in "Trunk ID Edit", what does the "DG" column do?

1761. TrunkPCR version 0.90.273 Now Available

Yahoo group: TrunkPCR
Date: 2010-10-01 03:40:54 UTC
From: Jay
Topic: 1761 Message: 1761

TrunkPCR version 0.90.273 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Four Changes, Four Additions and Five Fixes...

Jul 20,2010 - Fixed: Processing D-Star NMEA Messages that have "$$CRC"
with-in.
Aug 03,2010 - Fixed: Limits of Users who have Donated More Than $500.
Sep 28,2010 - -----: Changed ReBanded Freq Plan (Switch to Splinter, then
ReBanded).
Sep 30,2010 - Fixed: RR.com Web Import's Mode Setting.
Sep 30,2010 - Fixed: RR.com Web Import's Frequency Search Selection of
Channels.
Sep 30,2010 - Added: Description Selection of RR.com Web Import's Verify
Channels.
Sep 30,2010 - -----: Channel List Editor has better Editing Capabilities.
Pressing Enter in a Cell now Edits the Cell
Contents.
Changed Lists to ComboBoxes for better selection.
You now need to Double-Click a Cell's Contents to
Edit a Cell.
Fixed False changing of a Cell after clicking a
different Cell.
Sep 30,2010 - Added: Channel List Editor Right-Click Menu for Mass
Editing in a Column.
Sep 30,2010 - Added: Save & Print Search Results in RR.com Web Import.
Sep 30,2010 - Added: Saving RR.com Web Import's Window Position.

Version 0.90.273 Released 09/30/2010

Regards,
Jay

1762. Frequency plans

Yahoo group: TrunkPCR
Date: 2010-10-03 10:35:56 UTC
From: ken.long78
Topic: 1762 Message: 1762

I have found a control channel, but I do not know what frequencies the actual transmissions are on. Is there any way I can discover this just by decoding the control channel?

That said, I only have a basic understanding of how the "Edit Freq Plan" dialog works. Maybe you can fill in the gaps for me... but I understand that transmissions are assigned a LCN in the control channel, and for this LCN to be mapped to an actual frequency, somehow the base freq, offset, and step are used to compute the actual frequency. Do I have that right?

thanks,
Ken

1763. Re: [TrunkPCR] Frequency plans

Yahoo group: TrunkPCR
Date: 2010-10-06 21:39:49 UTC
From: Jay
Topic: 1762 Message: 1763

Hi Ken,

If it's a Moto 3600 baud 800/900mhz Control Channel, the voice channels will be shown in the Control Channel Activity window when seen in the data stream...

If it's a Moto 3600 baud 300, 400, 500 or 700mhz site or an Edacs 4800/9600 baud Control channel, then the Control Channel Activity will show the Frequencies as 0xNNNN (Hex number) and the LCN for those freqs. If this is the case, let us know what state & city you are in and we'll help you figure out the "Freq Plan"...

You can check out RadioReference's online database to see if your site is listed there:
http://www.radioreference.com/apps/db/

Yep, you have that correct :-)

Sorry for the delay, my oldest daughter's new baby boy was born on the 2nd and the idiot nurse's aid told her that the baby had down syndrome and a bunch of other BS that really got to her. Was on the phone for many hours with her getting things taken care of. Turns out that the baby has dilated intestines and was taken to a *Better Equipped/staffed* hospital for treatment...

Jay

----- Original Message -----
From: "ken.long78"

> I have found a control channel, but I do not know what frequencies the actual transmissions are on. Is there any way I can discover this just by decoding the control channel?
>
> That said, I only have a basic understanding of how the "Edit Freq Plan" dialog works. Maybe you can fill in the gaps for me... but I understand that transmissions are assigned a LCN in the control channel, and for this LCN to be mapped to an actual frequency, somehow the base freq, offset, and step are used to compute the actual frequency. Do I have that right?
>
> thanks,
> Ken

1764. Change step size

Yahoo group: TrunkPCR
Date: 2010-10-07 03:47:14 UTC
From: theoldcop
Topic: 1764 Message: 1764

I'm sure this has an obvious answer, but I just can't figure it out (the Yahoo message search function keeps returning a busy server error message...for about two weeks now). Would someone be kind enough to explain how I go about changing the step size? The step size always seems to default to 12.5kHz. I tried to change it via the "Auto-Set" menu under "options", but I get a window indicating I already have an Auto-Set routine with that frequency, and I don't.

Thank you.

John Schneider

1765. Re: [TrunkPCR] Change step size

Yahoo group: TrunkPCR
Date: 2010-10-07 05:58:33 UTC
From: Jay
Topic: 1764 Message: 1765

Hi John,

The Step Size can be adjusted by clicking either of the two buttons [<] or [>] above the "Step" Label (left of the [Manual] Button). Then Click the [Store] Button to save that setting for that channel. You can also use the "Bank / Channel List" editor under the Edit Menu...

The "Auto-Set" uses frequency ranges, so if the frequency you are trying to add to it exists in one of the "Ranges" then you would get that message or rather it should be working that way. I'll double check that...
What frequency range were you adding???

Thanks,
Jay

----- Original Message -----
From: "theoldcop"

> I'm sure this has an obvious answer, but I just can't figure it out (the Yahoo message search function keeps returning a busy server error message...for about two weeks now). Would someone be kind enough to explain how I go about changing the step size? The step size always seems to default to 12.5kHz. I tried to change it via the "Auto-Set" menu under "options", but I get a window indicating I already have an Auto-Set routine with that frequency, and I don't.
>
> Thank you.
>
> John Schneider

1766. Re: Frequency plans

Yahoo group: TrunkPCR
Date: 2010-10-07 07:14:56 UTC
From: ken.long78
Topic: 1762 Message: 1766

Thanks for the RadioReference.com link. I was able to search by frequency and found it here: http://www.radioreference.com/apps/db/?sid=5297

Just curious, with the 800/900 Mhz control channel, is the absolute frequency sent in the control channel along with the LCN, or is the LCN-to-frequency mapping fixed for 800/900Mhz control channels?

Also, congrats on your new grandson!! Hopefully this new better hospital you mention will be able to give better advice and care for him.

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Ken,
>
> If it's a Moto 3600 baud 800/900mhz Control Channel, the voice channels will
> be shown in the Control Channel Activity window when seen in the data
> stream...
>
> If it's a Moto 3600 baud 300, 400, 500 or 700mhz site or an Edacs 4800/9600
> baud Control channel, then the Control Channel Activity will show the
> Frequencies as 0xNNNN (Hex number) and the LCN for those freqs. If this is
> the case, let us know what state & city you are in and we'll help you
> figure out the "Freq Plan"...
>
> You can check out RadioReference's online database to see if your site is
> listed there:
> http://www.radioreference.com/apps/db/
>
> Yep, you have that correct :-)
>
> Sorry for the delay, my oldest daughter's new baby boy was born on the 2nd
> and the idiot nurse's aid told her that the baby had down syndrome and a
> bunch of other BS that really got to her. Was on the phone for many hours
> with her getting things taken care of. Turns out that the baby has dilated
> intestines and was taken to a *Better Equipped/staffed* hospital for
> treatment...
>
> Jay
>
> ----- Original Message -----
> From: "ken.long78"
>
>
> > I have found a control channel, but I do not know what frequencies the
> actual transmissions are on. Is there any way I can discover this just by
> decoding the control channel?

> >
> > That said, I only have a basic understanding of how the "Edit Freq Plan"
> dialog works. Maybe you can fill in the gaps for me... but I understand
> that transmissions are assigned a LCN in the control channel, and for this
> LCN to be mapped to an actual frequency, somehow the base freq, offset, and
> step are used to compute the actual frequency. Do I have that right?
> >
> > thanks,
> > Ken
>

1767. Re: [TrunkPCR] Re: Frequency plans

Yahoo group: TrunkPCR
Date: 2010-10-07 07:55:03 UTC
From: Jay
Topic: 1762 Message: 1767

The 900mhz sites still use a common Freq Plan. 800mhz sites mostly use the pre-defined Standard, Splinter or Rebanded Freq Plan...
Sites that use a Custom or Extended Freq Plan are usually pretty easy to figure out doing a bit of math or by trial and error. It helps having two receivers to find unknown frequencies, one parked on the control channel and the other searching/watching frequencies...

Thanks on the congrats :-) He should be going home soon, poor liitle guy just had a rough start in life...

Jay

----- Original Message -----
From: "ken.long78"

> Thanks for the RadioReference.com link. I was able to search by frequency and found it here: http://www.radioreference.com/apps/db/?sid=5297
>
> Just curious, with the 800/900 Mhz control channel, is the absolute frequency sent in the control channel along with the LCN, or is the LCN-to-frequency mapping fixed for 800/900Mhz control channels?
>
> Also, congrats on your new grandson!! Hopefully this new better hospital you mention will be able to give better advice and care for him.

1768. RE: [TrunkPCR] Change step size

Yahoo group: TrunkPCR
Date: 2010-10-07 12:22:46 UTC
From: John Schneider
Topic: 1764 Message: 1768

Sorry Jay.the frequency range I wanted to edit was the two-meter amateur band (144-148 MHz). I tried to enter it as new with a 5 KHz step when I received that error.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, October 07, 2010 1:59 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Change step size

Hi John,

The Step Size can be adjusted by clicking either of the two buttons [<] or [>] above the "Step" Label (left of the [Manual] Button). Then Click the [Store] Button to save that setting for that channel. You can also use the "Bank / Channel List" editor under the Edit Menu...

The "Auto-Set" uses frequency ranges, so if the frequency you are trying to add to it exists in one of the "Ranges" then you would get that message or rather it should be working that way. I'll double check that...
What frequency range were you adding???

Thanks,
Jay

----- Original Message -----
From: "theoldcop"

> I'm sure this has an obvious answer, but I just can't figure it out (the Yahoo message search function keeps returning a busy server error message...for about two weeks now). Would someone be kind enough to explain how I go about changing the step size? The step size always seems to default to 12.5kHz. I tried to change it via the "Auto-Set" menu under "options", but I get a window indicating I already have an Auto-Set routine with that frequency, and I don't.
>
> Thank you.
>
> John Schneider

1769. RE: [TrunkPCR] Change step size

Yahoo group: TrunkPCR
Date: 2010-10-07 12:17:12 UTC
From: John Schneider
Topic: 1764 Message: 1769

!@&#$

I didn't think it would be THAT obvious!

Thanks Jay, and thanks for the last update and great user support.

John

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Thursday, October 07, 2010 1:59 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Change step size

Hi John,

The Step Size can be adjusted by clicking either of the two buttons [<] or
[>] above the "Step" Label (left of the [Manual] Button). Then Click the
[Store] Button to save that setting for that channel. You can also use the
"Bank / Channel List" editor under the Edit Menu...

The "Auto-Set" uses frequency ranges, so if the frequency you are trying to
add to it exists in one of the "Ranges" then you would get that message or
rather it should be working that way. I'll double check that...
What frequency range were you adding???

Thanks,
Jay

----- Original Message -----
From: "theoldcop"

> I'm sure this has an obvious answer, but I just can't figure it out (the
Yahoo message search function keeps returning a busy server error
message...for about two weeks now). Would someone be kind enough to explain
how I go about changing the step size? The step size always seems to default
to 12.5kHz. I tried to change it via the "Auto-Set" menu under "options",
but I get a window indicating I already have an Auto-Set routine with that
frequency, and I don't.
>
> Thank you.
>
> John Schneider

1770. Re: [TrunkPCR] Change step size

Yahoo group: TrunkPCR
Date: 2010-10-07 12:38:23 UTC
From: Jay
Topic: 1764 Message: 1770

Ah ok,

In that case just click the entry you want to change, make your changes, then click the [Update] Button :-)

I'm making a few changes in the Auto-Set routines after seeing that it doesn't check for duplicates when clicking the Update button, plus a couple of minor changes...

Regards,
Jay
----- Original Message -----
From: John Schneider
Sorry Jay.the frequency range I wanted to edit was the two-meter amateur band (144-148 MHz). I tried to enter it as new with a 5 KHz step when I received that error.

1771. Re: Frequency plans

Yahoo group: TrunkPCR
Date: 2010-10-08 03:35:36 UTC
From: ken.long78
Topic: 1762 Message: 1771

I can see how scanning the nearby frequency range while watching the control channel could lead you to discover the frequency plan, but to do that effectively you need to understand how the LCN relates to frequency plans settings.

Would you happen to have a good resource that explains how the starting frequency, offset, and step relate to the frequency-to-LCN calculation?

Or would it be too much to ask you to explain it? :)

thanks,
Ken

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> The 900mhz sites still use a common Freq Plan. 800mhz sites mostly use the
> pre-defined Standard, Splinter or Rebanded Freq Plan...
> Sites that use a Custom or Extended Freq Plan are usually pretty easy to
> figure out doing a bit of math or by trial and error. It helps having two
> receivers to find unknown frequencies, one parked on the control channel and
> the other searching/watching frequencies...
>
> Thanks on the congrats :-) He should be going home soon, poor liitle guy
> just had a rough start in life...
>
> Jay
>
> ----- Original Message -----
> From: "ken.long78"
>
>
> > Thanks for the RadioReference.com link. I was able to search by frequency
> and found it here: http://www.radioreference.com/apps/db/?sid=5297
> >
> > Just curious, with the 800/900 Mhz control channel, is the absolute
> frequency sent in the control channel along with the LCN, or is the
> LCN-to-frequency mapping fixed for 800/900Mhz control channels?
> >
> > Also, congrats on your new grandson!! Hopefully this new better hospital
> you mention will be able to give better advice and care for him.
>

1772. Failure to re-start scanning after a digital call

Yahoo group: TrunkPCR
Date: 2010-10-08 03:38:58 UTC
From: ken.long78
Topic: 1772 Message: 1772

I'm monitoring a 3600-baud Moto Extended trunking system with digital radios, in "Search" mode. I am using a Icom R2500 radio in single-tuner mode.

On occasion, after a digital call, it does not switch back to the control channel. After the call ends, it just sits on the call frequency and doesn't move. I have to click "Search" again to get it to go back to the Control Channel and listen for other calls.

Jay, have you seen this issue before?

thanks,
Ken

1773. Re: [TrunkPCR] Re: Frequency plans

Yahoo group: TrunkPCR
Date: 2010-10-08 03:53:09 UTC
From: john Beatty
Topic: 1762 Message: 1773

This might help.
Stole this from another list.
Good explanation though!
<snip>
So how does the radio (or at least your scanner) turn LCN 430 into
482.625 MHz? It performs an equation based on the frequency table
stored into the radio. In the case of 800 MHz systems, these tables
are fixed, however with UHF systems like MERA, they have to be custom
entered in based on the configuration of the system. The equation the
radio uses is:

Frequency = [(LCN - Offset (in KHz)) * Step Size (in MHz)] + Base Freq
(in MHz)
<snip>
J.B.

Credo Quia Absurdum Est
Credo Ut Intelligam

--- On Thu, 10/7/10, ken.long78 <kwlong@...> wrote:

From: ken.long78 <kwlong@...>
Subject: [TrunkPCR] Re: Frequency plans
To: TrunkPCR@yahoogroups.com
Date: Thursday, October 7, 2010, 8:35 PM

I can see how scanning the nearby frequency range while watching the control channel could lead you to discover the frequency plan, but to do that effectively you need to understand how the LCN relates to frequency plans settings.

Would you happen to have a good resource that explains how the starting frequency, offset, and step relate to the frequency-to-LCN calculation?

Or would it be too much to ask you to explain it? :)

thanks,
Ken

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> The 900mhz sites still use a common Freq Plan. 800mhz sites mostly use the
> pre-defined Standard, Splinter or Rebanded Freq Plan...
> Sites that use a Custom or Extended Freq Plan are usually pretty easy to
> figure out doing a bit of math or by trial and error. It helps having two
> receivers to find unknown frequencies, one parked on the control channel and
> the other searching/watching frequencies...
>

> Thanks on the congrats :-) He should be going home soon, poor liitle guy
> just had a rough start in life...
>
> Jay
>
> ----- Original Message -----
> From: "ken.long78"
>
>
> > Thanks for the RadioReference.com link. I was able to search by frequency
> and found it here: http://www.radioreference.com/apps/db/?sid=5297
> >
> > Just curious, with the 800/900 Mhz control channel, is the absolute
> frequency sent in the control channel along with the LCN, or is the
> LCN-to-frequency mapping fixed for 800/900Mhz control channels?
> >
> > Also, congrats on your new grandson!! Hopefully this new better hospital
> you mention will be able to give better advice and care for him.
>

1774. Re: [TrunkPCR] Failure to re-start scanning after a digital call

Yahoo group: TrunkPCR
Date: 2010-10-08 06:03:52 UTC
From: Jay
Topic: 1772 Message: 1774

Definitely seen this before...

In order to have a bit better sounding P25 call, the squelch has to be set to Zero when the Group is active. Since we can't use the *Squelch-Closed* message from the PCR to resume Scanning/Searching using this method, we have to either rely on the Signal dropping to Zero or the P25 Status bits repeat a sequence for a certain number of times...

In the Trunk Settings, there are two settings for the "Return to Control Channel" option. Check the "Use Digital Call End Count" checkbox and enter "6" in the textbox as the count.
Also check the "When Signal Reaches Zero" checkbox too...

This should remedy this situation...

I'll have to change it so those settings are used when first identifying a Moto system...

Regards,
Jay

----- Original Message -----
From: "ken.long78"

> I'm monitoring a 3600-baud Moto Extended trunking system with digital radios, in "Search" mode. I am using a Icom R2500 radio in single-tuner mode.
>
> On occasion, after a digital call, it does not switch back to the control channel. After the call ends, it just sits on the call frequency and doesn't move. I have to click "Search" again to get it to go back to the Control Channel and listen for other calls.
>
> Jay, have you seen this issue before?
>
> thanks,
> Ken

1775. Re: [TrunkPCR] Re: Frequency plans

Yahoo group: TrunkPCR
Date: 2010-10-08 09:03:45 UTC
From: Jay
Topic: 1762 Message: 1775

Good start John :-)

To expand a bit on this, when you find a new unidentified site, you can use the frequency of the Control Channel as a starting point. The Control Channel Activity display will show you the LCN of the Control Channel and other voice channels...

Some 400mhz sites use a Base Freq of 406.000mhz, 380 Offset and 12.5khz Step Size.
The Los Angeles site you mentioned uses an offset of 397, so we'll use this as an example...

Say we just discovered a control channel on 406.8125 mhz and after monitoring the control channel for a while, we see a Freq of 0x01CE for the Control Channel and the additional *hex* values of the Freq's for the other Voice Channels: 0x029E, 0x02B3 and 0x02C9...

After converting the hex values to decimal we have LCN's of : 462, 670, 691 and 713...

So if we subtract 406.0000 from 406.8125, we end up with 0.8125. Then we divide that result by different step freqs. If we try 25khz (0.0250), the result is 32.5, which isn't correct. Then we try 12.5khz (0.01250) which gives us 65. Then we subtract 65 from the known LCN of 462 and we get 397 which we will use as the *OffSet*...

Then we apply the formula on each: ((LCN - Offset) * Step Size) + Base Freq
462 - 397 = 65: 65 * 0.0125(12.5khz) = 0.8125:
0.8125 + 406.0000 = 406.8125
670 - 397 = 273: 273 * 0.0125(12.5khz) = 3.4125:
3.4125 + 406.0000 = 409.4125
691 - 397 = 294: 294 * 0.0125(12.5khz) = 3.6750:
3.6750 + 406.0000 = 409.6750
713 - 397 = 316: 316 * 0.0125(12.5khz) = 3.9500:
3.9500 + 406.0000 = 409.9500

When dealing with other frequencies, that's where having a 2nd receiver comes in handy. Some sites use multiple tables which can leave you scratching your head if you try to cram all LCN's in one table when the math just doesn't add up :-)

Jay
----- Original Message -----
From: john Beatty

So how does the radio (or at least your scanner) turn LCN 430 into 482.625 MHz? It performs an equation based on the frequency table stored into the radio. In the case of 800 MHz systems, these tables are fixed, however with UHF systems like MERA, they have to be custom entered in based on the configuration of the system. The equation the radio uses is:

Frequency = [(LCN - Offset (in KHz)) * Step Size (in MHz)] + Base Freq
(in MHz)
<snip>
J.B.

--- On Thu, 10/7/10, ken.long78 <kwlong@...> wrote:

From: ken.long78

I can see how scanning the nearby frequency range while watching the control channel could lead you to discover the frequency plan, but to do that effectively you need to understand how the LCN relates to frequency plans settings.

Would you happen to have a good resource that explains how the starting frequency, offset, and step relate to the frequency-to-LCN calculation?

Or would it be too much to ask you to explain it? :)

thanks,
Ken

1776. TrunkPCR version 0.90.274 Now Available

Yahoo group: TrunkPCR
Date: 2010-10-08 12:01:56 UTC
From: Jay
Topic: 1776 Message: 1776

TrunkPCR version 0.90.274 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has One Addition and Three Fixes...

Oct 02,2010 - Fixed: D-Star's Google Maps Display of Radio Location.
Oct 02,2010 - Added: RoadMap or Sattelite Display in D-Star's Google Maps Display.
Oct 08,2010 - Fixed: In Trunk Settings, the "Return to Control Channel" Options are now set When Choosing Moto.
Oct 08,2010 - Fixed: Auto-Set Freq Ranges Editing now set properly.

Version 0.90.274 Released 10/08/2010

Regards,
Jay

1777. RE: [TrunkPCR] TrunkPCR version 0.90.274 Now Available

Yahoo group: TrunkPCR
Date: 2010-10-08 12:19:35 UTC
From: John Schneider
Topic: 1776 Message: 1777

Better and better Jay. Thank you.

John Schneider, thecop@...

www.theoldcop.net

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, October 08, 2010 8:02 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR version 0.90.274 Now Available

TrunkPCR version 0.90.274 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has One Addition and Three Fixes...

Oct 02,2010 - Fixed: D-Star's Google Maps Display of Radio Location.
Oct 02,2010 - Added: RoadMap or Sattelite Display in D-Star's Google Maps Display.
Oct 08,2010 - Fixed: In Trunk Settings, the "Return to Control Channel" Options are now set When Choosing Moto.
Oct 08,2010 - Fixed: Auto-Set Freq Ranges Editing now set properly.

Version 0.90.274 Released 10/08/2010

Regards,
Jay

1778. Re: Frequency plans

Yahoo group: TrunkPCR
Date: 2010-10-10 02:01:26 UTC
From: ken.long78
Topic: 1762 Message: 1778

OK, that makes sense, thanks for the great description!

If you are dealing with multiple tables, that is where the "LCN Low" and "LCN High" values come into play, correct?

So if you you want one plan to apply to LCN's 380 to 499, and another plan to apply to LCN's 500 to 759, you can assign them different base freq's, offsets, and steps using the Extended Freq Plan Editor.

Also, I gather LCN's cannot be less than 380 or greater than 759?

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Good start John :-)
>
> To expand a bit on this, when you find a new unidentified site, you can use the frequency of the Control Channel as a starting point. The Control Channel Activity display will show you the LCN of the Control Channel and other voice channels...
>
> Some 400mhz sites use a Base Freq of 406.000mhz, 380 Offset and 12.5khz Step Size.
> The Los Angeles site you mentioned uses an offset of 397, so we'll use this as an example...
>
> Say we just discovered a control channel on 406.8125 mhz and after monitoring the control channel for a while, we see a Freq of 0x01CE for the Control Channel and the additional *hex* values of the Freq's for the other Voice Channels: 0x029E, 0x02B3 and 0x02C9...
>
> After converting the hex values to decimal we have LCN's of : 462, 670, 691 and 713...
>
> So if we subtract 406.0000 from 406.8125, we end up with 0.8125. Then we divide that result by different step freqs. If we try 25khz (0.0250), the result is 32.5, which isn't correct. Then we try 12.5khz (0.01250) which gives us 65. Then we subtract 65 from the known LCN of 462 and we get 397 which we will use as the *OffSet*...
>
> Then we apply the formula on each: ((LCN - Offset) * Step Size) + Base Freq
> 462 - 397 = 65: 65 * 0.0125(12.5khz) = 0.8125:
> 0.8125 + 406.0000 = 406.8125
> 670 - 397 = 273: 273 * 0.0125(12.5khz) = 3.4125:
> 3.4125 + 406.0000 = 409.4125
> 691 - 397 = 294: 294 * 0.0125(12.5khz) = 3.6750:
> 3.6750 + 406.0000 = 409.6750
> 713 - 397 = 316: 316 * 0.0125(12.5khz) = 3.9500:
> 3.9500 + 406.0000 = 409.9500
>
> When dealing with other frequencies, that's where having a 2nd receiver comes in handy.
> Some sites use multiple tables which can leave you scratching your head if you try to

cram all LCN's in one table when the math just doesn't add up :-)
>
> Jay
> ----- Original Message -----
> From: john Beatty
>
> So how does the radio (or at least your scanner) turn LCN 430 into
> 482.625 MHz? It performs an equation based on the frequency table
> stored into the radio. In the case of 800 MHz systems, these tables
> are fixed, however with UHF systems like MERA, they have to be custom
> entered in based on the configuration of the system. The equation the
> radio uses is:
>
> Frequency = [(LCN - Offset (in KHz)) * Step Size (in MHz)] + Base Freq
> (in MHz)
> <snip>
> J.B.
>
> --- On Thu, 10/7/10, ken.long78 <kwlong@...> wrote:
>
> From: ken.long78
>
> I can see how scanning the nearby frequency range while watching the control channel
could lead you to discover the frequency plan, but to do that effectively you need to
understand how the LCN relates to frequency plans settings.
>
> Would you happen to have a good resource that explains how the starting frequency,
offset, and step relate to the frequency-to-LCN calculation?
>
> Or would it be too much to ask you to explain it? :)
>
> thanks,
> Ken
>

1779. Re: Failure to re-start scanning after a digital call

Yahoo group: TrunkPCR
Date: 2010-10-10 02:37:17 UTC
From: ken.long78
Topic: 1772 Message: 1779

I have both the "Use Digital Call End Count" set to 6, and "When Signal Reaches Zero" checked (those were the default when I selected the Moto Extended trunk group).

This may be related to problems I have with my IC-R2500. Mine seems to have very poor P25 decoding, and I'm not sure if the problem is that my UT-122 P25 card is broken, or just some inherent incompatibility between Icom's P25 decoder and the Motorola Astro encoders used by my local PD.

Do you (or anyone else reading this thread) have an Icom IC-R2500 (or IC-PCR2500) with the UT-122 P25 card?

If so, is the decoded audio from the speaker jack significantly lower in volume than the FM audio? I usually have to max out the volume to hear P25 audio.

Also, and more problematically, mine has major problems decoding some agency's P25 signals. For example, our local PD's Motorola system is VERY garbled, and I can only get maybe 5-10% (sometimes not even that) of what is being said. Note the signal is plenty strong (S9 +20Db) and it's not DES encrypted. I know this for sure because the Uniden Bearcat BCD-996T scanner decodes it fine.

However, the LAPD's single-frequency P25 system decodes just fine, so I know the card is not totally dead.

Note too that this problem is independent of what software I use to control the radio. It sounds just the same when I use the Icom software that came with the radio.

I have made an MP3 file by recording the speaker out jack so you can hear it for yourself. You can download it here:

http://titan-backup.darksideresearch.com/audio/garbled_audio_from_IC-R2500_P25.mp3

I would be interested in hearing from anyone else with an IC-R2500 or IC-PCR2500. Do you think my UT-122 card is bad? Note 2 things though: 1) it's done this since I bought it new and 2) I can decode some P25 (like the LAPD) without a problem.

Thanks for reading and listening :)

Ken

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Definitely seen this before...
>
> In order to have a bit better sounding P25 call, the squelch has to be set
> to Zero when the Group is active. Since we can't use the *Squelch-Closed*
> message from the PCR to resume Scanning/Searching using this method, we
> have to either rely on the Signal dropping to Zero or the P25 Status bits
> repeat a sequence for a certain number of times...

>
> In the Trunk Settings, there are two settings for the "Return to Control
> Channel" option. Check the "Use Digital Call End Count" checkbox and enter
> "6" in the textbox as the count.
> Also check the "When Signal Reaches Zero" checkbox too...
>
> This should remedy this situation...
>
> I'll have to change it so those settings are used when first identifying a
> Moto system...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "ken.long78"
>
>
> > I'm monitoring a 3600-baud Moto Extended trunking system with digital
> radios, in "Search" mode. I am using a Icom R2500 radio in single-tuner
> mode.
> >
> > On occasion, after a digital call, it does not switch back to the control
> channel. After the call ends, it just sits on the call frequency and
> doesn't move. I have to click "Search" again to get it to go back to the
> Control Channel and listen for other calls.
> >
> > Jay, have you seen this issue before?
> >
> > thanks,
> > Ken
>

1780. Re: [TrunkPCR] Re: Frequency plans

Yahoo group: TrunkPCR
Date: 2010-10-10 03:28:21 UTC
From: Jay
Topic: 1762 Message: 1780

Yep, LCN Low and High values are used in multiple tables.

The 800mhz Rebanded Freq Plan uses an Low LCN of Zero (0) in one of it's tables and an LCN High of "1022" in another table with some of the Offsets as Zero (0) in the tables...

But LCN 380 to 759 are the norm and LCN's from Zero (0) to 379 are mainly used as the "Input Frequency* to the system...

Sounds like you have a good grasp of this :-)

Jay

----- Original Message -----
From: "ken.long78"

> OK, that makes sense, thanks for the great description!
>
> If you are dealing with multiple tables, that is where the "LCN Low" and "LCN High" values come into play, correct?
>
> So if you you want one plan to apply to LCN's 380 to 499, and another plan to apply to LCN's 500 to 759, you can assign them different base freq's, offsets, and steps using the Extended Freq Plan Editor.
>
> Also, I gather LCN's cannot be less than 380 or greater than 759?

1781. Re: [TrunkPCR] Re: Failure to re-start scanning after a digital call

Yahoo group: TrunkPCR
Date: 2010-10-10 03:45:30 UTC
From: Jay
Topic: 1772 Message: 1781

On the Moto 3600 Baud sites, the P25 Digital Sound will be a bit more garbled than on a P25 Only site. Icom is aware of this, but I haven't heard of a fix for this yet...
The signal level of the voice channel will also be a factor in how well it sounds too...

And the Volume from a P25 Digital Call will be lower than the norm too. TrunkPCR will raise the volume on a P25 Call. So if your normal volume is set to the 10-O'clock Position, TrunkPCR will set it as if the volume was set to 12-O'clock position in order to offset the lower volume of the P25 card...

I do have an R2500 with the P25 card installed and have the same issues... Sometimes the calls of a 3600 baud site will be clear and other times a bit more garbled...

Jay

----- Original Message -----
From: "ken.long78"

> I have both the "Use Digital Call End Count" set to 6, and "When Signal Reaches Zero" checked (those were the default when I selected the Moto Extended trunk group).
>
> This may be related to problems I have with my IC-R2500. Mine seems to have very poor P25 decoding, and I'm not sure if the problem is that my UT-122 P25 card is broken, or just some inherent incompatibility between Icom's P25 decoder and the Motorola Astro encoders used by my local PD.
>
> Do you (or anyone else reading this thread) have an Icom IC-R2500 (or IC-PCR2500) with the UT-122 P25 card?
>
> If so, is the decoded audio from the speaker jack significantly lower in volume than the FM audio? I usually have to max out the volume to hear P25 audio.
>
> Also, and more problematically, mine has major problems decoding some agency's P25 signals. For example, our local PD's Motorola system is VERY garbled, and I can only get maybe 5-10% (sometimes not even that) of what is being said. Note the signal is plenty strong (S9 +20Db) and it's not DES encrypted. I know this for sure because the Uniden Bearcat BCD-996T scanner decodes it fine.
>
> However, the LAPD's single-frequency P25 system decodes just fine, so I know the card is not totally dead.

>
> Note too that this problem is independent of what software I use to control the radio. It sounds just the same when I use the Icom software that came with the radio.
>
> I have made an MP3 file by recording the speaker out jack so you can hear it for yourself. You can download it here:
>
>
http://titan-backup.darksideresearch.com/audio/garbled_audio_from_IC-R2500_P25.mp3
>
> I would be interested in hearing from anyone else with an IC-R2500 or IC-PCR2500. Do you think my UT-122 card is bad? Note 2 things though: 1) it's done this since I bought it new and 2) I can decode some P25 (like the LAPD) without a problem.
>
> Thanks for reading and listening :)
>
> Ken

1782. Re: Failure to re-start scanning after a digital call

Yahoo group: TrunkPCR
Date: 2010-10-10 23:48:31 UTC
From: ken.long78
Topic: 1772 Message: 1782

For me, some Motorola P25 systems are a little garbled, but readable. However, the Los Angeles ICIS system (Interagency Communications Interoperability--all the police/fire/city services/etc in most of LA, except for LAPD) is completely unlistenable. That MP3 I recorded (link below) has an example of several Burbank PD dispatch calls, and all it's just garbled junk.

It's amazing to me (and I'm sure many others as well) that this very expensive Icom hardware can't decode everything properly, especially when less-expensive consumer-grade scanners like the Uniden Bearcat can decode it fine.

The Icom UT-122 P25 card can even be used in their $13,000 IC-R9500 radio. One would think hardware that works in your flagship receiver would at least *match* the competition's performance.

Oh well, I digress. At least now I know it's not just *my* hardware that is broken.

Jay, have you ever looked into the possibility of using the Packet output to decode P25 audio using the sound card? As I understand there are certain licensing issues related to that, but that's never stopped anyone before <wink wink>.

Ken

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> On the Moto 3600 Baud sites, the P25 Digital Sound will be a bit more
> garbled than on a P25 Only site. Icom is aware of this, but I haven't heard
> of a fix for this yet...
> The signal level of the voice channel will also be a factor in how well it
> sounds too...
>
> And the Volume from a P25 Digital Call will be lower than the norm too.
> TrunkPCR will raise the volume on a P25 Call. So if your normal volume is
> set to the 10-O'clock Position, TrunkPCR will set it as if the volume was
> set to 12-O'clock position in order to offset the lower volume of the P25
> card...
>
> I do have an R2500 with the P25 card installed and have the same issues...
> Sometimes the calls of a 3600 baud site will be clear and other times a bit
> more garbled...
>
> Jay
>
>
> ----- Original Message -----
> From: "ken.long78"
>

>
> > I have both the "Use Digital Call End Count" set to 6, and "When Signal
> Reaches Zero" checked (those were the default when I selected the Moto
> Extended trunk group).
> >
> > This may be related to problems I have with my IC-R2500. Mine seems to
> have very poor P25 decoding, and I'm not sure if the problem is that my
> UT-122 P25 card is broken, or just some inherent incompatibility between
> Icom's P25 decoder and the Motorola Astro encoders used by my local PD.
> >
> > Do you (or anyone else reading this thread) have an Icom IC-R2500 (or
> IC-PCR2500) with the UT-122 P25 card?
> >
> > If so, is the decoded audio from the speaker jack significantly lower in
> volume than the FM audio? I usually have to max out the volume to hear P25
> audio.
> >
> > Also, and more problematically, mine has major problems decoding some
> agency's P25 signals. For example, our local PD's Motorola system is VERY
> garbled, and I can only get maybe 5-10% (sometimes not even that) of what is
> being said. Note the signal is plenty strong (S9 +20Db) and it's not DES
> encrypted. I know this for sure because the Uniden Bearcat BCD-996T scanner
> decodes it fine.
> >
> > However, the LAPD's single-frequency P25 system decodes just fine, so I
> know the card is not totally dead.
> >
> > Note too that this problem is independent of what software I use to
> control the radio. It sounds just the same when I use the Icom software
> that came with the radio.
> >
> > I have made an MP3 file by recording the speaker out jack so you can hear
> it for yourself. You can download it here:
> >
> >
> http://titan-backup.darksideresearch.com/audio/garbled_audio_from_IC-R2500_P
> 25.mp3
> >
> > I would be interested in hearing from anyone else with an IC-R2500 or
> IC-PCR2500. Do you think my UT-122 card is bad? Note 2 things though: 1)
> it's done this since I bought it new and 2) I can decode some P25 (like the
> LAPD) without a problem.
> >
> > Thanks for reading and listening :)
> >
> > Ken
>

1783. Re: Failure to re-start scanning after a digital call

Yahoo group: TrunkPCR
Date: 2010-10-11 23:01:56 UTC
From: ken.long78
Topic: 1772 Message: 1783

I guess I've answered my own question. I did a little research, and it looks like there is a project to decode P25 (among several other digital modes) using the sound card.

It's called "Digital Speech Decoder and MBE Library", and it available at:

http://sourceforge.net/projects/dsdmbelib/

There is also some other info here:

http://wiki.radioreference.com/index.php/Digital_Speech_Decoder_%28software_package%29

I think it's technically illegal to compile in the US due to patents owned by DVSI, but I'll run it on my off-shore hosted box ;)

It runs under Linux, but if you have your Windows box running TrunkPCR, and Digital Speech Decoder running on your Linux box, it works great!

Ken

--- In TrunkPCR@yahoogroups.com, "ken.long78" <kwlong@...> wrote:
>
> For me, some Motorola P25 systems are a little garbled, but readable. However, the Los Angeles ICIS system (Interagency Communications Interoperability--all the police/fire/city services/etc in most of LA, except for LAPD) is completely unlistenable. That MP3 I recorded (link below) has an example of several Burbank PD dispatch calls, and all it's just garbled junk.
>
> It's amazing to me (and I'm sure many others as well) that this very expensive Icom hardware can't decode everything properly, especially when less-expensive consumer-grade scanners like the Uniden Bearcat can decode it fine.
>
> The Icom UT-122 P25 card can even be used in their $13,000 IC-R9500 radio. One would think hardware that works in your flagship receiver would at least *match* the competition's performance.
>
> Oh well, I digress. At least now I know it's not just *my* hardware that is broken.
>
> Jay, have you ever looked into the possibility of using the Packet output to decode P25 audio using the sound card? As I understand there are certain licensing issues related to that, but that's never stopped anyone before <wink wink>.
>
> Ken
>
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> >
> > On the Moto 3600 Baud sites, the P25 Digital Sound will be a bit more

> > garbled than on a P25 Only site. Icom is aware of this, but I haven't heard
> > of a fix for this yet...
> > The signal level of the voice channel will also be a factor in how well it
> > sounds too...
> >
> > And the Volume from a P25 Digital Call will be lower than the norm too.
> > TrunkPCR will raise the volume on a P25 Call. So if your normal volume is
> > set to the 10-O'clock Position, TrunkPCR will set it as if the volume was
> > set to 12-O'clock position in order to offset the lower volume of the P25
> > card...
> >
> > I do have an R2500 with the P25 card installed and have the same issues...
> > Sometimes the calls of a 3600 baud site will be clear and other times a bit
> > more garbled...
> >
> > Jay
> >
> >
> > ----- Original Message -----
> > From: "ken.long78"
> >
> >
> > > I have both the "Use Digital Call End Count" set to 6, and "When Signal
> > Reaches Zero" checked (those were the default when I selected the Moto
> > Extended trunk group).
> > >
> > > This may be related to problems I have with my IC-R2500. Mine seems to
> > have very poor P25 decoding, and I'm not sure if the problem is that my
> > UT-122 P25 card is broken, or just some inherent incompatibility between
> > Icom's P25 decoder and the Motorola Astro encoders used by my local PD.
> > >
> > > Do you (or anyone else reading this thread) have an Icom IC-R2500 (or
> > IC-PCR2500) with the UT-122 P25 card?
> > >
> > > If so, is the decoded audio from the speaker jack significantly lower in
> > volume than the FM audio? I usually have to max out the volume to hear P25
> > audio.
> > >
> > > Also, and more problematically, mine has major problems decoding some
> > agency's P25 signals. For example, our local PD's Motorola system is VERY
> > garbled, and I can only get maybe 5-10% (sometimes not even that) of what is
> > being said. Note the signal is plenty strong (S9 +20Db) and it's not DES
> > encrypted. I know this for sure because the Uniden Bearcat BCD-996T scanner
> > decodes it fine.
> > >
> > > However, the LAPD's single-frequency P25 system decodes just fine, so I
> > know the card is not totally dead.
> > >
> > > Note too that this problem is independent of what software I use to
> > control the radio. It sounds just the same when I use the Icom software

> > that came with the radio.
> > >
> > > I have made an MP3 file by recording the speaker out jack so you can hear
> > it for yourself. You can download it here:
> > >
> > >
> > http://titan-backup.darksideresearch.com/audio/garbled_audio_from_IC-R2500_P
> > 25.mp3
> > >
> > > I would be interested in hearing from anyone else with an IC-R2500 or
> > IC-PCR2500. Do you think my UT-122 card is bad? Note 2 things though: 1)
> > it's done this since I bought it new and 2) I can decode some P25 (like the
> > LAPD) without a problem.
> > >
> > > Thanks for reading and listening :)
> > >
> > > Ken
> >
>

1784. Re: How to use dual-receiver in IC-R2500 when trunking?

Yahoo group: TrunkPCR
Date: 2010-10-12 20:26:22 UTC
From: ken.long78
Topic: 1746 Message: 1784

Jay, what is the difference between the "PCR-2500 MON" and "PCR-2500 SUB" settings?

I know based on your e-mail if I set it to "MON", then the Sub's receiver is used to monitor the Control Channel. If I set to "SUB", then the Primary's receiver monitors the Control Channel and jumps to calls, then back again.

Is this all the setting does? Or is there more to the story? :)

thanks,
Ken

--- In TrunkPCR@yahoogroups.com, "ken.long78" <kwlong@...> wrote:
>
> Thanks Jay, worked great!
>
> Ken
>
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> >
> > Continued...
> >
> > 4) Park the SUB/Dual receiver on the Active Control Channel.
> >
> > 5) Set the Main receiver to a frequency that is *Always* quiet...
> >
>

1785. Re: [TrunkPCR] Re: How to use dual-receiver in IC-R2500 when trunking?

Yahoo group: TrunkPCR
Date: 2010-10-12 21:49:00 UTC
From: Jay
Topic: 1746 Message: 1785

Hey Ken,

In the "PCR-2500 SUB" configuration, it will just use the MAIN Receiver as the Trunking Scanner and frees up the SUB Receiver to use as a conventional scanner/receiver.
Also helps in finding those *Unknown* voice channels...

Jay

----- Original Message -----
From: "ken.long78"

> Jay, what is the difference between the "PCR-2500 MON" and "PCR-2500 SUB" settings?
>
> I know based on your e-mail if I set it to "MON", then the Sub's receiver is used to monitor the Control Channel. If I set to "SUB", then the Primary's receiver monitors the Control Channel and jumps to calls, then back again.
>
> Is this all the setting does? Or is there more to the story? :)
>
> thanks,
> Ken

1786. Re: [TrunkPCR] Re: Failure to re-start scanning after a digital call

Yahoo group: TrunkPCR
Date: 2010-10-12 21:58:07 UTC
From: Jay
Topic: 1772 Message: 1786

I think the biggest legal concerne is the distributing of the compiled executable program or code. That's why I or Unitrunker can not include the IMBE voice decoder in our programs...

However, that does not mean that one can not use an IMBE Chip/I.C. in a simple hardware solution :-)

Jay

----- Original Message -----
From: "ken.long78"

> I guess I've answered my own question. I did a little research, and it looks like there is a project to decode P25 (among several other digital modes) using the sound card.
>
> It's called "Digital Speech Decoder and MBE Library", and it available at:
>
> http://sourceforge.net/projects/dsdmbelib/
>
> There is also some other info here:
>
> http://wiki.radioreference.com/index.php/Digital_Speech_Decoder_%28software_package%29
>
> I think it's technically illegal to compile in the US due to patents owned by DVSI, but I'll run it on my off-shore hosted box ;)
>
> It runs under Linux, but if you have your Windows box running TrunkPCR, and Digital Speech Decoder running on your Linux box, it works great!
>
> Ken

1787. Re: Failure to re-start scanning after a digital call

Yahoo group: TrunkPCR
Date: 2010-10-13 03:26:57 UTC
From: ken.long78
Topic: 1772 Message: 1787

True... but I thought was buying an IMBE chip when I bought the $200 Icom UT-122 P-25 decoder, but it doesn't actually work! But that's another story... ;)

The author of the Digital Speech Decoder has put all the patent-encumbered code in mbelib (as opposed to the DSD user application). So you could, at least in thoery, link against a DLL version of that library ported to Windows, but leave it to the individual to obtain the DLL itself (and choose under what legal jurisdiction may apply to the code in their locale).

That said, it's not needed to include in TrunkPCR. Since TrunkPCR will switch the receiver to the active call, you simply turn the volume all the way down, and connect the packet output of that receiver to the sound card of a seperate linux box running DSD. This requires you to use the Sub receiver to monitor the control channel, since that packet output will go to the sound card in the windows box running TrunkPCR.

I found with my IC-R2500 I had to add a 10uF tantalum cap and 100k resister to the audio cable between the packet output and the sound card for DSD to work. Something to do with filtering the 455 Khz IF signal I think (not too clear on the thoery, but it worked)

Ken

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> I think the biggest legal concerne is the distributing of the compiled
> executable program or code. That's why I or Unitrunker can not include the
> IMBE voice decoder in our programs...
>
> However, that does not mean that one can not use an IMBE Chip/I.C. in a
> simple hardware solution :-)
>
> Jay
>
> ----- Original Message -----
> From: "ken.long78"
>
>
> > I guess I've answered my own question. I did a little research, and it
> looks like there is a project to decode P25 (among several other digital
> modes) using the sound card.
> >
> > It's called "Digital Speech Decoder and MBE Library", and it available at:
> >
> > http://sourceforge.net/projects/dsdmbelib/
> >
> > There is also some other info here:
> >

> >
> http://wiki.radioreference.com/index.php/Digital_Speech_Decoder_%28software_
> package%29
> >
> > I think it's technically illegal to compile in the US due to patents owned
> by DVSI, but I'll run it on my off-shore hosted box ;)
> >
> > It runs under Linux, but if you have your Windows box running TrunkPCR,
> and Digital Speech Decoder running on your Linux box, it works great!
> >
> > Ken
>

1788. Re: [TrunkPCR] Re: Failure to re-start scanning after a digital call

Yahoo group: TrunkPCR
Date: 2010-10-17 07:28:40 UTC
From: Jay
Topic: 1772 Message: 1788

Yep, an option can be added to mute the audio from the PCR, so that an external program or device can be used for sound processing. This way a DLL link would not be necessary and would be safe against any legal concern or *who* is providing the DLL...

I know of a few people who are having better success in decoding using DSD with the 10uF cap and 100k resister combo. I still need to make an adapter cable for my own testing :)

A new post on RR.com references USB-3000T http://www.dvsinc.com/products/usb_3k.htm which is a new device from DVSI for AMBE digital decoding...

Jay

----- Original Message -----
From: "ken.long78"

> True... but I thought was buying an IMBE chip when I bought the $200 Icom UT-122 P-25 decoder, but it doesn't actually work! But that's another story... ;)
>
> The author of the Digital Speech Decoder has put all the patent-encumbered code in mbelib (as opposed to the DSD user application). So you could, at least in thoery, link against a DLL version of that library ported to Windows, but leave it to the individual to obtain the DLL itself (and choose under what legal jurisdiction may apply to the code in their locale).
>
> That said, it's not needed to include in TrunkPCR. Since TrunkPCR will switch the receiver to the active call, you simply turn the volume all the way down, and connect the packet output of that receiver to the sound card of a seperate linux box running DSD. This requires you to use the Sub receiver to monitor the control channel, since that packet output will go to the sound card in the windows box running TrunkPCR.
>
> I found with my IC-R2500 I had to add a 10uF tantalum cap and 100k resister to the audio cable between the packet output and the sound card for DSD to work. Something to do with filtering the 455 Khz IF signal I think (not too clear on the thoery, but it worked)
>
> Ken

1789. "Finish" button stays grayed-out when doing RR web import

Yahoo group: TrunkPCR
Date: 2010-10-31 06:15:20 UTC
From: Ken Long
Topic: 1789 Message: 1789

Jay, when importing a trunked system using the web import feature, after I check which site/talk groups I want and click "Import", and the "Verify TalkGroup Info" window pops up, sometimes the "Finish" button stays grayed out and I can't continue.

It seems to depend on which of the "Show Description As" boxes I have selected. For example, for the Southern California Edison trunked system, if I select "Tag", "Alpha", or "Tag+Alpha", then the "Finish" button can be selected to complete the import.

However, if I select "Desc", "Tag+Desc", or "All", then the "Finish" button stays grayed out and I cannot complete the import.

Is this a bug, or is there a reason the "Finish" button is grayed out?

If you want to see this first hand, import the following system:

Country: United States
State: California
County: Los Angeles
(Trunking)
System: Southern California Edison

Select Site #01, and select the box for all trunk groups.

1790. Re: "Finish" button stays grayed-out when doing RR web import

Yahoo group: TrunkPCR
Date: 2010-10-31 07:24:17 UTC
From: Ken Long
Topic: 1789 Message: 1790

OK, I just read http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrHelp.html, so never mind! :)

A handy feature here would be to simply truncate the chars >60 with one click. But just a suggestion.

Ken

6). Web Import Finish Button is Greyed Out:

In order to import the Channels or TalkGroups when the Finish Button is Greyed Out, you need to edit the descriptions that are over 60 characters. When you click on an item in the List, the description will be copied to the textbox for you to edit. The textbox is wide enough to display 60 characters in it's normal view. After you update a description, the list will be updated and if there are any more descriptions that exceed 60 characters, they will be visible in the list.

--- In TrunkPCR@yahoogroups.com, "Ken Long" <kwlong@...> wrote:
>
> Jay, when importing a trunked system using the web import feature, after I check which site/talk groups I want and click "Import", and the "Verify TalkGroup Info" window pops up, sometimes the "Finish" button stays grayed out and I can't continue.
>
> It seems to depend on which of the "Show Description As" boxes I have selected. For example, for the Southern California Edison trunked system, if I select "Tag", "Alpha", or "Tag+Alpha", then the "Finish" button can be selected to complete the import.
>
> However, if I select "Desc", "Tag+Desc", or "All", then the "Finish" button stays grayed out and I cannot complete the import.
>
> Is this a bug, or is there a reason the "Finish" button is grayed out?
>
> If you want to see this first hand, import the following system:
>
> Country: United States
> State: California
> County: Los Angeles
> (Trunking)
> System: Southern California Edison
>
> Select Site #01, and select the box for all trunk groups.
>

1791. Re: [TrunkPCR] Re: "Finish" button stays grayed-out when doing RR web import

Yahoo group: TrunkPCR
Date: 2010-10-31 08:44:41 UTC
From: Jay
Topic: 1789 Message: 1791

Hi Ken,

It may be handy, but in doing so, it could also leave out relevant info as to who it is...
That's why the user has options to choose how it will be displayed.

I'll leave it as is for now...

Jay

----- Original Message -----
From: "Ken Long"

> OK, I just read http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrHelp.html, so never mind! :)
>
> A handy feature here would be to simply truncate the chars >60 with one click. But just a suggestion.
>
> Ken

1792. TrunkPCR version 0.90.275 Now Available

Yahoo group: TrunkPCR
Date: 2010-11-01 03:19:49 UTC
From: Jay
Topic: 1792 Message: 1792

TrunkPCR version 0.90.275 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Two Fixes...

Oct 10,2010 - Fixed: Added Missing ToolTips in Auto-Set Frequency Editor.
Oct 31,2010 - Fixed: Importing Site Channels in RR.com Web Import.

Version 0.90.275 Released 10/31/2010

Regards,
Jay

1793. Re: TrunkPCR version 0.90.275 Now Available

Yahoo group: TrunkPCR
Date: 2010-11-01 15:02:54 UTC
From: Ken Long
Topic: 1792 Message: 1793

Hi Jay, can you give a little more detail on the fix regarding RR.com Web Import?

Just curious...

thanks,
Ken

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> TrunkPCR version 0.90.275 Now Available for Downloading from homepage:
> http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html
>
> NOTE: Moto Type-I Support *should* be finished in the next major update.
>
> This update has Two Fixes...
>
> Oct 10,2010 - Fixed: Added Missing ToolTips in Auto-Set Frequency Editor.
> Oct 31,2010 - Fixed: Importing Site Channels in RR.com Web Import.
>
> Version 0.90.275 Released 10/31/2010
>
> Regards,
> Jay
>

1794. Re: [TrunkPCR] Re: TrunkPCR version 0.90.275 Now Available

Yahoo group: TrunkPCR
Date: 2010-11-01 21:27:52 UTC
From: Jay
Topic: 1792 Message: 1794

Sure,

The previous versions (Don't know how far back), didn't import the Site Channels for a trunking system properly. It was displaying the Verify Channels dialog when it didn't need to as there wasn't any "Alpha" or "Tag" properties associated with a frequency. Plus it was only importing one (1) channel from a site...

Now, the site channels bypass the Verify Channels dialog and just use the "LCN xx" format for the description and append "Control" or "Alternate" with the control channels...

Jay

----- Original Message -----
From: "Ken Long"

> Hi Jay, can you give a little more detail on the fix regarding RR.com Web Import?
>
> Just curious...
>
> thanks,
> Ken

1795. Baud rate for IC-PCR2500

Yahoo group: TrunkPCR
Date: 2010-11-02 18:36:06 UTC
From: Ken Long
Topic: 1795 Message: 1795

Jay, I notice when you click "Bank" and get the Com Debug window, you can select 3 baud rates to communicate with the radio: 9600, 38600, and 115200.

Are there any advantages/disadvantages to which speed is selected here?

1796. Re: [TrunkPCR] Baud rate for IC-PCR2500

Yahoo group: TrunkPCR
Date: 2010-11-02 22:41:33 UTC
From: Jay
Topic: 1795 Message: 1796

Hi Ken,

That is strictly for debugging purposes only...
It is not used for normal operation...

9600 is the starting baud rate for a PCR-100 or PCR-1000.
38400 is the running baud rate after comms are started.
115200 is the starting baud rate for a PCR-1500 or PCR-2500.

Sometimes while testing the code, the PCR doesn't respond to the startup sequence when checking those three baud rates. So I do a manual reset by selecting one of the baud rates, closing the COM Port, then re-open until I see valid data in the debug window. As soon as I do get valid data, I'll send the "H100" Turn-Off code and close the COM Port and debug window. At this point I can click the power button and have the PCR start up normally...

Jay

----- Original Message -----
From: "Ken Long"

> Jay, I notice when you click "Bank" and get the Com Debug window, you can select 3 baud rates to communicate with the radio: 9600, 38600, and 115200.
>
> Are there any advantages/disadvantages to which speed is selected here?

1797. Re: Baud rate for IC-PCR2500

Yahoo group: TrunkPCR
Date: 2010-11-03 06:18:08 UTC
From: Ken Long
Topic: 1795 Message: 1797

Does the PCR2500 run at 115200 all the time?

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Ken,
>
> That is strictly for debugging purposes only...
> It is not used for normal operation...
>
> 9600 is the starting baud rate for a PCR-100 or PCR-1000.
> 38400 is the running baud rate after comms are started.
> 115200 is the starting baud rate for a PCR-1500 or PCR-2500.
>
> Sometimes while testing the code, the PCR doesn't respond to the startup
> sequence when checking those three baud rates. So I do a manual reset by
> selecting one of the baud rates, closing the COM Port, then re-open until I
> see valid data in the debug window. As soon as I do get valid data, I'll
> send the "H100" Turn-Off code and close the COM Port and debug window. At
> this point I can click the power button and have the PCR start up
> normally...
>
> Jay
>
> ----- Original Message -----
> From: "Ken Long"
>
>
> > Jay, I notice when you click "Bank" and get the Com Debug window, you can
> select 3 baud rates to communicate with the radio: 9600, 38600, and 115200.
> >
> > Are there any advantages/disadvantages to which speed is selected here?
>

1798. Channel List window re-sizable

Yahoo group: TrunkPCR
Date: 2010-11-03 06:32:22 UTC
From: Ken Long
Topic: 1798 Message: 1798

Jay, is there a reason the "Channel List" window (from Edit menu, Bank/Channel List option) cannot be re-sized?

Since there are so many columns, it would be useful on a high-res screen to be able to expand it out to see all the columns (or at least more of them).

1799. Re: [TrunkPCR] Re: Baud rate for IC-PCR2500

Yahoo group: TrunkPCR
Date: 2010-11-03 11:39:35 UTC
From: Jay
Topic: 1795 Message: 1799

Nope, that's just the baud rate that the USB Com Port is first initialized
to when the 1500/2500 is turned on...

----- Original Message -----
From: "Ken Long"

> Does the PCR2500 run at 115200 all the time?

1800. Re: [TrunkPCR] Channel List window re-sizable

Yahoo group: TrunkPCR
Date: 2010-11-03 11:47:59 UTC
From: Jay
Topic: 1798 Message: 1800

Yep, it's because I haven't added that functionality :-)
Maybe in time, but not anytime soon...

----- Original Message -----
From: "Ken Long"

> Jay, is there a reason the "Channel List" window (from Edit menu,
Bank/Channel List option) cannot be re-sized?
>
> Since there are so many columns, it would be useful on a high-res screen
to be able to expand it out to see all the columns (or at least more of
them).

1801. Re: Channel List window re-sizable

Yahoo group: TrunkPCR
Date: 2010-11-04 02:01:25 UTC
From: Ken Long
Topic: 1798 Message: 1801

Oh, I thought with Windows API's making windows re-sizeable was just ticking a flag...
didn't realize it required specific coding, but that's why I'm not a programmer ;)

It would be a great feature to add to the "to do" list though.

thanks,
Ken

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Yep, it's because I haven't added that functionality :-)
> Maybe in time, but not anytime soon...
>
>
> ----- Original Message -----
> From: "Ken Long"
>
>
> > Jay, is there a reason the "Channel List" window (from Edit menu,
> Bank/Channel List option) cannot be re-sized?
> >
> > Since there are so many columns, it would be useful on a high-res screen
> to be able to expand it out to see all the columns (or at least more of
> them).
>

1802. Re: [TrunkPCR] Re: Channel List window re-sizable

Yahoo group: TrunkPCR
Date: 2010-11-04 05:59:54 UTC
From: Jay
Topic: 1798 Message: 1802

LOL, I wish it was that easy :-)

Resizing each of the objects with porportional placement and adjusting the size of the fonts all lies on the programmer to add code for all of that...

Eventually, I'll make a control that I can place on each dialog that will take care of all of that. Then it will just be a matter of saving the size of each dialog in the ini file and applying it when each dialog is displayed... This is still on the bottom of the ToDo list :)

Regards,
Jay

----- Original Message -----
From: "Ken Long"

> Oh, I thought with Windows API's making windows re-sizeable was just ticking a flag... didn't realize it required specific coding, but that's why I'm not a programmer ;)
>
> It would be a great feature to add to the "to do" list though.
>
> thanks,
> Ken

1803. Possible bug in RR.com Web Import

Yahoo group: TrunkPCR
Date: 2010-11-04 06:01:20 UTC
From: Ken Long
Topic: 1803 Message: 1803

I am trying to import "Statewide" systems, and when I select the following options:

Country: United States
State: California
County: Statewide

Nothing happens. The "Trunking", "Conventional", and "Agencies" buttons are grayed out, as is the "System" drop-down, but nothing populates in the bottom pane (where the tree of sites/TG's would go).

I am running version 0.90.275. Can you see if you can replicate that on yours?

thanks,
Ken

1804. Re: [TrunkPCR] Possible bug in RR.com Web Import

Yahoo group: TrunkPCR
Date: 2010-11-04 08:10:57 UTC
From: Jay
Topic: 1803 Message: 1804

Yep, that's a bug... Will have to see if it's in my code or the RR.com database...

Thanks,
Jay

----- Original Message -----
From: "Ken Long"

> I am trying to import "Statewide" systems, and when I select the following options:
>
> Country: United States
> State: California
> County: Statewide
>
> Nothing happens. The "Trunking", "Conventional", and "Agencies" buttons are grayed out, as is the "System" drop-down, but nothing populates in the bottom pane (where the tree of sites/TG's would go).
>
> I am running version 0.90.275. Can you see if you can replicate that on yours?
>
> thanks,
> Ken

1805. DoD Project 25 Phase II

Yahoo group: TrunkPCR
Date: 2010-11-04 22:27:45 UTC
From: Jim Conrad
Topic: 1709 Message: 1805

Jay,

I recently had a Project 25 Phase II DoD system activate in the area.
I have been unable to get TrunkPCR to decode the Control Channel
(386.225). Using the same settings and hardware it decodes a local
Phase I DoD system on 406 and a local Public Safety Smartnet system.

Suggestions or comments?

Thanks,
Jim

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@...
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

1806. Re: [TrunkPCR] DoD Project 25 Phase II

Yahoo group: TrunkPCR
Date: 2010-11-05 02:09:47 UTC
From: Jay
Topic: 1709 Message: 1806

Hi Jim,

The P25 Control Channel Decoder is still a work-in-progress...
That's why I have the "Decoding NOT Possible at This Time" Notice when you click the P25 Tab in the System Type...

Regards,
Jay

----- Original Message -----
From: "Jim Conrad"

> Jay,
>
> I recently had a Project 25 Phase II DoD system activate in the area.
> I have been unable to get TrunkPCR to decode the Control Channel
> (386.225). Using the same settings and hardware it decodes a local
> Phase I DoD system on 406 and a local Public Safety Smartnet system.
>
> Suggestions or comments?
>
> Thanks,
> Jim

1807. Re: [TrunkPCR] DoD Project 25 Phase II

Yahoo group: TrunkPCR
Date: 2010-11-05 02:32:43 UTC
From: Jim Conrad
Topic: 1709 Message: 1807

Jay,

Oh Ok, I had assumed that the P25 tab was just for conventional P25.

Well if you need a beta tester I have the 380 Mhz Phase II system very close.

Looking forward to it when you get some time.

Thanks,
Jim

At 10:09 PM 11/4/2010, you wrote:
>The P25 Control Channel Decoder is still a work-in-progress...
>That's why I have the "Decoding NOT Possible at This Time" Notice when you
>click the P25 Tab in the System Type...
>
>Regards,
>Jay
>
>----- Original Message -----
>From: "Jim Conrad"
>
> > Jay,
> >
> > I recently had a Project 25 Phase II DoD system activate in the area.
> > I have been unable to get TrunkPCR to decode the Control Channel
> > (386.225). Using the same settings and hardware it decodes a local
> > Phase I DoD system on 406 and a local Public Safety Smartnet system.
> >
> > Suggestions or comments?
> >
> > Thanks,
> > Jim

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@...
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

1808. Re: Possible bug in RR.com Web Import

Yahoo group: TrunkPCR
Date: 2010-11-05 05:58:55 UTC
From: Ken Long
Topic: 1803 Message: 1808

For what it's worth, ProScan is able to download the Statewide frequencies, so it may be a bug in TrunkPCR (or a broken RR.com implementation that ProScan is able to work around).

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Yep, that's a bug... Will have to see if it's in my code or the RR.com
> database...
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "Ken Long"
>
>
> > I am trying to import "Statewide" systems, and when I select the following
> options:
> >
> > Country: United States
> > State: California
> > County: Statewide
> >
> > Nothing happens. The "Trunking", "Conventional", and "Agencies" buttons
> are grayed out, as is the "System" drop-down, but nothing populates in the
> bottom pane (where the tree of sites/TG's would go).
> >
> > I am running version 0.90.275. Can you see if you can replicate that on
> yours?
> >
> > thanks,
> > Ken
>

1809. Re: [TrunkPCR] Re: Possible bug in RR.com Web Import

Yahoo group: TrunkPCR
Date: 2010-11-05 07:42:37 UTC
From: Jay
Topic: 1803 Message: 1809

I just checked it with ProScan and I see the exact same thing... No Data... It shows the State Systems after you select a State, but when you select "Statewide" or "UNKNOWN", Nothing New is shown... The "State Systems" are still the same as it was before...

So ProScan has the same problem...

With TrunkPCR, after you select "Statewide" and the Busy-Mouse Icon changes to normal, Click the File Menu - > View XML... Expand the "S:Body" Tree, then the "return" Tree. If you expand each "item" Tree, you'll see that there is a frequency in the "out" field, but no other info regarding it's description. This may be invalid data in the RR.com database?

I sent a message on the RR.com developer list earlier today to have that verified...

Jay

----- Original Message -----
From: "Ken Long"

> For what it's worth, ProScan is able to download the Statewide frequencies, so it may be a bug in TrunkPCR (or a broken RR.com implementation that ProScan is able to work around).

1810. Re: Possible bug in RR.com Web Import

Yahoo group: TrunkPCR
Date: 2010-11-05 07:15:07 UTC
From: Ken Long
Topic: 1803 Message: 1810

Ah, I was a little confused. I was looking at the "State Systems" drop-down in ProScan, and was expecting to see the same list when I selected "Statewide" in TrunkPCR. But I just saw there is also the "Statewide" selection under County, in the same way that TrunkPCR displays it, and that doesn't do anything in ProScan eitehr (like you said).

So, in that case.... how do I import into TrunkPCR the systems that ProScan shows as "State Systems"? (like the CHP, for example)

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> I just checked it with ProScan and I see the exact same thing... No Data...
> It shows the State Systems after you select a State, but when you select
> "Statewide" or "UNKNOWN", Nothing New is shown... The "State Systems" are
> still the same as it was before...
>
> So ProScan has the same problem...
>
> With TrunkPCR, after you select "Statewide" and the Busy-Mouse Icon changes
> to normal, Click the File Menu - > View XML... Expand the "S:Body" Tree,
> then the "return" Tree. If you expand each "item" Tree, you'll see that
> there is a frequency in the "out" field, but no other info regarding it's
> description. This may be invalid data in the RR.com database?
>
> I sent a message on the RR.com developer list earlier today to have that
> verified...
>
> Jay
>
> ----- Original Message -----
> From: "Ken Long"
>
>
> > For what it's worth, ProScan is able to download the Statewide
> frequencies, so it may be a bug in TrunkPCR (or a broken RR.com
> implementation that ProScan is able to work around).
>

1811. Re: Possible bug in RR.com Web Import

Yahoo group: TrunkPCR
Date: 2010-11-05 07:17:46 UTC
From: Ken Long
Topic: 1803 Message: 1811

lol... I think it's twice now I answered my own question right after posting. I see if you don't select a County first, then the System drop-down contains the State systems. Once you select a County, then that list changes to county-specific.

OK.... makes sense :)

thanks,
Ken

--- In TrunkPCR@yahoogroups.com, "Ken Long" <kwlong@...> wrote:
>
> Ah, I was a little confused. I was looking at the "State Systems" drop-down in ProScan, and was expecting to see the same list when I selected "Statewide" in TrunkPCR. But I just saw there is also the "Statewide" selection under County, in the same way that TrunkPCR displays it, and that doesn't do anything in ProScan eitehr (like you said).
>
> So, in that case.... how do I import into TrunkPCR the systems that ProScan shows as "State Systems"? (like the CHP, for example)
>
>
>
>
> --- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@> wrote:
> >
> > I just checked it with ProScan and I see the exact same thing... No Data...
> > It shows the State Systems after you select a State, but when you select
> > "Statewide" or "UNKNOWN", Nothing New is shown... The "State Systems" are
> > still the same as it was before...
> >
> > So ProScan has the same problem...
> >
> > With TrunkPCR, after you select "Statewide" and the Busy-Mouse Icon changes
> > to normal, Click the File Menu - > View XML... Expand the "S:Body" Tree,
> > then the "return" Tree. If you expand each "item" Tree, you'll see that
> > there is a frequency in the "out" field, but no other info regarding it's
> > description. This may be invalid data in the RR.com database?
> >
> > I sent a message on the RR.com developer list earlier today to have that
> > verified...
> >
> > Jay
> >
> > ----- Original Message -----
> > From: "Ken Long"
> >
> >

> > > For what it's worth, ProScan is able to download the Statewide
> > frequencies, so it may be a bug in TrunkPCR (or a broken RR.com
> > implementation that ProScan is able to work around).
> >
>

1812. Re: [TrunkPCR] Re: Possible bug in RR.com Web Import

Yahoo group: TrunkPCR
Date: 2010-11-05 08:38:36 UTC
From: Jay
Topic: 1803 Message: 1812

LOL, Yup :-)

The "System" Drop-Down is a dual use list, first for the State and second for the County...
I should add a toggle for that to have an option to display the State Info after the County Info is shown. That way you wouldn't have to re-dowload the State Info twice or more...

----- Original Message -----
From: "Ken Long"

> lol... I think it's twice now I answered my own question right after posting. I see if you don't select a County first, then the System drop-down contains the State systems. Once you select a County, then that list changes to county-specific.
>
> OK.... makes sense :)
>
> thanks,
> Ken

1813. Possible bug in BNK file loading

Yahoo group: TrunkPCR
Date: 2010-11-10 07:15:14 UTC
From: Ken Long
Topic: 1813 Message: 1813

Hi Jay. I did a web import of several CHP frequencies from RR.com and produced a new BNK file, which worked fine, until I exit and re-start TrunkPCR.

Upon opening, the bank only loads a single channel, yet when I open it in Notepad it contains several. I uploaded the file as "Department of the Highway Patrol (CHP).Bnk" in the Files area.

Can you see if you can replicate the problem on your end? I'm running 0.90.275.

thanks,
Ken

1814. Re: [TrunkPCR] Possible bug in BNK file loading

Yahoo group: TrunkPCR
Date: 2010-11-10 10:57:27 UTC
From: Jay
Topic: 1813 Message: 1814

Hi Ken,

I get 56 channels loaded as it shows "Chnls=56" under the "[BankInfo]" Section...
Closed TrunkPCR and reloaded it and the 56 channels are still there...

Jay

----- Original Message -----
From: "Ken Long"

> Hi Jay. I did a web import of several CHP frequencies from RR.com and produced a new BNK file, which worked fine, until I exit and re-start TrunkPCR.
>
> Upon opening, the bank only loads a single channel, yet when I open it in Notepad it contains several. I uploaded the file as "Department of the Highway Patrol (CHP).Bnk" in the Files area.
>
> Can you see if you can replicate the problem on your end? I'm running 0.90.275.
>
> thanks,
> Ken

1815. Re: Possible bug in BNK file loading

Yahoo group: TrunkPCR
Date: 2010-11-10 15:06:38 UTC
From: Ken Long
Topic: 1813 Message: 1815

Hmmm... that is odd that it works correctly for you. You are testing with the release build of 0.90.275, right?

When I go to File/Load Bank and select this BNK file, it just shows 1 channel in the BankInfo area, and only the 1st channel loads.

The same thing happens for a LAPD BNK file as well ("LAPD.Bnk" in the Files area).

Do you have any idea what could be causing that to happen?

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Ken,
>
> I get 56 channels loaded as it shows "Chnls=56" under the "[BankInfo]"
> Section...
> Closed TrunkPCR and reloaded it and the 56 channels are still there...
>
> Jay
>
> ----- Original Message -----
> From: "Ken Long"
>
>
> > Hi Jay. I did a web import of several CHP frequencies from RR.com and
> produced a new BNK file, which worked fine, until I exit and re-start
> TrunkPCR.
> >
> > Upon opening, the bank only loads a single channel, yet when I open it in
> Notepad it contains several. I uploaded the file as "Department of the
> Highway Patrol (CHP).Bnk" in the Files area.
> >
> > Can you see if you can replicate the problem on your end? I'm running
> 0.90.275.
> >
> > thanks,
> > Ken
>

1816. Re: [TrunkPCR] Re: Possible bug in BNK file loading

Yahoo group: TrunkPCR
Date: 2010-11-10 23:51:16 UTC
From: Jay
Topic: 1813 Message: 1816

Yep, I do know why now...

At your current donation level, your Maximum Channels Per Bank is set to 50. Since you are trying to load 56 channels from the CHP Bank or 90 from the LAPD Bank, the program is only loading one channel. This is a signal to the user that it's time to upgrade to the next level...

If the program were to load the max channels (50 at your level), it would have set that number for the channel count in the .Bnk file and you would have lost the rest. This way, the actual channels are still saved, but just not usable until the user upgrades...

You can check the Donation Levels and Limits under ther Help Menu -> Donations...

Regards,
Jay

----- Original Message -----
From: "Ken Long"

> Hmmm... that is odd that it works correctly for you. You are testing with the release build of 0.90.275, right?
>
> When I go to File/Load Bank and select this BNK file, it just shows 1 channel in the BankInfo area, and only the 1st channel loads.
>
> The same thing happens for a LAPD BNK file as well ("LAPD.Bnk" in the Files area).
>
> Do you have any idea what could be causing that to happen?

1817. Re: Possible bug in BNK file loading

Yahoo group: TrunkPCR
Date: 2010-11-11 05:19:24 UTC
From: Ken Long
Topic: 1813 Message: 1817

Ah yes.... I know never to use the B-word without the "possible" qualifier because so far none of my problems have actually been bugs!

I guess I know what I need to do...

thanks!
Ken

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Yep, I do know why now...
>
> At your current donation level, your Maximum Channels Per Bank is set to 50.
> Since you are trying to load 56 channels from the CHP Bank or 90 from the
> LAPD Bank, the program is only loading one channel. This is a signal to the
> user that it's time to upgrade to the next level...
>
> If the program were to load the max channels (50 at your level), it would
> have set that number for the channel count in the .Bnk file and you would
> have lost the rest. This way, the actual channels are still saved, but just
> not usable until the user upgrades...
>
> You can check the Donation Levels and Limits under ther Help Menu ->
> Donations...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: "Ken Long"
>
>
> > Hmmm... that is odd that it works correctly for you. You are testing with
> the release build of 0.90.275, right?
> >
> > When I go to File/Load Bank and select this BNK file, it just shows 1
> channel in the BankInfo area, and only the 1st channel loads.
> >
> > The same thing happens for a LAPD BNK file as well ("LAPD.Bnk" in the
> Files area).
> >
> > Do you have any idea what could be causing that to happen?
>

1818. Duplex offset function

Yahoo group: TrunkPCR
Date: 2010-11-15 02:31:46 UTC
From: Ken Long
Topic: 1818 Message: 1818

Jay, can explain a little about the "Duplex" setting? What is it used for?

thanks,
Ken

1819. Re: [TrunkPCR] Duplex offset function

Yahoo group: TrunkPCR
Date: 2010-11-15 21:16:22 UTC
From: Jay
Topic: 1818 Message: 1819

As in Ham Radio or other comms that use a split frequency, one for transmit and the other for receive.
The Duplex Offset defines the difference between the transmit and receive frequencies in hetrz (hz).
Using 2 Meter ham radio as an example, the Offset would be set to 600 khz.
And some trunking systems use a 45 mhz offset.
While on Center "[|]", you could click the [-] or [+] offset buttons to hear the actual transmit frequency if you are close enough to that station...

Jay

----- Original Message -----
From: "Ken Long"

> Jay, can explain a little about the "Duplex" setting? What is it used for?
>
> thanks,
> Ken

1820. Group/Radio Watch causing Crash

Yahoo group: TrunkPCR
Date: 2010-11-16 05:51:45 UTC
From: Jim Conrad
Topic: 1813 Message: 1820

Jay,

Having a problem with version 0.90.275, when I turn on the Radio and Group Watch logging the program runs for a period of time and then crashes. I have verified that the crash appears related to the logging as the last 2 days I have been running the program on the same system without the Radio/Group Watch logging turned on and the program has not crashed.

Known problem? If so cause identified and fix in the works?

Running using a PCR-100 on a AMD Athlon 64x2 4200+ with 3 GB memory. Win XP SP3

Thanks,
Jim

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@...
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

1821. Re: [TrunkPCR] Group/Radio Watch causing Crash

Yahoo group: TrunkPCR
Date: 2010-11-16 08:42:19 UTC
From: Jay
Topic: 1813 Message: 1821

Hey Jim,

Nope, that's a new one to me...
I'll do some checking on this end and see if I can duplicate it or find a cause...

Thanks,
Jay

----- Original Message -----
From: "Jim Conrad"

> Jay,
>
> Having a problem with version 0.90.275, when I turn on the Radio and
> Group Watch logging the program runs for a period of time and then
> crashes. I have verified that the crash appears related to the
> logging as the last 2 days I have been running the program on the
> same system without the Radio/Group Watch logging turned on and the
> program has not crashed.
>
> Known problem? If so cause identified and fix in the works?
>
> Running using a PCR-100 on a AMD Athlon 64x2 4200+ with 3 GB memory. Win
XP SP3
>
> Thanks,
> Jim

1822. Re: [TrunkPCR] Group/Radio Watch causing Crash

Yahoo group: TrunkPCR
Date: 2010-11-16 11:46:21 UTC
From: Jay
Topic: 1813 Message: 1822

Ok, found the bug in the Radio Watch Logging section.
I'll have a updated version out later on today...

Jay

----- Original Message -----
From: "Jay"

> Hey Jim,
>
> Nope, that's a new one to me...
> I'll do some checking on this end and see if I can duplicate it or find a
> cause...
>
> Thanks,
> Jay

1823. TrunkPCR version 0.90.276 Now Available

Yahoo group: TrunkPCR
Date: 2010-11-16 22:16:44 UTC
From: Jay
Topic: 1823 Message: 1823

TrunkPCR version 0.90.276 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Three Fixes...

Nov 04,2010 - Fixed: RR.com Web Import Window Positioning.
Nov 04,2010 - Fixed: RR.com Web Import - Selecting County with NO Data.
Nov 16,2010 - Fixed: Logging Radio Watch Info causing a crash.

Version 0.90.276 Released 11/16/2010

Regards,
Jay

1824. trunkpcr functions

Yahoo group: TrunkPCR
Date: 2010-11-19 14:16:42 UTC
From: dadams5121
Topic: 1824 Message: 1824

I would like to know if there is a "manual" of functions available for a novice user of trunkpcr. I am having trouble with the operations of some of the features and need a guide. I am using it with a pcr-1000 and a 100 as well. Looks like a very interesting program.

Thanks
Dave Adams
dadams@elp.rr.com
K5FOB

1825. Re: [TrunkPCR] trunkpcr functions

Yahoo group: TrunkPCR
Date: 2010-11-19 21:46:20 UTC
From: Jay
Topic: 1824 Message: 1825

Hi Dave,

No manual yet...

If you don't find an answer on the TrunkPCR Help Page, then look through the messages here. If you question hasn't been asked before, the please post your questions here...

Regards,
Jay

----- Original Message -----
From: "dadams5121"

> I would like to know if there is a "manual" of functions available for a novice user of trunkpcr. I am having trouble with the operations of some of the features and need a guide. I am using it with a pcr-1000 and a 100 as well. Looks like a very interesting program.
>
> Thanks
> Dave Adams
> dadams@...
> K5FOB

1826. Re: [TrunkPCR] trunkpcr functions

Yahoo group: TrunkPCR
Date: 2010-11-20 13:28:54 UTC
From: roadrunner
Topic: 1824 Message: 1826

Thanks I will go through the messages.
Dave Adams
K5FOB
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, November 19, 2010 2:46 PM
Subject: Re: [TrunkPCR] trunkpcr functions

Hi Dave,

No manual yet...

If you don't find an answer on the TrunkPCR Help Page, then look through the messages here. If you question hasn't been asked before, the please post your questions here...

Regards,
Jay

----- Original Message -----
From: "dadams5121"

> I would like to know if there is a "manual" of functions available for a novice user of trunkpcr. I am having trouble with the operations of some of the features and need a guide. I am using it with a pcr-1000 and a 100 as well. Looks like a very interesting program.
>
> Thanks
> Dave Adams
> dadams@...
> K5FOB

1827. 'Tis the Season...

Yahoo group: TrunkPCR
Date: 2010-12-24 00:35:51 UTC
From: Jay
Topic: 1827 Message: 1827

Hope you and yours have a Merry Christmas and a better New Year :-)

Best Regards,
Jay

1828. Re: [TrunkPCR] 'Tis the Season...

Yahoo group: TrunkPCR
Date: 2010-12-24 00:39:11 UTC
From: Frank Franzoi
Topic: 1827 Message: 1828

Same from the land of Milk & Honey....Las Vegas... Best to all an to all a Good Year...
Frank

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Thu, December 23, 2010 4:35:51 PM
Subject: [TrunkPCR] 'Tis the Season...

Hope you and yours have a Merry Christmas and a better New Year :-)

Best Regards,
Jay

1829. Re: [TrunkPCR] 'Tis the Season...

Yahoo group: TrunkPCR
Date: 2010-12-24 01:16:11 UTC
From: vince48
Topic: 1827 Message: 1829

On 12/23/2010 4:35 PM, Jay wrote:
>
> Hope you and yours have a Merry Christmas and a better New Year :-)
> Best Regards,
> Jay
>
Merry Christmas to ya Jay!

Vincent

1830. Re: [TrunkPCR] 'Tis the Season...

Yahoo group: TrunkPCR
Date: 2010-12-24 01:35:31 UTC
From: Richard Fisher
Topic: 1827 Message: 1830

Merry Christmas to you Jay, and everyone esle. All have a safe and good New Year.

Richie

Refinance Rates at 2.8%
$160,000 Mortgage $434/mo. No Hidden Fees- 3.1% APR! Get a Free Quote
http://thirdpartyoffers.juno.com/TGL3141/4d13f9aa16a6810d996m01vuc

1831. TrunkPCR not working.

Yahoo group: TrunkPCR
Date: 2011-01-05 04:01:26 UTC
From: trifid_sagitarius
Topic: 1831 Message: 1831

Hi,

I'm trying to make TrunkPCR work with my icom PCR2500 without any luck.

I've followed the author's instructions to the letter and still a no go, here they are:

1) Under the Options Menu, Click "Select Dual Radio" and select the "Icom PCR-2500 MON" to use the SUB/Dual Receiver as the Control Channel Monitor.

2) Connect the PCR-2500's SUB Packet-Out to your Sound Card's Line-In or Mic Input.

3) Click the [Dual] Receiver type button after clicking the power button...

4) Park the SUB/Dual receiver on the Active Control Channel.

5) Set the Main receiver to a frequency that is *Always* quiet...

A possible problem, my computer has a built in serial port assigned as COM1. Icom's drivers assigned the PCR control port as COM3.

If I open the SUB/Dual receiver 'Options/Com port" menu the option is set to COM1 and it is grayed out... I don't know if this is normal?

robert

1832. Re: [TrunkPCR] TrunkPCR not working.

Yahoo group: TrunkPCR
Date: 2011-01-05 07:22:45 UTC
From: Jay
Topic: 1831 Message: 1832

Hi Robert,

The PCR-2500 only uses One (1) USB/Serial Port.

When using the SUB Receiver in Trunking mode to Decode the Control Channel, there isn't any need to set a COM Port.

The COM Port Selector in the SUB Receiver Display is for when a second PCR-100 or PCR-1000 is used...

Other than that, are you having another problem?

Thanks,
Jay

----- Original Message -----
From: "trifid_sagitarius"

> Hi,
>
> I'm trying to make TrunkPCR work with my icom PCR2500 without any luck.
>
> A possible problem, my computer has a built in serial port assigned as COM1. Icom's drivers assigned the PCR control port as COM3.
>
> If I open the SUB/Dual receiver 'Options/Com port" menu the option is set to COM1 and it is grayed out... I don't know if this is normal?
>
> robert

1833. Re: [TrunkPCR] TrunkPCR not working.

Yahoo group: TrunkPCR
Date: 2011-01-06 17:34:34 UTC
From: Dohrenburg Robert
Topic: 1831 Message: 1833

Jay,
Thanks for the response.
I've been a scanner enthusiast all my life since my first bearcat 210 in the late 80's but absolutely new to trunk and digital modes so be patient with me.
After following your instructions to other member I have the decoding working on the SUB receiver but nothing on the main receiver. I can see frequencies scrolling and a chimpanzee photo showing once in a while but the frequencies don't match my local services and I can't hear anything. For example my area is serviced by a motorola II http://www.radioreference.com/apps/db/?sid=633 with 4 control channels at 863.05~865.05MHz I did enter all the control channels in one bank and TrunkPCR is decoding the data stream but in the main receiver I can't hear anything. I didn't want to answer your reply before reading the FAQ's.
Is TrunkPCR supposed to automatically 'get' the audio channels on 856.05-861.05MHz or I'm supposed to enter these frequencies manually? I'm getting really interested in these digital modes but coming from the analog world it is a steep learning curve.
ThanksRobert,

--- On Wed, 1/5/11, Jay <crazycalifornian@...> wrote:

From: Jay <crazycalifornian@hotmail.com>
Subject: Re: [TrunkPCR] TrunkPCR not working.
To: TrunkPCR@yahoogroups.com
Date: Wednesday, January 5, 2011, 1:22 AM

Hi Robert,

The PCR-2500 only uses One (1) USB/Serial Port.

When using the SUB Receiver in Trunking mode to Decode the Control Channel,

there isn't any need to set a COM Port.

The COM Port Selector in the SUB Receiver Display is for when a second

PCR-100 or PCR-1000 is used...

Other than that, are you having another problem?

Thanks,

Jay

----- Original Message -----

From: "trifid_sagitarius"

> Hi,

>

> I'm trying to make TrunkPCR work with my icom PCR2500 without any luck.

>

> A possible problem, my computer has a built in serial port assigned as

COM1. Icom's drivers assigned the PCR control port as COM3.

>

> If I open the SUB/Dual receiver 'Options/Com port" menu the option is set

to COM1 and it is grayed out... I don't know if this is normal?

>

> robert

1834. Re: [TrunkPCR] TrunkPCR not working.

Yahoo group: TrunkPCR
Date: 2011-01-06 20:06:00 UTC
From: Ray
Topic: 1831 Message: 1834

Robert,the way i did it is under "EDIT" ,bank/channels,,put the first 4 channels the Control channels,then the rest the other frequencys.Then under "TRUNK",SETTINGS make sure you have system as "MOTO",type II.Then turn on Trunk pcr,click trunk button and all should be ok.if not check your sound card settings,you MAY have to Reverse polarity.Hope that helps.Ray
----- Original Message -----
From: Dohrenburg Robert
To: TrunkPCR@yahoogroups.com
Sent: Thursday, January 06, 2011 12:34 PM
Subject: Re: [TrunkPCR] TrunkPCR not working.

Jay,

Thanks for the response.

I've been a scanner enthusiast all my life since my first bearcat 210 in the late 80's but absolutely new to trunk and digital modes so be patient with me.

After following your instructions to other member I have the decoding working on the SUB receiver but nothing on the main receiver. I can see frequencies scrolling and a chimpanzee photo showing once in a while but the frequencies don't match my local services and I can't hear anything. For example my area is serviced by a motorola II http://www.radioreference.com/apps/db/?sid=633 with 4 control channels at 863.05~865.05MHz

I did enter all the control channels in one bank and TrunkPCR is decoding the data stream but in the main receiver I can't hear anything. I didn't want to answer your reply before reading the FAQ's.

Is TrunkPCR supposed to automatically 'get' the audio channels on 856.05-861.05MHz or I'm supposed to enter these frequencies manually? I'm getting really interested in these digital modes but coming from the analog world it is a steep learning curve.

Thanks
Robert,

--- On Wed, 1/5/11, Jay <crazycalifornian@...> wrote:

From: Jay <crazycalifornian@...>
Subject: Re: [TrunkPCR] TrunkPCR not working.
To: TrunkPCR@yahoogroups.com
Date: Wednesday, January 5, 2011, 1:22 AM

Hi Robert,

The PCR-2500 only uses One (1) USB/Serial Port.

When using the SUB Receiver in Trunking mode to Decode the Control Channel,
there isn't any need to set a COM Port.

The COM Port Selector in the SUB Receiver Display is for when a second PCR-100 or PCR-1000 is used...

Other than that, are you having another problem?

Thanks,
Jay

----- Original Message -----
From: "trifid_sagitarius"

> Hi,
>
> I'm trying to make TrunkPCR work with my icom PCR2500 without any luck.
>
> A possible problem, my computer has a built in serial port assigned as COM1. Icom's drivers assigned the PCR control port as COM3.
>
> If I open the SUB/Dual receiver 'Options/Com port" menu the option is set to COM1 and it is grayed out... I don't know if this is normal?
>
> robert

1835. Re: [TrunkPCR] TrunkPCR not working.

Yahoo group: TrunkPCR
Date: 2011-01-06 20:52:45 UTC
From: Jay
Topic: 1831 Message: 1835

Another thing to check in the Trunk Settings for "McAllen Motorola Type II Smartnet" is the "Flavor". If you have the [800] Button selected, try the [Splinter] Button instead.

When you see the channel freqs, but don't hear any conversations, this is normally the reason (wrong flavor selected)...

Jay

----- Original Message -----
Robert,the way i did it is under "EDIT" ,bank/channels,,put the first 4 channels the Control channels,then the rest the other frequencys.Then under "TRUNK",SETTINGS make sure you have system as "MOTO",type II.Then turn on Trunk pcr,click trunk button and all should be ok.if not check your sound card settings,you MAY have to Reverse polarity.Hope that helps.Ray

1836. Re: [TrunkPCR] TrunkPCR not working.

Yahoo group: TrunkPCR
Date: 2011-01-09 18:35:41 UTC
From: Dohrenburg Robert
Topic: 1831 Message: 1836

Thanks Jay!
That did the trick... I just need time to figure out how to follow groups, radios and other things and get used to the program.
Robert,

--- On Thu, 1/6/11, Jay <crazycalifornian@...> wrote:

From: Jay <crazycalifornian@...>
Subject: Re: [TrunkPCR] TrunkPCR not working.
To: TrunkPCR@yahoogroups.com
Date: Thursday, January 6, 2011, 2:52 PM

Another thing to check in the Trunk Settings for "McAllen Motorola Type II Smartnet" is the "Flavor". If you have the [800] Button selected, try the [Splinter] Button instead.

When you see the channel freqs, but don't hear any conversations, this is normally the reason (wrong flavor selected)...

Jay

----- Original Message -----
Robert,the way i did it is under "EDIT" ,bank/channels,,put the first 4 channels the Control channels,then the rest the other frequencys.Then under "TRUNK",SETTINGS make sure you have system as "MOTO",type II.Then turn on Trunk pcr,click trunk button and all should be ok.if not check your sound card settings,you MAY have to Reverse polarity.Hope that helps.Ray

1837. TrunkPCR version 0.90.278 Now Available

Yahoo group: TrunkPCR
Date: 2011-01-13 21:14:41 UTC
From: Jay
Topic: 1837 Message: 1837

TrunkPCR version 0.90.278 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Two Additions, One Change and Two Fixes...

Nov 28,2010 - Added: Mute Digital in Trunk Settings. Allows you to hear Externally Decoded Audio Only.
Dec 05,2010 - Fixed: CSV File Import's Default Channel values.
Dec 07,2010 - -----: Adjusted the Height of Many Dialogs.
Dec 20,2010 - Added: 4800 hz Tone Detection for Edacs Dotting Tone.
Jan 06,2011 - Fixed: Changing/Editing Wave Format in Timed Recorder.

In the Trunk Settings, you can "UnCheck" the "Switch to Control When Dotting sequence Heard" checkbox and now try the "Dotting Tone Detector" slider.

You can select a value from 36 to 60, 36 for a real noisy voice channel or up to 60 for a really clean signal. I'm using 42 at the moment.

Version 0.90.278 Released 01/13/2011

Regards,
Jay

1838. Re: [TrunkPCR] TrunkPCR version 0.90.278 Now Available

Yahoo group: TrunkPCR
Date: 2011-01-14 03:16:29 UTC
From: Ray
Topic: 1837 Message: 1838

Thanks Jay,
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Thursday, January 13, 2011 4:14 PM
Subject: [TrunkPCR] TrunkPCR version 0.90.278 Now Available

TrunkPCR version 0.90.278 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Two Additions, One Change and Two Fixes...

Nov 28,2010 - Added: Mute Digital in Trunk Settings. Allows you to hear Externally Decoded Audio Only.
Dec 05,2010 - Fixed: CSV File Import's Default Channel values.
Dec 07,2010 - -----: Adjusted the Height of Many Dialogs.
Dec 20,2010 - Added: 4800 hz Tone Detection for Edacs Dotting Tone.
Jan 06,2011 - Fixed: Changing/Editing Wave Format in Timed Recorder.

In the Trunk Settings, you can "UnCheck" the "Switch to Control When Dotting sequence Heard" checkbox and now try the "Dotting Tone Detector" slider.

You can select a value from 36 to 60, 36 for a real noisy voice channel or up to 60 for a really clean signal. I'm using 42 at the moment.

Version 0.90.278 Released 01/13/2011

Regards,
Jay

1839. Re: [TrunkPCR] TrunkPCR version 0.90.278 Now Available

Yahoo group: TrunkPCR
Date: 2011-01-17 17:32:45 UTC
From: Jim Conrad
Topic: 1837 Message: 1839

Jay,

Couple questions..

I have been running the current and previous
version for a few months. I have had intermittent
issues with the programming commanding the
PCR-1000 to a voice channel on a non-analog P25
trunked system. It seems to do it more frequently
just after the program starts running nut still
randomly (at least to me appears random) after
the program has been running days.

I have the Block Astro Digital and Mute Digital checked.

Any idea what the issue is, my mis-configuration or a bug?

Also any progress on coding for control of other radio's then the current set ?

Thanks,
Jim

At 10:16 PM 1/13/2011, you wrote:
>
>
>ï»¿
>Thanks Jay,
>----- Original Message -----
>From: <mailto:crazycalifornian@...>Jay
>To: <mailto:TrunkPCR@yahoogroups.com>TrunkPCR@yahoogroups.com
>Sent: Thursday, January 13, 2011 4:14 PM
>Subject: [TrunkPCR] TrunkPCR version 0.90.278 Now Available
>
>
>
>TrunkPCR version 0.90.278 Now Available for Downloading from homepage:
><http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html>http://members.cox.net/fi
ftyone.50/TrunkPcr/TrunkPcrDwnld.html
>
>NOTE: Moto Type-I Support *should* be finished in the next major update.
>
>This update has Two Additions, One Change and Two Fixes...
>
> Nov 28,2010 - Added: Mute Digital in Trunk
> Settings. Allows you to hear Externally Decoded Audio Only.
> Dec 05,2010 - Fixed: CSV File Import's Default Channel values.
> Dec 07,2010 - -----: Adjusted the Height of Many Dialogs.

> Dec 20,2010 - Added: 4800 hz Tone Detection for Edacs Dotting Tone.
> Jan 06,2011 - Fixed: Changing/Editing Wave Format in Timed Recorder.
>
>In the Trunk Settings, you can "UnCheck" the "Switch to Control When Dotting
> sequence Heard" checkbox and now try the "Dotting Tone Detector" slider.
>
>You can select a value from 36 to 60, 36 for a
>real noisy voice channel or up to 60 for
> a really clean signal. I'm using 42 at the moment.
>
>Version 0.90.278 Released 01/13/2011
>
>Regards,
>Jay
>
>

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@oceanviewcom.com
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

1840. Re: [TrunkPCR] TrunkPCR version 0.90.278 Now Available

Yahoo group: TrunkPCR
Date: 2011-01-17 22:20:02 UTC
From: Jay
Topic: 1837 Message: 1840

Hi Jim,

How are you following a "Non-Analog" trunking site on a PCR-1000?
Do you mean it's a mixed Analog and P25 system?

Sounds like a similar problem another user had just not too long ago.
If a digital talk group first appears in mid conversation, (ie. Seen in a Continuation message before a Call Grant), then it was flagged as an unknown...

You can go into the Trunk Menu -> Edit Trunk ID's, click on the DG column and edit the TalkGroups that have a "?" in that column. Change it to Digital by clicking the [D] Button or by right clicking on the item and "Set Group Type"...

Or when a digital call is heard (mistaken for an analog talkgroup), click on the description of the TalkGroup in the Main Display or CC Activity and change it to [Digital] when the "Edit TalkGroup" dialog pops up...

Regards,
Jay

----- Original Message -----
From: Jim Conrad

Jay,

Couple questions..

I have been running the current and previous version for a few months. I have had intermittent issues with the programming commanding the PCR-1000 to a voice channel on a non-analog P25 trunked system. It seems to do it more frequently just after the program starts running nut still randomly (at least to me appears random) after the program has been running days.

I have the Block Astro Digital and Mute Digital checked.

Any idea what the issue is, my mis-configuration or a bug?

Also any progress on coding for control of other radio's then the current set ?

Thanks,
Jim

1841. Re: [TrunkPCR] TrunkPCR version 0.90.278 Now Available

Yahoo group: TrunkPCR
Date: 2011-01-18 15:29:56 UTC
From: Jim Conrad
Topic: 1837 Message: 1841

At 05:20 PM 1/17/2011, you wrote:
>How are you following a "Non-Analog" trunking site on a PCR-1000?
>Do you mean it's a mixed Analog and P25 system?

No strictly P25, the PCR-1000 just decodes the control channel. I
have no other radio's involved. That's why I was asking because as I
had the parameters selected I couldn't figure out why the PCR-1000
was jumping to voice channels when all I want is for it to decode the
data channel.

>Sounds like a similar problem another user had just not too long ago.
>If a digital talk group first appears in mid conversation, (ie. Seen
>in a Continuation message before a Call Grant), then it was flagged
>as an unknown...
>
>You can go into the Trunk Menu -> Edit Trunk ID's, click on the DG
>column and edit the TalkGroups that have a "?" in that
>column. Change it to Digital by clicking the [D] Button or by right
>clicking on the item and "Set Group Type"...

Ok, went and checked and saw a lot of "?" and "No" which I now
understand how that occurred from above description. Changed them all to "Yes".

>Or when a digital call is heard (mistaken for an analog talkgroup),
>click on the description of the TalkGroup in the Main Display or CC
>Activity and change it to [Digital] when the "Edit TalkGroup" dialog pops up...

Ok will keep and eye out for that in the future and fix as needed.

Thanks,
Jim

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@...
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

1842. Re: WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2011-01-19 22:03:41 UTC
From: ehrichweiss
Topic: 1729 Message: 1842

I hate to revive an old thread but these images and the file are no longer available and they likely hold the key to my problems with my COM port. Can someone please tell me what I must do or repost the files?

Thanks

--- In TrunkPCR@yahoogroups.com, Nand <n.romijn@...> wrote:
>
> Here is what works for me in Win7 and where to get it for Vista and Win7
>
> http://domtoren.com/990/Capture_a.JPG
>
> http://domtoren.com/990/Capture_b.JPG
>
> http://domtoren.com/WinVista.zip
>
> Nand.
>
>
> On Tue, Jul 27, 2010 at 5:45 PM, lvanland@... <lvanland@...>wrote:
>
> >
> >
> >
> > I have installed TrunkPCR and PCRPro on my new Win 7 Home Premium
> > computer. Both programs appear to work, but neither will connect to the
> > radio and neither Program Folder has the RegInfo.txt file. Both
> > programs show this error message when I click the power button:"Radio
> > Not Responding. Please Check Comport Settings, Power and Cables, Then
> > Try Again." The Comport setting shows Com 3, which is exactly what the
> > Silicon Labs CP210X USB to UART Bridge shows in Device Manager. The
> > CP210X is the driver specified by ICOM and was installed through Win7
> > when I first turned the radio on.
> >
> > Any help will be appreciated.
> >
> >
> >
>

1843. Re: [TrunkPCR] Re: WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2011-01-19 22:36:36 UTC
From: Nand
Topic: 1729 Message: 1843

Use

http://domtoren.com/990/VCP_v4.40.zip

Nand.

On Wed, Jan 19, 2011 at 5:03 PM, ehrichweiss <eric@...> wrote:

>
>
> I hate to revive an old thread but these images and the file are no longer
> available and they likely hold the key to my problems with my COM port. Can
> someone please tell me what I must do or repost the files?
>
> Thanks
>
> --- In TrunkPCR@yahoogroups.com <TrunkPCR%40yahoogroups.com>, Nand
> <n.romijn@...> wrote:
> >
> > Here is what works for me in Win7 and where to get it for Vista and Win7
> >
> > http://domtoren.com/990/Capture_a.JPG
> >
> > http://domtoren.com/990/Capture_b.JPG
> >
> > http://domtoren.com/WinVista.zip
> >
> > Nand.
> >
> >
> > On Tue, Jul 27, 2010 at 5:45 PM, lvanland@... <lvanland@...>wrote:
> >
> > >
> > >
> > >
> > > I have installed TrunkPCR and PCRPro on my new Win 7 Home Premium
> > > computer. Both programs appear to work, but neither will connect to the
> > > radio and neither Program Folder has the RegInfo.txt file. Both
> > > programs show this error message when I click the power button:"Radio
> > > Not Responding. Please Check Comport Settings, Power and Cables, Then
> > > Try Again." The Comport setting shows Com 3, which is exactly what the
> > > Silicon Labs CP210X USB to UART Bridge shows in Device Manager. The
> > > CP210X is the driver specified by ICOM and was installed through Win7
> > > when I first turned the radio on.
> > >
> > > Any help will be appreciated.

> > >
> > >
> > >
> >
>
>
>

1844. Re: [TrunkPCR] Re: WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2011-01-19 23:06:06 UTC
From: Nand
Topic: 1729 Message: 1844

All three links are restored. Make sure to remove older or newer versions of
the driver before installing v4.4

Nand.

On Wed, Jan 19, 2011 at 5:36 PM, Nand <n.romijn@...> wrote:

> Use
>
> http://domtoren.com/990/VCP_v4.40.zip
>
> Nand.
>
>
> On Wed, Jan 19, 2011 at 5:03 PM, ehrichweiss <eric@...> wrote:
>
>>
>>
>> I hate to revive an old thread but these images and the file are no longer
>> available and they likely hold the key to my problems with my COM port. Can
>> someone please tell me what I must do or repost the files?
>>
>> Thanks
>>
>> --- In TrunkPCR@yahoogroups.com <TrunkPCR%40yahoogroups.com>, Nand
>> <n.romijn@...> wrote:
>> >
>> > Here is what works for me in Win7 and where to get it for Vista and Win7
>> >
>> > http://domtoren.com/990/Capture_a.JPG
>> >
>> > http://domtoren.com/990/Capture_b.JPG
>> >
>> > http://domtoren.com/WinVista.zip
>> >
>> > Nand.
>> >
>> >
>> > On Tue, Jul 27, 2010 at 5:45 PM, lvanland@... <lvanland@...>wrote:
>> >
>> > >
>> > >
>> > >
>> > > I have installed TrunkPCR and PCRPro on my new Win 7 Home Premium
>> > > computer. Both programs appear to work, but neither will connect to
>> the

>> > > radio and neither Program Folder has the RegInfo.txt file. Both
>> > > programs show this error message when I click the power button:"Radio
>> > > Not Responding. Please Check Comport Settings, Power and Cables, Then
>> > > Try Again." The Comport setting shows Com 3, which is exactly what the
>> > > Silicon Labs CP210X USB to UART Bridge shows in Device Manager. The
>> > > CP210X is the driver specified by ICOM and was installed through Win7
>> > > when I first turned the radio on.
>> > >
>> > > Any help will be appreciated.
>> > >
>> > >
>> > >
>> >
>>
>>
>>
>
>

1845. Re: [TrunkPCR] Re: WIN 7 Problem

Yahoo group: TrunkPCR
Date: 2011-01-20 20:29:21 UTC
From: Eric Haddix
Topic: 1729 Message: 1845

Thanks. After all that it ended up being my cheap usb/serial cable
causing the problem. I got a better one and it works fine. Just so that
it'll show up in the searches I will add that the usb-to-serial cables
with the Prolific chips work great. Turn the flow control to hardware
and they give you little-to-no problem. AVOID the Cypress chips; they
apparently cannot control CTS at all.

Eric

On 01/19/2011 06:06 PM, Nand wrote:
> All three links are restored. Make sure to remove older or newer versions of
> the driver before installing v4.4
>
> Nand.
>
> On Wed, Jan 19, 2011 at 5:36 PM, Nand<n.romijn@...> wrote:
>
>> Use
>>
>> http://domtoren.com/990/VCP_v4.40.zip
>>
>> Nand.
>>
>>
>> On Wed, Jan 19, 2011 at 5:03 PM, ehrichweiss<eric@...> wrote:
>>
>>>
>>>
>>> I hate to revive an old thread but these images and the file are no longer
>>> available and they likely hold the key to my problems with my COM port. Can
>>> someone please tell me what I must do or repost the files?
>>>
>>> Thanks
>>>
>>> --- In TrunkPCR@yahoogroups.com<TrunkPCR%40yahoogroups.com>, Nand
>>> <n.romijn@...> wrote:
>>>>
>>>> Here is what works for me in Win7 and where to get it for Vista and Win7
>>>>
>>>> http://domtoren.com/990/Capture_a.JPG
>>>>
>>>> http://domtoren.com/990/Capture_b.JPG
>>>>
>>>> http://domtoren.com/WinVista.zip
>>>>

>>>> Nand.
>>>>
>>>>
>>>> On Tue, Jul 27, 2010 at 5:45 PM, lvanland@...<lvanland@...>wrote:
>>>>
>>>>>
>>>>>
>>>>>
>>>>> I have installed TrunkPCR and PCRPro on my new Win 7 Home Premium
>>>>> computer. Both programs appear to work, but neither will connect to
>>> the
>>>>> radio and neither Program Folder has the RegInfo.txt file. Both
>>>>> programs show this error message when I click the power button:"Radio
>>>>> Not Responding. Please Check Comport Settings, Power and Cables, Then
>>>>> Try Again." The Comport setting shows Com 3, which is exactly what the
>>>>> Silicon Labs CP210X USB to UART Bridge shows in Device Manager. The
>>>>> CP210X is the driver specified by ICOM and was installed through Win7
>>>>> when I first turned the radio on.
>>>>>
>>>>> Any help will be appreciated.
>>>>>
>>>>>
>>>>>
>>>>
>>>
>>>
>>>
>>
>>
>

1846. Bug Report..

Yahoo group: TrunkPCR
Date: 2011-01-28 17:04:11 UTC
From: ehrichweiss
Topic: 1846 Message: 1846

```
When I do a web import(U.S., Kentucky, Fayette County, Conventional) I get

An Error Occurred in ModRRSoap->RR_AddChannel at Line 10

Error #9 Subscript Out of Range
```

1847. PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 00:29:45 UTC
From: scosgt@aol.com
Topic: 1837 Message: 1847

OK, I was trying to install a disciminator tap and...

I lost the little component that goes between the + antenna terminal and the board.
I reconnected the center post to the board, neg is connected, but I don't get any antenna signal at all.

The radio is still alive - it powers on and scans, and I can tune to local strong FM stations and it receives.

So does anyone know what that little cap or whatever is so I can order one from Radio Shack or the net? That would seem to be the problem. I have a schematic, but I am not a tech and I can't figure it out. It shows J1 (ant connector) to C4 (spot on the board it connects to) but I can't find that little component.

Or someone just buy the darn thing from me for parts LOL.

1848. Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 01:37:45 UTC
From: Dohrenburg Robert
Topic: 1837 Message: 1848

Do you mean you lost C4?
Jameco, digikey mouser electronics and others sell SMT capacitors in tape/reels and bulk.
Very easy to replace/resolder if you have the equipment and good eyes.

--- On Sun, 2/20/11, scosgt@... <scosgt@...> wrote:

From: scosgt@... <scosgt@...>
Subject: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?
To: TrunkPCR@yahoogroups.com
Date: Sunday, February 20, 2011, 6:29 PM

OK, I was trying to install a disciminator tap and...

I lost the little component that goes between the + antenna terminal and the board.

I reconnected the center post to the board, neg is connected, but I don't get any antenna signal at all.

The radio is still alive - it powers on and scans, and I can tune to local strong FM stations and it receives.

So does anyone know what that little cap or whatever is so I can order one from Radio Shack or the net? That would seem to be the problem. I have a schematic, but I am not a tech and I can't figure it out. It shows J1 (ant connector) to C4 (spot on the board it connects to) but I can't find that little component.

Or someone just buy the darn thing from me for parts LOL.

1849. Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 01:55:32 UTC
From: Eric Haddix
Topic: 1837 Message: 1849

On 02/20/2011 07:29 PM, scosgt@... wrote:
> OK, I was trying to install a disciminator tap and...
[snip]
>
> Or someone just buy the darn thing from me for parts LOL.
>

I'll offer to buy it for parts if nobody else is able to help.

Eric

1850. Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 02:18:13 UTC
From: scosgt@aol.com
Topic: 1837 Message: 1850

I thought C4 is the hole in the board where it goes.
If that is the component, what is it?
Is there a number for something I can order?

-----Original Message-----
From: Dohrenburg Robert <trifid_sagitarius@...>
To: TrunkPCR@yahoogroups.com
Sent: Sun, Feb 20, 2011 8:37 pm
Subject: Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Do you mean you lost C4?

Jameco, digikey mouser electronics and others sell SMT capacitors in tape/reels and bulk.

Very easy to replace/resolder if you have the equipment and good eyes.

--- On Sun, 2/20/11, scosgt@aol.com <scosgt@...> wrote:

From: scosgt@... <scosgt@...>
Subject: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?
To: TrunkPCR@yahoogroups.com
Date: Sunday, February 20, 2011, 6:29 PM

OK, I was trying to install a disciminator tap and...

I lost the little component that goes between the + antenna terminal and the board.
I reconnected the center post to the board, neg is connected, but I don't get any antenna signal at all.

The radio is still alive - it powers on and scans, and I can tune to local strong FM stations and it receives.

So does anyone know what that little cap or whatever is so I can order one from Radio Shack or the net? That would seem to be the problem. I have a schematic, but I am not a tech and I can't figure it out. It shows J1 (ant connector) to C4 (spot on the board it connects to) but I can't find that little component.

Or someone just buy the darn thing from me for parts LOL.

1851. RE: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 02:21:52 UTC
From: Jack Goetz
Topic: 1837 Message: 1851

C4 = capacitor #4. Need to find out what value the capacitor is, your schematic should show it.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Sunday, February 20, 2011 6:18 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

I thought C4 is the hole in the board where it goes.

If that is the component, what is it?

Is there a number for something I can order?

-----Original Message-----
From: Dohrenburg Robert <trifid_sagitarius@...>
To: TrunkPCR@yahoogroups.com
Sent: Sun, Feb 20, 2011 8:37 pm
Subject: Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Do you mean you lost C4?

Jameco, digikey mouser electronics and others sell SMT capacitors in tape/reels and bulk.

Very easy to replace/resolder if you have the equipment and good eyes.

--- On Sun, 2/20/11, scosgt@... <scosgt@...> wrote:

From: scosgt@... <scosgt@...>
Subject: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?
To: TrunkPCR@yahoogroups.com
Date: Sunday, February 20, 2011, 6:29 PM

OK, I was trying to install a disciminator tap and...

I lost the little component that goes between the + antenna terminal and the board.

I reconnected the center post to the board, neg is connected, but I don't get any antenna signal at all.

The radio is still alive - it powers on and scans, and I can tune to local strong FM stations and it receives.

So does anyone know what that little cap or whatever is so I can order one from Radio Shack or the net? That would seem to be the problem. I have a schematic, but I am not a tech and I can't figure it out. It shows J1 (ant connector) to C4 (spot on the board it connects to) but I can't find that little component.

Or someone just buy the darn thing from me for parts LOL.

1852. Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 02:41:32 UTC
From: Jay
Topic: 1837 Message: 1852

C4 should be mounted directly on the Main PCB (Circuit Board).
From the hole closest to the rear of the PCB just shows a wire connected to the Antenna Center connection (J1)...

I'll take the cover off of mine just to be certain :-)

Jay

----- Original Message -----
From: scosgt@...

OK, I was trying to install a disciminator tap and...

I lost the little component that goes between the + antenna terminal and the board.
I reconnected the center post to the board, neg is connected, but I don't get any antenna signal at all.

The radio is still alive - it powers on and scans, and I can tune to local strong FM stations and it receives.

So does anyone know what that little cap or whatever is so I can order one from Radio Shack or the net? That would seem to be the problem. I have a schematic, but I am not a tech and I can't figure it out. It shows J1 (ant connector) to C4 (spot on the board it connects to) but I can't find that little component.

Or someone just buy the darn thing from me for parts LOL.

1853. Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 02:46:54 UTC
From: scosgt@aol.com
Topic: 1837 Message: 1853

Let me try to be more specific.
If you have never taken the cover off...

The center post of the antenna connects to a beige color "thingy" that looks like a resistor, a small cylinder with a wire coming out each end. The OTHER end of the thing is soldered to the motherboard.
That is what I lost. I can not ID it on the schematic
I soldered a straight wire between the antenna center connector and the place on the motherboard
I do have continuity on it and on the negative connector and its own connection to the mobo, using a tester.
But I do not have any antenna signal at all (antenna is good).
Since the radio works and can receive really strong signals, I am assuming that whatever that device is, it is needed to do something to the antenna signal so the radio can "see" it.
I am not sure it is C4

-----Original Message-----
From: Jack Goetz <jackgoetz@...>
To: TrunkPCR@yahoogroups.com
Sent: Sun, Feb 20, 2011 9:21 pm
Subject: RE: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

C4 = capacitor #4. Need to find out what value the capacitor is, your schematic should show it.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of scosgt@...
Sent: Sunday, February 20, 2011 6:18 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

I thought C4 is the hole in the board where it goes.

If that is the component, what is it?

Is there a number for something I can order?

-----Original Message-----
From: Dohrenburg Robert <trifid_sagitarius@...>
To: TrunkPCR@yahoogroups.com
Sent: Sun, Feb 20, 2011 8:37 pm
Subject: Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Do you mean you lost C4?

Jameco, digikey mouser electronics and others sell SMT capacitors in tape/reels and bulk.

Very easy to replace/resolder if you have the equipment and good eyes.

--- On Sun, 2/20/11, scosgt@... <scosgt@...> wrote:

From: scosgt@... <scosgt@...>
Subject: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?
To: TrunkPCR@yahoogroups.com
Date: Sunday, February 20, 2011, 6:29 PM

OK, I was trying to install a disciminator tap and...

I lost the little component that goes between the + antenna terminal and the board.

I reconnected the center post to the board, neg is connected, but I don't get any antenna signal at all.

The radio is still alive - it powers on and scans, and I can tune to local strong FM stations and it receives.

So does anyone know what that little cap or whatever is so I can order one from Radio Shack or the net? That would seem to be the problem. I have a schematic, but I am not a tech and I can't figure it out. It shows J1 (ant connector) to C4 (spot on the board it connects to) but I can't find that little component.

Or someone just buy the darn thing from me for parts LOL.

1854. Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 03:43:07 UTC
From: Jay
Topic: 1837 Message: 1854

Ok, I am showing a 0.2 ohm resistance on this part with my meter, so this is probably an inductor (coil) 10uh to 100uh possible?

If the antenna isn't shorted, then it may be a load at the Disc Tap?

Did you solder on the Top or Bottom Side of the PCB?
Double check for a short (I use reading glasses and a magnifying lens)...

Jay

1855. Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 04:00:05 UTC
From: scosgt@aol.com
Topic: 1837 Message: 1855

Bottom, but I took it off.
Just attached it to the leg #8

Don't know why the antenna input seems dead, unless it has nothing to do with that part and I damaged the IC

-----Original Message-----
From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Sun, Feb 20, 2011 10:43 pm
Subject: Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Ok, I am showing a 0.2 ohm resistance on this part with my meter, so this is probably an inductor (coil) 10uh to 100uh possible?

If the antenna isn't shorted, then it may be a load at the Disc Tap?

Did you solder on the Top or Bottom Side of the PCB?
Double check for a short (I use reading glasses and a magnifying lens)...

Jay

1856. Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 04:24:57 UTC
From: Jay
Topic: 1837 Message: 1856

Okay,

What size of soldering iron did you use? 7 watt, 15 watt or what wattage?
Did you leave of the soldering iron tip on there longer than 6 seconds?

Make sure you don't have a short between Pin #8 and the surrounding points on the PCB. Some solder can leave a hairline bridge when removing the iron. This could cause the deafening...

----- Original Message -----
From: scosgt@...

Bottom, but I took it off.
Just attached it to the leg #8

Don't know why the antenna input seems dead, unless it has nothing to do with that part and I damaged the IC

1857. Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Yahoo group: TrunkPCR
Date: 2011-02-21 04:32:50 UTC
From: scosgt@aol.com
Topic: 1837 Message: 1857

I'll have to take a look at that.
I just assumed it was the missing thingy that is the problem.

-----Original Message-----
From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Sun, Feb 20, 2011 11:24 pm
Subject: Re: [TrunkPCR] PCR-100 - A LITTLE HELP FROM A TECHIE?

Okay,

What size of soldering iron did you use? 7 watt, 15 watt or what wattage?
Did you leave of the soldering iron tip on there longer than 6 seconds?

Make sure you don't have a short between Pin #8 and the surrounding points on the PCB. Some solder can leave a hairline bridge when removing the iron. This could cause the deafening...

----- Original Message -----

From: scosgt@...

Bottom, but I took it off.

Just attached it to the leg #8

Don't know why the antenna input seems dead, unless it has nothing to do with that part and I damaged the IC

1858. Re: [TrunkPCR] Trunk ID Edit

Yahoo group: TrunkPCR
Date: 2011-02-25 17:00:33 UTC
From: Jim Conrad
Topic: 1837 Message: 1858

Jay,

I sent to "Print Group Info" on the Trunk ID Edit window and it printed the template but none of the 50+ groups (or any other data) in the window. Is this a bug or is their something I need to do to select the groups to print?

Also any progress on adding new secondary radio's that can be controlled by the program ?

Thanks,
Jim

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@...
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

1859. Re: [TrunkPCR] Trunk ID Edit

Yahoo group: TrunkPCR
Date: 2011-02-25 19:23:32 UTC
From: Ray
Topic: 1837 Message: 1859

I use Export to Excel,then read or print it out.
----- Original Message -----
From: Jim Conrad
To: TrunkPCR@yahoogroups.com
Sent: Friday, February 25, 2011 12:00 PM
Subject: Re: [TrunkPCR] Trunk ID Edit

Jay,

I sent to "Print Group Info" on the Trunk ID Edit window and it
printed the template but none of the 50+ groups (or any other data)
in the window. Is this a bug or is their something I need to do to
select the groups to print?

Also any progress on adding new secondary radio's that can be
controlled by the program ?

Thanks,
Jim

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@...
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

1860. Re: [TrunkPCR] Trunk ID Edit

Yahoo group: TrunkPCR
Date: 2011-02-25 20:17:29 UTC
From: Jay
Topic: 1837 Message: 1860

Yup, that there be a bug :)
Looks like I broke that when dealing with screen coordinate positioning a
while back.
I'll have it fixed in the next update...

Thanks,
Jay

----- Original Message -----
From: "Jim Conrad"

> Jay,
>
> I sent to "Print Group Info" on the Trunk ID Edit window and it
> printed the template but none of the 50+ groups (or any other data)
> in the window. Is this a bug or is their something I need to do to
> select the groups to print?
>
> Also any progress on adding new secondary radio's that can be
> controlled by the program ?
>
> Thanks,
> Jim

1861. TrunkPCR version 0.90.279 Now Available

Yahoo group: TrunkPCR
Date: 2011-02-27 04:24:56 UTC
From: Jay
Topic: 1861 Message: 1861

TrunkPCR version 0.90.279 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has One Addition and Two Fixes...

Jan 06,2011 - Added: Monitor CTS Line to React when Power on PCR is Turned OFF.
Feb 25,2011 - Fixed: Printing Group/Radio ID Lists and Search Results.
Feb 26,2011 - Fixed: Adding Signal Level to Search Report for Normal Searching.

Version 0.90.279 Released 02/26/2011

Regards,
Jay

1862. Trunking *and* record audio simultaneously?!?

Yahoo group: TrunkPCR
Date: 2011-03-25 19:14:11 UTC
From: Eric Haddix
Topic: 1862 Message: 1862

Is it possible to both trunk and record audio using the same audio card? I'm envisioning being able to use the right channel for one and the left channel for the other but I'm unsure what the separation might be in that case so I don't know if this would even work..

1863. Re: [TrunkPCR] Trunking *and* record audio simultaneously?!?

Yahoo group: TrunkPCR
Date: 2011-03-27 23:45:26 UTC
From: Jay
Topic: 1862 Message: 1863

Hi Eric,

If you are just using TrunkPCR in Single Radio Mode, it could be possible, but nothing is set up to allow that yet...

Separation between the two channels wouldn't be a problem as I could save just the right channel to a wave file...

I'll add this to the "Look-Into" List :)

Jay

----- Original Message -----
From: "Eric Haddix"

> Is it possible to both trunk and record audio using the same audio card?
> I'm envisioning being able to use the right channel for one and the left
> channel for the other but I'm unsure what the separation might be in
> that case so I don't know if this would even work..

1864. Can't scan a bank...

Yahoo group: TrunkPCR
Date: 2011-04-08 21:28:34 UTC
From: Eric Haddix
Topic: 1864 Message: 1864

I don't know what has happened but I'm about at my wits end with this. Every time I start TrunkPCR it will disable the first bank from being scanned. I can usually check it and it'll go just fine but now it greys out the area for the checkmark and I'm stuck without scanning.

I've tried editing the .bnk file but it will just write over the value I put there(Scan=True) with "False"; saving the bank doesn't help either. And now I've noticed that it writes 2 files with the same base filename but with ".rmg" and ".ust" extensions which contain what appear to be status messages for the emergency responders...

Any idea what's going on?

1865. Re: [TrunkPCR] Can't scan a bank...

Yahoo group: TrunkPCR
Date: 2011-04-09 02:10:44 UTC
From: Jay
Topic: 1864 Message: 1865

Hi Eric,

Yep I think I do know...

If a Bank is set for Trunking, you can't "Scan" it along with other
Trunking or Conventional Banks at this time...

Eventually you will be able to, but the code isn't complete enough for this
to happen just yet...

Regards,
Jay

----- Original Message -----
From: "Eric Haddix"

> I don't know what has happened but I'm about at my wits end with this.
> Every time I start TrunkPCR it will disable the first bank from being
> scanned. I can usually check it and it'll go just fine but now it greys
> out the area for the checkmark and I'm stuck without scanning.
>
> I've tried editing the .bnk file but it will just write over the value I
> put there(Scan=True) with "False"; saving the bank doesn't help either.
> And now I've noticed that it writes 2 files with the same base filename
> but with ".rmg" and ".ust" extensions which contain what appear to be
> status messages for the emergency responders...
>
> Any idea what's going on?

1866. comm issue

Yahoo group: TrunkPCR
Date: 2011-04-29 02:20:15 UTC
From: Jack
Topic: 1866 Message: 1866

This is for Jay, please disregard my e-mail about a comm issue I was experiencing, the problem resolved itself.
The only issue I have now is trying to remember how to program the frequencies into the bank.

1867. Re: [TrunkPCR] comm issue

Yahoo group: TrunkPCR
Date: 2011-04-29 03:38:35 UTC
From: Jay
Topic: 1866 Message: 1867

Hi Jack,

After tuning to a frequency and setting the propper mode & filter, click the [Store] Button to save to the Current Channel. Otherwise, click the Edit Menu -> Add or Insert Channel...

Regards,
Jay

----- Original Message -----
From: "Jack"

> This is for Jay, please disregard my e-mail about a comm issue I was experiencing, the problem resolved itself.
> The only issue I have now is trying to remember how to program the frequencies into the bank.

1868. RE: [TrunkPCR] comm issue

Yahoo group: TrunkPCR
Date: 2011-04-29 09:39:03 UTC
From: Shane Vickers
Topic: 1866 Message: 1868

Hi Jay,

Am I able to label the Bank Tabs once setup?

Regards,

Shane.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, 29 April 2011 3:39 p.m.
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] comm issue

Hi Jack,

After tuning to a frequency and setting the propper mode & filter, click the [Store] Button to save to the Current Channel. Otherwise, click the Edit Menu -> Add or Insert Channel...

Regards,
Jay

----- Original Message -----
From: "Jack"

> This is for Jay, please disregard my e-mail about a comm issue I was experiencing, the problem resolved itself.
> The only issue I have now is trying to remember how to program the frequencies into the bank.

1869. Re: [TrunkPCR] Editing Tab Labels, was: comm issue

Yahoo group: TrunkPCR
Date: 2011-04-29 10:06:58 UTC
From: Jay
Topic: 1869 Message: 1869

Hi Shane,

When you change the name of a Bank by Clicking on the Bank Description, the current Tab's Label will be updated with the same name...

Regards,
Jay

----- Original Message -----
From: Shane Vickers

Hi Jay,
Am I able to label the Bank Tabs once setup?

Regards,

Shane.

1870. RE: [TrunkPCR] Editing Tab Labels, was: comm issue

Yahoo group: TrunkPCR
Date: 2011-04-29 18:35:40 UTC
From: Shane Vickers
Topic: 1869 Message: 1870

Once again, Cheers Jay.

It was just that simple too.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf
Of Jay
Sent: Friday, 29 April 2011 10:07 p.m.
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Editing Tab Labels, was: comm issue

Hi Shane,

When you change the name of a Bank by Clicking on the Bank Description, the
current Tab's Label will be updated with the same name...

Regards,

Jay

----- Original Message -----

From: Shane Vickers <mailto:nivick@...>

Hi Jay,

Am I able to label the Bank Tabs once setup?

Regards,

Shane.

1871. RE: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2011-05-01 17:02:27 UTC
From: Shane Vickers
Topic: 1869 Message: 1871

Hi Jay,

Can TrunkPCR support a second PCR unit as a voice only leaving the first unit locked to the control channel?

Regards,

Shane.

1872. Re: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2011-05-01 19:21:49 UTC
From: Jay
Topic: 1869 Message: 1872

Hey Shane,

The code to control a second unit (for voice follow) is in place, but I have't fully tested it yet...

But you can use a second unit parked on the control channel and use the primary unit for voice follow...

Regards,
Jay

----- Original Message -----
From: Shane Vickers

Hi Jay,

Can TrunkPCR support a second PCR unit as a voice only leaving the first unit locked to the control channel?

Regards,

Shane.

1873. Re: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2011-05-01 19:49:38 UTC
From: Jim Conrad
Topic: 1869 Message: 1873

Jay,

I just want to confirm that you have fixed the
issues that I found a few months back when I
tried to do that with my PCR-1000/PCR-100 combination?

What is the version with the fixes as I don't think I have it.

Thanks,
Jim

At 03:21 PM 5/1/2011, Jay wrote:
>
>
>Hey Shane,
>
>The code to control a second unit (for voice
>follow) is in place, but I have't fully tested it yet...
>
>But you can use a second unit parked on the
>control channel and use the primary unit for voice follow...
>
>Regards,
>Jay
>
>
>----- Original Message -----
>From: <mailto:nivick@...>Shane Vickers
>
>Hi Jay,
>
>Can TrunkPCR support a second PCR unit as a
>voice only leaving the first unit locked to the control channel?
>
>Regards,
>
>Shane.
>
>

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@oceanviewcom.com
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

1874. Re: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2011-05-01 20:31:32 UTC
From: Jay
Topic: 1869 Message: 1874

Hi Jim,

Refering to the email on 3/12/2011?

Nope, nothing new on that yet...

My 74 y/o Mother broke her ankle about 12 weeks ago while working in her garden and I've been taking care of her since then. So my spare time has been about nil lately... I've been able to make an update to PCR Pro, but that's about it right now. She's getting more mobile now with a walker, but there's still alot that she can't do yet. I still make her coffee and tea a few times a day, cook brunch and dinner, do the grocery shopping and a few other things...

So hopefully soon, I'll be able to spend more time on TrunkPCR :)

Regards,
Jay

----- Original Message -----
From: Jim Conrad

Jay,

I just want to confirm that you have fixed the issues that I found a few months back when I tried to do that with my PCR-1000/PCR-100 combination?

What is the version with the fixes as I don't think I have it.

Thanks,
Jim

1875. Re: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2011-05-01 20:53:11 UTC
From: nivick
Topic: 1869 Message: 1875

If I can help test for you please let me know...
Only to happy to assist..

Cheers.

Shane.

----- Original Message Follows -----
> Hey Shane,
>
> The code to control a second unit (for voice follow) is in
> place, but I have't fully tested it yet...
>
> But you can use a second unit parked on the control
> channel and use the primary unit for voice follow...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: Shane Vickers
>
> Hi Jay,
>
> Can TrunkPCR support a second PCR unit as a voice only
> leaving the first unit locked to the control channel?
>
>
> Regards,
>
> Shane.
>
>

1876. Re: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2011-05-01 22:49:36 UTC
From: nivick
Topic: 1869 Message: 1876

Hi Jay,

Using this method I can watch and modify settings on the
groups and radio IDs?

I wish to monitor the control channel stream continuously to
catch the often missed
affiliations while listening to selected groups and
occasional radios while they
are on private.

Shane.

----- Original Message Follows -----
> Hey Shane,
>
> The code to control a second unit (for voice follow) is in
> place, but I have't fully tested it yet...
>
> But you can use a second unit parked on the control
> channel and use the primary unit for voice follow...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: Shane Vickers
>
> Hi Jay,
>
> Can TrunkPCR support a second PCR unit as a voice only
> leaving the first unit locked to the control channel?
>
>
> Regards,
>
> Shane.
>
>

1877. Re: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2011-05-01 23:11:38 UTC
From: Jay
Topic: 1869 Message: 1877

Yep :-)

----- Original Message -----
From: "nivick"
>
> Hi Jay,
>
> Using this method I can watch and modify settings on the
> groups and radio IDs?
>
> I wish to monitor the control channel stream continuously to
> catch the often missed
> affiliations while listening to selected groups and
> occasional radios while they
> are on private.
>
> Shane.

1878. MPT tracking

Yahoo group: TrunkPCR
Date: 2011-05-05 17:19:11 UTC
From: Shane d Vickers
Topic: 1878 Message: 1878

Hi Jay,
Any chance you have MPT tracking in a test phase I can work with please?

Regards,

Shane.

1879. Re: [TrunkPCR] MPT tracking

Yahoo group: TrunkPCR
Date: 2011-05-05 17:43:54 UTC
From: Jay
Topic: 1878 Message: 1879

The MPT Decoder isn't working yet, the BPSK code still needs a bit of work...

Jay

----- Original Message -----
From: "Shane d Vickers"

> Hi Jay,
> Any chance you have MPT tracking in a test phase I can work with please?
>
> Regards,
>
> Shane.

1880. RE: [TrunkPCR] MPT tracking

Yahoo group: TrunkPCR
Date: 2011-05-05 17:47:36 UTC
From: Shane Vickers
Topic: 1878 Message: 1880

Cheers Jay.

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, 6 May 2011 5:44 a.m.
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] MPT tracking

The MPT Decoder isn't working yet, the BPSK code still needs a bit of work...

Jay

----- Original Message -----
From: "Shane d Vickers"

> Hi Jay,
> Any chance you have MPT tracking in a test phase I can work with please?
>
> Regards,
>
> Shane.

1881. COM Port issue

Yahoo group: TrunkPCR
Date: 2011-07-09 20:17:42 UTC
From: b_rianv94
Topic: 1881 Message: 1881

Good afternoon,

I just bought a r2500 and everything works fine but TrunkPCR or PcrPRO. The Icom software tells me that my r2500 is on COM5 and the Icom software works great but the CD that came with my 2500 was v2.20 so I just installed it. Now TrunkPCR and PcrPRO don't see the r2500 on COM5 or for that matter any COM Port. What's going on or is it because I have v2.20 installed? Any help would be great.

Brian

1882. Re: [TrunkPCR] COM Port issue

Yahoo group: TrunkPCR
Date: 2011-07-09 21:56:41 UTC
From: Jay
Topic: 1881 Message: 1882

Hi Brian,

I just upgraded to 2.20 on my XP box and I see that Icom has changed the Startup Baud Rate!

I'll make a change and have an update out in a few hours :)

Thanks for the report,
Jay

----- Original Message -----
From: "b_rianv94"

> Good afternoon,
>
> I just bought a r2500 and everything works fine but TrunkPCR or PcrPRO. The Icom software tells me that my r2500 is on COM5 and the Icom software works great but the CD that came with my 2500 was v2.20 so I just installed it. Now TrunkPCR and PcrPRO don't see the r2500 on COM5 or for that matter any COM Port. What's going on or is it because I have v2.20 installed? Any help would be great.
>
> Brian

1883. Re: [TrunkPCR] COM Port issue

Yahoo group: TrunkPCR
Date: 2011-07-09 22:32:49 UTC
From: Brian Veres
Topic: 1881 Message: 1883

Hi Jay,

You are the man!!
Its me Brian from a few years ago when I was in your groups if you remember. Anyway getting back into radios and just got one of those black beauties last week. Also I have a new computer and imported all my old Trunkpcr banks/info to this computer, will I have any problems because I don't have a license for Trunkpcr on this computer? I am waiting for paypal to get my deposit then I will pay for a license for both TrunkPCR and PcrPRO.

Thanks for everything,
Brian

On Sat Jul 9th, 2011 2:56 PM PDT Jay wrote:

>Hi Brian,
>
>I just upgraded to 2.20 on my XP box and I see that Icom has changed the
>Startup Baud Rate!
>
>I'll make a change and have an update out in a few hours :)
>
>Thanks for the report,
>Jay
>
>----- Original Message -----
>From: "b_rianv94"
>
>
>> Good afternoon,
>>
>> I just bought a r2500 and everything works fine but TrunkPCR or PcrPRO.
>The Icom software tells me that my r2500 is on COM5 and the Icom software
>works great but the CD that came with my 2500 was v2.20 so I just installed
>it. Now TrunkPCR and PcrPRO don't see the r2500 on COM5 or for that matter
>any COM Port. What's going on or is it because I have v2.20 installed? Any
>help would be great.
>>
>> Brian
>
>

1884. Re: [TrunkPCR] COM Port issue

Yahoo group: TrunkPCR
Date: 2011-07-09 23:41:50 UTC
From: Jay
Topic: 1881 Message: 1884

Hey Brian,

Thought it was you :)

After you install TrunkPCR and PCR Pro on the new PC, just copy the Banks & Pictures folders and the ".ini" and ".key" files to the new Install Folder...

Then run TrunkPCR or PCR Pro and send me the NEW RegInfo.txt file and I'll send you a new key file :)

If you DO NOT have the TrunkPcr.key or PcrPro.key file, then run TrunkPCR or PCR Pro and send me the NEW RegInfo.txt file FIRST, BEFORE COPYING THE FOLDERS & FILES. After you get the new key file and rename it, then copy the Folders & Files to AVOID BANK CORRUPTION :)

Regards,
Jay

----- Original Message -----
From: "Brian Veres"

> Hi Jay,
>
> You are the man!!
> Its me Brian from a few years ago when I was in your groups if you remember. Anyway getting back into radios and just got one of those black beauties last week. Also I have a new computer and imported all my old Trunkpcr banks/info to this computer, will I have any problems because I don't have a license for Trunkpcr on this computer? I am waiting for paypal to get my deposit then I will pay for a license for both TrunkPCR and PcrPRO.
>
> Thanks for everything,
> Brian

1885. TrunkPCR version 0.90.280 Now Available

Yahoo group: TrunkPCR
Date: 2011-07-10 00:38:26 UTC
From: Jay
Topic: 1885 Message: 1885

TrunkPCR version 0.90.280 Now Available for Downloading from homepage:
http://members.cox.net/fiftyone.50/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has One Addition and One Change...

Mar 11,2011 - -----: Timed Recoding now Disabled when in Sweep Mode.
Jul 09,2011 - Added: Ignore CTS Status in COM Port Selector (For Driver Ver 2.20).

Version 0.90.280 Released 07/09/2011

IMPORTANT: If you have Upgraded ICom's Program to Version 2.20, then you will need to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking the [Power] Button...

Regards,
Jay

1886. Error with new version

Yahoo group: TrunkPCR
Date: 2011-07-10 12:54:19 UTC
From: b_rianv94
Topic: 1886 Message: 1886

Good morning Jay,

It's alive...LOL. wWel a little bit (but 2 things.

TrunkPCR ERROR...
Trunk PCR Error

An error Occured IN MMResult: waveInAddBuffer returns [5] The specified device handle is invalid. at Line 0

Error number: 0-

Suppress Further Errors IF possible?

Also when P25 comes across I hear the radio key up but no comms or when I get comms it's a little grabbled. Any idea? or maybe off frequency?

Analog works just fine.

Brian

1887. Re: [TrunkPCR] Error with new version

Yahoo group: TrunkPCR
Date: 2011-07-10 19:09:30 UTC
From: Jay
Topic: 1886 Message: 1887

Hi Brian,

The "MMResult" Error is related to your Sound Card Settings for either Recording or Decoding. I would take a look and see what the Recording Device and Decoding Device is that you have selected. The Sampling Rate is another thing to check...

For the P25 Audio, there is a Status Indicator in the Main Display that shows what's going on. A Green Ball will be shown if you have a Good Sync, a Yellow Ball indicates the P25 is trying to Sync on to the Signal and a Red Ball should indicate an "End of Call".
This indicator will also Flash when the P25 Card is trying to Sync Up.

Garbled Audio from the P25 Card could be caused from a few things, either not a Strong or Clean Enough Signal, or Not a Pure P25 Site. On a Trunking Site where you have mixed Analog and Astro, the P25 Card doesn't always work that great. The same goes for Stand-Alone P25 Channels. In San Diego, I have found that there are a bunch of Stand-Alone P25 channels in the 171.0 MHz to 173.0 MHz range and sometimes you can get a good copy and other times you can't...

Regards,
Jay

----- Original Message -----
From: "b_rianv94"

> Good morning Jay,
>
> It's alive...LOL. wWel a little bit (but 2 things.
>
> TrunkPCR ERROR...
> Trunk PCR Error
>
> An error Occured IN MMResult: waveInAddBuffer returns [5] The specified device handle is invalid. at Line 0
>
> Error number: 0-
>
> Suppress Further Errors IF possible?
>
> Also when P25 comes across I hear the radio key up but no comms or when I get comms it's a little grabbled. Any idea? or maybe off frequency?
>
> Analog works just fine.
>

> Brian

1888. Re: [TrunkPCR] Error with new version

Yahoo group: TrunkPCR
Date: 2011-07-10 23:08:11 UTC
From: Brian Veres
Topic: 1886 Message: 1888

Hi Jay,

Correct you are Decoding and recording was the problem for sound card. I am getting better decoding now and audio but when P25 comes in I am getting these errors now. If you could explain them please...

Error #1
An error Occured In MainForm -> PcrComm_P25Locked at line: 3
Error number: 6 - Overflow
Suppress Further Errors If Possible?

Error #2
An Error Occured In ScanMsg at Line: 234
Error number: 6 overflow
Suppress Further Errors If Possible?

Now these two errors come when i get a P25 signal. I see the little green,yellow,red light flashing sometime I get a great decode and comms but most time I am getting these two errors right now and the pop up window.

Also my signal is great (S Unit stays at 9) my 1's move around 47-54 %. if I remember right anything above 50% means I am droping 1's right so decoding will suffer?
Thank you,

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@...m
Sent: Sunday, July 10, 2011 3:09 PM
Subject: Re: [TrunkPCR] Error with new version

Hi Brian,

The "MMResult" Error is related to your Sound Card Settings for either Recording or Decoding. I would take a look and see what the Recording Device and Decoding Device is that you have selected. The Sampling Rate is another thing to check...

For the P25 Audio, there is a Status Indicator in the Main Display that shows what's going on. A Green Ball will be shown if you have a Good Sync, a Yellow Ball indicates the P25 is trying to Sync on to the Signal and a Red Ball should indicate an "End of Call".
This indicator will also Flash when the P25 Card is trying to Sync Up.

Garbled Audio from the P25 Card could be caused from a few things, either not a Strong or Clean Enough Signal, or Not a Pure P25 Site. On a Trunking Site where you have mixed Analog and Astro, the P25 Card doesn't always work that great. The same goes for Stand-Alone P25 Channels. In San Diego, I

have found that there are a bunch of Stand-Alone P25 channels in the 171.0 MHz to 173.0 MHz range and sometimes you can get a good copy and other times you can't...

Regards,
Jay

----- Original Message -----
From: "b_rianv94"

> Good morning Jay,
>
> It's alive...LOL. wWel a little bit (but 2 things.
>
> TrunkPCR ERROR...
> Trunk PCR Error
>
> An error Occured IN MMResult: waveInAddBuffer returns [5] The specified device handle is invalid. at Line 0
>
> Error number: 0-
>
> Suppress Further Errors IF possible?
>
> Also when P25 comes across I hear the radio key up but no comms or when I get comms it's a little grabbled. Any idea? or maybe off frequency?
>
> Analog works just fine.
>
> Brian

1889. Re: [TrunkPCR] Error with new version

Yahoo group: TrunkPCR
Date: 2011-07-11 00:10:08 UTC
From: Jay
Topic: 1886 Message: 1889

Hi Brian,

The "OverFlow" Errors are caused by an unknown problem in the code usually from a loop, but I have yet to find it...

The 1's is just an average of the binary bits seen, 45% to 55% is the norm for a good decode. Anything lower than 40% or higher than 60% could mean interference or noise on the control channel...

Regards,
Jay

----- Original Message -----
From: Brian Veres

Hi Jay,

Correct you are Decoding and recording was the problem for sound card. I am getting better decoding now and audio but when P25 comes in I am getting these errors now. If you could explain them please...

Error #1
An error Occured In MainForm -> PcrComm_P25Locked at line: 3
Error number: 6 - Overflow
Suppress Further Errors If Possible?

Error #2
An Error Occured In ScanMsg at Line: 234
Error number: 6 overflow
Suppress Further Errors If Possible?

Now these two errors come when i get a P25 signal. I see the little green,yellow,red light flashing sometime I get a great decode and comms but most time I am getting these two errors right now and the pop up window.

Also my signal is great (S Unit stays at 9) my 1's move around 47-54 %. if I remember right anything above 50% means I am droping 1's right so decoding will suffer?
Thank you,

Brian

1890. Re: [TrunkPCR] Error with new version

Yahoo group: TrunkPCR
Date: 2011-07-11 21:10:56 UTC
From: Jay
Topic: 1886 Message: 1890

I should also point out that it's not too often that I get the OverFlow Errors. Most times it works great and once in a while it doesn't. When it does happen, I just close the program and re-start it...

Jay

----- Original Message -----

Hi Brian,

The "OverFlow" Errors are caused by an unknown problem in the code usually from a loop, but I have yet to find it...

The 1's is just an average of the binary bits seen, 45% to 55% is the norm for a good decode. Anything lower than 40% or higher than 60% could mean interference or noise on the control channel...

Regards,
Jay

1891. Re: [TrunkPCR] Error with new version

Yahoo group: TrunkPCR
Date: 2011-07-12 23:32:18 UTC
From: Brian Veres
Topic: 1886 Message: 1891

Good Evening Jay,

Well I get P25 coms now but in the main windows of TrunkPCR it will just hang up on that frequency (P25). I see that I am still getting 1's between 48-52% and decoding at 100% but Main window just hangs up doing nothing. Now I will have the Dump window up and I see activity (radios) coming online and Id's showing up but main windows does nothing and I get no coms either analog or digital. Also if you would like I can send you my error log and you wil see overflow happens alot between (TrackID at Line: 138) and (ScanMsg at Line: 234)

Thank you for your time,

Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Monday, July 11, 2011 5:10 PM
Subject: Re: [TrunkPCR] Error with new version

I should also point out that it's not too often that I get the OverFlow Errors. Most times it works great and once in a while it doesn't. When it does happen, I just close the program and re-start it...

Jay

----- Original Message -----
>Hi Brian,
>
>The "OverFlow" Errors are caused by an unknown problem in the code usually from a loop, but I have yet to find it...
>
>The 1's is just an average of the binary bits seen, 45% to 55% is the norm for a good decode. Anything lower than 40% or higher than 60% could mean interference or noise on the control channel...
>
>Regards,
>Jay

1892. Re: [TrunkPCR] Error with new version

Yahoo group: TrunkPCR
Date: 2011-07-13 00:09:41 UTC
From: Jay
Topic: 1886 Message: 1892

Hey Brian,

The Main Window and the Dump Window (Decoder) operate independently from each other. As long as you are getting the OverFlow Errors, commands from the PCR may not be processed since I erase the command buffer in an attempt to remedy a bottleneck on the overflow problem...
You can see this for yourself by activating the Debug Window by clicking the "Bank" Label...

For now, I would suggest setting the "Block Astro Calls" in the Trunk Settings until your pc runs better...

If you are running other programs, you could try closing ones not needed while you are running TrunkPCR...

I've been running TrunkPCR with the Astro Enabled for the last few days since you brought this up on my XP Box and haven't gotten an overflow error yet...

Have you tried increasing the "Program Speed" under the Options Menu?
Thread Priority to "ABOVE NORMAL" and Priority Class to "HIGH"...

Jay
----- Original Message ----
From: Brian Veres

Good Evening Jay,

Well I get P25 coms now but in the main windows of TrunkPCR it will just hang up on that frequency (P25). I see that I am still getting 1's between 48-52% and decoding at 100% but Main window just hangs up doing nothing. Now I will have the Dump window up and I see activity (radios) coming online and Id's showing up but main windows does nothing and I get no coms either analog or digital. Also if you would like I can send you my error log and you wil see overflow happens alot between (TrackID at Line: 138) and (ScanMsg at Line: 234)

Thank you for your time,

Brian

1893. Looking for

Yahoo group: TrunkPCR
Date: 2011-08-06 12:10:04 UTC
From: b_rianv94
Topic: 1893 Message: 1893

Good Morning Men,

I am looking for gNACk for getting the NAC codes Does anyone know where I can find this program or maybe offer me a link to obtain this program? Or does anyone know of any programs that will get the NAC codes?

Thank you,

Brian

1894. Re: [TrunkPCR] Looking for

Yahoo group: TrunkPCR
Date: 2011-08-06 19:30:45 UTC
From: Jay
Topic: 1893 Message: 1894

The program called kNACk is included with the Unitrunker distribution...
http://wiki.radioreference.com/index.php/UniTrunker_(Retro)

Jay

----- Original Message -----
From: "b_rianv94"

> Good Morning Men,
>
> I am looking for gNACk for getting the NAC codes Does anyone know where I
can find this program or maybe offer me a link to obtain this program? Or
does anyone know of any programs that will get the NAC codes?
>
> Thank you,
>
> Brian

1895. Re: [TrunkPCR] Looking for

Yahoo group: TrunkPCR
Date: 2011-08-06 20:50:49 UTC
From: Brian Veres
Topic: 1893 Message: 1895

Thanks Jay
Brian

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Saturday, August 6, 2011 3:30 PM
Subject: Re: [TrunkPCR] Looking for

The program called kNACk is included with the Unitrunker distribution...
http://wiki.radioreference.com/index.php/UniTrunker_(Retro)

Jay

----- Original Message -----
From: "b_rianv94"

> Good Morning Men,
>
> I am looking for gNACk for getting the NAC codes Does anyone know where I can find this program or maybe offer me a link to obtain this program? Or does anyone know of any programs that will get the NAC codes?
>
> Thank you,
>
> Brian

1896. Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-13 15:19:42 UTC
From: b_rianv94
Topic: 1896 Message: 1896

Good morning everyone,

I am wondering if Digital Speech Decoder (DSD) has been ported to windows yet,does anyone know?

Brian

1897. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-18 03:37:50 UTC
From: Jay
Topic: 1896 Message: 1897

I haven't heard of any yet though the grapevine...
You might post the same on RR.com's DSD thread :)

Jay

----- Original Message -----
From: "b_rianv94"

> Good morning everyone,
>
> I am wondering if Digital Speech Decoder (DSD) has been ported to
windows yet,does anyone know?
>
> Brian

1898. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-18 03:46:50 UTC
From: John
Topic: 1896 Message: 1898

Yes, they have a Java program but it is a super memory hog and requires at least a duo core machine and lots of ram

From: Jay
Sent: Wednesday, August 17, 2011 11:37 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

I haven't heard of any yet though the grapevine...
You might post the same on RR.com's DSD thread :)

Jay

----- Original Message -----
From: "b_rianv94"

> Good morning everyone,
>
> I am wondering if Digital Speech Decoder (DSD) has been ported to windows yet,does anyone know?
>
> Brian

1899. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-18 07:20:52 UTC
From: Jay
Topic: 1896 Message: 1899

Only one problem, DMR Decode isn't a full blown conversion of DSD...

----- Original Message -----
From: John

Yes, they have a Java program but it is a super memory hog and requires at least a duo core machine and lots of ram

1900. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-20 21:41:56 UTC
From: Brian Veres
Topic: 1896 Message: 1900

Well I got dsd installed in VMware but a little problem is that it isn't decoding. I do dsd in terminal and it loads but thats it and I know I have sound comiing from ubuntu in VM ware because I hear it when I launch it in VM ware (monkey and drum stuff)lol, even went online in VMware to Youtube watch a few vid's and had sound. I have read all the post at RR but just isn't decoding I have xoscope installed also and I get a wave form on channel 1. SO now I have to figure out why no decode.

Also is dsd only for conventional or simplex and not for Control channel decoding?

Brian

From: John <johnstark@...>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, August 17, 2011 8:46 PM
Subject: Re: [TrunkPCR] Has it happened yet

Yes, they have a Java program but it is a super memory hog and requires at
least a duo core machine and lots of ram

From: Jay
Sent: Wednesday, August 17, 2011 11:37 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

I haven't heard of any yet though the grapevine...
You might post the same
on RR.com's DSD thread :)

Jay

----- Original Message

From: "b_rianv94"

> Good morning everyone,
>
> I
am wondering if Digital Speech Decoder (DSD) has been ported to
windows
yet,does anyone know?
>
> Brian

1901. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-22 22:55:04 UTC
From: Jay
Topic: 1896 Message: 1901

I would suggest you post the problems on rr.com, where you'll get more eyes looking at your question :)

Jay

----- Original Message -----
From: Brian Veres

Well I got dsd installed in VMware but a little problem is that it isn't decoding. I do dsd in terminal and it loads but thats it and I know I have sound comiing from ubuntu in VM ware because I hear it when I launch it in VM ware (monkey and drum stuff)lol, even went online in VMware to Youtube watch a few vid's and had sound. I have read all the post at RR but just isn't decoding I have xoscope installed also and I get a wave form on channel 1. SO now I have to figure out why no decode.

Also is dsd only for conventional or simplex and not for Control channel decoding?

Brian

1902. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-22 23:21:34 UTC
From: John
Topic: 1896 Message: 1902

What version of Unbuntu are you using? You won’t have audio with any version after 10.02 because they switched audio drivers and so forth and the author of DSD never made it to work with the new stuff...

John

From: Brian Veres
Sent: Saturday, August 20, 2011 5:41 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

Well I got dsd installed in VMware but a little problem is that it isn't decoding. I do dsd in terminal and it loads but thats it and I know I have sound comiing from ubuntu in VM ware because I hear it when I launch it in VM ware (monkey and drum stuff)lol, even went online in VMware to Youtube watch a few vid's and had sound. I have read all the post at RR but just isn't decoding I have xoscope installed also and I get a wave form on channel 1. SO now I have to figure out why no decode.

Also is dsd only for conventional or simplex and not for Control channel decoding?

Brian

From: John <johnstark@earthlink.net>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, August 17, 2011 8:46 PM
Subject: Re: [TrunkPCR] Has it happened yet

Yes, they have a Java program but it is a super memory hog and requires at least a duo core machine and lots of ram

From: Jay
Sent: Wednesday, August 17, 2011 11:37 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

I haven't heard of any yet though the grapevine...
You might post the same on RR.com's DSD thread :)

Jay

----- Original Message -----
From: "b_rianv94"

> Good morning everyone,
>
> I am wondering if Digital Speech Decoder (DSD) has been ported to
windows yet,does anyone know?
>

> Brian

1903. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-20 22:22:45 UTC
From: John
Topic: 1896 Message: 1903

I can’t help much, I can’t get it to work at all, my machines that would run it don’t have enough ram and I have now moved them to other things (Unitrunker and Probe) that work without all the hassels

From: Brian Veres
Sent: Saturday, August 20, 2011 5:41 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

Well I got dsd installed in VMware but a little problem is that it isn't decoding. I do dsd in terminal and it loads but thats it and I know I have sound comiing from ubuntu in VM ware because I hear it when I launch it in VM ware (monkey and drum stuff)lol, even went online in VMware to Youtube watch a few vid's and had sound. I have read all the post at RR but just isn't decoding I have xoscope installed also and I get a wave form on channel 1. SO now I have to figure out why no decode.

Also is dsd only for conventional or simplex and not for Control channel decoding?

Brian

From: John <johnstark@earthlink.net>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, August 17, 2011 8:46 PM
Subject: Re: [TrunkPCR] Has it happened yet

Yes, they have a Java program but it is a super memory hog and requires at least a duo core machine and lots of ram

From: Jay
Sent: Wednesday, August 17, 2011 11:37 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

I haven't heard of any yet though the grapevine...
You might post the same on RR.com's DSD thread :)

Jay

----- Original Message -----
From: "b_rianv94"

> Good morning everyone,
>
> I am wondering if Digital Speech Decoder (DSD) has been ported to
windows yet,does anyone know?
>
> Brian

1904. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-23 00:36:38 UTC
From: Brian Veres
Topic: 1896 Message: 1904

Thanks for answering me back John.
Well my machine has more then enough memory and processoring power. Well good luck with Unitrunker I downloaded it where Jay directed me to get it BUT

From: John <johnstark@...>
To: TrunkPCR@yahoogroups.com
Sent: Saturday, August 20, 2011 3:22 PM
Subject: Re: [TrunkPCR] Has it happened yet

I can’t help much, I can’t get it to work at all, my machines that would run it don’t have enough ram and I have now moved them to other things (Unitrunker and Probe) that work without all the hassels

From: Brian Veres
Sent: Saturday, August 20, 2011 5:41 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

Well I got dsd installed in VMware but a little problem is that it isn't decoding. I do dsd in terminal and it loads but thats it and I know I have sound comiing from ubuntu in VM ware because I hear it when I launch it in VM ware (monkey and drum stuff)lol, even went online in VMware to Youtube watch a few vid's and had sound. I have read all the post at RR but just isn't decoding I have xoscope installed also and I get a wave form on channel 1. SO now I have to figure out why no decode.

Also is dsd only for conventional or simplex and not for Control channel decoding?

Brian

From: John
<johnstark@...>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, August 17, 2011 8:46
PM
Subject: Re: [TrunkPCR] Has
it happened yet

Yes, they have a Java program but it is a super memory hog and requires at least a duo core machine and lots of ram

From: Jay
Sent: Wednesday, August 17, 2011 11:37 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

I haven't heard of any yet though the grapevine...
You might post the
same on RR.com's DSD thread :)

Jay

----- Original Message

From: "b_rianv94"

> Good morning everyone,
>
> I
am wondering if Digital Speech Decoder (DSD) has been ported to
windows
yet,does anyone know?
>
>
Brian

1905. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-23 00:53:04 UTC
From: Brian Veres
Topic: 1896 Message: 1905

Now I get mixed signals at RR about that, some say it works on 10.4 others say no it doesn't.The wiki page list 10.4 as working under some users I am running ubuntu v10.4 in VMware an while I did get dsd installed it just doesn't run. I do have other flavors of ubuntu like 8.04.4_LTS and 9.04_LTS,which I might have to look into.
 Processing power,memory and sound cards are not the issue with this machine and this machine ONLY does radio/signal work. No bloging,surfing,downloading anything(music or video). So you might be right in saying ubuntu 10.02 or later dsd will not work.

You know John I run xoscope in ubuntu and I get a wave form from the sound card and tonight dsd was giving me errors mostly speed errors and limits.

Brian

From: John <johnstark@...>
To: TrunkPCR@yahoogroups.com
Sent: Monday, August 22, 2011 4:21 PM
Subject: Re: [TrunkPCR] Has it happened yet

What version of Unbuntu are you using? You won’t have audio with any version after 10.02 because they switched audio drivers and so forth and the author of DSD never made it to work with the new stuff...

John

From: Brian Veres
Sent: Saturday, August 20, 2011 5:41 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

Well I got dsd installed in VMware but a little problem is that it isn't decoding. I do dsd in terminal and it loads but thats it and I know I have sound comiing from ubuntu in VM ware because I hear it when I launch it in VM ware (monkey and drum stuff)lol, even went online in VMware to Youtube watch a few vid's and had sound. I have read all the post at RR but just isn't decoding I have xoscope installed also and I get a wave form on channel 1. SO now I have to figure out why no decode.

Also is dsd only for conventional or simplex and not for Control channel decoding?

Brian

From: John <johnstark@...>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, August 17, 2011 8:46 PM

Subject: Re: [TrunkPCR] Has
it happened yet

Yes, they have a Java program but it is a super memory hog and requires at
least a duo core machine and lots of ram

From: Jay
Sent: Wednesday, August 17, 2011 11:37 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

I haven't heard of any yet though the grapevine...
You might post the
same on RR.com's DSD thread :)

Jay

----- Original Message

From: "b_rianv94"

> Good morning everyone,
>
> I
am wondering if Digital Speech Decoder (DSD) has been ported to
windows
yet,does anyone know?
>
>
Brian

1906. Re: [TrunkPCR] Has it happened yet

Yahoo group: TrunkPCR
Date: 2011-08-23 03:33:59 UTC
From: John
Topic: 1896 Message: 1906
Attachments: 1 described; binary payloads are missing from this source WARC

10.02 works, above that won't. Alsa or whatever they call it was removed after 10.02 and the new Pulse or whatever sound is the issue which is why you get no sound.
Unitrunker is great! I have run it 24/7 for years now, every computer I have has it on them and I use it when traveling too. I have yet to find a Widos machine it doesn't work on and no headaches like you get with Unbuntu and DSD, unfortunately it doesn't do the systems DSD does but what it does do it does VERY well! I use it on EDACS, Motorola and P25 systems. Lately though I have been running the new HomePatrol Extreme upgrade and loving the Discovery and LCN functions. I have found that of 5 LTR systems I have here the RR Database is wrong on 4 of them LCN wise and on an EDACS system one has the first two LCN's backwards and another was missing a bunch of site frequencies and LCN's are off on all of the sites I could check! That HP kicks butt with the new functions!

John

From: Brian Veres
Sent: Monday, August 22, 2011 8:53 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

Now I get mixed signals at RR about that, some say it works on 10.4 others say no it doesn't.The wiki page list 10.4 as working under some users I am running ubuntu v10.4 in VMware an while I did get dsd installed it just doesn't run. I do have other flavors of ubuntu like 8.04.4_LTS and 9.04_LTS,which I might have to look into.
Processing power,memory and sound cards are not the issue with this machine and this machine ONLY does radio/signal work. No bloging,surfing,downloading anything(music or video). So you might be right in saying ubuntu 10.02 or later dsd will not work.

You know John I run xoscope in ubuntu and I get a wave form from the sound card and tonight dsd was giving me errors mostly speed errors and limits.

Brian

From: John <johnstark@...>
To: TrunkPCR@yahoogroups.com
Sent: Monday, August 22, 2011 4:21 PM
Subject: Re: [TrunkPCR] Has it happened yet

What version of Unbuntu are you using? You won't have audio with any version after 10.02 because they switched audio drivers and so forth and the author of DSD never made it to work with the new stuff...

John

From: Brian Veres
Sent: Saturday, August 20, 2011 5:41 PM
To: TrunkPCR@yahoogroups.com

Subject: Re: [TrunkPCR] Has it happened yet

Well I got dsd installed in VMware but a little problem is that it isn't decoding. I do dsd in terminal and it loads but thats it and I know I have sound comiing from ubuntu in VM ware because I hear it when I launch it in VM ware (monkey and drum stuff)lol, even went online in VMware to Youtube watch a few vid's and had sound. I have read all the post at RR but just isn't decoding I have xoscope installed also and I get a wave form on channel 1. SO now I have to figure out why no decode.

Also is dsd only for conventional or simplex and not for Control channel decoding?

Brian

From: John <johnstark@earthlink.net>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, August 17, 2011 8:46 PM
Subject: Re: [TrunkPCR] Has it happened yet

Yes, they have a Java program but it is a super memory hog and requires at least a duo core machine and lots of ram

From: Jay
Sent: Wednesday, August 17, 2011 11:37 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Has it happened yet

I haven't heard of any yet though the grapevine...
You might post the same on RR.com's DSD thread :)

Jay

----- Original Message -----
From: "b_rianv94"

> Good morning everyone,
>
> I am wondering if Digital Speech Decoder (DSD) has been ported to
windows yet,does anyone know?
>
> Brian

1907. what version of Unitrunker?

Yahoo group: TrunkPCR
Date: 2011-08-24 09:10:53 UTC
From: Brian Veres
Topic: 1907 Message: 1907

John what version of unitrunker do you run? The version I have for some reason doesn't support my R2500 because I don't see it on the list of supported receivers.

Brian

1908. Re: [TrunkPCR] what version of Unitrunker?

Yahoo group: TrunkPCR
Date: 2011-08-24 17:58:24 UTC
From: John
Topic: 1907 Message: 1908

I have several versions, but only use a PCR100 with Untrunker and I just make up a receiver name for it as it’s unsupported. Since all your doing is running the tap that’s all you need.
Set it up so the receiver is whatever you want
Signal
41400 or 4800 whichever works best for you
and 16 bits
Use the scope in Unitrunker to verify the signal is there and then hit Run

John

From: Brian Veres
Sent: Wednesday, August 24, 2011 5:10 AM
To: trunkpcr@yahoogroups.com
Subject: [TrunkPCR] what version of Unitrunker?

John what version of unitrunker do you run? The version I have for some reason doesn't support my R2500 because I don't see it on the list of supported receivers.

Brian

1909. Re: [TrunkPCR] what version of Unitrunker?

Yahoo group: TrunkPCR
Date: 2011-08-25 00:17:02 UTC
From: Brian Veres
Topic: 1907 Message: 1909

Thanks John for the info. Unitrunker trunk tracks,right?

brian

From: John <johnstark@...>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, August 24, 2011 10:58 AM
Subject: Re: [TrunkPCR] what version of Unitrunker?

I have several versions, but only use a PCR100 with Untrunker and I just
make up a receiver name for it as it’s unsupported. Since all your doing is
running the tap that’s all you need.
Set it up so the receiver is whatever you want
Signal
41400 or 4800 whichever works best for you
and 16 bits
Use the scope in Unitrunker to verify the signal is there and then hit
Run

John

From: Brian Veres
Sent: Wednesday, August 24, 2011 5:10 AM
To: trunkpcr@yahoogroups.com
Subject: [TrunkPCR] what version of Unitrunker?

John what version of unitrunker do you run? The version I have for some
reason doesn't support my R2500 because I don't see it on the list of supported
receivers.

Brian

1910. Re: [TrunkPCR] what version of Unitrunker?

Yahoo group: TrunkPCR
Date: 2011-08-25 01:32:14 UTC
From: John
Topic: 1907 Message: 1910

Actually you need two radios to do that, one signal and one voice. There are a couple that do both but I forget which ones.

John

From: Brian Veres
Sent: Wednesday, August 24, 2011 8:17 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] what version of Unitrunker?

Thanks John for the info. Unitrunker trunk tracks,right?

brian

From: John <johnstark@earthlink.net>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, August 24, 2011 10:58 AM
Subject: Re: [TrunkPCR] what version of Unitrunker?

I have several versions, but only use a PCR100 with Untrunker and I just make up a receiver name for it as it’s unsupported. Since all your doing is running the tap that’s all you need.
Set it up so the receiver is whatever you want
Signal
41400 or 4800 whichever works best for you
and 16 bits
Use the scope in Unitrunker to verify the signal is there and then hit Run

John

From: Brian Veres
Sent: Wednesday, August 24, 2011 5:10 AM
To: trunkpcr@yahoogroups.com
Subject: [TrunkPCR] what version of Unitrunker?

John what version of unitrunker do you run? The version I have for some reason doesn't support my R2500 because I don't see it on the list of supported receivers.

Brian

1911. Com Ports

Yahoo group: TrunkPCR
Date: 2011-10-17 19:45:38 UTC
From: dcholmessr
Topic: 1911 Message: 1911

Hi Jay

I run Trunk PCR under Debian wine used to work fine but now when select com ports comes up it goes from 1 to 4 then skips to 10 mine used to work on 6 . its been a while since i've used it last and a few updates.
when i just stopped playing with it.Running the newest one now or at least attempting to.

DAve

1912. D-STAR/P25 help...

Yahoo group: TrunkPCR
Date: 2011-10-22 22:59:01 UTC
From: b_rianv94
Topic: 1912 Message: 1912

Good evening Jay,

Since I installed my UT-118 (D-STAR) card in my R2500 yesterday TrunkPCR is giving me errors for P25.
--Error Occured: 10/22/2011-18:46 --
Mainform -> PcrComm_P25Locked at Line:3, Error: 6-> Overflow

I recieve no more P25 comms since installing the D-STAR card. Before the D-STAR card install everything was fine.
Is there any relation between the two? or Do you have any ideas what went/is wrong?

Thank you,
Brian

1913. Re: [TrunkPCR] D-STAR/P25 help...

Yahoo group: TrunkPCR
Date: 2011-10-22 23:34:34 UTC
From: Jay
Topic: 1912 Message: 1913

Looks like your current PC still doesn't like TrunkPCR :)

The UT-118 doesn't affect trunking in anyway...

Again, as I have said to you many times before, when you get the overflow error, the buffer is emptied and the comms sometimes die. There is no way for it to self recover if it does die, if this happens, you just have to restart the program...

My 2500 has been running fine the last few months on my XP system...

Regards,
Jay

P.S. When you get an overflow error again, please re-read these emails :)
:) :)

----- Original Message -----
From: "b_rianv94"

> Good evening Jay,
>
> Since I installed my UT-118 (D-STAR) card in my R2500 yesterday TrunkPCR is giving me errors for P25.
> --Error Occured: 10/22/2011-18:46 --
> Mainform -> PcrComm_P25Locked at Line:3, Error: 6-> Overflow
>
> I recieve no more P25 comms since installing the D-STAR card. Before the D-STAR card install everything was fine.
> Is there any relation between the two? or Do you have any ideas what went/is wrong?
>
> Thank you,
> Brian

1914. RE: [TrunkPCR] D-STAR/P25 help...

Yahoo group: TrunkPCR
Date: 2011-10-23 00:02:47 UTC
From: Jack Goetz
Topic: 1912 Message: 1914

Any thought in making an app for ipad 2?

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Saturday, October 22, 2011 4:35 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] D-STAR/P25 help...

Looks like your current PC still doesn't like TrunkPCR :)

The UT-118 doesn't affect trunking in anyway...

Again, as I have said to you many times before, when you get the overflow error, the buffer is emptied and the comms sometimes die. There is no way for it to self recover if it does die, if this happens, you just have to restart the program...

My 2500 has been running fine the last few months on my XP system...

Regards,
Jay

P.S. When you get an overflow error again, please re-read these emails :) :) :)

----- Original Message -----
From: "b_rianv94"

> Good evening Jay,
>
> Since I installed my UT-118 (D-STAR) card in my R2500 yesterday TrunkPCR is giving me errors for P25.
> --Error Occured: 10/22/2011-18:46 --
> Mainform -> PcrComm_P25Locked at Line:3, Error: 6-> Overflow
>
> I recieve no more P25 comms since installing the D-STAR card. Before the D-STAR card install everything was fine.
> Is there any relation between the two? or Do you have any ideas what went/is wrong?
>
> Thank you,
> Brian

1915. Re: [TrunkPCR] iPad version? was: D-STAR/P25 help...

Yahoo group: TrunkPCR
Date: 2011-10-23 01:01:30 UTC
From: Jay
Topic: 1915 Message: 1915

I've gotten as far as downloading the emulator for an Android OS, but nothing yet on the iPad...
Don't even own an iPad or Android device yet :\

Jay
----- Original Message -----
From: Jack Goetz

Any thought in making an app for ipad 2?

1916. Re: [TrunkPCR] D-STAR/P25 help...

Yahoo group: TrunkPCR
Date: 2011-10-26 00:14:22 UTC
From: Brian Veres
Topic: 1912 Message: 1916

Jay,
  Issue has been resolved,have digital back!!

_____
From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Saturday, October 22, 2011 4:34 PM
Subject: Re: [TrunkPCR] D-STAR/P25 help...

Looks like your current PC still doesn't like TrunkPCR :)

The UT-118 doesn't affect trunking in anyway...

Again, as I have said to you many times before, when you get the overflow error, the buffer is emptied and the comms sometimes die. There is no way for it to self recover if it does die, if this happens, you just have to restart the program...

My 2500 has been running fine the last few months on my XP system...

Regards,
Jay

P.S. When you get an overflow error again, please re-read these emails :)
:) :)

----- Original Message -----
From: "b_rianv94"

> Good evening Jay,
>
> Since I installed my UT-118 (D-STAR) card in my R2500 yesterday TrunkPCR is giving me errors for P25.
> --Error Occured: 10/22/2011-18:46 --
> Mainform -> PcrComm_P25Locked at Line:3, Error: 6-> Overflow
>
> I recieve no more P25 comms since installing the D-STAR card. Before the D-STAR card install everything was fine.
> Is there any relation between the two? or Do you have any ideas what went/is wrong?
>
> Thank you,
> Brian

1917. Re: [TrunkPCR] D-STAR/P25 help...

Yahoo group: TrunkPCR
Date: 2011-10-26 04:05:39 UTC
From: Eric Haddix
Topic: 1912 Message: 1917

On 10/25/2011 08:14 PM, Brian Veres wrote:
> Jay,
> Issue has been resolved,have digital back!!

Just for future reference, what was the solution? I like to know these kinds of things from time to time, especially since I may be taking a similar upgrade path as yourself.

1918. Re: [TrunkPCR] D-STAR/P25 help...

Yahoo group: TrunkPCR
Date: 2011-10-26 10:40:26 UTC
From: b_rianv94@yahoo.com
Topic: 1912 Message: 1918

Normally I do not install any software on my radio computer but I did a update to my sound cards (sound blaster) on my system. My radio computer has 2 sound cards installed, which wasn't easy on this XP system,at best, it is tricky to do but it gives you A LOT if processing power if you understand..ect
Jay said a key word to me and that word was "buffers" and upon looking deeper into this problem not only did TrunkPCR not decode any digital any more but some of my other software didn't either. Believe me I looked into everything,from regcleaning (HKCU),services.msc,msconfig,event log,autoruns (DLL). For some reason the the new updates for the sound cards didn't work not only for my radio software but also my XP system. The system now only saw 1 sound card instead of 2. While some software had audio, others didn't.This was a major problem! Long story short I completely uninstalled ALL audio/sound cards cleaned the system completely, reinstalled original drivers that came with sound cards and audio packages that were on the cds. Once I did this everything came back.

Lesson learned, sometime updates are not a good thing!
Doesn't look like I will be upgrading Ubuntu 10.4 to 11...LOL

Brian

Sent from my Verizon Wireless 4GLTE Phone

-----Original message-----
From: Eric Haddix <eric@...>
To: TrunkPCR@yahoogroups.com
Sent: Wed, Oct 26, 2011 04:20:39 GMT+00:00
Subject: Re: [TrunkPCR] D-STAR/P25 help...

On 10/25/2011 08:14 PM, Brian Veres wrote:
> Jay,
> Issue has been resolved,have digital back!!

Just for future reference, what was the solution? I like to know these kinds of things from time to time, especially since I may be taking a similar upgrade path as yourself.

1919. Re: [TrunkPCR] Com Ports

Yahoo group: TrunkPCR
Date: 2011-10-18 01:58:21 UTC
From: Jay
Topic: 1911 Message: 1919

Hi Dave,

The COM Port selector shows the available COM Ports that are reported by the OS...
If your COM Port number assignment changed, you can try selecting COM10 or COM1 to COM4 to see what Port# changed...

Regards,
Jay

----- Original Message -----
From: "dcholmessr"

> Hi Jay
>
> I run Trunk PCR under Debian wine used to work fine but now when select com ports comes up it goes from 1 to 4 then skips to 10 mine used to work on 6 . its been a while since i've used it last and a few updates.
> when i just stopped playing with it.Running the newest one now or at least attempting to.
>
> DAve

1920. Website will be changing locations

Yahoo group: TrunkPCR
Date: 2011-11-01 21:55:36 UTC
From: Jay
Topic: 1920 Message: 1920

Hi All,

I received an email today from my ISP, they will be dropping their Free Web Hosting services, so it looks like I'll have to find a new home for my site...

They will be dropping it on December 6, 2011...
So after then, the www.members.cox.com links will be no good.

I'll let you all know where the new site is as soon as I can find a new home :)

Regards,
Jay

1921. Re: [TrunkPCR] Website will be changing locations

Yahoo group: TrunkPCR
Date: 2011-11-17 21:40:46 UTC
From: Jay
Topic: 1920 Message: 1921

The homepage for TrunkPCR has now moved to it's new home, you can now see it here:
"http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcr.html"

The pages on members.cox.net will be gone on December 6th, so please update your bookmarks now :)

Best Regards,
Jay

1922. Re: [TrunkPCR] Website will be changing locations

Yahoo group: TrunkPCR
Date: 2011-11-17 21:53:48 UTC
From: Eric Meth - ve3ei
Topic: 1920 Message: 1922

Looks good Jay. I would never know it has been moved to a new site.
TrunkPCR Rocks!!!
Eric Meth - ve3ei

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Thursday, November 17, 2011 4:40 PM
Subject: Re: [TrunkPCR] Website will be changing locations

The homepage for TrunkPCR has now moved to it's new home, you can now see it here:
"http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcr.html"

The pages on members.cox.net will be gone on December 6th, so please update your bookmarks now :)

Best Regards,
Jay

1923. Re: [TrunkPCR] Website will be changing locations

Yahoo group: TrunkPCR
Date: 2011-11-17 22:06:41 UTC
From: Jay
Topic: 1920 Message: 1923

And I couldn't have done it without the support and aid from you kind Sir :)

Thank you again for all of your help on getting all of this stuff transferred...
Jay

----- Original Message -----
From: Eric Meth - ve3ei

Looks good Jay. I would never know it has been moved to a new site.
TrunkPCR Rocks!!!
Eric Meth - ve3ei

1924. Re: [TrunkPCR] Website will be changing locations

Yahoo group: TrunkPCR
Date: 2011-11-17 22:40:35 UTC
From: Eric Haddix
Topic: 1920 Message: 1924

Van Halen fan? :)

On 11/17/2011 04:40 PM, Jay wrote:
> The homepage for TrunkPCR has now moved to it's new home, you can now see it
> here:
> "http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcr.html"
>
> The pages on members.cox.net will be gone on December 6th, so please update
> your bookmarks now :)
>
> Best Regards,
> Jay
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

1925. Re: [TrunkPCR] Website will be changing locations

Yahoo group: TrunkPCR
Date: 2011-11-17 22:53:03 UTC
From: Jay
Topic: 1920 Message: 1925

LOL, I do like Van Halen, but that's not the reference, think of the police code :)

Jay

----- Original Message -----
From: "Eric Haddix"

> Van Halen fan? :)

1926. Re: [TrunkPCR] Website will be changing locations

Yahoo group: TrunkPCR
Date: 2011-11-17 22:51:32 UTC
From: Eric Meth - ve3ei
Topic: 1920 Message: 1926

No problem, my pleasure Jay. I believe it is great add-on for Icom radios and is definitely worthwhile.
Just for your information. Icom America now owns and operates Icom Canada so I guess I new work for Icom America as well!
Anytime you want to have input into Icom for suggestions as add-ons I can pass that along!
Eric Meth - ve3ei and
Icom Canada, Technical Support

My company, IES Communications (Hosting Company) works for Icom as a Contractor

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Thursday, November 17, 2011 5:06 PM
Subject: Re: [TrunkPCR] Website will be changing locations

And I couldn't have done it without the support and aid from you kind Sir :)

Thank you again for all of your help on getting all of this stuff transferred...
Jay

----- Original Message -----
From: Eric Meth - ve3ei
Looks good Jay. I would never know it has been moved to a new site.
TrunkPCR Rocks!!!
Eric Meth - ve3ei

1927. Re: [TrunkPCR] Website will be changing locations

Yahoo group: TrunkPCR
Date: 2011-11-17 23:48:29 UTC
From: Eric Haddix
Topic: 1920 Message: 1927

We don't have that code here so I'd have never thought of it..:)

On 11/17/2011 05:53 PM, Jay wrote:
> LOL, I do like Van Halen, but that's not the reference, think of the police
> code :)
>
> Jay
>
>
> ----- Original Message -----
> From: "Eric Haddix"
>
>
>> Van Halen fan? :)
>
>
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>

1928. Anyone able to use TrunkPCR with Wine and a USB<->serial adapter?

Yahoo group: TrunkPCR
Date: 2011-11-18 20:58:54 UTC
From: Eric Haddix
Topic: 1928 Message: 1928

I've been trying to setup TrunkPCR to work with Wine through my USB<->serial adapter but something causes it to tell TrunkPCR that it's either busy, or not responding depending on how I set the permissions of ttyUSB0.

cat /dev/ttyUSB0 will show me the expected output but something isn't quite right for TrunkPCR.

Any ideas?

Thanks

Eric

1929. Manual

Yahoo group: TrunkPCR
Date: 2011-11-25 04:53:16 UTC
From: dcholmessr
Topic: 1929 Message: 1929

Jay

Is there a manual or pamphlet from Icom that gives the program commands?
I know awhile back I had a booklet on CIV commands and I bet that is way Dated.

Dave Holmes

1930. Re: [TrunkPCR] Manual

Yahoo group: TrunkPCR
Date: 2011-11-25 06:04:03 UTC
From: Jay
Topic: 1929 Message: 1930

Hi Dave,

Not from Icom, but there is a PDF document by Coyote out on the web somewhere, just got to google for ["PCR-1000 commands" coyote], minus the brackets and that should get you started.

The PCR-1000 spits out an extra character on the responses, but the PCR-100 PCR-1500 and PCR-2500 don't... Also, the PCR's do not use the CI-V protocol, they can use a text or binary format...

Regards,
Jay

----- Original Message -----
From: "dcholmessr"
>

> Jay
>
> Is there a manual or pamphlet from Icom that gives the program commands?
> I know awhile back I had a booklet on CIV commands and I bet that is way
Dated.
>
> Dave Holmes

1931. Re: Manual

Yahoo group: TrunkPCR
Date: 2011-11-26 03:51:47 UTC
From: dcholmessr
Topic: 1929 Message: 1931

Hi Jay

Thank YOU. FOUND IT on internet. I think I mentioned before I use Linux, this makes it fun to play with .

TrunkPCR works Great under Sun sand box with XP.

opened terminal typed in lsusb found cable.
opened comm terminal set it for ttyUSB1 (38400)
and tried the commands got it to turn on and even got it set to a AM station with audio ,like I said before just fun stuff, need to find how to turn on other radio section and will have it rolling.Its Fun to get brain thinking again .

Thank you again

Dave
--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Hi Dave,
>
> Not from Icom, but there is a PDF document by Coyote out on the web
> somewhere, just got to google for ["PCR-1000 commands" coyote], minus the
> brackets and that should get you started.
>
> The PCR-1000 spits out an extra character on the responses, but the PCR-100
> PCR-1500 and PCR-2500 don't... Also, the PCR's do not use the CI-V
> protocol, they can use a text or binary format...
>
> Regards,
> Jay
>
>
> ----- Original Message -----
> From: "dcholmessr"
> >
>
> > Jay
> >
> > Is there a manual or pamphlet from Icom that gives the program commands?
> > I know awhile back I had a booklet on CIV commands and I bet that is way
> Dated.
> >
> > Dave Holmes
>

1932. trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-14 11:45:56 UTC
From: mohmmed
Topic: 1932 Message: 1932

hi all ...
i have question > can trunkpcr decode digital voice ?? i meant doing trunk tracking and decoding digital voice !?
or only trunk tracking analog voice ?

i am using pcr-100 with discriminator output ...
i could decode data channel on 412 mhz and the program lead me to talk-groups with 800 mhz frequency but all i hear is static signal shhhhhhhhhh no voice at all ...

is there any harm to the radio with using discriminator output ???

sorry for my bad English ...
and great program ofcours

1933. Re: [TrunkPCR] trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-14 12:11:27 UTC
From: Jay
Topic: 1932 Message: 1933

Hi Mohmmed,

TrunkPCR can track analog and mixed analog/astro Moto & Edacs systems, but can not decode P25 digital voice calls by itself...

If the program sends your PCR-100 to 800mhz to follow a voice call, then it sounds like you don't have the system configured properly?
In the Trunk Settings, make sure you have [Custom] or [Extended] selected (depending on the site you are monitoring). Then you would need to Edit the Freq Plan after closing that...

Is the site you are trying to monitor listed on RadioReference.com? If so, what is the Site ID# ???

Jay

----- Original Message -----
From: "mohmmed"

> hi all ...
> i have question > can trunkpcr decode digital voice ?? i meant doing trunk tracking and decoding digital voice !?
> or only trunk tracking analog voice ?
>
> i am using pcr-100 with discriminator output ...
> i could decode data channel on 412 mhz and the program lead me to talk-groups with 800 mhz frequency but all i hear is static signal shhhhhhhhhh no voice at all ...
>
> is there any harm to the radio with using discriminator output ???
>
> sorry for my bad English ...
> and great program ofcours

1934. Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-14 15:44:32 UTC
From: mohmmed
Topic: 1932 Message: 1934

hi mr jay .. thank you for your reply

((((make sure you have [Custom] or [Extended] selected
(depending on the site you are monitoring). Then you would need to Edit the
Freq Plan after closing that...))))

i am not from us and the database in radioreffernce doesn't have any thing about my country and i am from egypt ....

i think public safety in my country using Motorola system since all the equipment they have related to Motorola ...

when i use {custom} or {extended} ???
how to edit freq plan ??? should i know some data about the system before doing that ???
and how to get this data !?

sorry if i look studied in mu question :)

1935. Re: [TrunkPCR] Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-15 07:18:55 UTC
From: Jay
Topic: 1932 Message: 1935

Hi Mohmmed,

To figure out the Freq Plan for this 400mhz system, you'll have to follow these steps:
1.) In the Trunk Settings, set it to MOTO, "Extended" and System Type II.
2.) Set the Channel to the Active Control Channel.
3.) Click the [Trunk] Button, then [Manual]. Check the Polarity until you get a good Recovery Rate.
4.) Click the [Control] Button to Display the Channel Activity.
5.) Wait awhile untill you have a few channels in the Display.
6.) Write down the numbers in the the LCN Column and the Frequency Column for each channel. You should have an entry like "0xNNNN" in the Freq Column, where the NNNN is a hexadecimal number...

If you click the File Menu->Save Bank, this data will also be saved in the Bank's ".Bnk" file under the [FreqPlan] Section...

After you have most of the channels info, send this list of LCN's and 0xNNNN Numbers to this yahoo group.
When this is completed, we can show you how to convert the 0xNNNN number to an actual Frequency then set up your Freq Plan properly :-)

Jay

----- Original Message -----
From: "mohmmed"

> hi mr jay .. thank you for your reply
>
> ((((make sure you have [Custom] or [Extended] selected
> (depending on the site you are monitoring). Then you would need to Edit the
> Freq Plan after closing that...))))
>
> i am not from us and the database in radioreffernce doesn't have any thing about my country and i am from egypt ....
>
> i think public safety in my country using Motorola system since all the equipment they have related to Motorola ...
>
> when i use {custom} or {extended} ???
> how to edit freq plan ??? should i know some data about the system before doing that ???
> and how to get this data !?
>
> sorry if i look studied in mu question :)

```
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
```

1936. Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-16 14:59:48 UTC
From: mohmmed
Topic: 1932 Message: 1936

thank you sir for your help :)

i have done all this steps and got this :-

lcn frequency
399 0x18f
407 0x197
409 0x199
417 0x1a1

some time this things flash with blue and have other information on the other columns ....
under the type column their are (ll) i think it refer to type 2 Motorola system ...

right now there are nothing happen only searching and in the trunk info
the number of groups and radio increasing
right now :-

groups 11
radios 17

i have another stupid question sir >>>
is the voice of communication will be heard on the computer or the internal pcr-100 speaker
or (external output)of the radio ???
hope you understand what i mean ....
thank you for your time sir ....

1937. Re: [TrunkPCR] Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-17 08:14:48 UTC
From: Jay
Topic: 1932 Message: 1937

Okay, now which of those is the control channel and what is the actual frequency of the control channel ???

The voice channel can be heard in all of those situations depending what is connected to the speaker out of the PCR:
1) Nothing connected will let you hear directly from the Internal PCR Speaker.
2) Speaker Out connected to External Speaker.
3) Speaker Out connected to Line-In of your Sound Card.

As stated before, TrunkPCR does Not decode the Voice Data from P25/Digital Comms...

Jay

----- Original Message -----
From: "mohmmed"

> thank you sir for your help :)
>
> i have done all this steps and got this :-
>
> lcn frequency
> 399 0x18f
> 407 0x197
> 409 0x199
> 417 0x1a1
>
> some time this things flash with blue and have other information on the other columns .... under the type column their are (ll) i think it refer to type 2 Motorola system ...
>
> right now there are nothing happen only searching and in the trunk info
> the number of groups and radio increasing
> right now :-
>
> groups 11
> radios 17
>
> i have another stupid question sir >>>
> is the voice of communication will be heard on the computer or the internal pcr-100 speaker or (external output)of the radio ???
> hope you understand what i mean ....
> thank you for your time sir ....

1938. Re: [TrunkPCR] Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-17 08:17:35 UTC
From: Jay
Topic: 1932 Message: 1938

```
----- Original Message -----
From: "Jay"

# 3) Should be: Speaker Out connected to Line-In of Secondary Sound Card.
```

1939. Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-17 11:25:29 UTC
From: mohmmed
Topic: 1932 Message: 1939

thank you for your follow up ...

the data channel frequency is 412.038.50 MHz nfm with 12.5 TS ...

in the control i got this :-

lcn frequency
399 0x18f
407 0x197
409 0x199
417 0x1a1

are yo need another information ???

today the recovery rate of this data channel is about 50 % to 75%
yesterday it was 100 % !!!!!

1940. Re: [TrunkPCR] Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-17 12:24:20 UTC
From: Jay
Topic: 1932 Message: 1940

Yep, under the "Info" column, there should be an entry like "Non Net". This is the Control Channel entry. Which LCN has that entry (399, 407, 409 or 417) ?

----- Original Message -----
From: "mohmmed"

> thank you for your follow up ...
>
> the data channel frequency is 412.038.50 MHz nfm with 12.5 TS ...
>
> in the control i got this :-
>
> lcn frequency
> 399 0x18f
> 407 0x197
> 409 0x199
> 417 0x1a1
>
> are yo need another information ???
>
> today the recovery rate of this data channel is about 50 % to 75%
> yesterday it was 100 % !!!!!

1941. Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-17 13:12:21 UTC
From: mohmmed
Topic: 1932 Message: 1941

```
the only thing in the info column is this :-

lcn frequency info
407 0x197 sz ident

and other lcn doesn't appear any information in info column

and the recovery rate turn to be channel hits and its about 40 % to 70 %

what is the meaning of channel hits ??
```

1942. Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-17 14:15:07 UTC
From: mohmmed
Topic: 1932 Message: 1942

```
sorry for bothering you about recovery rate ...
i figure it is problem with the antenna and i fixed it ...
now i have 100 % recovery rate ....
thank you and i am waiting your reply about bandplan ....
```

1943. Convert TrunkPCR banks to .MCH files

Yahoo group: TrunkPCR
Date: 2011-12-19 09:42:35 UTC
From: Ken Long
Topic: 1943 Message: 1943

I know this may seem like an odd question, but is there a way to load TrunkPCR banks into the standard Icom software for the PCR2500?

1944. Re: [TrunkPCR] Convert TrunkPCR banks to .MCH files

Yahoo group: TrunkPCR
Date: 2011-12-19 10:06:44 UTC
From: Jay
Topic: 1943 Message: 1944

Hi Ken,

Sorry, there isn't any working export function at the moment. The *UnFinished* Clone feature does allow you to upload the channels to the 2500's internal memory, then you would be able to use IComs' program and copy the internal memory into that program...
But, as to when I can finish it, is up in the air at the moment.

Jay

----- Original Message -----
From: Ken Long

I know this may seem like an odd question, but is there a way to load TrunkPCR banks into the standard Icom software for the PCR2500?

1945. Re: [TrunkPCR] Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2011-12-21 11:51:20 UTC
From: Jay
Topic: 1932 Message: 1945

Hmmm, this site has a different layout from the norm. can you check the following frequencies for voice activity:

```
LCN - Possible/Known Frequency
---------------------------------------
399 = 411.9385 or 411.8385
407 = 412.0385 (Known)
409 = 412.0635 or 412.0885
417 = 412.1635 or 412.2885
```

If those don't have any voice activity, you will need to scan from 411.000 mhz to 413.000 mhz and see if you can match those other 3 channels.
In the mean time, I'll add a Freq Plan Calculator to the program to help figure out new sites...

Thanks,
Jay

----- Original Message -----
From: "mohmmed"

> the only thing in the info column is this :-
>
> lcn frequency info
> 407 0x197 sz ident
>
> and other lcn doesn't appear any information in info column
>
> and the recovery rate turn to be channel hits and its about 40 % to 70 %
>
> what is the meaning of channel hits ??

1946. Unknown Signle

Yahoo group: TrunkPCR
Date: 2011-12-21 22:07:37 UTC
From: b_rianv94
Topic: 1946 Message: 1946

Good evening Jay,

I got a ...*Unknown Single-OSW* ED01 I 034F..last night running TrunkPCR... what is this?

bRIAN

1947. Re: [TrunkPCR] Unknown Signle

Yahoo group: TrunkPCR
Date: 2011-12-22 23:53:25 UTC
From: Jay
Topic: 1946 Message: 1947

Hi Brian,

It's *UnKnown* :-)

Do you have a RadioID of ED01 (60673) in your list? The "I" is a flag for an Individual Radio, but I haven't a code of 034F before. It may be a bad code cause by noise or interference in the data stream...
I'd have to see a log to see if that's repeated or what codes are before or after it in the data steam to make any real sense of what it could be...

Regards,
Jay

----- Original Message -----
From: "b_rianv94"

> Good evening Jay,
>
> I got a ...*Unknown Single-OSW* ED01 I 034F..last night running TrunkPCR... what is this?
>
> bRIAN

1948. Merry Christmas

Yahoo group: TrunkPCR
Date: 2011-12-24 23:43:40 UTC
From: Jay
Topic: 1948 Message: 1948

I wish you and yours a Very Merry Christmas and a Better New Year :-))

Best Regards,
Jay

1949. Re: [TrunkPCR] Merry Christmas

Yahoo group: TrunkPCR
Date: 2011-12-25 00:28:26 UTC
From: Eric Meth - ve3ei
Topic: 1948 Message: 1949

Seasons Greetings to you Jay. You da man!
Eric - ve3ei

----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, December 24, 2011 6:43 PM
Subject: [TrunkPCR] Merry Christmas

I wish you and yours a Very Merry Christmas and a Better New Year :-))

Best Regards,
Jay

1950. DSD For Windows

Yahoo group: TrunkPCR
Date: 2012-01-01 05:34:44 UTC
From: Jay
Topic: 1950 Message: 1950

Has anyone tried this yet?

Jay

1951. Re: [TrunkPCR] DSD For Windows

Yahoo group: TrunkPCR
Date: 2012-01-01 07:24:11 UTC
From: John Longoria Jr.
Topic: 1950 Message: 1951

Ive got my R2500 trunk tracking and feeding a second computer running it.... works well. Now if I can figure out how to get it to work with a second sound card and keep it all on one computer.

> Has anyone tried this yet?
>
> Jay
>
>

1952. Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2012-01-08 12:35:42 UTC
From: mohmmed
Topic: 1932 Message: 1952

I'll add a Freq Plan Calculator to the program to help
figure out new sites...

thank you very much and waiting for freq plan calculator it will be a great tool >>>

1953. SUCCESS with WINE and TrunkPCR...read on..

Yahoo group: TrunkPCR
Date: 2012-01-08 22:49:59 UTC
From: Eric Haddix
Topic: 1953 Message: 1953

Ok, after much tweaking, etc. I finally got TrunkPCR to start and run(somewhat, more on this in a sec).

If anyone has problems with their setup I suggest checking out http://wiki.jswindle.com/index.php/Wine_Registry and add at least the

"Serial0"="COM1"

entry and it'll connect with little problem.

Now the problems I'm having are likely issues between TrunkPCR and Wine. I can't get it to scan at all. It says it's scanning but just sits there. I haven't had a chance to renew my RR.com accnt so I'm unsure if Web Import works yet...

Spectrum Sweep gives me an error:

An Error Occcured in MainForm -> SweepDraw Text at Line 2
Error number 380 - Invalid property value

Switching to another "Limit" gives a similar error.

If there is a debug version I could run, I could probably help you work out the issues I'm having. For the record, I'm using v 0.90.280.

If there's anything else I can do to help, let me know.

1954. Re: [TrunkPCR] Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2012-01-08 23:21:18 UTC
From: Jay
Topic: 1932 Message: 1954

Another thing you can check on your end is to make sure that the frequency of the control channel is really 412.038.50 MHz and not something else close to it or that it's not an image of something down in the 406 to 408 mhz range.

Did you get the last message I sent about looking for the frequencies for the voice channels? They could be in the range from 410 mhz to 414 mhz. If you can match the voice channels, that could help out alot too...

Jay

----- Original Message -----
From: "mohmmed"

> thank you very much and waiting for freq plan calculator it will be a great tool >>>

1955. Re: [TrunkPCR] SUCCESS with WINE and TrunkPCR...read on..

Yahoo group: TrunkPCR
Date: 2012-01-08 23:30:07 UTC
From: Jay
Topic: 1953 Message: 1955

Hi Eric,

The error in SweepDrawText shows the program is setting the Font in the Sweep PictureBox to "Small Fonts". You might have to install this Font in Wine?

Jay

----- Original Message -----
From: "Eric Haddix"

> Ok, after much tweaking, etc. I finally got TrunkPCR to start and
> run(somewhat, more on this in a sec).
>
> If anyone has problems with their setup I suggest checking out
> http://wiki.jswindle.com/index.php/Wine_Registry and add at least the
>
> "Serial0"="COM1"
>
> entry and it'll connect with little problem.
>
>
>
> Now the problems I'm having are likely issues between TrunkPCR and Wine.
> I can't get it to scan at all. It says it's scanning but just sits
> there. I haven't had a chance to renew my RR.com accnt so I'm unsure if
> Web Import works yet...
>
>
> Spectrum Sweep gives me an error:
>
> An Error Occcured in MainForm -> SweepDraw Text at Line 2
> Error number 380 - Invalid property value
>
>
> Switching to another "Limit" gives a similar error.
>
> If there is a debug version I could run, I could probably help you work
> out the issues I'm having. For the record, I'm using v 0.90.280.
>
>
>
> If there's anything else I can do to help, let me know.

1956. Re: DSD For Windows

Yahoo group: TrunkPCR
Date: 2012-01-08 23:32:26 UTC
From: mrpape@rocketmail.com
Topic: 1950 Message: 1956

/dev/dsp will result to your default default device, therefore if you wish to use your secondary sound card line in for dsd just put it as default recording device in windows on my side it work like a charm, still need to tweak trunkpcr as I started playing with this software 3 day ago.

my setup is as follow:

main receiver track audio and use data port 1 to my sound card 2 line in
sub receiver is decrypting edac control channel data jack is connected to the line in of my x-fi mic IN (looking to replace this input card)

--- In TrunkPCR@yahoogroups.com, "John Longoria Jr." <john911@...> wrote:
>
> Ive got my R2500 trunk tracking and feeding a second computer running
> it.... works well. Now if I can figure out how to get it to work with a
> second sound card and keep it all on one computer.
>
>
>
> > Has anyone tried this yet?
> >
> > Jay
> >
> >
>

1957. Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2012-01-10 22:12:55 UTC
From: mohmmed
Topic: 1932 Message: 1957

yes you are right i think it is a trunk system for ambulance ...
i have tooo many data channel in the range of 380 MHz to 420 MHz ...
i didn't hear any police conversation (in analoge search)until now i don't now why i am in a big city i heard train and ambulance and security guards some facilities but no police or fire !!!

i will post to you a complete list of data channel i found in the range of 380 MHz to 420 MHz and i will do what you told me before to match voice channel >>

sorry i am completely newbie in this hobby ...

thank you a lot sir for your effort ....

i have too many data channel in the 800 MHz and 900 MHz and tried to decode them and it worked but no voice at all the program stop on the active talkgroup but i doesn't hear any thing only static and when making the squelch on 10 clock the program keep searching !!!
i think it want to be re banded too ?!!!

1958. Re: [TrunkPCR] Re: DSD For Windows

Yahoo group: TrunkPCR
Date: 2012-01-11 00:23:11 UTC
From: Jay
Topic: 1950 Message: 1958

Cool, I think you can also use /dev/dev0, /dev/dev1 and so on, I'll have to look back at the docs...
I have better luck decoding the audio in XP than Ubuntu (same PC). If I can switch WinDSD to use a USB Sound Card and use the Primary Sound Card to decode the control channel, we might have something more usefull :)

Jay

1959. Re: [TrunkPCR] Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2012-01-11 00:32:52 UTC
From: Jay
Topic: 1932 Message: 1959

Yep, when searching for a Control Channel, it's best to start on an even frequency (like 406.000 mhz) and use a step rate of 12.5 khz and search up until you get a strong signal.
Once you have the correct frequency of the control channel, the voice channels are much easier to find :)

If the trunking systems on 800 mhz don't work with either the [800] or [Splinter] option, then most likely they are using a ReBanded Freq Plan.
Same for the 900 mhz...

Jay

----- Original Message -----
From: "mohmmed"

> yes you are right i think it is a trunk system for ambulance ...
> i have tooo many data channel in the range of 380 MHz to 420 MHz ...
> i didn't hear any police conversation (in analoge search)until now i don't now why i am in a big city i heard train and ambulance and security guards some facilities but no police or fire !!!
>
> i will post to you a complete list of data channel i found in the range of 380 MHz to 420 MHz and i will do what you told me before to match voice channel >>
>
> sorry i am completely newbie in this hobby ...
>
> thank you a lot sir for your effort ....
>
> i have too many data channel in the 800 MHz and 900 MHz and tried to decode them and it worked but no voice at all the program stop on the active talkgroup but i doesn't hear any thing only static and when making the squelch on 10 clock the program keep searching !!!
> i think it want to be re banded too ?!!!

1960. Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2012-01-11 09:54:20 UTC
From: mohmmed
Topic: 1932 Message: 1960

thank you very much for your quick replys ..
and sorry for this long post but i want you to investgate this frequncy
and tell me why so much data chaneel in the range of 380 to 440 mhz ?!!

trunk system from 370mhz to 440 mhz : 12.5khz step nar fm

391.262.00 trunk system with non clear sound
392.037.50 trunk system with non clear sound
392.537.50 like the above
392.712.50 like the above
too many in the 392 mhz and 393 and 394 mhz i think all of them image
?!!!

403.512.50 trunk system with clear sound
410.125.00 trunk system with clear sound
411.737.50 trunk system with clear sound
412.037.50 trunk system with clear sound

412.137.50 voice activity for some sequrite guards in engniring facility
412.162.50 voice activity for some sequrite guards in engniring facility

414.375.00 voice activity for ambulance
415.600.00 voice activity for ambulance
415.800.00 trunk system with clear sound

416.000.00 voice activity for ambulance
416.200.00 voice activity for ambulance

418.300.00 trunk system with clear sound
420.825.00 trunk system with clear sound
421.025.00 voice of some government civil work
421.112.50 trunk system with low sound
422.212.50 voice of some government civil work

423.600.00 some thing like data channel but it stop and restart with un
usual sound but like trunk system

1961. Re: DSD For Windows

Yahoo group: TrunkPCR
Date: 2012-01-12 03:21:13 UTC
From: mrpape@rocketmail.com
Topic: 1950 Message: 1961

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> Cool, I think you can also use /dev/dev0, /dev/dev1 and so on, I'll have to
> look back at the docs...
> I have better luck decoding the audio in XP than Ubuntu (same PC). If I can
> switch WinDSD to use a USB Sound Card and use the Primary Sound Card to
> decode the control channel, we might have something more usefull :)
>
> Jay
>
well right now I'm using 2 sound cards one for control and one for dsd. Until tonight I was having issue on dsd cutting and control channel dropping until I found out my dual setting was using the same sound card, now that I have replaced the trunkpcr on it own input I'm really satisfied with the result.

This experience lead me to think single receiver tracking and dsd at the same time is not really viable.

the 2500 is acting more as a modem than anything else now as I'm using both data jack, really versatile little box

S

1962. Importing US "Nationwide" frequncies from RR

Yahoo group: TrunkPCR
Date: 2012-01-12 05:18:05 UTC
From: Ken Long
Topic: 1962 Message: 1962

How can I access these frequencies via the Web Import function in TrunkPCR?
Is it possible?

http://www.radioreference.com/apps/db/?coid=1
<http://www.radioreference.com/apps/db/?coid=1&tab=nationwide>
&tab=nationwide

1963. Re: [TrunkPCR] Importing US "Nationwide" frequncies from RR

Yahoo group: TrunkPCR
Date: 2012-01-12 10:18:18 UTC
From: Jay
Topic: 1962 Message: 1963

By waiting for the next update to come out :)
You can find most of those in the State Agencies for now...

Jay

----- Original Message -----
From: Ken Long
How can I access these frequencies via the Web Import function in TrunkPCR? Is it possible?
http://www.radioreference.com/apps/db/?coid=1&tab=nationwide

1964. Win DSD?

Yahoo group: TrunkPCR
Date: 2012-01-13 23:43:28 UTC
From: b_rianv94
Topic: 1964 Message: 1964

Good evening all

Am I missing something. I have DSD for win and I can't change my input sound card or output sound card> All I see once I launch winDSD is the command propmt
Digital Speech Decoder 1.4.1
mbelib version 1.2.3
Audio In/Out Device: /dev/dsp
and the blinking cursor. I can change everything in my linux enviroment but not in the windows enviroment. What gives?

Brian

1965. Re: Win DSD?

Yahoo group: TrunkPCR
Date: 2012-01-14 05:51:20 UTC
From: mrpape@rocketmail.com
Topic: 1964 Message: 1965

Hi

Are you launching from the batch file (.bat) ? or you're using a command line windows (cmd in run) ?

Keep in mind windows does how manage the device as linux, for the moment dsd will use your default configured devices in windows

S
--- In TrunkPCR@yahoogroups.com, "b_rianv94" <b_rianv94@...> wrote:
>
> Good evening all
>
> Am I missing something. I have DSD for win and I can't change my input sound card or output sound card> All I see once I launch winDSD is the command propmt
> Digital Speech Decoder 1.4.1
> mbelib version 1.2.3
> Audio In/Out Device: /dev/dsp
> and the blinking cursor. I can change everything in my linux enviroment but not in the windows enviroment. What gives?
>
> Brian
>

1966. Re: [TrunkPCR] Re: trunkpcr and digital voice decoding

Yahoo group: TrunkPCR
Date: 2012-01-14 07:24:36 UTC
From: Jay
Topic: 1932 Message: 1966

Okay, think I have it figured out :)

The frequency you had of 412.0385 mhz is really 412.0375 mhz.

LCN - Frequency
399 - 412.0375
407 - 412.1375
409 - 412.1625
417 - 412.2625
Make sure the Above Frequencies are stored in 4 Channels for this Bank...

So in the Trunk Settings, make sure the [Custom] Button is pressed and close that window.
Then click the Trunk -> Edit Freq Plan Menu and enter these values:
Base Freq : 412.0000
LCN Offset: 396
Step : 12.5
Then close that window.

Change the channel to the active control channel and click the [Trunk] Button, you should be able to follow the comms now...

Regards,
Jay

----- Original Message -----
From: mohmmed

tell me why so much data chaneel in the range of 380 to 440 mhz ?

412.037.50 trunk system with clear sound
412.137.50 voice activity for some sequrite guards in engniring facility
412.162.50 voice activity for some sequrite guards in engniring facility

1967. Re: [TrunkPCR] Importing US "Nationwide" frequncies from RR

Yahoo group: TrunkPCR
Date: 2012-01-14 08:13:15 UTC
From: Ken Long
Topic: 1962 Message: 1967

Thanks Jay, that sounds good. any idea when you may have time to implement this?

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Thursday, January 12, 2012 2:18 AM
To: TrunkPCR@yahoogroups.com
Subject: [SD:kwlong@darksideresearch] Re: [TrunkPCR] Importing US "Nationwide" frequncies from RR

By waiting for the next update to come out :)

You can find most of those in the State Agencies for now...

Jay

----- Original Message -----

From: Ken <mailto:kwlong@...> Long

How can I access these frequencies via the Web Import function in TrunkPCR? Is it possible?

http://www.radioreference.com/apps/db/?coid=1
<http://www.radioreference.com/apps/db/?coid=1&tab=nationwide>
&tab=nationwide

1968. Re: [TrunkPCR] Importing US "Nationwide" frequncies from RR

Yahoo group: TrunkPCR
Date: 2012-01-14 22:26:52 UTC
From: Jay
Topic: 1962 Message: 1968

Already done :)
Just finishing up the Freq Plan Calculator, shouldn't be more than a few days...

Regards,
Jay

----- Original Message -----
From: Ken Long
Thanks Jay, that sounds good. any idea when you may have time to implement this?

1969. TrunkPCR version 0.90.282 Now Available

Yahoo group: TrunkPCR
Date: 2012-01-21 23:24:14 UTC
From: Jay
Topic: 1969 Message: 1969

TrunkPCR version 0.90.282 Now Available for Downloading from the NEW Homepage:
"http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html"

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has One Fix and Two Additions...

Jan 12,2012 - Added: Country Agencies in RadioReference Import.
Jan 18,2012 - Fixed: Editing Frequency in Main Display using keyboard.
Jan 20,2012 - Added: Freq Plan Calculator.

Version 0.90.282 Released 01/21/2012

The Frequency Plan Calculator is a tool to help you determine UnKnown Frequency Plans.

Using the Frequency Plan Calculator.

1) Identify the Base Frequency:
a. Select the LCN that is associated with the Active Control Channel.
b. Enter the Correct Frequency of the Active Control Channel.
c. Adjust Offset and Step Rate if needed.
d. Click the [Calculate Base] Button.

2) Determine Voice Channel Frequencies:
a. Select the LCN that is associated with a Voice Channel.
b. If the Base, Offset and Step is correct, its correct Frequency will be shown.
c. If Not, then be sure the Step Rate is correct and adjust the Offset.
d. Repeat steps 2a to 2c for the rest of the entries in the Frequency Found List.

3) Extended Freq Plans:
These can be identified with different Base Frequencies and Offsets.

Normally, the Base Frequency will end in 0000 (ex: 406.0000).

When you have determined the correct Offset and Step Rate, you can click on the other entries in the Frequency Found List and it's corresponding Frequency will be calculated and shown in the Channel's Frequency textbox. If the calculated Frequency matches the correct Voice Channel Frequency, click the [Save Entry] Button.

If you discover that different clustered LCN's have a different Base Frequency and Offset, then this system would use the Extended Freq Plan.

Regards,
Jay

1970. Re: [TrunkPCR] TrunkPCR version 0.90.282 Now Available

Yahoo group: TrunkPCR
Date: 2012-01-21 23:53:01 UTC
From: Ray
Topic: 1969 Message: 1970

Jay,Thank`s for the Update.Quick question,,When i Update TrunkPcr Sometimes i get "Version Conflict" A file being copied is Not newer than the file currently on your system.I Know normaly you would keep the Newer file,but should i use the File in the Update even if its older? Not sure if it matters but i figured id ask.Ray.
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, January 21, 2012 6:24 PM
Subject: [TrunkPCR] TrunkPCR version 0.90.282 Now Available

TrunkPCR version 0.90.282 Now Available for Downloading from the NEW Homepage:
"http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html"

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has One Fix and Two Additions...

Jan 12,2012 - Added: Country Agencies in RadioReference Import.
Jan 18,2012 - Fixed: Editing Frequency in Main Display using keyboard.
Jan 20,2012 - Added: Freq Plan Calculator.

Version 0.90.282 Released 01/21/2012

The Frequency Plan Calculator is a tool to help you determine UnKnown Frequency Plans.

Using the Frequency Plan Calculator.

1) Identify the Base Frequency:
a. Select the LCN that is associated with the Active Control Channel.
b. Enter the Correct Frequency of the Active Control Channel.
c. Adjust Offset and Step Rate if needed.
d. Click the [Calculate Base] Button.

2) Determine Voice Channel Frequencies:
a. Select the LCN that is associated with a Voice Channel.
b. If the Base, Offset and Step is correct, its correct Frequency will be shown.
c. If Not, then be sure the Step Rate is correct and adjust the Offset.
d. Repeat steps 2a to 2c for the rest of the entries in the Frequency Found List.

3) Extended Freq Plans:
These can be identified with different Base Frequencies and Offsets.

Normally, the Base Frequency will end in 0000 (ex: 406.0000).

When you have determined the correct Offset and Step Rate, you can click on the other entries in the Frequency Found List and it's corresponding Frequency will be calculated and shown in the Channel's Frequency textbox. If the calculated Frequency matches the correct Voice Channel Frequency, click the [Save Entry]

Button.

If you discover that different clustered LCN's have a different Base Frequency and Offset, then this system would use the Extended Freq Plan.

Regards,
Jay

1971. Re: [TrunkPCR] TrunkPCR version 0.90.282 Now Available

Yahoo group: TrunkPCR
Date: 2012-01-22 00:00:32 UTC
From: Jay
Topic: 1969 Message: 1971

Which file is in question?

Thanks,
Jay

----- Original Message -----
From: Ray

Jay,Thank`s for the Update.Quick question,,When i Update TrunkPcr Sometimes i get "Version Conflict" A file being copied is Not newer than the file currently on your system.I Know normaly you would keep the Newer file,but should i use the File in the Update even if its older? Not sure if it matters but i figured id ask.Ray.

1972. Re: [TrunkPCR] TrunkPCR version 0.90.282 Now Available

Yahoo group: TrunkPCR
Date: 2012-01-22 00:14:43 UTC
From: Ray
Topic: 1969 Message: 1972

Jay,Actually there are 2 Files,,, " C:\windows\system32\MSFLexGrd.ocx " Description,, "MSFLexGrid" MY Version 6.1.98.14
The second file is "C:\windows\system32\msxml 3.dll" Description,, "MSXML 3.0 SP10" My Version 8.100.1051.0
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, January 21, 2012 7:00 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.90.282 Now Available

Which file is in question?

Thanks,
Jay

----- Original Message -----
From: Ray
Jay,Thank`s for the Update.Quick question,,When i Update TrunkPcr Sometimes i get "Version Conflict" A file being copied is Not newer than the file currently on your system.I Know normaly you would keep the Newer file,but should i use the File in the Update even if its older? Not sure if it matters but i figured id ask.Ray.

1973. Re: [TrunkPCR] TrunkPCR version 0.90.282 Now Available

Yahoo group: TrunkPCR
Date: 2012-01-22 00:41:17 UTC
From: Jay
Topic: 1969 Message: 1973

Yep, you should always keep the *Newer* files if they are ALREADY INSTALLED on your PC. Installing an old file on a New PC can cause *UnWanted* conditions...

Same in reverse. Can't count how many times I've installed a progarm that was compiled on an NT based PC and caused the Win95,Win98 & WinME PC's to go nuts...

Jay

----- Original Message -----
From: Ray

Jay,Actually there are 2 Files,,, " C:\windows\system32\MSFLexGrd.ocx " Description,, "MSFLexGrid" MY Version 6.1.98.14
The second file is "C:\windows\system32\msxml 3.dll" Description,, "MSXML 3.0 SP10" My Version 8.100.1051.0

1974. Re: [TrunkPCR] TrunkPCR version 0.90.282 Now Available

Yahoo group: TrunkPCR
Date: 2012-01-22 00:46:35 UTC
From: Ray
Topic: 1969 Message: 1974

Thanks Jay,
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Saturday, January 21, 2012 7:41 PM
Subject: Re: [TrunkPCR] TrunkPCR version 0.90.282 Now Available

Yep, you should always keep the *Newer* files if they are ALREADY INSTALLED on your PC. Installing an old file on a New PC can cause *UnWanted* conditions...

Same in reverse. Can't count how many times I've installed a progarm that was compiled on an NT based PC and caused the Win95,Win98 & WinME PC's to go nuts...

Jay

----- Original Message -----
From: Ray
Jay,Actually there are 2 Files,,, " C:\windows\system32\MSFLexGrd.ocx " Description,, "MSFLexGrid" MY Version 6.1.98.14
The second file is "C:\windows\system32\msxml 3.dll" Description,, "MSXML 3.0 SP10" My Version 8.100.1051.0

1975. application for mac osx lion

Yahoo group: TrunkPCR
Date: 2012-01-22 10:10:30 UTC
From: mattede01
Topic: 1975 Message: 1975

Do you will develop an application for mac osx lion?
Thank you for answer.
Matteo, Italy

1976. Re: TrunkPCR version 0.90.282 Now Available

Yahoo group: TrunkPCR
Date: 2012-01-24 11:10:47 UTC
From: mohmmed
Topic: 1969 Message: 1976

finally calculator for unknown band plan it will be so helpful
thank you very much jay really great work >>> keep it

1977. Re: [TrunkPCR] Re: TrunkPCR version 0.90.282 Now Available

Yahoo group: TrunkPCR
Date: 2012-01-24 21:29:48 UTC
From: Jay
Topic: 1969 Message: 1977

Hi Mohmmed,

Did you catch my last message?

The frequency you had of 412.0385 mhz is really 412.0375 mhz.

LCN - Frequency
399 - 412.0375
407 - 412.1375
409 - 412.1625
417 - 412.2625
Make sure the Above Frequencies are stored in 4 Channels for this Bank...

So in the Trunk Settings, make sure the [Custom] Button is pressed and close that window.
Then click the Trunk -> Edit Freq Plan Menu and enter these values:
Base Freq : 412.0000
LCN Offset: 396
Step : 12.5
Then close that window.

Change the channel to the active control channel and click the [Trunk] Button, you should be able to follow the comms now...

Let me know how this works for you :)

Regards,
Jay

----- Original Message -----
From: "mohmmed"

> finally calculator for unknown band plan it will be so helpful
> thank you very much jay really great work >>> keep it

1978. Re: [TrunkPCR] application for mac osx lion

Yahoo group: TrunkPCR
Date: 2012-01-25 09:03:24 UTC
From: Jay
Topic: 1975 Message: 1978

Hi Matteo,

I do not own a Mac, so the answer right now is not at this time...

Regards,
Jay

----- Original Message -----
From: "mattede01"

> Do you will develop an application for mac osx lion?
> Thank you for answer.
> Matteo, Italy

1979. TrunkPCR Remote

Yahoo group: TrunkPCR
Date: 2012-02-01 22:20:46 UTC
From: Jay
Topic: 1979 Message: 1979

Some users of PCR Remote have suggested that it would be nice to have a Remote Option added to TrunkPCR, so I'm looking for ideas of what should be included.

What functionality are you thinking of that should be able to be done from the Remote Side?

A. Just seeing the Group and Radio ID's and descriptions of the call in progress.

B. Being able to see the entire Control Channel Information, like TrunkPCR.

C. Edit the Group & Radio Descriptions.

D. Edit the Trunk Settings.

E. All the above.

Or what else???

Thanks,
Jay

1980. Re: TrunkPCR version 0.90.282 Now Available

Yahoo group: TrunkPCR
Date: 2012-02-05 15:49:25 UTC
From: mohmmed
Topic: 1969 Message: 1980

yahhhhhh. Finally it worked thank you very much jay for your effort really agreat program and ofcourse great author
if i have any problem with the program i will tell you again thank you....

1981. Keyboard ShortCuts used while Trunking

Yahoo group: TrunkPCR
Date: 2012-02-18 00:58:38 UTC
From: Jay
Topic: 1981 Message: 1981

A member asked what keyboard shortcuts are used while Trunking, here they are:

While clicking the [Lockout] Button on an Active Call:
(NORM) Normal GroupID Lockout
(SHIFT) Temporary GroupID Lockout for 1 Minute (may not work yet!)
(CTRL) Temporary GroupID Lockout for 2 Minutes (may not work yet!)
(ALT) Temporary GroupID Lockout for 5 Minutes (may not work yet!)

While clicking the [Lockout] Button when in Manual:
(NORM) Toggle Lockout
(CTRL) Review Locked out Groups
(ALT) Review Locked out Radios

While clicking the [Manual] Button when in Manual:
(NORM) Step through GroupID's (Favorites)
(CTRL) Step through Group ID's (ALL)
(ALT) Step through Radio ID's (ALL)

While clicking the [Memory] Button on an Active Call:
(NORM) Toggle GroupID to be saved as a Favorite

While clicking the [Hold] Button on an Active Call:
(NORM) Track the Current GroupID
(ALT) Track the Current RadioID

Jay

1982. Re: [TrunkPCR] Keyboard ShortCuts used while Trunking

Yahoo group: TrunkPCR
Date: 2012-02-18 01:08:43 UTC
From: vince48
Topic: 1981 Message: 1982

On 2/17/2012 4:58 PM, Jay wrote:
>
> A member asked what keyboard shortcuts are used while Trunking, here they
> are:
>
> While clicking the [Lockout] Button on an Active Call:
> (NORM) Normal GroupID Lockout
> (SHIFT) Temporary GroupID Lockout for 1 Minute (may not work yet!)
> (CTRL) Temporary GroupID Lockout for 2 Minutes (may not work yet!)
> (ALT) Temporary GroupID Lockout for 5 Minutes (may not work yet!)
>
> While clicking the [Lockout] Button when in Manual:
> (NORM) Toggle Lockout
> (CTRL) Review Locked out Groups
> (ALT) Review Locked out Radios
>
> While clicking the [Manual] Button when in Manual:
> (NORM) Step through GroupID's (Favorites)
> (CTRL) Step through Group ID's (ALL)
> (ALT) Step through Radio ID's (ALL)
>
> While clicking the [Memory] Button on an Active Call:
> (NORM) Toggle GroupID to be saved as a Favorite
>
> While clicking the [Hold] Button on an Active Call:
> (NORM) Track the Current GroupID
> (ALT) Track the Current RadioID
>
> Jay
>
>
Hey brother Jay
How was your day? Took the day off, washed the car and fell back in love
with my Acer notepad and TrunkPCR. God i miss the options in TrunkPCR
that is not available with the "other" control software. Holding a radio
ID is big option for me. No other software control has that feature. I
know the other companies can do this, but they have elected not to
"dive" that deep in programing. Pity.

Whats going on with you Jay?

Vincent

1983. Can get TrunkPCR to see scanner

Yahoo group: TrunkPCR
Date: 2012-02-18 16:17:42 UTC
From: radioinstl
Topic: 1983 Message: 1983

Jay I am running Windows XP and have the currnet Version of TrunkPCR and and running a PCR2500 with current firmware.

When I run the Icom software the software sees and talks to the scanner no problem.

When I run TrunkPCR it tells me it can not talk to the scanner, to check cables.

Thanks

Scott

1984. Re: [TrunkPCR] Can get TrunkPCR to see scanner

Yahoo group: TrunkPCR
Date: 2012-02-18 22:51:00 UTC
From: Jay
Topic: 1983 Message: 1984

Hi Scott,

In the COM Port selector, did you select the correct COM Port?

Thanks,
Jay

----- Original Message -----
From: "radioinstl"

> Jay I am running Windows XP and have the currnet Version of TrunkPCR and
and running a PCR2500 with current firmware.
>
> When I run the Icom software the software sees and talks to the scanner no
problem.
>
> When I run TrunkPCR it tells me it can not talk to the scanner, to check
cables.
>
> Thanks
>
> Scott

1985. Re: [TrunkPCR] Keyboard ShortCuts used while Trunking

Yahoo group: TrunkPCR
Date: 2012-02-18 23:05:29 UTC
From: Jay
Topic: 1981 Message: 1985

Hey Vincent,

Doing okay lately...

The past few weeks have been spent upgrading PCR Remote with it's latest enhancements.
Once I get done with that I can get back to the P25 Control Channel decoder :)

Jay

----- Original Message -----
From: vince48

Hey brother Jay
How was your day? Took the day off, washed the car and fell back in love with my Acer notepad and TrunkPCR. God i miss the options in TrunkPCR that is not available with the "other" control software. Holding a radio ID is big option for me. No other software control has that feature. I know the other companies can do this, but they have elected not to "dive" that deep in programing. Pity.

Whats going on with you Jay?

Vincent

1986. Re: [TrunkPCR] Can get TrunkPCR to see scanner

Yahoo group: TrunkPCR
Date: 2012-02-19 00:27:56 UTC
From: Scott Glazer
Topic: 1983 Message: 1986

Com port using com 3. Verified in control panel. Icon is using com 3 and TrunkPcr is set to com 3 also. On the TrunkPcr display the show a green light in the top right, top left and bottom left corners and red in the bottom right

Scott

On Feb 18, 2012, at 17:51, "Jay" <crazycalifornian@hotmail.com> wrote:

> Hi Scott,
>
> In the COM Port selector, did you select the correct COM Port?
>
> Thanks,
> Jay
>
> ----- Original Message -----
> From: "radioinstl"
>
> > Jay I am running Windows XP and have the currnet Version of TrunkPCR and
> and running a PCR2500 with current firmware.
> >
> > When I run the Icom software the software sees and talks to the scanner no
> problem.
> >
> > When I run TrunkPCR it tells me it can not talk to the scanner, to check
> cables.
> >
> > Thanks
> >
> > Scott
>
>

1987. Re: [TrunkPCR] Can get TrunkPCR to see scanner

Yahoo group: TrunkPCR
Date: 2012-02-19 00:56:44 UTC
From: Jay
Topic: 1983 Message: 1987

Okay, then that's good...
Try turning off the PCR and wait a minute before you turn it back on and try again.
If that doesn't work, run the Icom Program and close it after it communicates with the PCR and try again...

----- Original Message -----
From: Scott Glazer

Com port using com 3. Verified in control panel. Icon is using com 3 and TrunkPcr is set to com 3 also. On the TrunkPcr display the show a green light in the top right, top left and bottom left corners and red in the bottom right

Scott

1988. Overflow Error licked?

Yahoo group: TrunkPCR
Date: 2012-02-29 02:25:29 UTC
From: Jay
Topic: 1988 Message: 1988

Well, after appying a circular buffer in the COM Routines and reducing the code that processes the received commands, I think I may have now finally squashed the overflow error that has plagued many PCR-2500 users using the Dual Receiver...

I'll be doing some more tests before I release the new update :)

Regards,
Jay

1989. Re: [TrunkPCR] Overflow Error licked?

Yahoo group: TrunkPCR
Date: 2012-02-29 03:31:08 UTC
From: vince48
Topic: 1988 Message: 1989

On 2/28/2012 6:25 PM, Jay wrote:
>
> Well, after appying a circular buffer in the COM Routines and reducing
> the code that processes the received commands, I think I may have now
> finally squashed the overflow error that has plagued many PCR-2500
> users using the Dual Receiver...
> I'll be doing some more tests before I release the new update :)
> Regards,
> Jay
>
GREAT! Thank you JAY!

1990. See who's talking

Yahoo group: TrunkPCR
Date: 2012-03-12 15:32:34 UTC
From: theoldcop
Topic: 1990 Message: 1990

I searched the archive and didn't find any info on this, so I apologize if it is there and I just missed it...

Can anyone tell me if there are any restrictions on picture size/type?

I have saved my pictures in the "pictures" sub-folder and directed "Custom select" to that location. I have loaded, selected and saved the pictures and see them available in the "Picture name" list. I check the box, click "Accept" then "Save". When I run the program (after a PC re-set) the new pictures are not displayed. This applies to .jpg's and gif's as well.
I would appreciate any advice anyone might be able to offer.

John

1991. Re: [TrunkPCR] See who's talking

Yahoo group: TrunkPCR
Date: 2012-03-12 23:48:14 UTC
From: Jay
Topic: 1990 Message: 1991

Hi John,

The pictures can be jpg or gif, size doesn't matter as they will be sized automatically in the display, but smaller sized pics (less than 400k) will display fater :)

If you are changing the GroupID/RadioID Picture from the TrunkID Editor, you'll have to click the [Save] Button there too...

Jay

----- Original Message -----
From: "theoldcop"

> I searched the archive and didn't find any info on this, so I apologize if it is there and I just missed it...
>
> Can anyone tell me if there are any restrictions on picture size/type?
>
> I have saved my pictures in the "pictures" sub-folder and directed "Custom select" to that location. I have loaded, selected and saved the pictures and see them available in the "Picture name" list. I check the box, click "Accept" then "Save". When I run the program (after a PC re-set) the new pictures are not displayed. This applies to .jpg's and gif's as well.
> I would appreciate any advice anyone might be able to offer.
>
> John

1992. RE: [TrunkPCR] See who's talking

Yahoo group: TrunkPCR
Date: 2012-03-13 11:10:56 UTC
From: John Schneider
Topic: 1990 Message: 1992

Jay,

Thank you for the quick reply.

Yes, I do click the [Save] Button as well. Is there any other way to change the GroupID/RadioID pictures other than via the Editor?

Also, I was wondering if you could point me to the directory that contains the default pictures as they seem to remain saved if chosen.

John

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, March 12, 2012 7:48 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] See who's talking

Hi John,

The pictures can be jpg or gif, size doesn't matter as they will be sized automatically in the display, but smaller sized pics (less than 400k) will display fater :)

If you are changing the GroupID/RadioID Picture from the TrunkID Editor, you'll have to click the [Save] Button there too...

Jay

----- Original Message -----
From: "theoldcop"

> I searched the archive and didn't find any info on this, so I apologize if it is there and I just missed it...
>
> Can anyone tell me if there are any restrictions on picture size/type?
>
> I have saved my pictures in the "pictures" sub-folder and directed "Custom select" to that location. I have loaded, selected and saved the pictures and see them available in the "Picture name" list. I check the box, click "Accept" then "Save". When I run the program (after a PC re-set) the new pictures are not displayed. This applies to .jpg's and gif's as well.
> I would appreciate any advice anyone might be able to offer.
>
> John

1993. Re: [TrunkPCR] See who's talking

Yahoo group: TrunkPCR
Date: 2012-03-14 01:40:00 UTC
From: Jay
Topic: 1990 Message: 1993

The other ways to change the user picture is by clicking on the Group ID/Radio ID in the main display or the Group / Radio ID/Description in the Control Channel Activity lists...

The other pictures are stored with-in the TrunkPCR program...

After you have changed a user picture and clicked the [Save] Button in the TrunkID Editor, click the File -> Save Bank Menu in the Main Display, then open the ".Bnk" file in the "Banks" Folder for the bank you just saved using Notepad.

Look at the "[UserPics]" section in this ".Bnk" file, it will look something like:
[UserPics]
Count=2
Pic_001=True,KidCopter.jpg
Pic_002=True,Helo.jpg

If the Count shows "Count=0", then the file wasn't saved correctly. This cold be caused if the "Administration Rights" aren't set for "TrunkPcr.exe"...

Jay

----- Original Message -----
From: John Schneider
Jay,
Thank you for the quick reply.

Yes, I do click the [Save] Button as well. Is there any other way to change the GroupID/RadioID pictures other than via the Editor?

Also, I was wondering if you could point me to the directory that contains the default pictures as they seem to remain saved if chosen.

John

1994. RE: [TrunkPCR] See who's talking

Yahoo group: TrunkPCR
Date: 2012-03-14 22:45:28 UTC
From: John Schneider
Topic: 1990 Message: 1994

Thank you Jay. Although I have administrator privileges on this machine, checking "Run as Administrator" in properties seems to have fixed the problem.

John

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Tuesday, March 13, 2012 9:40 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] See who's talking

The other ways to change the user picture is by clicking on the Group ID/Radio ID in the main display or the Group / Radio ID/Description in the Control Channel Activity lists...

The other pictures are stored with-in the TrunkPCR program...

After you have changed a user picture and clicked the [Save] Button in the TrunkID Editor, click the File -> Save Bank Menu in the Main Display, then open the ".Bnk" file in the "Banks" Folder for the bank you just saved using Notepad.

Look at the "[UserPics]" section in this ".Bnk" file, it will look something like:

```
[UserPics]
Count=2
Pic_001=True,KidCopter.jpg
Pic_002=True,Helo.jpg
```

If the Count shows "Count=0", then the file wasn't saved correctly. This cold be caused if the "Administration Rights" aren't set for "TrunkPcr.exe"...

Jay

----- Original Message -----

From: John Schneider <mailto:thecop@...>

Jay,

Thank you for the quick reply.

Yes, I do click the [Save] Button as well. Is there any other way to change the GroupID/RadioID pictures other than via the Editor?

Also, I was wondering if you could point me to the directory that contains the default pictures as they seem to remain saved if chosen.

John

1995. Re: [TrunkPCR] TrunkPCR Remote

Yahoo group: TrunkPCR
Date: 2012-03-23 12:22:57 UTC
From: Eric Meth
Topic: 1979 Message: 1995

Not sure where you went with this Jay? I would like to see remote capability on TrunkPCR.
I would like to be able to remotely listen to a local trunking system while I am in a hotel or on the road in my travels. So seeing Group ID, Radio ID, and listening to the audio would all be nice.
Eric Meth - ve3ei

On Wed, Feb 1, 2012 at 5:20 PM, Jay <crazycalifornian@...> wrote:

> **
>
>
> Some users of PCR Remote have suggested that it would be nice to have a
> Remote Option added to TrunkPCR, so I'm looking for ideas of what should be
> included.
>
> What functionality are you thinking of that should be able to be done from
> the Remote Side?
>
> A. Just seeing the Group and Radio ID's and descriptions of the call in
> progress.
>
> B. Being able to see the entire Control Channel Information, like TrunkPCR.
>
> C. Edit the Group & Radio Descriptions.
>
> D. Edit the Trunk Settings.
>
> E. All the above.
>
> Or what else???
>
> Thanks,
> Jay
>
>
>

1996. Re: [TrunkPCR] TrunkPCR Remote

Yahoo group: TrunkPCR
Date: 2012-03-23 19:09:10 UTC
From: Jay
Topic: 1979 Message: 1996

Hi Eric,

At the moment, this is just in the idea phase collecting thoughts on what would be nice to implement.
So far, there only seems to be a handful of people interested...

Regards,
Jay

----- Original Message -----
From: Eric Meth

Not sure where you went with this Jay? I would like to see remote capability on TrunkPCR. I would like to be able to remotely listen to a local trunking system while I am in a hotel or on the road in my travels. So seeing Group ID, Radio ID, and listening to the audio would all be nice.
Eric Meth - ve3ei

1997. Re: [TrunkPCR] Request

Yahoo group: TrunkPCR
Date: 2012-03-23 20:23:22 UTC
From: Shane Vickers
Topic: 1983 Message: 1997

Hi Jay,

Is it possible to have one PCR watching the control channel full time
with a second unit acting as the voice channel?

Kind regards,

Shane.

1998. Re: [TrunkPCR] Request

Yahoo group: TrunkPCR
Date: 2012-03-23 23:07:22 UTC
From: Jay
Topic: 1983 Message: 1998

Yep, you can have the following combinations:

1) 1 PCR-2500 for both Voice & Control.
2) 1 PCR-100, PCR-1000 or PCR-1500 for Voice Following and any tapped Scanner to be used to monitor the Control Channel.
3) 2 PCR-100's, PCR-1000's or PCR-1500's for Voice Following and another to monitor the Control Channel.

Regards,
Jay

----- Original Message -----
From: Shane Vickers

Hi Jay,

Is it possible to have one PCR watching the control channel full time with a second unit acting as the voice channel?

Kind regards,

Shane.

1999. Re: [TrunkPCR] TrunkPCR Remote

Yahoo group: TrunkPCR
Date: 2012-03-24 03:52:16 UTC
From: Brandon Rasmussen
Topic: 1979 Message: 1999

I'd love to see remote capability. To start, at least be able to see TG information and hear audio would be nice. Being able to control talkgroups and banks to turn them on and off would also be nice.

Brandon

On Mar 23, 2012, at 1:09 PM, "Jay" <crazycalifornian@...> wrote:

> Hi Eric,
>
> At the moment, this is just in the idea phase collecting thoughts on what would be nice to implement.
> So far, there only seems to be a handful of people interested...
>
> Regards,
> Jay
>
> ----- Original Message -----
> From: Eric Meth
>
> Not sure where you went with this Jay? I would like to see remote capability on TrunkPCR.
> I would like to be able to remotely listen to a local trunking system while I am in a hotel or on the road in my travels. So seeing Group ID, Radio ID, and listening to the audio would all be nice.
> Eric Meth - ve3ei
>

2000. Re: [TrunkPCR] TrunkPCR Remote

Yahoo group: TrunkPCR
Date: 2012-03-24 19:24:07 UTC
From: Jim Conrad
Topic: 1979 Message: 2000

Jay,

I would also be interested in that capability.

I don't know if you are familiar with an old application called Javaradio. Guy in Sweden designed a server/client application (think client was written using Flash, the server was Linux) that allowed a group (one at a time) to control an Icom PCR-100/1000 etc. Multiple users could be logged in listening and all users could communication using a built in IM. Nice program and the guy tried to commercialize it but I think the market was week and he lost interest. Something similar to that just based on your application for TRS's would be nice.

Also any work on P25 9600 baud Control Channel system capability yet ? All the new military TRS's that are moving to 380-400 are/will be full P25 9600.

Thanks,
Jim

At 03:09 PM 3/23/2012, you wrote:
>Hi Eric,
>
>At the moment, this is just in the idea phase collecting thoughts on
>what would be nice to implement.
>So far, there only seems to be a handful of people interested...
>
>Regards,
>Jay
>
>----- Original Message -----
>From: <mailto:ve3ei@...>Eric Meth
>
>Not sure where you went with this Jay? I would like to see remote
>capability on TrunkPCR.
>I would like to be able to remotely listen to a local trunking
>system while I am in a hotel or on the road in my travels. So seeing
>Group ID, Radio ID, and listening to the audio would all be nice.
>Eric Meth - ve3ei

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@...
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

2001. Re: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2012-03-24 19:16:00 UTC
From: Jim Conrad
Topic: 1869 Message: 2001

Jay,

I noticed a recent email on the yahoogroups about
various combo's of Icom PCR's and wanted to
verify that the issues I found when I tried to
use mine were resolved? I haven't hooked up any
of the secondary ones since then although I just got a used PCR-1500.

Thanks,
Jim

At 04:31 PM 5/1/2011, you wrote:
>
>
>Hi Jim,
>
>Refering to the email on 3/12/2011?
>
>Nope, nothing new on that yet...
>
>My 74 y/o Mother broke her ankle about 12 weeks
>ago while working in her garden and I've been
>taking care of her since then. So my spare time
>has been about nil lately... I've been able to
>make an update to PCR Pro, but that's about it
>right now. She's getting more mobile now with a
>walker, but there's still alot that she can't do
>yet. I still make her coffee and tea a few
>times a day, cook brunch and dinner, do the
>grocery shopping and a few other things...
>
>So hopefully soon, I'll be able to spend more time on TrunkPCR :)
>
>Regards,
>Jay
>
>----- Original Message -----
>From: <mailto:jjc@...>Jim Conrad Jay,
>
>I just want to confirm that you have fixed the
>issues that I found a few months back when I
>tried to do that with my PCR-1000/PCR-100 combination?
>
>What is the version with the fixes as I don't think I have it.
>
>

>Thanks,
>Jim
>
>

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@...
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

2002. Re: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2012-03-24 23:48:06 UTC
From: Jay
Topic: 1869 Message: 2002

Doh! Sorry, haven't looked at that close enough yet...
I have to get another serial card to test both at the same time, but I thought I had tested the Dual Receiver by itself?

I added a note to the "things to finish" log and moved it to the top of the list so I don't forget again :)

Regards,
Jay

----- Original Message -----
From: Jim Conrad

Jay,

I noticed a recent email on the yahoogroups about various combo's of Icom PCR's and wanted to verify that the issues I found when I tried to use mine were resolved? I haven't hooked up any of the secondary ones since then although I just got a used PCR-1500.

Thanks,
Jim

2003. Re: [TrunkPCR] TrunkPCR Remote

Yahoo group: TrunkPCR
Date: 2012-03-25 00:25:46 UTC
From: Jay
Topic: 1979 Message: 2003

Hi Jim,

Yep, I remeber JavaRadio, the client runs in Java Script.
PCR Remote is similar to that, but works with a 1500/2500 too. It can have 100 clients connected at once and each client can communicate with each other or the SysOp of the Server. Currently the streaming audio is done by using a 3rd party program such as SHOUTcast, IceCast, etc...

TrunkPCR Remote will either be built from TrunkPCR or PCR Remote, depending on what the majority and myself vote for as far as what options would be most useful. Adding the full functionality of TrunkPCR on on Client would take at least three times as long to complete than just adding simple Trunking capabilities to the remote program (which might be more in my favor) time wise ;-)

During the past 2 - 3 months, I have been upgrading PCR Remote to use the Dual Receiver on both the server and client side, so as soon as I can finish that up, I can concentrate more on the P25 Control Channel Decoder :)

Regards,
Jay

----- Original Message -----
From: Jim Conrad

Jay,

I would also be interested in that capability.

I don't know if you are familiar with an old application called Javaradio. Guy in Sweden designed a server/client application (think client was written using Flash, the server was Linux) that allowed a group (one at a time) to control an Icom PCR-100/1000 etc. Multiple users could be logged in listening and all users could communication using a built in IM. Nice program and the guy tried to commercialize it but I think the market was week and he lost interest. Something similar to that just based on your application for TRS's would be nice.

Also any work on P25 9600 baud Control Channel system capability yet ? All the new military TRS's that are moving to 380-400 are/will be full P25 9600.

Thanks,
Jim

2004. Re: [TrunkPCR] Request

Yahoo group: TrunkPCR
Date: 2012-03-25 05:22:30 UTC
From: Shane Vickers
Topic: 1983 Message: 2004

Hi Jay,

I have two PCR-1500 to confirm I can set one radio to monitor the control channel and product all the radio data in real time continuously, while the second radio tracks talk or radio id's of my choice.

Shane.

On 24/03/2012 12:07 p.m., Jay wrote:
>
> Yep, you can have the following combinations:
> 1) 1 PCR-2500 for both Voice & Control.
> 2) 1 PCR-100, PCR-1000 or PCR-1500 for Voice Following and any tapped
> Scanner to be used to monitor the Control Channel.
> 3) 2 PCR-100's, PCR-1000's or PCR-1500's for Voice Following and
> another to monitor the Control Channel.
> Regards,
> Jay
>
> ----- Original Message -----
> *From:* Shane Vickers <mailto:nivick@...>
> Hi Jay,
>
> Is it possible to have one PCR watching the control channel full
> time with a second unit acting as the voice channel?
>
> Kind regards,
>
> Shane.
>
>

2005. Re: [TrunkPCR] TrunkPCR Remote

Yahoo group: TrunkPCR
Date: 2012-03-26 03:21:04 UTC
From: Jim Conrad
Topic: 1979 Message: 2005

Jay,

Ok that sounds good. I guess a remote client that could just see the system activity (Freqs, TG, Radio's) and hear the audio would be a good start. I am familiar with Shoutcast. A friend and I have had a streaming audio webpage for years (long before RadioReference) where we had most of the local PS TRS's streaming. Had to scale back last year when I moved but the local Volunteer EMS allowed us to locate an encoder and some scanners at there office to continue there feeds. The others are dark at the moment. At one time we had 7 city TRS's streaming, a couple streams of VHF misc and 2 aviation streams.

How much coding is complete on the Remote application have you completed.

When you are ready to Alpha or Beta the P25 decoding I would be happy to help. Ft Bragg will be going live in the next 30 days with a 380 P25 System (I am involved was the system) so I am in a good position to do some testing.

Thanks again,
Jim

At 08:25 PM 3/24/2012, you wrote:
>
>
>Hi Jim,
>
>Yep, I remeber JavaRadio, the client runs in Java Script.
>PCR Remote is similar to that, but works with a
>1500/2500 too. It can have 100 clients
>connected at once and each client can
>communicate with each other or the SysOp of the
>Server. Currently the streaming audio is done
>by using a 3rd party program such as SHOUTcast, IceCast, etc...
>
>TrunkPCR Remote will either be built from
>TrunkPCR or PCR Remote, depending on what the
>majority and myself vote for as far as what
>options would be most useful. Adding the full
>functionality of TrunkPCR on on Client would
>take at least three times as long to complete

>than just adding simple Trunking capabilities to
>the remote program (which might be more in my favor) time wise ;-)
>
>During the past 2 - 3 months, I have been
>upgrading PCR Remote to use the Dual Receiver on
>both the server and client side, so as soon as I
>can finish that up, I can concentrate more on
>the P25 Control Channel Decoder :)
>
>Regards,
>Jay
>
>----- Original Message -----
>From: <mailto:jjc@...>Jim Conrad Jay,
>
>I would also be interested in that capability.
>
>I don't know if you are familiar with an old
>application called Javaradio. Guy in Sweden
>designed a server/client application (think
>client was written using Flash, the server was
>Linux) that allowed a group (one at a time) to
>control an Icom PCR-100/1000 etc. Multiple users
>could be logged in listening and all users could
>communication using a built in IM. Nice program
>and the guy tried to commercialize it but I
>think the market was week and he lost interest.
>Something similar to that just based on your
>application for TRS's would be nice.
>
>Also any work on P25 9600 baud Control Channel
>system capability yet ? All the new military
>TRS's that are moving to 380-400 are/will be full P25 9600.
>
>Thanks,
>Jim
>
>

<:><:><:><:><:><:><:><:><:><:><:><:><:><:><:><:>
Jim Conrad - jjc@...
757-560-5970 - 757-512-5710 Fax
Amateur Radio Callsign N4WFP
CAGE 0UD60 - http://www.oceanviewcom.com

2006. Re: [TrunkPCR] TrunkPCR Remote

Yahoo group: TrunkPCR
Date: 2012-03-29 23:14:03 UTC
From: Jay
Topic: 1979 Message: 2006

Well, right now, PCR Remote is fully functional for the PCR-100, PCR-1000, PCR-1500 and the PCR-2500's Main Receiver, the 2500's SUB Receiver is almost complete.
If you are talking about TrunkPCR Remote, nothing has been done yet.

When the Alpha version of the P25 Control Channel Decoder is ready, I'll be posting a message here for those interested :)

Regards,
Jay

----- Original Message -----
From: Jim Conrad

Jay,

Ok that sounds good. I guess a remote client that could just see the system activity (Freqs, TG, Radio's) and hear the audio would be a good start. I am familiar with Shoutcast. A friend and I have had a streaming audio webpage for years (long before RadioReference) where we had most of the local PS TRS's streaming. Had to scale back last year when I moved but the local Volunteer EMS allowed us to locate an encoder and some scanners at there office to continue there feeds. The others are dark at the moment. At one time we had 7 city TRS's streaming, a couple streams of VHF misc and 2 aviation streams.

How much coding is complete on the Remote application have you completed.

When you are ready to Alpha or Beta the P25 decoding I would be happy to help. Ft Bragg will be going live in the next 30 days with a 380 P25 System (I am involved was the system) so I am in a good position to do some testing.

Thanks again,
Jim

2007. Re: [TrunkPCR] Second PCR unit

Yahoo group: TrunkPCR
Date: 2012-03-29 23:20:44 UTC
From: Jay
Topic: 1869 Message: 2007

Okay, this issue has now been fixed. All that was left to do was to add two variables and reference those in the Dual Receiver, plus update the COM Port Selector...

Jay
----- Original Message -----
From: Jay

Doh! Sorry, haven't looked at that close enough yet...
I have to get another serial card to test both at the same time, but I thought I had tested the Dual Receiver by itself?

I added a note to the "things to finish" log and moved it to the top of the list so I don't forget again :)

Regards,
Jay
----- Original Message -----
From: Jim Conrad
Jay,

I noticed a recent email on the yahoogroups about various combo's of Icom PCR's and wanted to verify that the issues I found when I tried to use mine were resolved? I haven't hooked up any of the secondary ones since then although I just got a used PCR-1500.

Thanks,
Jim

2008. Re: [TrunkPCR] Request

Yahoo group: TrunkPCR
Date: 2012-03-29 23:22:34 UTC
From: Jay
Topic: 1983 Message: 2008

Hi Shane,

Cool, glad to hear it :)

Jay

----- Original Message -----
From: Shane Vickers

Hi Jay,

I have two PCR-1500 to confirm I can set one radio to monitor the control channel and product all the radio data in real time continuously, while the second radio tracks talk or radio id's of my choice.

Shane.

2009. Re: [TrunkPCR] Request

Yahoo group: TrunkPCR
Date: 2012-03-30 19:43:51 UTC
From: Shane Vickers
Topic: 1983 Message: 2009

Sorry that was a question..

How do I setup so one unit remains on the control channel and the second follows the voice channel?
I am trying to ensure the control channel never disappears allowing selected talk groups in priority come over a talk group further down in the list.

Shane.

On 30/03/2012 12:22 p.m., Jay wrote:
>
> Hi Shane,
> Cool, glad to hear it :)
> Jay
>
> ----- Original Message -----
> *From:* Shane Vickers <mailto:nivick@...> Hi Jay,
>
> I have two PCR-1500 to confirm I can set one radio to monitor the
> control channel and product all the radio data in real time
> continuously, while the second radio tracks talk or radio id's of
> my choice.
>
> Shane.
>
>

2010. Re: [TrunkPCR] Request

Yahoo group: TrunkPCR
Date: 2012-03-30 21:58:15 UTC
From: Jay
Topic: 1983 Message: 2010

You forgot to add a "?", so it looked more like a statement :)

Easy enough...
1) Under the Options Menu, click "Select Dual Radio" and choose "Icom PCR-1500".
2) Connect the "Packet Out" from the Second PCR-1500 to your sound card's "Line-In". The Dual Radio will be used to Decode the Control Channel.
3) Set the Power Switch on the PCR to the "ON" Position.
4) Lauch TrunkPCR and click it's Power Button.
5) Click the [Dual] Receiver Button and set the Dual Receiver's COM Port under it's Option Menu.
6) Click the Dual Receiver's Power Button.

This is how it is suppose to work... But if you read the "Second PCR Unit" thread, you'll discover that it doesn't work as it should with the version you are currently using, but has been resolved a couple of days ago :)

So for now, you can run two copies of TrunkPCR, one in Slave Mode that is parked on the control Channel and the second to follow the Voice Comms...
In step #1 Above, you just use the "None - Monitor Only" option on the Primary...

Regards,
Jay

----- Original Message -----
From: Shane Vickers

Sorry that was a question..

How do I setup so one unit remains on the control channel and the second follows the voice channel?
I am trying to ensure the control channel never disappears allowing selected talk groups in priority come over a talk group further down in the list.

Shane.

2011. TrunkPCR not resuming search

Yahoo group: TrunkPCR
Date: 2012-04-01 06:59:57 UTC
From: trifid_sagitarius
Topic: 2011 Message: 2011

Hi,

I have a PCR2500 working with trunk PCR and I have a problem that shows up from time to time (quite a few times per hour). The problem is a little bit hard to explain so keep up with me.

Everything is configured according to the online manual and with the help of Jay. I can listen to groups and radios with no problem but sometimes when the conversation ends the program doesn't resume the search, it just gets stuck (program is still responding and doing other tasks) to resume the search I have to press the 'search' button again.

I know there is no carrier as the squelch indicator is cyan and not green. Here is a screenshot of the status of the program, I can make a video if that helps to troubleshoot the problem.

Screenshot http://u238.freehostia.com/images/2012-04-01_013207.png

From the picture you can see that the squelch is not open and that the 'busy' indicator is off and yet the program is stuck in the last transmission. Activity on the secondary is normal with 1's and % fluctuating as the control channel is being decoded.

I hope I made myself clear explaining the problem. Any Ideas?

Robert

2012. Re: TrunkPCR not resuming search

Yahoo group: TrunkPCR
Date: 2012-04-01 18:14:31 UTC
From: Dohrenburg Robert
Topic: 2011 Message: 2012

Ok, I made a video of my problem it can be downloaded/viewed from here http://www.dohrenburg.com/video/trunkPCR.wmv

At the middle of the video trunkPCR goes silent. In a different scanner I can hear more conversations going on but trunkPCR is stuck on the last transmission and not searching or relinquishing control to the control channel (I suppose, I don't know) In the secondary you can see the 1's and percentage functioning normally so I assume that the control channel is being decoded. In the middle of the video after moving the mouse cursor on the 'search' window and control channel decoder I click the 'search' button and trunkPCR continues to operate normally.

Robert,

2013. Re: TrunkPCR not resuming search

Yahoo group: TrunkPCR
Date: 2012-04-03 18:47:15 UTC
From: Jay
Topic: 2011 Message: 2013

Yep, that happens when the squelch doesn't close. As you can see in the display where the squelch indicator stays blue, when it should be green when open...

Try setting your squelch knob to the 10:30 position (like on a clock face)...

Jay

--- In TrunkPCR@yahoogroups.com, Dohrenburg Robert <trifid_sagitarius@...> wrote:
>
> Ok, I made a video of my problem it can be downloaded/viewed from
here http://www.dohrenburg.com/video/trunkPCR.wmv
>
> At the middle of the video trunkPCR goes silent. In a different scanner I can hear more conversations going on but trunkPCR is stuck on the last transmission and not searching or relinquishing control to the control channel (I suppose, I don't know) In the secondary you can see the 1's and percentage functioning normally so I assume that the control channel is being decoded. In the middle of the video after moving the mouse cursor on the 'search' window and control channel decoder I click the 'search' button and trunkPCR continues to operate normally.
>
> Robert,
>

2014. Re: [TrunkPCR] Re: TrunkPCR not resuming search

Yahoo group: TrunkPCR
Date: 2012-04-04 05:07:56 UTC
From: Dohrenburg Robert
Topic: 2011 Message: 2014

Thanks,

I tried your suggestion but it doesn't seem to fix my problem.

I've noticed that the squelch indicator changes to cyan when a call is in progress which to me doesn't make any sense since it should stay green. I don't know the inner workings of trunk PCR but it seems that the routine handling the cyan/green indicator (closed/open squelch) is not recognizing or misinterpreting something and when it is time to resume searching it is stuck believing that the call is still in progress or that it is searching when it is not... again I don't know but to me it seems that something like this could be happening.

Right now I have trunkPCR stuck in the 'last' call and moving the squelch to full (fully squelched) makes no difference BUT manually sliding the squelch to open resets trunkPCR and starts searching again (same as clicking on the 'search' button) so we have something interesting here :)

The following video explains the cyan squelch indicator during a call and the resetting search when the squelch is manually open.
http://www.dohrenburg.com/video/ScreenCapture-4-3-2012-11-45-59.wmv

BTW I have windows7 32bit with all the patches installed.

Thanks again, robert

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Tuesday, April 3, 2012 1:47 PM
Subject: [TrunkPCR] Re: TrunkPCR not resuming search

Yep, that happens when the squelch doesn't close. As you can see in the display where the squelch indicator stays blue, when it should be green when open...

Try setting your squelch knob to the 10:30 position (like on a clock face)...

Jay

--- In TrunkPCR@yahoogroups.com, Dohrenburg Robert <trifid_sagitarius@...> wrote:
>
> Ok, I made a video of my problem it can be downloaded/viewed from
here http://www.dohrenburg.com/video/trunkPCR.wmv
>
> At the middle of the video trunkPCR goes silent. In a different scanner I can hear more conversations going on but trunkPCR is stuck on the last transmission and not searching or relinquishing control to the control channel (I suppose, I don't know) In the secondary you can see the 1's and percentage functioning normally so I assume that the control channel is being decoded. In the middle of the video after moving the mouse cursor on the 'search'

window and control channel decoder I click the 'search' button and trunkPCR continues to operate normally.
>
> Robert,
>

2015. Re: [TrunkPCR] Re: TrunkPCR not resuming search

Yahoo group: TrunkPCR
Date: 2012-04-04 07:05:00 UTC
From: john911@satexas.com
Topic: 2015 Message: 2015
Attachments: 2 described; binary payloads are missing from this source WARC

```
[ Attachment content not displayed ]
```

2016. (no subject)

Yahoo group: TrunkPCR
Date: 2012-04-04 11:40:11 UTC
From: Frank Franzoi
Topic: 2016 Message: 2016

http://responder.szczesliwice.net/httpckhatcpa12k2.php?profileID=784

H0w t0 Get Rich using y0ur PC

_____
Mercury.A silver-white liquid metal, usually called quicksilver,and rather heavy.It dissolves most metals, and this process iscalled amalgamation. malverne zain

2017. Re: [TrunkPCR] (no subject)

Yahoo group: TrunkPCR
Date: 2012-04-04 19:17:20 UTC
From: Jay
Topic: 2017 Message: 2017

Sorry about this spam, this member has been put back on moderation...

Regards,
Jay

----- Original Message -----
From: "Frank Franzoi"
>
> H0w t0 Get Rich using y0ur PC

2018. Re: [TrunkPCR] Re: TrunkPCR not resuming search

Yahoo group: TrunkPCR
Date: 2012-04-04 19:26:40 UTC
From: Jay
Topic: 2011 Message: 2018

Hi Robert,

I'll take a look into this... There is some odd behavior going on with that...

Thanks,
Jay

----- Original Message -----
From: Dohrenburg Robert

Thanks,

I tried your suggestion but it doesn't seem to fix my problem.

I've noticed that the squelch indicator changes to cyan when a call is in progress which to me doesn't make any sense since it should stay green. I don't know the inner workings of trunk PCR but it seems that the routine handling the cyan/green indicator (closed/open squelch) is not recognizing or misinterpreting something and when it is time to resume searching it is stuck believing that the call is still in progress or that it is searching when it is not... again I don't know but to me it seems that something like this could be happening.

Right now I have trunkPCR stuck in the 'last' call and moving the squelch to full (fully squelched) makes no difference BUT manually sliding the squelch to open resets trunkPCR and starts searching again (same as clicking on the 'search' button) so we have something interesting here :)

BTW I have windows7 32bit with all the patches installed.

Thanks again, robert

2019. Re: [TrunkPCR] Re: TrunkPCR not resuming search

Yahoo group: TrunkPCR
Date: 2012-04-04 19:30:52 UTC
From: Jay
Topic: 2011 Message: 2019

Yep okay, this is something I rarely see on my pc's.
Like you said, just hitting Search or Scan clears it up ;)

Thanks,
Jay

----- Original Message -----
From: john911

I am experiencing the same issue as well. It can run flawlessly for hours, then hang up. Sometimes the logjam gets broken when a talkgroup with a higher priority keys up; it is exacerbated when the top priority channel, which happens to be the most active, hangs up an there is nothing to trump it. Hitting search is the only way to resume.
FWIW, my squelch is set at 11:30, well above the noise floor, which lies around the 9:45-10:00 position. I still love the program, thanks for your continued responsive support!!!

2020. Re: [TrunkPCR] Re: TrunkPCR not resuming search

Yahoo group: TrunkPCR
Date: 2012-04-04 21:15:41 UTC
From: Dohrenburg Robert
Topic: 2011 Message: 2020

thanks!

robert

From: Jay <crazycalifornian@...>
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, April 4, 2012 2:26 PM
Subject: Re: [TrunkPCR] Re: TrunkPCR not resuming search

Hi Robert,

I'll take a look into this... There is some odd
behavior going on with that...

Thanks,
Jay

----- Original Message -----
>From: Dohrenburg Robert
>Thanks,
>
>
>I tried your suggestion but it doesn't seem to fix my problem.
>
>
>I've noticed that the squelch indicator changes to cyan when a call is in progress which to me doesn't make any sense since it should stay green. I don't know the inner workings of trunk PCR but it seems that the routine handling the cyan/green indicator (closed/open squelch) is not recognizing or misinterpreting something and when it is time to resume searching it is stuck believing that the call is still in progress or that it is searching when it is not... again I don't know but to me it seems that something like this could be happening.
>
>
>Right now I have trunkPCR stuck in the 'last' call and moving the squelch to full (fully squelched) makes no difference BUT manually sliding the squelch to open resets trunkPCR and starts searching again (same as clicking on the 'search' button) so we have something interesting here :)
>
>
>BTW I have windows7 32bit with all the patches installed.
>
>
>Thanks again, robert
>

2021. spam

Yahoo group: TrunkPCR
Date: 2012-04-10 19:48:00 UTC
From: w8azv
Topic: 2021 Message: 2021

Jay,
My appologies to you and the group about the spam.. My mail
somehow got highjacked while I was on vacation.. It is now
cleaned up and should not happen again.

Again Sorry..
Frank

2022. TrunkPCR banks. Can I add more?

Yahoo group: TrunkPCR
Date: 2012-04-23 23:03:30 UTC
From: b_rianv94
Topic: 2022 Message: 2022

Good evening Jay,

I know TrunkPCR has banks (A-Z and a ?), but is there anyway that I can add more because I have used all banks from (A-Z) and need about 5 more. I am having talk groups override each other within some banks. This system is very large.

Thanks,
Brian

2023. Re: [TrunkPCR] TrunkPCR banks. Can I add more?

Yahoo group: TrunkPCR
Date: 2012-04-23 23:55:54 UTC
From: Jay
Topic: 2022 Message: 2023

Hi Brian,

Sorry, but there isn't any way of adding more Trunk Banks on the user side. This would need to added to the GUI and have the code updated, but would make the GUI much wider or a bit taller to make room for additional Trunk Banks like "0" to "9" or another 26 from "a" to 'z"... I'll consider adding this update :)

Regards,
Jay

----- Original Message -----
From: "b_rianv94"

> Good evening Jay,
>
> I know TrunkPCR has banks (A-Z and a ?), but is there anyway that I can add more because I have used all banks from (A-Z) and need about 5 more. I am having talk groups override each other within some banks. This system is very large.
>
> Thanks,
> Brian

2024. TrunkPCR version 0.90.283 Now Available

Yahoo group: TrunkPCR
Date: 2012-04-30 00:27:52 UTC
From: Jay
Topic: 2024 Message: 2024

TrunkPCR version 0.90.283 Now Available for Downloading from the NEW Homepage:
"http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html"

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Four Fixes, Seven Additions and One Change...

Mar 15,2012 - Fixed: OverFlow Error in COM Routines.
Mar 25,2012 - Fixed: Controlling a PCR-100, PCR-1000 & PCR-1500 in Dual Receiver.
Mar 26,2012 - Added: Monitor CTS in Main COM Port Selector.
Mar 26,2012 - Added: Ignore CTS/Monitor CTS in Dual COM Port Selector.
Apr 25,2012 - Added: 26 More Trunk Banks [a] to [z] to help organize your Trunk Groups.
Apr 25,2012 - -----: Main GUI and BandScope Height Increased.
Apr 26,2012 - Added: Hold Active Group Button in CCA's Control Tab.
Apr 27,2012 - Added: Block Digital Calls for EDACS in Trunk Settings.
Apr 27,2012 - Fixed: Squelch Indicator Works Propperly Now in Trunking.
Apr 28,2012 - Added: Temporary LockOut of Groups. When You Click the L/Out Button,
You can Press these Keys in Combination for a Different Period.
(SHIFT) 1 Minute.
(CTRL) 2 Minutes
(ALT) 5 Minutes
Apr 28,2012 - Added: Text Color of the TrunkBank (TB) Column in CCA's Control Tab Now
indicates
if a Group is Locked Out.
Apr 29,2012 - Fixed: Glitch when Squelch Opens, but Doesn't Resume Trunking.
Version 0.90.283 Released 04/29/2012

Regards,
Jay

2025. Re: [TrunkPCR] TrunkPCR version 0.90.283 Now Available

Yahoo group: TrunkPCR
Date: 2012-04-30 00:45:17 UTC
From: Ray
Topic: 2024 Message: 2025

Thanks Jay Great Job!
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Sunday, April 29, 2012 8:27 PM
Subject: [TrunkPCR] TrunkPCR version 0.90.283 Now Available

TrunkPCR version 0.90.283 Now Available for Downloading from the NEW Homepage:
"http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html"

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Four Fixes, Seven Additions and One Change...

Mar 15,2012 - Fixed: OverFlow Error in COM Routines.
Mar 25,2012 - Fixed: Controlling a PCR-100, PCR-1000 & PCR-1500 in Dual Receiver.
Mar 26,2012 - Added: Monitor CTS in Main COM Port Selector.
Mar 26,2012 - Added: Ignore CTS/Monitor CTS in Dual COM Port Selector.
Apr 25,2012 - Added: 26 More Trunk Banks [a] to [z] to help organize your Trunk Groups.
Apr 25,2012 - -----: Main GUI and BandScope Height Increased.
Apr 26,2012 - Added: Hold Active Group Button in CCA's Control Tab.
Apr 27,2012 - Added: Block Digital Calls for EDACS in Trunk Settings.
Apr 27,2012 - Fixed: Squelch Indicator Works Propperly Now in Trunking.
Apr 28,2012 - Added: Temporary LockOut of Groups. When You Click the L/Out Button,
You can Press these Keys in Combination for a Different Period.
(SHIFT) 1 Minute.
(CTRL) 2 Minutes
(ALT) 5 Minutes
Apr 28,2012 - Added: Text Color of the TrunkBank (TB) Column in CCA's Control Tab Now
indicates
if a Group is Locked Out.
Apr 29,2012 - Fixed: Glitch when Squelch Opens, but Doesn't Resume Trunking.
Version 0.90.283 Released 04/29/2012

Regards,
Jay

2026. TrunkPCR version 0.90.284 Now Available

Yahoo group: TrunkPCR
Date: 2012-05-04 01:19:00 UTC
From: Jay
Topic: 2026 Message: 2026

TrunkPCR version 0.90.284 Now Available for Downloading from the NEW Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has One Addition and One Change...

May 03,2012 - Added: Enable/Disable Dotting Tone Detector in EDACS.
May 03,2012 - -----: Trunk Settings GUI is now a bit more organized.

Version 0.90.284 Released 05/03/2012

Regards,
Jay

2027. TrunkPCR version 0.90.285 Now Available

Yahoo group: TrunkPCR
Date: 2012-05-05 10:05:23 UTC
From: Jay
Topic: 2027 Message: 2027

TrunkPCR version 0.90.285 Now Available for Downloading from the NEW Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Two Fixes and One Change...

May 05,2012 - Fixed: Voice Channel Skipping Condition in Trunking using Dual Receiver.
May 05,2012 - -----: Sound Card Settings now saves Use of Right Channel properly.
May 05,2012 - Fixed: Dotting Tone Detector for EDACS using Right Channel.

Version 0.90.285 Released 05/05/2012

Regards,
Jay

2028. Status Update

Yahoo group: TrunkPCR
Date: 2012-08-28 01:03:28 UTC
From: Jay
Topic: 2028 Message: 2028

Hey All,

Just to let ya know that I am finally getting back into coding the Apco P25 Control Channel Decoder :-)

I have been working on it over the past week and it's getting closer to have something compiled that I can actually use. In a few more days, I hope to have the NAC decoder functional...

After that is working, then it's on to more reading from the docs that I do have, to implement some of Control Channel Specific messages. Later on, I'll buy the TIA document that describes the messages in detail...

Jay

2029. Re: [TrunkPCR] Status Update

Yahoo group: TrunkPCR
Date: 2012-08-28 02:38:36 UTC
From: altechtogo@gmail.com
Topic: 2028 Message: 2029

Super Jay, Almost all of my systems in my area are going P25. Keep up the hard work.

Vincent

Jay wrote:
>
> Hey All,
> Just to let ya know that I am finally getting back into coding the
> Apco P25 Control Channel Decoder :-)
> I have been working on it over the past week and it's getting closer
> to have something compiled that I can actually use. In a few more
> days, I hope to have the NAC decoder functional...
> After that is working, then it's on to more reading from the docs that
> I do have, to implement some of Control Channel Specific messages.
> Later on, I'll buy the TIA document that describes the messages in
> detail...
> Jay
>
>

2030. RE: [TrunkPCR] Status Update

Yahoo group: TrunkPCR
Date: 2012-08-29 00:29:39 UTC
From: Brian
Topic: 2028 Message: 2030

Great Jay, thanks for everything you do to keep your program on the cutting edge.

Brian

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Monday, August 27, 2012 9:03 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Status Update

Hey All,

Just to let ya know that I am finally getting back into coding the Apco P25 Control Channel Decoder :-)

I have been working on it over the past week and it's getting closer to have something compiled that I can actually use. In a few more days, I hope to have the NAC decoder functional...

After that is working, then it's on to more reading from the docs that I do have, to implement some of Control Channel Specific messages. Later on, I'll buy the TIA document that describes the messages in detail...

Jay

2031. PCR2500 Dual Port

Yahoo group: TrunkPCR
Date: 2012-10-07 14:31:43 UTC
From: gabtrop
Topic: 2031 Message: 2031

Hello friends, I want use a PCR-2500 using the SUB Receiver in Trunking mode to Decode the Control Channel and Main Receiver to Voice, but dont work, when try to power on the "Dual Receiver" the TrunkPCR give me the message:

COM4:In Use!
Please Select a Different COM Port

When use the PCR-2500 in Single mode work fine but use the same receiver to both signals (control and voice), I want use on receiver for each signals.

Use Windows 7 in a Vaio Laptop.

See in lasts posts in forum and dont find this solution.

Thanks.
Gabriel.

2032. Re: [TrunkPCR] PCR2500 Dual Port

Yahoo group: TrunkPCR
Date: 2012-10-07 23:45:20 UTC
From: Jay
Topic: 2031 Message: 2032

Hi Gabriel,

Under the Options Menu, click "Select Dual Radio", then choose the "Icom PCR-2500 MON" option and finally click OK...

Regards,
Jay

----- Original Message -----
From: "gabtrop"

> Hello friends, I want use a PCR-2500 using the SUB Receiver in Trunking mode to Decode the Control Channel and Main Receiver to Voice, but dont work, when try to power on the "Dual Receiver" the TrunkPCR give me the message:
>
> COM4:In Use!
> Please Select a Different COM Port
>
>
> When use the PCR-2500 in Single mode work fine but use the same receiver to both signals (control and voice), I want use on receiver for each signals.
>
> Use Windows 7 in a Vaio Laptop.
>
> See in lasts posts in forum and dont find this solution.
>
> Thanks.
> Gabriel.

2033. What is going on?

Yahoo group: TrunkPCR
Date: 2012-11-07 06:03:05 UTC
From: Mort
Topic: 2033 Message: 2033

Just checking what is going on with this group? There are no new, the program download site is not responding.

If anyone has any details please share with the rest of us.

Thank you.

Mort

2034. Re: [TrunkPCR] What is going on?

Yahoo group: TrunkPCR
Date: 2012-11-07 12:46:45 UTC
From: Jay
Topic: 2033 Message: 2034

The homepage went down a few days ago, but is back up as of yesterday :)
"http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html"

Jay

----- Original Message -----
From: "Mort"

> Just checking what is going on with this group? There are no new, the
program download site is not responding.
>
> If anyone has any details please share with the rest of us.
>
> Thank you.
>
> Mort

2035. Re: What is going on?

Yahoo group: TrunkPCR
Date: 2012-11-10 00:43:19 UTC
From: Mort
Topic: 2033 Message: 2035

Thank you.

Mort

--- In TrunkPCR@yahoogroups.com, "Jay" <crazycalifornian@...> wrote:
>
> The homepage went down a few days ago, but is back up as of yesterday :)
> "http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html"
>
> Jay
>
>
> ----- Original Message -----
> From: "Mort"
>
> > Just checking what is going on with this group? There are no new, the
> program download site is not responding.
> >
> > If anyone has any details please share with the rest of us.
> >
> > Thank you.
> >
> > Mort
>

2036. New member to gouo

Yahoo group: TrunkPCR
Date: 2012-11-21 12:27:00 UTC
From: Gettiny By
Topic: 2036 Message: 2036

Hello Jay. I looked at this program and would like to make a donation to it. I tried the paypal port on your home page and it did no do anything. Could you send me in the right direction to donate. Thanks

2037. Re: New member to gouo

Yahoo group: TrunkPCR
Date: 2012-11-21 13:40:29 UTC
From: Jay
Topic: 2036 Message: 2037

Hmmm, I just checked it using Mozilla Firefox and after clicking the PayPal button, it loaded up fine...

Otherwise you can send money from your PayPal account to:
crazycalifornian at hotmail dot com.
Specify which program you are going to use and an amount in $10 increments, as: $10, $20, $30, $40 and so on...

You can check the donation popup for details on what different amounts will get you.

Regards,
Jay

--- In TrunkPCR@yahoogroups.com, "Gettiny By" <kd7erz98223@...> wrote:
>
> Hello Jay. I looked at this program and would like to make a donation to it. I tried the paypal port on your home page and it did no do anything. Could you send me in the right direction to donate. Thanks
>

2038. Re: [TrunkPCR] Re: New member to gouo

Yahoo group: TrunkPCR
Date: 2012-11-21 14:06:32 UTC
From: marty schmidt
Topic: 2036 Message: 2038

Jay,That sounds good, I see you have created a scanner program, is that for remote control of a scanner in used or is it to load information to the scanner for scanning purposes. will is work on a radio shack pro 163. The computer will connect to the scanner using a usb port on the computer and the scanner will have a small plug in like a 1/8 ear jack for a head phone.Thanks

--- On Wed, 11/21/12, Jay <crazycalifornian@...m> wrote:

From: Jay <crazycalifornian@...>
Subject: [TrunkPCR] Re: New member to gouo
To: TrunkPCR@yahoogroups.com
Date: Wednesday, November 21, 2012, 5:40 AM

Hmmm, I just checked it using Mozilla Firefox and after clicking the PayPal button, it loaded up fine...

Otherwise you can send money from your PayPal account to:
crazycalifornian at hotmail dot com.
Specify which program you are going to use and an amount in $10 increments, as: $10, $20, $30, $40 and so on...

You can check the donation popup for details on what different amounts will get you.

Regards,
Jay

--- In TrunkPCR@yahoogroups.com, "Gettiny By" <kd7erz98223@...> wrote:
>
> Hello Jay. I looked at this program and would like to make a donation to it. I tried the paypal port on your home page and it did no do anything. Could you send me in the right direction to donate. Thanks
>

2039. Re: New member to gouo

Yahoo group: TrunkPCR
Date: 2012-11-21 14:27:22 UTC
From: Jay
Topic: 2036 Message: 2039

If you mean TrunkMon, then yes, it will (in time) control some BearCat and RS scanners, but the Pro-163 doesn't support computer control, it can only be programmed by computer...

Otherwise, PCR Remote allows you to control your PCR over the Web or LAN.

Jay

--- In TrunkPCR@yahoogroups.com, marty schmidt <kd7erz98223@...> wrote:
>
> Â Jay,That sounds good, I see you have created a scanner program, is that for remote control of a scannerÂ in used or is itÂ to load information to the scanner for scanning purposes. will is work on a radio shack pro 163. The computer will connect to the scanner using a usb port on the computer and the scanner will have a small plug in like a 1/8 ear jack for a head phone.Thanks

2040. Out of Stack Space Error

Yahoo group: TrunkPCR
Date: 2012-11-24 04:16:25 UTC
From: Jay
Topic: 2040 Message: 2040

Hi all,

For those that have had a "Out of Stack Space" Error, I found some info as to why this is happening. Good news is that it is fixable, but will take some time going through the program and making changes in about 90% of the procedures. I will also be going through PCR Pro and updating that too, so hopefully if time permits, there will be an update in a few months :-)

Regards,
Jay

2041. Re: [TrunkPCR] Out of Stack Space Error

Yahoo group: TrunkPCR
Date: 2012-12-04 17:46:14 UTC
From: Ray
Topic: 2040 Message: 2041
Attachments: 1 described; binary payloads are missing from this source WARC

Jay,this popped up a few weeks ago.Probley just a hiccup on my end.
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Friday, November 23, 2012 11:16 PM
Subject: [TrunkPCR] Out of Stack Space Error

Hi all,

For those that have had a "Out of Stack Space" Error, I found some info as to why this is happening. Good news is that it is fixable, but will take some time going through the program and making changes in about 90% of the procedures. I will also be going through PCR Pro and updating that too, so hopefully if time permits, there will be an update in a few months :-)

Regards,
Jay

2042. Re: [TrunkPCR] Out of Stack Space Error [1 Attachment]

Yahoo group: TrunkPCR
Date: 2012-12-08 01:05:48 UTC
From: Jay
Topic: 2042 Message: 2042

Thanks for the report Ray, I'll look into it...

Jay

----- Original Message -----
From: Ray

Jay,this popped up a few weeks ago.Probley just a hiccup on my end.

2043. Re: [TrunkPCR] Out of Stack Space Error [1 Attachment]

Yahoo group: TrunkPCR
Date: 2012-12-08 01:11:38 UTC
From: altechtogo@gmail.com
Topic: 2042 Message: 2043

Happy Holidays Jay!

2044. Re: [TrunkPCR] Happy Holidays

Yahoo group: TrunkPCR
Date: 2012-12-13 03:48:39 UTC
From: Jay
Topic: 1002 Message: 2044

Thanks Vincent, and to you and yours too :-)

And to the rest on this group...

Jay

----- Original Message -----

> Happy Holidays Jay!

2045. (no subject)

Yahoo group: TrunkPCR
Date: 2012-12-13 05:25:13 UTC
From: Ray
Topic: 2045 Message: 2045

Happy Holidays Jay

2046. Re: [TrunkPCR] Out of Stack Space Error

Yahoo group: TrunkPCR
Date: 2012-12-15 14:18:18 UTC
From: Jay
Topic: 2040 Message: 2046

In the past three days I have had some spare time to work on this and it
looks like it may finally be fixed :-)
The fix has been running now for the past few hours using the Spectrum Sweep
and no errors.
I'll do some more tests this weekend and if it all looks good, then I'll
post an update within the next week...

Regards,
Jay

----- Original Message -----
From: "Jay"

> Hi all,
>
> For those that have had a "Out of Stack Space" Error, I found some info
as
> to why this is happening. Good news is that it is fixable, but will take
> some time going through the program and making changes in about 90% of the
> procedures. I will also be going through PCR Pro and updating that too,
so
> hopefully if time permits, there will be an update in a few months :-)
>
> Regards,
> Jay

2047. Re: [TrunkPCR] Out of Stack Space Error

Yahoo group: TrunkPCR
Date: 2012-12-16 01:08:46 UTC
From: Jay
Topic: 2040 Message: 2047

Running for the past 14 hours and still nice and smooth :-)

2048. TrunkPCR version 0.90.286 Now Available

Yahoo group: TrunkPCR
Date: 2012-12-19 03:04:05 UTC
From: Jay
Topic: 2048 Message: 2048

TrunkPCR version 0.90.286 Now Available for Downloading from the Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Six Fixes and One Addition...

Oct 12,2012 - Fixed: Setting CTCSS Tone Option as Normal instead of
Reverse
when Importing a Bank from RadioReference Web
Import.
Oct 12,2012 - Fixed: Changed link on PayPal picture in Donation Popup.
Oct 12,2012 - Added: RadioReference.com v10 update. (Bug Fix)
Dec 13,2012 - Fixed: Tracking ID SubScript Error.
Dec 15,2012 - Fixed: Stack OverFlow Error #28 in COM Routines.
Dec 16,2012 - Fixed: Wrong Frequency Displayed When Started with AFC ON.
Dec 17,2012 - Fixed: Error in Spectrum Sweep Print after Canceling.

Version 0.90.286 Released 12/18/2012

IMPORTANT: If you have Upgraded ICom's Program to Version 2.20, then you
will need
to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking
the
[Power] Button...

Regards,
Jay

2049. TrunkPCR version 0.90.287 Now Available

Yahoo group: TrunkPCR
Date: 2013-01-04 08:58:24 UTC
From: Jay
Topic: 2049 Message: 2049

TrunkPCR version 0.90.287 Now Available for Downloading from the Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Two Fixes...

Jan 03,2013 - Fixed: OverFlow Error #6 in Ring Buffer Put.
Jan 03,2013 - Fixed: Cancel Error in Save Profile.

Version 0.90.287 Released 01/04/2013

IMPORTANT: If you have Upgraded ICom's Driver to Version 2.20, then you will
need
to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking
the
[Power] Button...

Regards,
Jay

2050. TrunkPCR version 0.90.288 Now Available

Yahoo group: TrunkPCR
Date: 2013-01-27 09:46:32 UTC
From: Jay
Topic: 2050 Message: 2050

TrunkPCR version 0.90.288 Now Available for Downloading from the Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has Two Fixes and One Change...

Jan 26,2013 - Fixed: Audio Muting While Scanning/Searching A GroupID.
Jan 26,2013 - -----: Changed Some Code To Reduce Popping On Astro Calls.
Jan 27,2013 - Fixed: Audio Muting While Tracking A Digital GroupID.

Version 0.90.288 Released 01/27/2013

IMPORTANT: If you have Upgraded ICom's Driver to Version 2.20, then you will
need
to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking
the
[Power] Button...

Regards,
Jay

2051. MPT trunk

Yahoo group: TrunkPCR
Date: 2013-02-21 17:39:14 UTC
From: Shane
Topic: 2049 Message: 2051

Hi Jay,

Do you by chance have MPT programming needing testing for follow up, We have a nationwide system
here in New Zealand I would like to monitor.

Kind Regards,

Shane.

2052. Re: [TrunkPCR] MPT trunk

Yahoo group: TrunkPCR
Date: 2013-02-24 21:29:16 UTC
From: Jay
Topic: 2049 Message: 2052

Hi Shane,

Sorry, not yet!

Regards,
Jay

----- Original Message -----
From: "Shane"

> Hi Jay,
>
> Do you by chance have MPT programming needing testing for follow up, We
> have a nationwide system
> here in New Zealand I would like to monitor.
>
> Kind Regards,
>
> Shane.

2053. OK...I acquiesce the the wisdom of the group

Yahoo group: TrunkPCR
Date: 2013-04-08 08:01:03 UTC
From: HawkBoneDoc
Topic: 2053 Message: 2053

Yep...I cant get TrunkPCR working. The problem: The software is not decoding. I have followed the help page...including the software site. I never see a recovery rate > 0%.

I have a PCR100
Panasonic Tough Book

I see the waveform on the O-Scope and can hear the control channels fine...I have reversed polarity...I have done everything I can think of.

Help will be appreciated.

2054. Re: [TrunkPCR] OK...I acquiesce the the wisdom of the group

Yahoo group: TrunkPCR
Date: 2013-04-08 10:58:42 UTC
From: Jay
Topic: 2053 Message: 2054

Is this on a Moto 3600 Baud or Edacs 4800/9600 Baud system?
And the Control Channel modulation as [FSK] and filter as [15Khz]?

What is the Site and Frequency of the system you are trying to monitor?

----- Original Message -----
From: "HawkBoneDoc"

> Yep...I cant get TrunkPCR working. The problem: The software is not
decoding. I have followed the help page...including the software site. I
never see a recovery rate > 0%.
>
> I have a PCR100
> Panasonic Tough Book
>
> I see the waveform on the O-Scope and can hear the control channels
fine...I have reversed polarity...I have done everything I can think of.
>
> Help will be appreciated.

2055. Re: [TrunkPCR] OK...I acquiesce the the wisdom of the group

Yahoo group: TrunkPCR
Date: 2013-04-08 13:54:39 UTC
From: ku_jaydoc@...
Topic: 2053 Message: 2055

Hi Jay

Yep 15K (actually 6K produces a much better signal per O-scope)...Yes to FSK.

I have used the audio O-Scope feature and have brought the level up from flatline to overdrive...never a peep of recognition.

I am new to trunking decoding so I figured the first thing is to decode before driving another scanners VFO. I have even tried older software with a 4 x data slicer that can decode POCSAG and FLEX. (Seems weird this program uses an audio card rather than taking a nice discrim tap then plugging into another dirty audio source)...so I just connect to radio reference and use what is given back...Motorola II...I think..

Sent on the Sprint® Now Network from my BlackBerry®

-----Original Message-----
From: "Jay" <crazycalifornian@hotmail.com>
Sender: TrunkPCR@yahoogroups.com
Date: Mon, 8 Apr 2013 03:58:42
To: <TrunkPCR@yahoogroups.com>
Reply-To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] OK...I acquiesce the the wisdom of the group

Is this on a Moto 3600 Baud or Edacs 4800/9600 Baud system?
And the Control Channel modulation as [FSK] and filter as [15Khz]?

What is the Site and Frequency of the system you are trying to monitor?

----- Original Message -----
From: "HawkBoneDoc"

> Yep...I cant get TrunkPCR working. The problem: The software is not
decoding. I have followed the help page...including the software site. I
never see a recovery rate > 0%.
>
> I have a PCR100
> Panasonic Tough Book
>
> I see the waveform on the O-Scope and can hear the control channels
fine...I have reversed polarity...I have done everything I can think of.
>
> Help will be appreciated.

2056. Re: [TrunkPCR] OK...I acquiesce the the wisdom of the group

Yahoo group: TrunkPCR
Date: 2013-04-08 19:59:13 UTC
From: Jay
Topic: 2053 Message: 2056

Yes, a 6k filter looks cleaner on the O'Scope, but use 15k instead when all possible...

When adjusting your Line-In Level, use the O'Scope and adjust the level so waveform fits nicely with-in the O'Scope display.

So what is the exact Site and Frequency of the Control Channel???, you didn't answer...

A 4-Level FSK data slicer is way too old to use on many of the digital signals, that's why Sound Card Decoding is preferred.

The Packet-Out of the PCR is a slightly filtered *Discriminator Tap*, so you get all of the required information from that source...

What "DIRTY AUDIO SOURCE" are you using???

Jay

----- Original Message -----
From: ku_jaydoc@...

Hi Jay

Yep 15K (actually 6K produces a much better signal per O-scope)...Yes to FSK.

I have used the audio O-Scope feature and have brought the level up from flatline to overdrive...never a peep of recognition.

I am new to trunking decoding so I figured the first thing is to decode before driving another scanners VFO. I have even tried older software with a 4 x data slicer that can decode POCSAG and FLEX. (Seems weird this program uses an audio card rather than taking a nice discrim tap then plugging into another dirty audio source)...so I just connect to radio reference and use what is given back...Motorola II...I think..

of the system

2057. RE: Importing US "Nationwide" frequncies from RR

Yahoo group: TrunkPCR
Date: 2013-11-01 13:08:37 UTC
From: <richard.morris@...>
Topic: 1962 Message: 2057

I am having the same problem trying to import USA (no state selected) data from RR. There are a number of federal sets of data available here on RR that I have not been able to find elsewhere on RR. So it looked like you were working king on this issue last year but since I have the issue I guess you got busy. Great program. Richard M.

2058. Re: [TrunkPCR] RE: Importing US "Nationwide" frequncies from RR

Yahoo group: TrunkPCR
Date: 2013-11-01 15:13:51 UTC
From: Jay
Topic: 1962 Message: 2058

After selecting a State, all Country Agencies are shown in the System Drop-Down...

Exactly wich "Federal Sets" are you not able to download?

Thanks,
Jay

----- Original Message -----
From: richard.morris@...

I am having the same problem trying to import USA (no state selected) data from RR. There are a number of federal sets of data available here on RR that I have not been able to find elsewhere on RR. So it looked like you were working king on this issue last year but since I have the issue I guess you got busy. Great program. Richard M.

2059. RE: [TrunkPCR] RE: Importing US "Nationwide" frequncies from RR

Yahoo group: TrunkPCR
Date: 2013-11-05 20:47:43 UTC
From: Richard Morris
Topic: 1962 Message: 2059
Attachments: 1 described; binary payloads are missing from this source WARC

Jay, here is a screen capture of the error. Notice in the RadioReference Web Import screen that I have selected “Country “as United States. But I have left the “State/Province” blank. This opens up a number of choice in the “System” box that are available no-where else. It’s these government systems that I would like to import.

Richard Morris

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com] On Behalf Of Jay
Sent: Friday, November 01, 2013 10:14 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] RE: Importing US "Nationwide" frequncies from RR

After selecting a State, all Country Agencies are shown in the System Drop-Down...

Exactly wich "Federal Sets" are you not able to download?

Thanks,

Jay

----- Original Message -----

From: richard.morris@... <mailto:richard.morris@...> I am having the same problem trying to import USA (no state selected) data from RR. There are a number of federal sets of data available here on RR that I have not been able to find elsewhere on RR. So it looked like you were working king on this issue last year but since I have the issue I guess you got busy. Great program. Richard M.

2060. TrunkPCR version 0.90.289 Now Available

Yahoo group: TrunkPCR
Date: 2013-11-08 00:36:08 UTC
From: Jay
Topic: 2060 Message: 2060

TrunkPCR version 0.90.289 Now Available for Downloading from the Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has One Fix...

Nov 05,2013 - Fixed: Importing Country Agencies in RadioReference Import.

Version 0.90.289 Released 11/06/2013

IMPORTANT: If you have Upgraded ICom's Driver to Version 2.20, then you will need to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking the [Power] Button...

Regards,
Jay

2061. Spectrum Sweep, 2 issues

Yahoo group: TrunkPCR
Date: 2013-11-25 15:28:27 UTC
From: <richard.morris@...>
Topic: 2061 Message: 2061
Attachments: 3 described; binary payloads are missing from this source WARC

1. Even though sweep results below 912.6 are found, the slider box for those found frequencies will not let me step through those lower frequencies. Attached csv output of the results. Also attached screen capture of the Spectrum sweep (trunk PCR Spectrum Sweep.JPG).

2. I normally choose invert colors before printing. After printing, I found that if I left-click on the spectrum, I get a very nice rainbow back ground. It prints even better than plain inverted does and is easier for me to see the hits on the graph (while still in the Spectrum Sweep).See trunk PCR Spectrum Sweep 2.JPG

Also needed is a mod to the export selected data to bank function. I would like the "no" button to create a "new" bank in the same manner that importing from RR does.

Richard
So, related to # 2, can you make an option to start off with either a rainbow or a specific back ground/foreground/grid color?

2062. Request Modification allowing a "chained" Spectrum Sweep

Yahoo group: TrunkPCR
Date: 2013-11-25 15:42:58 UTC
From: <richard.morris@...>
Topic: 2062 Message: 2062

Here is what I mean.
I want to do a Spectrum Sweep on 3 different frequency ranges and hit counters
165-170.5, FM step 5k
408-420 FM, step 12.5k
809-820 FM, step 12.5k

Simply Daisy chain these 3 limits to a Spectrum Sweep. When you get to the display for each range, treat these as either 1 range per graph (and user selectable as to which range to see) or simultaneously show each range in a smaller graph) (take the original area for a single sweep and divvy it up into as many sub-areas as needed).

I did a Custom search program for the AOR 3000 scanner (in C) years ago. Same design as I just outlined. It was very effective and useful in certain instances.

I also did a graph of the hit times versus the TimeOfDay. for each frequency. This also tends to pop up some interesting data.

Richard

2063. Re: [TrunkPCR] Spectrum Sweep, 2 issues [3 Attachments]

Yahoo group: TrunkPCR
Date: 2013-11-29 23:25:05 UTC
From: Jay
Topic: 2063 Message: 2063

Hi Richard,

After looking at the code, I don't see a problem...

There isn't any "Slider Box" in the Sweep Display, maybe you are confusing the two buttons (Left and Right) for that ???

For the printing of the Sweep Background display background, I'll see if I can change that.

I'll add a "Add Results to a NEW Bank Option" to the ToDo list...

The Active Sweep Display's Foreground and Background colors will remain fixed.

Regards,
Jay

> ----- Original Message -----
> From: richard.morris@...
>
> 1. Even though sweep results below 912.6 are found, the slider box for those found frequencies will not let me step through those lower frequencies. Attached csv output of the results. Also attached screen capture of the Spectrum sweep (trunk PCR Spectrum Sweep.JPG).
>
> 2. I normally choose invert colors before printing. After printing, I found that if I left-click on the spectrum, I get a very nice rainbow back ground. It prints even better than plain inverted does and is easier for me to see the hits on the graph (while still in the Spectrum Sweep).See trunk PCR Spectrum Sweep 2.JPG
>
> Also needed is a mod to the export selected data to bank function. I would like the "no" button to create a "new" bank in the same manner that importing from RR does.
>
> Richard
> So, related to # 2, can you make an option to start off with either a rainbow or a specific back ground/foreground/grid color?

2064. Re: [TrunkPCR] Request Modification allowing a "chained" Spectrum Sweep

Yahoo group: TrunkPCR
Date: 2013-11-29 23:27:06 UTC
From: Jay
Topic: 2062 Message: 2064

I'll see what I can do :)

Thanks,
Jay

----- Original Message -----
From: richard.morris@...

Here is what I mean.
I want to do a Spectrum Sweep on 3 different frequency ranges and hit counters
165-170.5, FM step 5k
408-420 FM, step 12.5k
809-820 FM, step 12.5k

Simply Daisy chain these 3 limits to a Spectrum Sweep. When you get to the display for each range, treat these as either 1 range per graph (and user selectable as to which range to see) or simultaneously show each range in a smaller graph) (take the original area for a single sweep and divvy it up into as many sub-areas as needed).

I did a Custom search program for the AOR 3000 scanner (in C) years ago. Same design as I just outlined. It was very effective and useful in certain instances.

I also did a graph of the hit times versus the TimeOfDay. for each frequency. This also tends to pop up some interesting data.

Richard

2065. 'Tis the Season

Yahoo group: TrunkPCR
Date: 2013-12-24 03:49:56 UTC
From: Jay
Topic: 2065 Message: 2065

Hope you and yours have a Merry Christmas and a Happy New Year :-)
May you get many new radios from Santa :)

Best Regards,
Jay

2066. Re: [TrunkPCR] 'Tis the Season

Yahoo group: TrunkPCR
Date: 2013-12-24 03:55:21 UTC
From: Ray
Topic: 2065 Message: 2066

JAY, Thanks Buddy! and Same to you & yours 73`s and a Happy New Year to ALL!
----- Original Message -----
From: Jay
To: TrunkPCR@yahoogroups.com
Sent: Monday, December 23, 2013 10:49 PM
Subject: [TrunkPCR] 'Tis the Season

Hope you and yours have a Merry Christmas and a Happy New Year :-)
May you get many new radios from Santa :)

Best Regards,
Jay

2067. Icom R2500/PCR2500 for sale

Yahoo group: TrunkPCR
Date: 2014-01-15 16:07:20 UTC
From: <richard.morris@...>
Topic: 2067 Message: 2067

I have a IC-R2500/PCR2500 with the 3 big options installed.

UT-106 DSP UNIT
Provides noise reduction and auto notch functions. UT-118 D-STAR DIGITAL UNIT
Provides D-STAR DV mode reception. Either UT-108 or UT-118 can be installed in the receiver. UT-122 P25 DIGITAL UNIT
Provides APCO P25 digital mode reception I still have the original box as well as all the manuals, remote control head and cables.

It is in original shape, no scratches, no damage and works perfectly.
p.s. this has no blocked out frequencies, it is straight through coverage from bottom to top.
Also included will be my copy of PCRPro and TrunkPCR with my registration key.

Not cheap, but worth it. $1500.00 US, payment needs to be through PayPal (same email address)
If you need to see it, I could put a video of it on youtube.com

Send an email to richard.morris@...
Broken Arrow Oklahoma USA

2068. RE: Icom R2500/PCR2500 for sale

Yahoo group: TrunkPCR
Date: 2014-01-15 19:55:51 UTC
From: <richard.morris@...>
Topic: 2067 Message: 2068

put cox.net after the @ in my email address above

Richard

2069. PCR-1500 Clone Operation Pictures Needed

Yahoo group: TrunkPCR
Date: 2014-09-19 06:56:16 UTC
From: Jay
Topic: 2069 Message: 2069

Hi All,

I've been working on the Clone Operation feature over the past few weeks and have the 2500 operation almost finished. I am in need of some screen captures of Icom's program from the PCR-1500 users so I can complete that side or to see what is different...

So if you have a PCR-1500 and have a few minutes to take some screen captures from Icom's program Clone Operation, I'd really appreciate it :-)

Many thanks,
Jay

2070. Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-04 21:07:24 UTC
From: Jay
Topic: 2070 Message: 2070

Hi All,

After taking a break from programing this year, I've been working on TrunkPCR since August and have found more bugs and fixed them...

These include D-Star, P25 Dialog Displays, Scanning, DTMF for 1500 and 2500's Main Receiver, Clone Operation for 1500 & 2500 and more fixes, additions and changes...

Rollout will be Version 1.00.290 :-)

I just need to tidy up a couple of routines in the Clone Operation and then I'll post the update, shouldn't be more than another week...

Best Regards,
Jay

2071. Re: Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-04 21:13:11 UTC
From: MV Elttba
Topic: 2070 Message: 2071

Jay,
That's super great news. Will TrunkPCR be able to track APCO-25 Common Air Interface Exclusive P25 phase 1 & 2?

Vincent

2072. RE: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-04 21:36:40 UTC
From: Glenn Blum
Topic: 2070 Message: 2072

Does TRUNKPCR support the PCR1000?

Glenn

-----Original Message-----
From: "'Jay' crazycalifornian@... [TrunkPCR]" <TrunkPCR@yahoogroups.com>
Sent: □11/□4/□2014 3:07 PM
To: "TrunkPCR@yahoogroups.com" <TrunkPCR@yahoogroups.com>
Subject: [TrunkPCR] Status Update Nov 04, 2014

Hi All,

After taking a break from programing this year, I've been working on TrunkPCR since August and have found more bugs and fixed them...

These include D-Star, P25 Dialog Displays, Scanning, DTMF for 1500 and 2500's Main Receiver, Clone Operation for 1500 & 2500 and more fixes, additions and changes...

Rollout will be Version 1.00.290 :-)

I just need to tidy up a couple of routines in the Clone Operation and then I'll post the update, shouldn't be more than another week...

Best Regards,
Jay

[The entire original message is not included.]

2073. RE: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-04 21:38:20 UTC
From: MV Elttba
Topic: 2070 Message: 2073

Yes

2074. Re: [TrunkPCR] Re: Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-04 21:41:54 UTC
From: Jay
Topic: 2070 Message: 2074

Still working on that part, at least for Pahse 1 anyhow...

Jay

----- Original Message -----
From: MV Elttba altectogo

Jay,
That's super great news. Will TrunkPCR be able to track APCO-25 Common Air Interface Exclusive P25 phase 1 & 2?

Vincent

2075. Re: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-04 21:44:40 UTC
From: Jay
Topic: 2070 Message: 2075

Yep, ever since the first release :-)

I'm also working on RTL-SDR support to use as a Decoder or Voice receiver...

Jay

----- Original Message -----
From: Glenn Blum glennblum

Does TRUNKPCR support the PCR1000?

Glenn

2076. Re: [TrunkPCR] Re: Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-04 21:49:29 UTC
From: MV Elttba
Topic: 2070 Message: 2076

Thanks Jay, all truck systems in my area now are Phase 1 and a few starting to switching to Phase 2

Vincent

2077. Re: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-05 00:45:58 UTC
From: Vincent
Topic: 2070 Message: 2077

Great News Jay

'Jay' crazycalifornian@... [TrunkPCR] wrote:
>
> Yep, ever since the first release :-)
> I'm also working on RTL-SDR support to use as a Decoder or Voice
> receiver...
> Jay
>
> ----- Original Message -----
> *From:* Glenn Blum glennblum
> Does TRUNKPCR support the PCR1000?
>
> Glenn
>
>

2078. RE: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-05 01:02:24 UTC
From: Glenn Blum
Topic: 2070 Message: 2078

Oh really. NooElect 820T?

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Tuesday, November 04, 2014 3:45 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Status Update Nov 04, 2014

Yep, ever since the first release :-)

I'm also working on RTL-SDR support to use as a Decoder or Voice receiver...

Jay

----- Original Message -----

From: Glenn Blum glennblum

Does TRUNKPCR support the PCR1000?

Glenn

2079. Re: [TrunkPCR] Re: Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-05 06:14:09 UTC
From: Jay
Topic: 2070 Message: 2079

Yep, I remember...

No Pressure ;-)

----- Original Message -----
From: MV Elttba altectogo

Thanks Jay, all truck systems in my area now are Phase 1 and a few starting to switching to Phase 2

Vincent

2080. Re: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-05 06:15:52 UTC
From: Jay
Topic: 2070 Message: 2080

That's the one I bought earlier this year, also have the HamItUp Converter too...

----- Original Message -----
From: 'Glenn
Oh really. NooElect 820T?

2081. Re: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-05 06:57:36 UTC
From: Ken Long
Topic: 2070 Message: 2081

Are you going to change the name to TrunkRTL?

> On Nov 4, 2014, at 10:15 PM, 'Jay' crazycalifornian@... [TrunkPCR]
<TrunkPCR@yahoogroups.com> wrote:
>
>
>
> That's the one I bought earlier this year, also have the HamItUp Converter too...
>
> ----- Original Message -----
> From: 'Glenn
> Oh really. NooElect 820T?
>
>
>
>

2082. RE: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-05 12:01:47 UTC
From: Glenn Blum
Topic: 2070 Message: 2082

I have 3 of them.

Glenn Blum

-----Original Message-----
From: "'Jay' crazycalifornian@... [TrunkPCR]" <TrunkPCR@yahoogroups.com>
Sent: □11/□5/□2014 12:15 AM
To: "TrunkPCR@yahoogroups.com" <TrunkPCR@yahoogroups.com>
Subject: Re: [TrunkPCR] Status Update Nov 04, 2014

That's the one I bought earlier this year, also have the HamItUp Converter too...

----- Original Message -----
From: 'Glenn
Oh really. NooElect 820T?

[The entire original message is not included.]

2083. Re: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-05 12:34:21 UTC
From: Jay
Topic: 2070 Message: 2083

Don't think so, lol :-)

TrunkPCR with RTL Support sounds a bit better...

----- Original Message -----
From: Ken Long kwlong

Are you going to change the name to TrunkRTL?

2084. Re: [TrunkPCR] Status Update Nov 04, 2014

Yahoo group: TrunkPCR
Date: 2014-11-05 12:37:44 UTC
From: Jay
Topic: 2070 Message: 2084

Cool, I do plan on buying another 1 or 2.

I'm going to have to install another antenna anyway ;-)

----- Original Message -----
From: Glenn

I have 3 of them.

Glenn Blum

2085. TrunkPCR version 1.00.290 Now Available

Yahoo group: TrunkPCR
Date: 2014-12-09 01:23:18 UTC
From: Jay
Topic: 2085 Message: 2085

TrunkPCR version 1.00.290 Now Available for Downloading from the Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has 16 Fixes, 8 Changes and 8 Additions...

Aug 09,2014 - Fixed: Initilaizing D-Star & P-25 Dialogs.
Aug 09,2014 - Fixed: D-Star - Decoding a new NMEA Message Format.
Aug 21,2014 - Fixed: D-Star - Reporting Emergency Status.
Aug 21,2014 - Fixed: D-Star - Displaying Lat & Lon Coordinates of UnKnown Caller.
Aug 27,2014 - Fixed: Bug in Comm Routines for Commands with length > 5.
Aug 30,2014 - -----: D-Star "EMR" and "BRK" Messages now Shown Correctly.
Aug 30,2014 - -----: D-Star Caller Status "UR?" and "RPT UP" now Shown.
Sep 16,2014 - Fixed: CTCSS/Dual CTCSS Search for PCR-1500/2500.
Sep 17,2014 - Added: Dual Squelch Display Status.
Sep 20,2014 - Fixed: Display of Dual DTCS Squelch Status Color.
Sep 20,2014 - Fixed: Display of Dual CTCSS Squelch Status Color.
Sep 20,2014 - Fixed: Display of Dual Voice Squelch Status Color.
Sep 20,2014 - Fixed: Using Dual DTCS Squelch.
Sep 20,2014 - Fixed: Using Dual CTCSS Squelch.
Sep 20,2014 - Fixed: Using Dual Voice Squelch.
Sep 23,2014 - Fixed: DTMF now Enabled for Main Receiver on a 2500.
Sep 23,2014 - Fixed: Using DTMF on 1500/2500.
Sep 23,2014 - Added: About Dialog now shows if Dual DTMF is Installed on a 2500.
Sep 24,2014 - Fixed: Saving Dialog Window Position when Closing and Minimized.
Sep 24,2014 - Added: Clear Current History function to Main & Dual DTMF Display.
Sep 24,2014 - -----: Increased Main & Dual DTMF Display to 14 Characters.
Sep 25,2014 - -----: CTCSS and DTCS Searches will Now Only Work when in Manual Mode.
Sep 25,2014 - -----: Scan Resume Now Sets DTCS Tone from Current Channel.
Oct 12,2014 - Fixed: Displaying CTCSS or DTCS Tone Frequency in Status Panel During Scan.
Oct 12,2014 - -----: Changed Verson Number of TrunkPCR to 1.0...
Nov 03,2014 - Fixed: The DV Callsign Was Appended to Itself Each Time The Bank was Switched.
This Created a Long String of Text that was Sent to the PCR, Causing a
BIG Delay while Scanning as the String Kept On Growing.
Nov 10,2014 - Added: Registration Information Can Now Be Copied to the ClipBoard for Pasting.
Nov 12,2014 - Added: Clone Operation For PCR-1500 & PCR-2500.
Nov 16,2014 - Added: D-Star Messages Now Shown in Main Display (Besides in StatusBar).
Nov 18,2014 - Added: Duration of D-Star Message Display Setting (1 to 60 Seconds) After Call Ends.
Nov 22,2014 - -----: Changed COM Port Initializing / Startup.
Nov 22,2014 - Added: Detection of USB Power Failure for PCR-1500/2500.
Dec 04,2014 - -----: In COM Port Settings, "RAISE DTR" MUST BE Enabled for PCR 1500/2500 Cloning!

Version 1.00.290 Released 12/08/2014

IMPORTANT: If you have Upgraded ICom's Driver to Version 2.20, then you will need to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking the [Power] Button...

Regards,
Jay

2086. RE: [TrunkPCR] TrunkPCR version 1.00.290 Now Available

Yahoo group: TrunkPCR
Date: 2014-12-09 03:27:52 UTC
From: Glenn Blum
Topic: 2085 Message: 2086

Jay,
Trunkpcr still supports PCR1000? With USB serial port adapter?
Also, I have completely lost my registration key.
Glenn Blum
Kd5dga
glennblum@embarqmail.com

Glenn Blum

-----Original Message-----
From: "'Jay' crazycalifornian@... [TrunkPCR]" <TrunkPCR@yahoogroups.com>
Sent: □12/□8/□2014 7:23 PM
To: "TrunkPCR@yahoogroups.com" <TrunkPCR@yahoogroups.com>
Subject: [TrunkPCR] TrunkPCR version 1.00.290 Now Available

TrunkPCR version 1.00.290 Now Available for Downloading from the Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has 16 Fixes, 8 Changes and 8 Additions...

Aug 09,2014 - Fixed: Initilaizing D-Star & P-25 Dialogs.
Aug 09,2014 - Fixed: D-Star - Decoding a new NMEA Message Format.
Aug 21,2014 - Fixed: D-Star - Reporting Emergency Status.
Aug 21,2014 - Fixed: D-Star - Displaying Lat & Lon Coordinates of UnKnown Caller.
Aug 27,2014 - Fixed: Bug in Comm Routines for Commands with length > 5.
Aug 30,2014 - -----: D-Star "EMR" and "BRK" Messages now Shown Correctly.
Aug 30,2014 - -----: D-Star Caller Status "UR?" and "RPT UP" now Shown.
Sep 16,2014 - Fixed: CTCSS/Dual CTCSS Search for PCR-1500/2500.
Sep 17,2014 - Added: Dual Squelch Display Status.
Sep 20,2014 - Fixed: Display of Dual DTCS Squelch Status Color.
Sep 20,2014 - Fixed: Display of Dual CTCSS Squelch Status Color.
Sep 20,2014 - Fixed: Display of Dual Voice Squelch Status Color.
Sep 20,2014 - Fixed: Using Dual DTCS Squelch.
Sep 20,2014 - Fixed: Using Dual CTCSS Squelch.
Sep 20,2014 - Fixed: Using Dual Voice Squelch.
Sep 23,2014 - Fixed: DTMF now Enabled for Main Receiver on a 2500.
Sep 23,2014 - Fixed: Using DTMF on 1500/2500.
Sep 23,2014 - Added: About Dialog now shows if Dual DTMF is Installed on a 2500.
Sep 24,2014 - Fixed: Saving Dialog Window Position when Closing and Minimized.
Sep 24,2014 - Added: Clear Current History function to Main & Dual DTMF Display.
Sep 24,2014 - -----: Increased Main & Dual DTMF Display to 14 Characters.
Sep 25,2014 - -----: CTCSS and DTCS Searches will Now Only Work when in Manual Mode.
Sep 25,2014 - -----: Scan Resume Now Sets DTCS Tone from Current Channel.
Oct 12,2014 - Fixed: Displaying CTCSS or DTCS Tone Frequency in Status Panel During Scan.

Oct 12,2014 - -----: Changed Verson Number of TrunkPCR to 1.0...
Nov 03,2014 - Fixed: The DV Callsign Was Appended to Itself Each Time The Bank was Switched.
This Created a Long String of Text that was Sent to the PCR, Causing a
BIG Delay while Scanning as the String Kept On Growing.
Nov 10,2014 - Added: Registration Information Can Now Be Copied to the ClipBoard for Pasting.
Nov 12,2014 - Added: Clone Operation For PCR-1500 & PCR-2500.
Nov 16,2014 - Added: D-Star Messages Now Shown in Main Display (Besides in StatusBar).
Nov 18,2014 - Added: Duration of D-Star Message Display Setting (1 to 60 Seconds) After Call Ends.
Nov 22,2014 - -----: Changed COM Port Initializing / Startup.
Nov 22,2014 - Added: Detection of USB Power Failure for PCR-1500/2500.
Dec 04,2014 - -----: In COM Port Settings, "RAISE DTR" MUST BE Enabled for PCR 1500/2500 Cloning!

Version 1.00.290 Released 12/08/2014

IMPORTANT: If you have Upgraded ICom's Driver to Version 2.20, then you will need to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking the [Power] Button...

Regards,
Jay

[The entire original message is not included.]

2087. Re: [TrunkPCR] TrunkPCR version 1.00.290 Now Available

Yahoo group: TrunkPCR
Date: 2014-12-09 03:41:54 UTC
From: Jay
Topic: 2085 Message: 2087

Hi Glenn,

I'm using my PCR-1000 on the Win95 PC (Serial Connection) and that's working okay, plus the PCR-2500 (USB) on the WinXP PC is working well too...

What kind of issues are you having and which USB-to-Serial adapter are you using?

I'll re-send your key file for your last PC, if you need an updated/newer one, please send the RegInfo and I'll be happy to send you a new key file...

Regards,
Jay

----- Original Message -----
From: Glenn

Jay,
Trunkpcr still supports PCR1000? With USB serial port adapter?
Also, I have completely lost my registration key.
Glenn Blum
Kd5dga

Glenn Blum

2088. RE: [TrunkPCR] TrunkPCR version 1.00.290 Now Available

Yahoo group: TrunkPCR
Date: 2014-12-09 03:44:38 UTC
From: Glenn Blum
Topic: 2085 Message: 2088

Jay,

My old computer is long gone. Send me a direct email and I'll send you the reginfo.

I just downloaded the latest version and with my Vista laptop and serial port adapter all is working good.

Glenn

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Monday, December 08, 2014 9:42 PM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] TrunkPCR version 1.00.290 Now Available

Hi Glenn,

I'm using my PCR-1000 on the Win95 PC (Serial Connection) and that's working okay, plus the PCR-2500 (USB) on the WinXP PC is working well too...

What kind of issues are you having and which USB-to-Serial adapter are you using?

I'll re-send your key file for your last PC, if you need an updated/newer one, please send the RegInfo and I'll be happy to send you a new key file...

Regards,

Jay

----- Original Message -----

From: Glenn <mailto:glennblum@...%20[TrunkPCR]>

Jay,
Trunkpcr still supports PCR1000? With USB serial port adapter?
Also, I have completely lost my registration key.
Glenn Blum
Kd5dga

Glenn Blum

2089. TrunkPCR version 1.00.291 Now Available

Yahoo group: TrunkPCR
Date: 2014-12-09 23:40:47 UTC
From: Jay
Topic: 2089 Message: 2089

TrunkPCR version 1.00.291 Now Available for Downloading from the Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has 1 Fix...

Dec 09,2014 - Fixed: Clicking Power OFF causing two Pop-Up Error Messages.
Version 1.00.291 Released 12/09/2014

IMPORTANT: If you have Upgraded ICom's Driver to Version 2.20, then you will need to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking the [Power] Button...

Regards,
Jay

2090. RE: [TrunkPCR] TrunkPCR version 1.00.291 Now Available

Yahoo group: TrunkPCR
Date: 2014-12-10 02:56:53 UTC
From: Glenn Blum
Topic: 2089 Message: 2090

Jay,

Any support for second receiver using SRD like the NooElect 820T?

Glenn

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Tuesday, December 09, 2014 5:41 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] TrunkPCR version 1.00.291 Now Available

TrunkPCR version 1.00.291 Now Available for Downloading from the Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has 1 Fix...

Dec 09,2014 - Fixed: Clicking Power OFF causing two Pop-Up Error Messages.
Version 1.00.291 Released 12/09/2014

IMPORTANT: If you have Upgraded ICom's Driver to Version 2.20, then you will need
to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking the
[Power] Button...

Regards,
Jay

2091. Re: [TrunkPCR] TrunkPCR version 1.00.291 Now Available

Yahoo group: TrunkPCR
Date: 2014-12-10 21:52:20 UTC
From: Jay
Topic: 2089 Message: 2091

Hi Glenn,

SDR 2nd Receiver support is currenty in the design stage as a stand-alone test program.
Once I get it working the way I want it to, I'll include it in the latest release...

Regards,
Jay

----- Original Message -----
From: 'Glenn

Jay,
Any support for second receiver using SRD like the NooElect 820T?

Glenn

2092. TrunkPCR version 1.00.292 Now Available

Yahoo group: TrunkPCR
Date: 2014-12-11 02:56:57 UTC
From: Jay
Topic: 2092 Message: 2092

TrunkPCR version 1.00.292 Now Available for Downloading from the Homepage:
http://www.fiftyonefiftysystems.com/TrunkPcr/TrunkPcrDwnld.html

NOTE: Moto Type-I Support *should* be finished in the next major update.

This update has 2 Fixes...

Dec 10,2014 - Fixed: Trunk Search Not Resuming After Squelch Closed.
Dec 10,2014 - Fixed: Adjusting Maximum Volume Level for Astro/P25 Calls.

Version 1.00.292 Released 12/10/2014

IMPORTANT: If you have Upgraded ICom's Driver to Version 2.20, then you will need to Check the [Ignore CTS] CheckBox in the COM Port Selector BEFORE Clicking the [Power] Button...

Regards,
Jay

2093. 'Tis the Season

Yahoo group: TrunkPCR
Date: 2014-12-24 21:32:44 UTC
From: Jay
Topic: 2065 Message: 2093

Hope you and yours have a Merry Christmas and a Happy New Year :-)
May you get many new radios and software from Santa :)

Best Regards,
Jay

2094. RE: [TrunkPCR] 'Tis the Season

Yahoo group: TrunkPCR
Date: 2014-12-24 22:26:49 UTC
From: Glenn Blum
Topic: 2065 Message: 2094

Merry Christmas to you as well

Glenn Blum

-----Original Message-----
From: "'Jay' crazycalifornian@... [TrunkPCR]" <TrunkPCR@yahoogroups.com>
Sent: □12/□24/□2014 3:32 PM
To: "TrunkPCR@yahoogroups.com" <TrunkPCR@yahoogroups.com>
Subject: [TrunkPCR] 'Tis the Season

Hope you and yours have a Merry Christmas and a Happy New Year :-)
May you get many new radios and software from Santa :)

Best Regards,
Jay

[The entire original message is not included.]

2095. Re: [TrunkPCR] 'Tis the Season

Yahoo group: TrunkPCR
Date: 2014-12-25 08:23:54 UTC
From: Ray
Topic: 2065 Message: 2095

Thank you Jay,Same to you! Ray
----- Original Message -----
From: 'Jay' crazycalifornian@... [TrunkPCR]
To: TrunkPCR@yahoogroups.com
Sent: Wednesday, December 24, 2014 4:32 PM
Subject: [TrunkPCR] 'Tis the Season

Hope you and yours have a Merry Christmas and a Happy New Year :-)
May you get many new radios and software from Santa :)

Best Regards,
Jay

2096. SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-05 15:36:25 UTC
From: b.v930@...
Topic: 2096 Message: 2096

Good morning everyone,
Well it's good to be back after a few years. Took a brake and had to finish school.
I sold my 2500's and went with SDR's I am hoping that this great program that Jay did will work with my (2) RTL SDR RTL2832UR820T2?
Thank you,
Brian

2097. Re: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-05 16:26:59 UTC
From: Jay
Topic: 2096 Message: 2097

Hi Brian,

Yes it does appear that many users have gone the way of SDR's in the last year...
A few months ago I started support on the RTL Type, but the test app only has basic functionality at the moment. I need to get back to that soon :-)

Regards,
Jay

----- Original Message -----
From: b.v930@
Good morning everyone,

Well it's good to be back after a few years. Took a brake and had to finish school.

I sold my 2500's and went with SDR's I am hoping that this great program that Jay did will work with my (2) RTL SDR RTL2832UR820T2?

Thank you,

Brian

2098. RE: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-05 18:40:12 UTC
From: Glenn Blum
Topic: 2096 Message: 2098

Jay,
How about a Trunk-SDR?

Glenn Blum

Glenn Blum

-----Original Message-----
From: "'Jay' crazycalifornian@... [TrunkPCR]" <TrunkPCR@yahoogroups.com>
Sent: □5/□5/□2015 11:26 AM
To: "TrunkPCR@yahoogroups.com" <TrunkPCR@yahoogroups.com>
Subject: Re: [TrunkPCR] SDR's ?

Hi Brian,

Yes it does appear that many users have gone the way of SDR's in the last year...
A few months ago I started support on the RTL Type, but the test app only has basic functionality at the moment. I need to get back to that soon :-)

Regards,
Jay

----- Original Message -----
From: b.v930@
Good morning everyone,

Well it's good to be back after a few years. Took a brake and had to finish school.

I sold my 2500's and went with SDR's I am hoping that this great program that Jay did will work with my (2) RTL SDR RTL2832UR820T2?

Thank you,

Brian

[The entire original message is not included.]

2099. Re: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-05 19:37:04 UTC
From: Jay
Topic: 2096 Message: 2099

Hi Glenn,

Yep, that's the idea to have a RTL Dongle as the primary or alternate tuner or maybe two for both :-)

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Jay,
How about a Trunk-SDR?

Glenn Blum

2100. RE: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-05 20:33:43 UTC
From: Glenn Blum
Topic: 2096 Message: 2100

Great idea.

Glenn Blum

-----Original Message-----
From: "'Jay' crazycalifornian@... [TrunkPCR]" <TrunkPCR@yahoogroups.com>
Sent: □5/□5/□2015 2:37 PM
To: "TrunkPCR@yahoogroups.com" <TrunkPCR@yahoogroups.com>
Subject: Re: [TrunkPCR] SDR's ?

Hi Glenn,

Yep, that's the idea to have a RTL Dongle as the primary or alternate tuner or maybe two for both :-)

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Jay,
How about a Trunk-SDR?

Glenn Blum

[The entire original message is not included.]

2101. Re: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-05 21:05:07 UTC
From: john911@satexas.com
Topic: 2101 Message: 2101
Attachments: 2 described; binary payloads are missing from this source WARC

[Attachment content not displayed]

2102. Re: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-05 21:44:03 UTC
From: MV Elttba
Topic: 2096 Message: 2102

Hi Jay
Don't forget Airspy

Vincent

2103. RE: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-05 22:01:29 UTC
From: Glenn Blum
Topic: 2101 Message: 2103

I have 3 RTL-SDR 820T. Would be nice to have SDR support.

Glenn

Glenn Blum

-----Original Message-----
From: "'john911@...' john911@satexas.com [TrunkPCR]" <TrunkPCR@yahoogroups.com>
Sent: □5/□5/□2015 4:05 PM
To: "TrunkPCR@yahoogroups.com" <TrunkPCR@yahoogroups.com>
Subject: Re: [TrunkPCR] SDR's ?

Trunk PCR is far superior to Unitrunker. I have 5 RTLs and wish I could use Trunk PCR with them.

Sent from my HTC smartphone on the Now Network from Sprint!

----- Reply message -----
From: "'Jay' crazycalifornian@... [TrunkPCR]" <TrunkPCR@yahoogroups.com>
To: <TrunkPCR@yahoogroups.com>
Subject: [TrunkPCR] SDR's ?
Date: Tue, May 5, 2015 2:37 pm
Hi Glenn,

Yep, that's the idea to have a RTL Dongle as the
primary or alternate tuner or maybe two for both :-)

Regards,
Jay

----- Original Message -----
From: Glenn Blum

Jay,How
about a Trunk-SDR?Glenn Blum

[The entire original message is not included.]

[The entire original message is not included.]

2104. Re: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-05 22:45:46 UTC
From: Brian
Topic: 2101 Message: 2104

```
Yep, I have 2 RTL SDR's...1 for Control Channel and the other 1 for
Voice Channel.

I agree TrunkPCR is far superior to UniTrunker. I hope Jay "THE MAN"
makes our wishes come true!!!
Brian
```

On 5/5/2015 6:01 PM, Glenn Blum glennblum@... [TrunkPCR] wrote:
>
> I have 3 RTL-SDR 820T. Would be nice to have SDR support.
>
> Glenn
>
> Glenn Blum
> ----------
> From: 'john911@satexas.com' john911@... [TrunkPCR]
> <mailto:TrunkPCR@...m>
> Sent: □5/□5/□2015 4:05 PM
> To: TrunkPCR@yahoogroups.com <mailto:TrunkPCR@yahoogroups.com>
> Subject: Re: [TrunkPCR] SDR's ?
>
> Trunk PCR is far superior to Unitrunker. I have 5 RTLs and wish I
> could use Trunk PCR with them.
>
>
> Sent from my HTC smartphone on the Now Network from Sprint!
>
> ----- Reply message -----
> From: "'Jay' crazycalifornian@... [TrunkPCR]"
> <TrunkPCR@yahoogroups.com>
> To: <TrunkPCR@yahoogroups.com>
> Subject: [TrunkPCR] SDR's ?
> Date: Tue, May 5, 2015 2:37 pm
>
>
> Hi Glenn,
> Yep, that's the idea to have a RTL Dongle as the primary or alternate
> tuner or maybe two for both :-)
> Regards,
> Jay
>
> ----- Original Message -----
> *From:* Glenn Blum <mailto:glennblum@...%20[TrunkPCR]>
> Jay,
> How about a Trunk-SDR?

>
> Glenn Blum
>
>

2105. Re: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-06 17:20:41 UTC
From: Jay
Topic: 2096 Message: 2105

I haven't looked yet, but is there an API or released programming info on these?

Thanks,
Jay

----- Original Message -----
From: MV Elttba

Hi Jay
Don't forget Airspy

Vincent

2106. RE: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-06 17:48:00 UTC
From: Jay Bray
Topic: 2096 Message: 2106

Okay, I see the info at the bottom of the page: http://airspy.com/ :-)

To: TrunkPCR@yahoogroups.com
From: TrunkPCR@yahoogroups.com
Date: Wed, 6 May 2015 10:20:41 -0700
Subject: Re: [TrunkPCR] SDR's ?

I haven't looked yet, but is there an API or
released programming info on these?

Thanks,
Jay

----- Original Message -----
From: MV Elttba
Hi Jay
Don't forget Airspy

Vincent

2107. RE: [TrunkPCR] SDR's ?

Yahoo group: TrunkPCR
Date: 2015-05-06 18:23:31 UTC
From: MV Elttba
Topic: 2096 Message: 2107

Jay
yes, that's it. You should look at getting one of these. They work better than the dongles. Youssef, is s good guy to know and should be helpful. I'm currently using mine with UT and it is working great.

vincent

2108. Good evening

Yahoo group: TrunkPCR
Date: 2015-05-19 23:44:45 UTC
From: b.v930@...
Topic: 2108 Message: 2108

Good evening all,
Just wondering Jay how your project for the "RTL SDR" incorporation in to TrunkPCR is going?
Or are you coming up with another plan for a different trunking package for the RTL SDR?

2109. Re: [TrunkPCR] Good evening

Yahoo group: TrunkPCR
Date: 2015-05-20 15:56:36 UTC
From: Jay
Topic: 2108 Message: 2109

It's comming along slowly. From the first test app, I could configure the DVB/DAB Dongle and grab the I/Q data from it, but that was about it. In the past two weeks I have added a GUI to it so I can change the frequency and the settings from that instead of manually...

I'm still deciding on to either just add the RTL-SDR Dongle support to TrunkPCR or to continue on just a TrunkSDR stand-alone app...

In the past two weeks, I have been reading all I can find on how the whole theory and processing that goes into converting the I/Q data to something that can be displayed in a Spectrum View or Demodulation to LSB, USB, AM, FM and WFM audio. I've also been looking at the code to other programs to see how this all goes together as I would rather use my own code and not use something GPL'd...

Regards,
Jay

----- Original Message -----
From: b.v930

Good evening all,
Just wondering Jay how your project for the "RTL SDR" incorporation in to TrunkPCR is going?
Or are you coming up with another plan for a different trunking package for the RTL SDR?

2110. Re: [TrunkPCR] Good evening

Yahoo group: TrunkPCR
Date: 2015-05-20 22:36:14 UTC
From: Brian
Topic: 2108 Message: 2110

Yea I know the SDR thing is really interesting, I too have been doing a lot of reading and research on how to use mine. I like that there is a lot of programs out there for this. Also the level of detail,information from the software is awesome.

I am looking forward to what you can do with your programs and I really enjoy using them. I hope you can figure it out the RTL SDR's.

On 5/20/2015 11:56 AM, 'Jay' crazycalifornian@... [TrunkPCR] wrote:
>
> It's comming along slowly. From the first test app, I could configure
> the DVB/DAB Dongle and grab the I/Q data from it, but that was about
> it. In the past two weeks I have added a GUI to it so I can change
> the frequency and the settings from that instead of manually...
> I'm still deciding on to either just add the RTL-SDR Dongle support to
> TrunkPCR or to continue on just a TrunkSDR stand-alone app...
> In the past two weeks, I have been reading all I can find on how the
> whole theory and processing that goes into converting the I/Q data to
> something that can be displayed in a Spectrum View or Demodulation to
> LSB, USB, AM, FM and WFM audio. I've also been looking at the code to
> other programs to see how this all goes together as I would rather use
> my own code and not use something GPL'd...
> Regards,
> Jay
>
> ----- Original Message -----
> *From:* b.v930 <mailto:b.v930@...%20[TrunkPCR]>Good evening all,

> Just wondering Jay how your project for the "RTL SDR"
> incorporation in to TrunkPCR is going?
> Or are you coming up with another plan for a different trunking
> package for the RTL SDR?
>
>

2111. listen tothe DMR & MOTOTROBO

Yahoo group: TrunkPCR
Date: 2015-08-12 07:13:57 UTC
From: seroj varnesian
Topic: 2111 Message: 2111

Hi,
please guide me,,with PCR-2500 and its optional board,,How i can listen to the DMR and MOTOTROBO digital radio sounds??
Thanks in Advanced
Seroj

2112. 'Tis the Season

Yahoo group: TrunkPCR
Date: 2015-12-25 02:48:48 UTC
From: Jay
Topic: 2065 Message: 2112

Hope you and yours have a Merry Christmas and a Happy New Year :-)
May you get many new radios and software from Santa :)

Best Regards,
Jay

2113. RE: [TrunkPCR] 'Tis the Season

Yahoo group: TrunkPCR
Date: 2015-12-25 12:20:13 UTC
From: Brian Veres
Topic: 2065 Message: 2113

And the same to you Jay. Merry xmas everyone

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Thursday, December 24, 2015 9:49 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] 'Tis the Season

Hope you and yours have a Merry Christmas and a Happy New Year :-)
May you get many new radios and software from Santa :)

Best Regards,
Jay

2114. Re: [TrunkPCR] 'Tis the Season

Yahoo group: TrunkPCR
Date: 2015-12-25 13:07:51 UTC
From: sebald@...
Topic: 2065 Message: 2114

Thank you! The same for you.

> Hope you and yours have a Merry Christmas and a Happy New Year :-)
> May you get many new radios and software from Santa :)
>
> Best Regards,
> Jay
>

2115. Re: 'Tis the Season

Yahoo group: TrunkPCR
Date: 2016-07-17 23:08:51 UTC
From: neallinder@...
Topic: 2065 Message: 2115

Is this group still being used?

2116. RE: [TrunkPCR] Re: 'Tis the Season

Yahoo group: TrunkPCR
Date: 2016-07-18 01:34:34 UTC
From: John Longoria Jr.
Topic: 2065 Message: 2116

I hope so, it's a great program.

Sent from my Sprint Samsung Galaxy S® 6 edge.
-------- Original message --------From: "neallinder@adelphia.net [TrunkPCR]" <TrunkPCR@yahoogroups.com> Date: 7/17/16 6:08 PM (GMT-06:00) To: TrunkPCR@yahoogroups.com Subject: [TrunkPCR] Re: 'Tis the Season

Is this group still being used?

2117. RE: [TrunkPCR] Re: 'Tis the Season

Yahoo group: TrunkPCR
Date: 2016-07-18 03:00:21 UTC
From: Glenn Blum
Topic: 2065 Message: 2117

To my knowledge it is.

Glenn Blum

KD5DGA

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Sunday, July 17, 2016 8:35 PM
To: TrunkPCR@yahoogroups.com
Subject: RE: [TrunkPCR] Re: 'Tis the Season

I hope so, it's a great program.

Sent from my Sprint Samsung Galaxy S® 6 edge.

-------- Original message --------

From: "neallinder@... [TrunkPCR] <mailto:neallinder@...%20[TrunkPCR]> "
<TrunkPCR@yahoogroups.com>

Date: 7/17/16 6:08 PM (GMT-06:00)

To: TrunkPCR@yahoogroups.com

Subject: [TrunkPCR] Re: 'Tis the Season

Is this group still being used?

2118. Re: [TrunkPCR] Re: Program Status: was 'Tis the Season

Yahoo group: TrunkPCR
Date: 2016-07-18 16:43:21 UTC
From: Jay
Topic: 2118 Message: 2118

Sure is :-)

In fact, I'm currently updating the RadioReference.com Web Import feature with it's latest update.

Just because I haven't posted an update in awhile doesn't mean that the program and support has stopped or dead, it just means that "LIFE HAPPENS" and sometimes other things or even some new interest in a new program takes precedence over the old...

Gotta keep moving forward and learning new things, otherwise life becomes dull...

Best Regards,
Jay

----- Original Message -----
From: neallinder

Is this group still being used?

2119. Re: [TrunkPCR] Re: Program Status: was 'Tis the Season

Yahoo group: TrunkPCR
Date: 2016-07-18 23:35:44 UTC
From: MV Elttba
Topic: 2118 Message: 2119

Keep up the great work Jay

Vincent

2120. RE: [TrunkPCR] Re: Program Status: was 'Tis the Season

Yahoo group: TrunkPCR
Date: 2016-07-18 23:54:19 UTC
From: Jack Goetz
Topic: 2118 Message: 2120

Hi Jay,

Good to hear from you and hope you and the family are doing well.

I like to know if or what OS will the TrunkPCR work with now?

It has been awhile since I have used it. I still have the Icom 2000, cannot get upgrades for it. Not sure about the 2500 series.

Thanks for the email, I had lost your address.

Jack Goetz WA7PKA

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Monday, July 18, 2016 9:43 AM
To: TrunkPCR@yahoogroups.com
Subject: Re: [TrunkPCR] Re: Program Status: was 'Tis the Season

Sure is :-)

In fact, I'm currently updating the RadioReference.com Web Import feature with it's latest update.

Just because I haven't posted an update in awhile doesn't mean that the program and support has stopped or dead, it just means that "LIFE HAPPENS" and sometimes other things or even some new interest in a new program takes precedence over the old...

Gotta keep moving forward and learning new things, otherwise life becomes dull...

Best Regards,

Jay

----- Original Message -----

From: neallinder <mailto:neallinder@...%20[TrunkPCR]> Is this group still being used?

2121. Re: [TrunkPCR] Re: Program Status

Yahoo group: TrunkPCR
Date: 2016-07-20 13:45:44 UTC
From: Jay
Topic: 2121 Message: 2121

Hi Jack,

TrunkPCR will run on Windows 95 through Windows 10 and on a Mac OS or Linux if ran under Parallels or Wine.

Regards,
Jay

----- Original Message -----
From: 'Jack Goetz'
Hi Jay,

Good to hear from you and hope you and the family are doing well.

I like to know if or what OS will the TrunkPCR work with now?

It has been awhile since I have used it. I still have the Icom 2000, cannot get upgrades for it. Not sure about the 2500 series.

Thanks for the email, I had lost your address.

Jack Goetz WA7PKA

2122. Computer update

Yahoo group: TrunkPCR
Date: 2017-07-24 13:38:49 UTC
From: gmedinas@...
Topic: 2122 Message: 2122

Hello, any may tell me about Jay, have a Trunkpcr licenced but my old PC XP is down and have a new W7 but need a need key to run trunkpcr.

Thanks.
Gabriel.
gmedinas@gmail.com

2123. RE: [TrunkPCR] Computer update

Yahoo group: TrunkPCR
Date: 2017-07-24 19:09:39 UTC
From: Ray
Topic: 2122 Message: 2123

Gabriel, A Second Computer needs a Second Key. Make another Donation and get a NEW Key. The Time and Effort Jay puts into this Awesome program is Well worth the donation. Ray

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Monday, July 24, 2017 9:39 AM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Computer update

Hello, any may tell me about Jay, have a Trunkpcr licenced but my old PC XP is down and have a new W7 but need a need key to run trunkpcr.

Thanks.

Gabriel.

gmedinas@gmail.com

2124. RE: [TrunkPCR] Computer update

Yahoo group: TrunkPCR
Date: 2017-07-25 01:54:21 UTC
From: Ian Foster
Topic: 2122 Message: 2124

Go to Jays web site and send him an email with your details as he has them all on file for records.

I lost mine through a crash and Jay was able to find my old details and resend my old licence details.

He provides excellent back up service.

Ian – VK3ST

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Monday, 24 July 2017 11:39 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] Computer update

Hello, any may tell me about Jay, have a Trunkpcr licenced but my old PC XP is down and have a new W7 but need a need key to run trunkpcr.

Thanks.

Gabriel.

gmedinas@... <mailto:gmedinas@...>

2125. RE: [TrunkPCR] Computer update

Yahoo group: TrunkPCR
Date: 2017-07-25 13:12:53 UTC
From: gmedinas@...
Topic: 2122 Message: 2125

Hello Ray, in this moment in my country (Venezuela) have a serious currency problems with USD, I think my old license of $100 may work with my new computer (same operator), is difficult to me here make other pay for the same license.

Also Jay is a very fine person but is difficult to me find him or dont reply my emails.

73 de Gabriel YV5KXE.

2126. RE: [TrunkPCR] Computer update

Yahoo group: TrunkPCR
Date: 2017-07-25 13:13:43 UTC
From: gmedinas@...
Topic: 2122 Message: 2126

Thanks Ian, sen to him other email.

73 de Gabriel YV5KXE

2127. Re: [TrunkPCR] Computer update

Yahoo group: TrunkPCR
Date: 2017-07-25 23:02:51 UTC
From: Jay Bray
Topic: 2122 Message: 2127

Okay, I think I have sent out all awaiting key files.

A few months ago my old Win95 PC died, so I dug out an old Compaq and installed Windows 98SE2 on it (that's what came with it, but someone had installed Windows XP on it. Boy was it slow!)

It took a week to get all the correct drivers installed, not to mention all of the programs I use to develop my programs with and others stuff.

Then every few days since then it will shut off by itself or just plain crash in the middle of doing anything and was waiting for it to run smooth long enough to send out the updates and reply to emails...

So that's where I am today...

Best Regards,

Jay

2128. Re: [TrunkPCR] Computer update

Yahoo group: TrunkPCR
Date: 2017-07-25 23:35:28 UTC
From: MV Elttba
Topic: 2122 Message: 2128

Hey Jay,
How are you doing? Hope all is well. Keep the faith brother.

Vincent

On Tue, Jul 25, 2017 at 4:02 PM, Jay Bray crazycalifornian@...
[TrunkPCR] <TrunkPCR@yahoogroups.com> wrote:

>
>
> Okay, I think I have sent out all awaiting key files.
>
>
> A few months ago my old Win95 PC died, so I dug out an old Compaq and
> installed Windows 98SE2 on it (that's what came with it, but someone had
> installed Windows XP on it. Boy was it slow!)
>
>
> It took a week to get all the correct drivers installed, not to mention
> all of the programs I use to develop my programs with and others stuff.
>
>
> Then every few days since then it will shut off by itself or just plain
> crash in the middle of doing anything and was waiting for it to run smooth
> long enough to send out the updates and reply to emails...
>
>
> So that's where I am today...
>
>
> Best Regards,
>
> Jay
>
>
>
>
>
> ------------------------------
>
>
>

2129. It comes with great sorrow

Yahoo group: TrunkPCR
Date: 2017-08-17 19:52:03 UTC
From: Jay
Topic: 2129 Message: 2129

Yesterday I learned that our Icom representative in Canada, Eric Meth (ve3ei) had passed away on April 4th of this year.
He was a good friend and also the guy who hosted my web sites for the past 6 years, thank you Eric.

So now I'll have to find a new free web hosting service :-(

Regards,
Jay

2130. RE: [TrunkPCR] It comes with great sorrow

Yahoo group: TrunkPCR
Date: 2017-08-18 01:42:50 UTC
From: Ray
Topic: 2129 Message: 2130

Very Sorry to hear that Jay . There is Not a lot of us OLD School Radio buffs, Licensed Radio Operators, Radio & Antenna Company’s left nowadays thanks to Cell phones. I Miss those CQ CQ Days…

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Thursday, August 17, 2017 3:52 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] It comes with great sorrow

Yesterday I learned that our Icom representative in Canada, Eric Meth (ve3ei) had passed away on April 4th of this year.

He was a good friend and also the guy who hosted my web sites for the past 6 years, thank you Eric.

So now I'll have to find a new free web hosting service :-(

Regards,

Jay

2131. RE: [TrunkPCR] It comes with great sorrow

Yahoo group: TrunkPCR
Date: 2017-08-17 22:08:21 UTC
From: Jack Goetz
Topic: 2129 Message: 2131

Hi Jay,

Been a long time, so sorry to read about your friend in Canada. My condolences. I cannot find software that will allow me to run my old iCom unit, so I have been unable to use your software.

Hope you are doing well.

Jack Goetz WA7PKA 73’s

From: TrunkPCR@yahoogroups.com [mailto:TrunkPCR@yahoogroups.com]
Sent: Thursday, August 17, 2017 12:52 PM
To: TrunkPCR@yahoogroups.com
Subject: [TrunkPCR] It comes with great sorrow

Yesterday I learned that our Icom representative in Canada, Eric Meth (ve3ei) had passed away on April 4th of this year.

He was a good friend and also the guy who hosted my web sites for the past 6 years, thank you Eric.

So now I'll have to find a new free web hosting service :-(

Regards,

Jay

2132. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2017-08-31 22:24:03 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 2132

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /TrunkPcr_0_90_288.zip
Uploaded by : craazyc <crazycalifornian@...>
Description : TrunkPcr_0_90_288

You can access this file at the URL:
https://groups.yahoo.com/neo/groups/TrunkPCR/files/TrunkPcr_0_90_288.zip

To learn more about file sharing for your group, please visit:
https://help.yahoo.com/kb/index?page=content&y=PROD_GRPS&locale=en_US&id=SLN15398

Regards,

craazyc <crazycalifornian@...>
```

2133. New file uploaded to TrunkPCR

Yahoo group: TrunkPCR
Date: 2017-08-31 22:38:41 UTC
From: TrunkPCR@yahoogroups.com
Topic: 42 Message: 2133

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the TrunkPCR
group.

File : /TrunkPcr_0_90_288_Update.zip
Uploaded by : craazyc <crazycalifornian@...>
Description : TrunkPcr_0_90_288_Update

You can access this file at the URL:
https://groups.yahoo.com/neo/groups/TrunkPCR/files/TrunkPcr_0_90_288_Update.zip

To learn more about file sharing for your group, please visit:
https://help.yahoo.com/kb/index?page=content&y=PROD_GRPS&locale=en_US&id=SLN15398

Regards,

craazyc <crazycalifornian@...>